DECEMBER 1990

ISSN 0921–4534

PHYSICA C
SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 157–164
JANUARY–DECEMBER 1989

NORTH-HOLLAND

PHYCE6 MASTER INDEX VOLS. 157–164

PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D are published by North-Holland (Elsevier Science Publishers B.V.), Amsterdam.

PHYSICA C

Editors:
M.B. BRODSKY, Argonne National Laboratory, Argonne, Illinois, USA
G.W. CRABTREE, Argonne National Laboratory, Argonne, Illinois, USA
B.D. DUNLAP, Argonne National Laboratory, Argonne, Illinois, USA
R.P. GRIESSEN, Natuurkundig Laboratorium, Vrije Universiteit, Amsterdam, The Netherlands
S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, Japan
Yu.A. OSIPYAN, Institute of Solid State Physics, USSR Academy of Sciences, Chernogolovka, USSR
H.R. OTT, Laboratorium für Festkörperphysik, ETH, Zürich, Switzerland
S. TANAKA, Superconductivity Research Laboratory, ISTEC, Tokyo, Japan
(*see preliminary pages for full addresses*)

Desk editor:
P.J. HOFF, Elsevier Science Publishers B.V., P.O. Box 103, 1000 AC Amsterdam, The Netherlands, Telephone: (020) 5862 568, Telefax: (020) 5862 704, Telex: 10704 espom nl

---

SUBSCRIPTION DATA. All prices are **inclusive** of postage and handling. The Dutch Guilder price is definitive; the currency equivalent is for guidance only.

PHYSICA A: The subscription price per volume is Dfl. 355.00 ($200). For 1991 10 volumes have been announced at a total price of Dfl. 3550.00 ($1995). PHYSICA A is published semimonthly.
PHYSICA B: The subscription price per volume is Dfl. 355.00 ($200). For 1991 7 volumes have been announced at a total price of Dfl. 2485.00 ($1396). PHYSICA B is published monthly.
PHYSICA C: The subscription price per volume is Dfl. 355.00 ($200). For 1991 13 volumes have been announced at a total price of Dfl. 4615.00 ($2593). PHYSICA C is published semimonthly.
PHYSICA D: The subscription price per volume is Dfl. 355.00 ($200). For 1991 6 volumes have been announced at a total price of Dfl. 2130.00 ($1197). PHYSICA D is published monthly.
PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D: The total price of a combined subscription (31 volumes in all) is Dfl. 10 440.00 ($5865).

Subscriptions should be sent to the Publisher, Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, or to any subscription agent.
Journals are sent by surface delivery to all countries, except the following countries where SAL delivery (Surface Airlifted Mail) is ensured: USA, Canada, Japan, Australia, New Zealand. The People's Republic of China, Israel, India, Brazil, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, South Africa. Air mail rates for other countries are available upon request.
Claims for missing issues should be made within three months of their publication. The publishers expect to supply missing issues free only if losses have been sustained in transit and when stocks permit.

Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the Publisher, Elsevier Science Publishers B.V. (North-Holland), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.
Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.
Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center. Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Printed in The Netherlands

PHYSICA C

DECEMBER 1990

PHYSICA C

SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 157–164
JANUARY–DECEMBER 1989

NORTH-HOLLAND

©ELSEVIER SCIENCE PUBLISHERS B.V. (NORTH-HOLLAND) 1990

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of the publisher, Elsevier Science Publishers B.V. (North-Holland), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.

Special regulations for authors - Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or consideration for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S.351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA - This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or integral use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Published semimonthly

Printed in The Netherlands

This volume is printed on acid-free paper

NOTE TO AUTHORS

PHYSICA is published in four sections:

PHYSICA A (*Statistical and theoretical physics*) contains papers on theoretical physics, with emphasis on statistical mechanics. Papers on experimental work on the statistical or collective behaviour of matter in the gaseous and liquid states also belong to this section. Theoretical physics is to be understood as the study of the theory itself and not as the interpretation of specific experimental results.

PHYSICA B (*Condensed matter*) contains papers, both experimental and theoretical, in the realm of the physics of condensed matter. Articles on solid state physics, low temperature physics (e.g. properties of liquid and solid helium) and neutron physics should be submitted to this section.

Theoretical papers should preferably be related to experimental results. For instance "A theory on nuclear spin lattice relaxation in metals" would in general be more suitable for PHYSICA B, while a theoretical discussion on "Screening effects in the electron gas" would presumably belong to PHYSICA A.

The emphasis is on pure physics rather than on technical methods or applications. Discussions of the properties of materials such as metals, insulators, magnetic materials, and ferroelectrics will be welcomed, but in some cases such papers could more appropriately be referred to a journal on chemical physics.

PHYSICA C (*Superconductivity*) serves as a rapid channel for publications on superconductivity and related subjects. This includes theoretical papers on the fundamental issues raised by high-T_c superconductivity, reports on measurements of a wide variety of physical properties of high-T_c superconductors, on new materials and new preparation techniques, on thin-film and device-oriented work and on theoretical results pertinent to such experiments. New results in the traditional areas of superconductivity as well as on novel phenomena (e.g. heavy-electron superconductivity) will also be included.

PHYSICA D (*Nonlinear phenomena*) contains papers and review articles reporting experiments, techniques and ideas which, although they may be derived and explained in the context of a particular field, advance the understanding of nonlinear phenomena in general. Contributions of this type in the recent literature have dealt with: wave motion in physical, chemical and biological systems; chaotic motion in models relevant to turbulence; quantum and statistical mechanics governed by nonlinear field equations; instability, bifurcation, pattern formation and cooperative phenomena.

PHYSICA C serves as an exclusive, rapid channel of the journal PHYSICA for publications on superconductivity and related subjects. PHYSICA C is published semimonthly, to ensure rapid publication, authors are requested to follow closely the instructions given below (especially **submission**).

Publication speed. The latest technology is used in editorial handling, typesetting and printing of the articles, so that publication within **six to ten weeks is guaranteed**. All papers will be refereed. To speed up publication, proofs will be read by the Publisher, unless the author – upon submission of the paper – specifically requests proofs to be sent to him. The above guarantee holds for papers that have been accepted unconditionally and have been proofread by the Publisher.

Nature of publication. As stated above, PHYSICA C aims at very short publication times. Rapid publications should not be confused with short communications, however, and it should be emphasized that PHYSICA C is not to be considered as a letters journal. While for the sake of efficient communication authors are requested to formulate their results in a concise and compact form, there is no length limit on papers. Each paper must be self-contained, properly introduced with references to published work and fully documented with adequate source material. The breathless style of some letters journals, claims to be substantiated in future publications and references to inaccessible work are to be avoided.

Submission. Manuscripts should be sent **simultaneously** to one of the Editors and to the Publisher. Two copies should be sent to the Editor. These copies are used for refereeing so that readability is the only technical requirement and the use of telefax is encouraged. For the complete addresses of the Editors see overleaf. The original copy, with figures suitable for reproduction, should be sent to:

Elsevier Science Publishers B.V.
c/o P.J. Hoff
P.O. Box 103
1000 AC Amsterdam
The Netherlands

Submission of a paper will be taken to imply that it represents original work not previously published, that it is not being considered elsewhere for publication, and that if accepted for publication it will not be published elsewhere in the same form, in any language without the consent of the Publisher.

Manuscripts should be written in English and typed with double spacing, wide margins and on one side of the page only.

The *title* should be concise and specific. When the length of the title exceeds 45 characters, a *running title* should be indicated. The name of the institute where the research was carried out should be stated with each author's name.

An *abstract* of not more than 150 words should be provided in English, summarizing the new information and the author's conclusions.

Keywords. Physica C regularly publishes Subject Indexes. Appropriate index terms are of vital importance, as these will be also used in electronic information retrieval. Authors are requested to select three to five keywords and write those on the title page of their article. Preferably, the selection should be made from the list printed on the page following the publication schedule, but terms not appearing on the list should be added if necessary. The list is being regularly updated, using such added terms. Chemical symbols can be provided, if appropriate, for use in the Materials Index.

References in the text should be numbered (e.g. "Jones and Smith [1] have reported that ...") and listed on a separate sheet stating the author, journal, volume and the year of publication (in brackets) and the number of the first page. Example: [1] S. Jones and P. Smith, Phys. Rev. 190 (1984) 2016.

Formulae should be clearly written. Vectors will be printed in bold-face italics (heavy, slanting type), and should be indicated by a wavy underlining in the manuscript.

Special attention should be paid to characters that can be easily misread, such as i (lower case), I (cap.), l (el), 1 (one), ′ (prime); o (lower case), O (cap.), 0 (zero), ° (degree); u, v (vee), ν (Greek nu), V (cap.); ×, x, X; z, Z; p, P, ρ (Greek rho); etc.

Figures *should be numbered, each figure on a separate sheet.* Captions should be listed on a separate sheet.

The *Publisher* requires a set of good quality drawings and photographs to produce the printed line figures and half-tone plates in the journal. Photographic copies ("glossy prints") of drawings are also acceptable for the line figures if they have been sharply focused and evenly exposed.

Line figures. Drawings and any lettering should be done in Indian ink. Lines should be bold, the frame lines of graphs slightly finer than those of the plotted curves.

The drawings or glossy prints supplied for the line figures should be 1.5–3 times larger than the printed size of the figures and should contain all the required lettering.

Figures are preferably reduced to a single column width (7.6 cm) unless their complexity, large width-to-height ratio, or need to display special detail makes a larger format necessary (max. printed width ≈20 cm). Inappropriately sized lettering on a figure may prevent its reduction to the size optimum for its information content. The lettering used on a drawing should be chosen so that after reduction, the height of numbers and (capital) letters falls within the range 1.2–2.4 mm. Care should be exercised in choosing the pen width of machine-plotted graphs. Frequently lines in these figures are too fine compared to the area of the figure.

Shaded areas in line figures should be shown by means of cross-hatching (or a matrix of dots) rather than a continuous grey "wash". Cross-hatching, after reduction, of density less than ~25 lines/cm is satisfactory.

Half-tone plates: The photographs supplied for reproduction should be unmounted unless they form part of a composite figure and they should have a somewhat greater contrast than is desired in the printed figure. It is important that the photographs supplied are not already screened (overprinted with the point-matrix used by printers) or moiré patterns will form when they are screened for a second time. When necessary, the top side of a photograph should be marked. A reduction factor should be recommended for a photo when it is not obvious what detail in the photo is of interest.

Proofs and alterations. Proofs will be read by the Publisher unless otherwise requested by the author. In the latter case, please note that alterations in the text cannot be permitted once the paper has been typeset. Authors may be charged for extra corrections resulting from their inattention.

Refereeing. All papers are subjected to refereeing, and in case a paper cannot be accepted in the form it was submitted, the submitting author will be informed about the referee's comments.

Acceptance. Acceptance forms will be sent by the Editor. There is *no* page charge. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information. The master copy and original drawings will be returned to the author(s) in case their paper is not accepted for publication.

Reprints and free copy. Fifty reprints and a copy of the issue will be offered free of charge to authors. After the paper has been accepted for publication, an order form for reprints will be sent to the author(s) together with the copyright transfer form mentioned above. Both should be returned to the Publisher within three days.

Editorial addresses

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
Physica C Editorial Office, Bldg. 223, Rm. S-231, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439, USA
Telephone: (708) 972 3300; Telex: 910 258 3285 USA; Telefax: (708) 972 3308

R.P. GRIESSEN, Aetsveld 32, 3645 XP Vinkeveen, The Netherlands
Telephone: (02972) 3631; Telefax: (02972) 1453

S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, 464-01, Japan
Telephone: (052) 781 5111 extn. 4445; Telex: 4477355 ENUNAG-J; Telefax: (052) 782 2129

Yu.A. OSIPYAN, Institute of Solid State Physics, USSR Academy of Sciences, Chernogolovka, Moscow district 142432, USSR
Telephone: (095) 237 6803; Telefax: (095) 237 9862

H.R. OTT, Laboratorium für Festkörperphysik, ETH-Hönggerberg/HPF, CH-8093 Zürich, Switzerland
Telephone: (01) 377 2311/2318; Telex: 823474 EHPZ CH; Telefax: (01) 371 59 89

S. TANAKA, Superconductivity Research Laboratory (SRL), International Superconductivity Technology Center (ISTEC), 1-10-13 Shinonome, Koto-ku, Tokyo 135, Japan
Telephone: (03) 536 5700; Telefax: (03) 536 5714

Publication and submission schedule for 1991, Volumes 172–184

Volume/ Issue	Date of publication	Dates of receipt	Volume/ Issue	Date of publication	Dates of receipt
172.1,2	1 Dec.'90	2 Oct–15 Oct	177.3,4	1 July	2 May–15 May
3,4	15 Dec.'90	16 Oct–1 Nov	5,6	15 July	16 May–1 June
5,6	1 January '91	2 Nov–15 Nov	178.1–3	1 August	2 June–15 June
173.1,2	15 January	16 Nov–1 Dec	4–6	15 August	16 June–1 July
3,4	1 February	2 Dec–15 Dec	179.1,2	1 Sept	2 July–15 July
5,6	15 February	16 Dec–1 Jan '91	3,4	15 Sept	16 July–1 Aug
174.1–3	1 March	2 Jan–15 Jan	5,6	1 Oct	2 Aug–15 Aug
4–6	15 March	16 Jan–1 Feb	180.1–3	15 Oct	16 Aug–1 Sept
175.1,2	1 April	2 Feb–15 Feb	4–6	1 Nov	2 Sept–15 Sept
3,4	15 April	16 Feb–1 March	181.1,2	15 Nov	16 Sept–1 Oct
5,6	1 May	2 March–15 March	3,4	1 Dec	2 Oct–15 Oct
176.1–3	15 May	16 March–1 April	5,6	15 Dec	16 Oct–1 Nov
4–6	1 June	2 April–15 April	182–184	December, Proc. M^{2}S-HTSC III*	
177.1,2	15 June	16 April–1 May			
177.1,2	15 June	16 April–1 May			
4–6	1 June	2 April–15 April			

* The Proceedings of the M^{2}S–HTSC III Conference, to be held in Kanazawa in July 1991, are scheduled to appear as Volumes 182–184 in December 1991.

Instructions to Authors – Special Features

For the sake of rapid publication, Physica C authors are requested to follow a somewhat unusual procedure in submitting manuscripts:

- Three copies of your article should be submitted: two copies to ***one*** of the editors and one, accompanied by the original figures, to the publisher: Elsevier Science Publishers B.V., c/o P.J. Hoff, P.O. Box 103, 1000 AC Amsterdam, The Netherlands
- Telefax is to be used in all communications as far as practicable. The editors may be able to speed up the reviewing process if a copy of your paper reaches them by fax. However, in all cases, two hard copies must follow. Please note that the Publisher cannot work with a fax copy. Small changes or additions can be communicated by fax or telephone (***telefax: 31-20-5862 704; telephone: 31-20-5862 568***).
- All submissions must be accompanied by a covering letter giving affiliation, full address, telephone and fax number of the submitting author. The Publisher must be informed of the identity of the receiving editor.
- Do not send figures with your revised manuscript ***unless*** those figures have been changed. Revised figures should be identified as such.

Contents

Master Index Physica C, Volumes 157–164 (1989)

Note to Authors	v
Index of Authors and Papers	1
Analytic Subject Index	77
Materials Index	101

Physica C, Author Index Vols. 157–164 (1989) 1–75
North-Holland

Index of Authors and Papers

Aarts, J., see G.N.A. van Veen **157**, 99
Abe, M., K. Kumagai, S. Awaji and T. Fujita, Cu-NMR studies of $Nd_{2-x}Ce_xCuO_{4-y}$ **160**, 8
Abe, M., see K.i. Kumagai **162–164**, 181
Abe, Y., see R. Yoshizaki **162–164**, 67
Abe, Y., see K. Yamaya **162–164**, 1009
Abell, J.S., C.N.W. Darlington, A. Drake, C.A. Hollin, E.M. Forgan, D.A. O'Connor and S.D. Sutton, Growth and characterisation of $YBa_2Cu_3O_{7-\delta}$ single crystals **162–164**, 909
Abell, J.S., see T.C. Shields **162–164**, 1265
Abukay, D., see B. Senning **162–164**, 1597
Aburto, S., see R.W. Gomez **162–164**, 989
Acrivos, J.V., R. Ithnin, C. Bustillo, M. Chen Lei and D. Hellmoldt, Disorder in $YBa_2Cu_3O_7$ by entropy measurements and by rf dissipation **162–164**, 1665
Adachi, H. and M. Takano, Cluster model investigation of the electronic state and chemical bond in cuprous and cupric oxide **157**, 169
Adachi, H., see R. Sekine **159**, 161
Adachi, H., see K. Hirochi **160**, 273
Adelerhof, D.J., see D.H.A. Blank **162–164**, 125
Adelmann, P., see H.J. Bornemann **159**, 173
Adelmann, P., see G. Roth **162–164**, 518
Adelmann, P., see J. Fink **162–164**, 1415
Adhikary, K., see C.V. Tomy **162–164**, 925
Adler, J.G., see M.C. Gallagher **162–164**, 1129
Adrian, F.J., see B.F. Kim **161**, 76
Adrian, H., W. Assmus, A. Höhr, J. Kowalewski, H. Spille and F. Steglich, Anomalous $H_{c1}(T)$ behavior of single crystalline $YBa_2Cu_3O_{7-\delta}$ **162–164**, 329
Afanasyev, I.V., see V.I. Anisimov **159**, 412; **161**, 59
Affronte, M., see B. Dwir **162–164**, 351
Affronte, M., D. Pavuna, M. François, F. Licci, T. Besagni and S. Cattani, Zn doping of YBCO and Hall effect study in $Y_1Ba_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **162–164**, 1007
Agarwal, S.K., see A.G. Vedeshwar **158**, 385; **162–164**, 1573, 1575
Agarwal, S.K., V.P.S. Awana, V.N. Moorthy, P. Maruthi Kumar, B.V. Kumaraswamy, C.V. Narasimha Rao and A.V. Narlikar, Superconductivity above 90 K in low T_c phase $Bi_2Ca_1Sr_2Cu_2O_x$ **160**, 278
Agarwal, S.K., see C.V. Narasimha Rao **160**, 365
Ager, R.M., see R.E. Soltis **162–164**, 649
Agostinelli, E., G. Balestrino, D. Fiorani, R. Muzi, P. Paroli, J. Tejada and A.M. Testa, Magnetic investigation of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals **162–164**, 319
Aguillon, C., see L. Fruchter **160**, 185
Ahn, B.T., see R. Beyers **162–164**, 548
Ahn, B.T., V.Y. Lee, R. Beyers, T.M. Gür and R.A. Huggins, High-temperature phase equilibria near $YBa_2Cu_3O_{6+x}$ **162–164**, 883
Ahrens, R., see G. Roth **162–164**, 518
Aihara, M., see H. Nagata **161**, 66
Aïn, M., W. Reichardt, B. Hennion, G. Pepy and B.M. Wanklyn, Magnetic excitations in CuO **162–164**, 1279
Akachi, T., see R.W. Gomez **162–164**, 989
Akimitsu, J., see F. Izumi **158**, 440; **160**, 235
Akinaga, H., see Y. Takeda **157**, 358
Akinaga, H., K. Takita, H. Asano and K. Masuda, Superconducting properties and their relation with the hole concentration of $La_{1+x}Ba_{1-x}Cu_3O_{7-\delta}$ system **161**, 581
Akis, R. and J.P. Carbotte, On the specific heat of strong coupling superconductors **157**, 395
Akis, R. and J.P. Carbotte, Properties of a 96 K superconductor with a combined phonon–high energy boson mechanism **162–164**, 1491
Aksenov, V.I., E.I. Kornilov and S.A. Sergeenkov, Dipole superconductive glass model in a Josephson medium **162–164**, 229
Alario-Franco, M.A., see M.A. Señaris-Rodriguez **162–164**, 85
Alario-Franco, M.A., see U. Amador **162–164**, 873
Alder, B.J., see D.S. Peters **162–164**, 1461
Aleksandrov, I.V., A.F. Goncharov, I.N. Makarenko, A.J. Shapiro, S.M. Stishov, I.P. Zibrov, V.N. Denisov, B.N. Mavrin, V.B. Podobedov, A.P. Volodin, V.A. Melik-Shahchnazarov and I.I. Mirzoeva, Systematic study of $YBa_2Cu_3O_x$ single crystal samples at the oxygen content variation **162–164**, 1057
Aleksandrov, K.S., B.P. Khrustalev, S.N. Krivomazov, M.I. Petrov, A.D. Vasilyev and S.A. Zwegintsev, Superconductivity near liquid nitrogen temperature in the Sn–Ba–Sr–Y–Cu–O system **161**, 493
Alexander, M., see J. Fink **162–164**, 1415
Alexander, M.G., G.H. Beall, C.J. Quinn and C.J. Yu, High T_c superconductivity in Bi–Ca–Sr–Cu–O-based materials synthesized via glass ceramic methods **162–164**, 919
Alexandrov, A.S., Polaron theory of high-T_c superconductors **158**, 337
Alexandrov, A.S. and J. Ranninger, Sound in a lattice with charged bosons **159**, 367
Alexandrov, A.S., Polaron theory of high-T_c superconductors **162–164**, 803
Alexandrov, B., see M.D. Mateev **162–164**, 993
Alford, N.McN., see S.G. Hammond **162–164**, 395
Alford, N.McN., see Y. Feng **162–164**, 943
Alford, N.McN., see J.D. Johnson **162–164**, 1607
Algarabel, P.A., see A. del Moral **161**, 48
Aliev, F.G., V.V. Moshchalkov and V.V. Pryadun, Thermal

conductivity of the $Bi_2(Ca_{0.5}Sr_{0.5})_3Cu_2O_x$, $Tl_2Ba_2Ca_2Cu_3O_x$ ceramics and $ErBa_2Cu_3O_x$ single crystal **162–164**, 572
Allen, R.E., see B.A. Richert **162–164**, 1443
Allenspach, P., A. Furrer, P. Brüesch, R. Marsolais and P. Unternährer, A neutron spectroscopic comparison of the crystalline electric field in tetragonal $HoBa_2Cu_3O_{6.2}$ and orthorhombic $HoBa_2Cu_3O_{6.8}$ **157**, 58
Allenspach, P., A. Furrer, B. Rupp and H. Blank, Oxygen-vacancy induced changes of the crystal-field interaction in $ErBa_2Cu_3O_x$ ($6.1 \leqslant x \leqslant 7.0$) determined by inelastic neutron scattering **161**, 671
Allenspach, P., see B. Rupp **162–164**, 538
Allgeier, C., J. Heise, W. Reith, J.S. Schilling and K. Andres, Magnetization studies of the high temperature superconductors La_2CuO_{4-y} and $YBa_2Cu_3O_{7-y}$ under hydrostatic pressure **157**, 293
Allgeier, C., see W. Reith **162–164**, 109
Allgeier, C., R. Sieburger, H. Gossner, J. Diederichs, H. Neumaier, W. Reith, P. Müller and J.S. Schilling, Dependence of the magnetization of superconducting yttrium and thallium compounds on oxygen content and high hdyrostatic pressure **162–164**, 741
Alloul, H., see P. Mendels **162–164**, 167
Alloul, H., T. Ohno and P. Mendels, ^{89}Y NMR studies of the electronic properties of 123 compounds **162–164**, 193
Alloul, H., see N. Bontemps **162–164**, 1113
Almasan, C., see J. Stankowski **160**, 170
Almeida, M., see A.P. Gonçalves **159**, 273
Altenburg, H., see J. Hauck **158**, 197
Alterovitz, S.A., see M.A. Stan **162–164**, 365
Alvani, C., see V. Boffa **162–164**, 913
Alvarez, G., see A. Bailey **161**, 347
Alvarez, G., K.N.R. Taylor and G.J. Russell, Josephson behaviour of microbridges in textured $YBa_2Cu_yO_{7-\delta}$ **162–164**, 1043
Alves, J.M., see A.P. Gonçalves **159**, 273
Amador, U., E. Morán, M.A. Alario-Franco, A. Vegas, M. Martinez-Ripoll, J. Ibáñez and J.B. Torrance, Superconducting and non-superconducting tetragonal $(Ca_{1-x}Ba_xLa)(Cu_{3-y}M_y)O_{7-\delta}$ single crystals (M = Al, Pt) **162–164**, 873
Ambrosch-Draxl, C., P. Blaha and K. Schwarz, Electric field gradient calculations for $YBa_2Cu_3O_{7-x}$ **162–164**, 1353
Amelinckx, S., see H.W. Zandbergen **158**, 155; **159**, 81
Amelinckx, S., see J. Reyes-Gasga **159**, 831
Amelinckx, S., see G. Van Tendeloo **162–164**, 945, 947
Amer, N.M., see E. Zeldov **162–164**, 1599
Aminov, B.A., N.B. Brandt, N.M. Thuy, Ya.G. Ponomarev, M.V. Sudakova, A.R. Kaul, I.E. Graboi, Yu.D. Tretiakov, J. Wittig, S.P. Kobeleva, L.M. Fisher and L. Rosta, Temperature dependence of the critical current in $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_8$ Josephson junctions **160**, 505
Amoretti, G., see G. Calestani **158**, 217; **162–164**, 526
Amoretti, G., see E. Buluggiu **162–164**, 1647
Andersen, N.H., see J. Waliszewski **160**, 189
Anderson, P.W., see T.C. Hsu **162–164**, 1445
Andersson, M., Z. Hegedü, M. Nygren and Ö. Rapp, Structural, thermal and electrical studies of the $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ system with $0 \leq x \leq 0.20$ **160**, 65
Andersson, M. and Ö. Rapp, Upper critical magnetic field of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ **162–164**, 725
Ando, K., see N. Fukishima **159**, 777
Ando, Y., see S. Kondoh **157**, 469
Andrä, W., H. Danan and R. Hergt, Anisotropy of high T_c superconducting crystals investigated by torque measurements **162–164**, 349
Andreetti, G.D., see G. Calestani **158**, 217; **161**, 598
Andres, K., see C. Allgeier **157**, 293
Andres, K., see W. Reith **162–164**, 109
Andres, K., see R. Kleiner **162–164**, 393
Andres, K., see E. Schuberth **162–164**, 415
Andres, K., see F. Gross **162–164**, 419
Andresen, A.F., see H. Fjellvåg **162–164**, 49
Andrikidis, C., see D.M. Eagles **157**, 48
Andrikidis, C., see G.B. Smith **160**, 333
Angurel, L.A., see F. Lera **162–164**, 325
Anisimov, V.I., M.A. Korotin and I.V. Afanasyev, Localized and band states in superconducting oxides: La_2CuO_4 **159**, 412
Anisimov, V.I., M.A. Korotin and I.V. Afanasyev, Antiferromagnetism and the band gap in d-metal oxides in the local spin density approximation: NiO and La_2CuO_4 **161**, 59
Anlage, S.M., see S. Tahara **162–164**, 1175
Anlage, S.M., B. Langley, J. Halbritter, S. Tahara, H. Sze, N. Switz, C.-B. Eom, H.J. Snortland, R. Taber, T.H. Geballe and M.R. Beasley, Magnetic penetration depth measurements in low and high T_c thin film superconductors at microwave frequencies **162–164**, 1645
Annett, J.F., N. Goldenfeld and S.R. Renn, Unconventional pairing in $YBa_2Cu_3O_{7-\delta d}$? **162–164**, 377
Annett, J.F. and R.M. Martin, What is the essential many-body Hamiltonian for copper-oxide superconductors? **162–164**, 809
Ansaldo, E.J., J.H. Brewer, T.M. Riseman, J.E. Schirber, E.L. Venturini, B. Morosin, D.S. Ginley and B.J. Sternlieb, Superconductivity and magnetism of $La_2CuO_{4+\delta}$ by μSR **162–164**, 147
Ansaldo, E.J., see R.F. Kiefl **162–164**, 161
Ansaldo, E.J., B. Batlogg, R.J. Cava, D.R. Harshman, L.W. Rupp Jr., T.M. Riseman and D. Williams, Magnetic penetration depth of Bi–Sr–Ca–Cu–O **162–164**, 259
Anshuokova, N.V., A.I. Golovashkin, V.S. Gorelik, L.I. Ivanova, K.V. Mitsen, A.P. Rusakov and T.P. Phaizullov, The properties of $Ba_{1-x}K_xBiO_3$ high-temperatures superconductors at different potassium concentrations **162–164**, 1657
Antipov, E.V., see A.A. Gippius **162–164**, 255
Antognazza, L., see J.-M. Triscone **158**, 293
Antognazza, L., M.G. Karkut, J.-M. Triscone, V. Matijasevic, N. Missert, M.R. Beasley and Ø. Fischer, The anomalous H–T phase diagram of Nb/NbTi superlattices determined by critical currents and fields **162–164**, 411

Antognazza, L., see O. Brunner **162–164**, 647
Antognazza, L., see A.D. Kent **162–164**, 1035
Antonenko, S.V., see E.V. Ekimov **162–164**, 833
Antonov, R.I., S.N. Gordeev, A.A. Zhukov, V.V. Moshchalkov, A.V. Lebedev, S.E. Mrost and V.N. Truhan, The properties of electric contacts for $YBa_2Cu_3O_{7-\delta}$ ceramics **162–164**, 437
Aoki, I., see M. Itoh **160**, 177
Aoki, R., see R. Liang **157**, 83
Aoki, R., H. Murakami, K. Sakai, T. Nakamura, K. Kawasaki and R. Liang, Co-existence of 3 classes of phase-transition up to 90 K including superconductivity in $La_{2-x}CuO_{4-y}$ system **162–164**, 921
Aponte, J.M. and M. Octavio, Transport properties of high-T_c superconducting thick films **162–164**, 1027
Appel, J., see P. Hertel **162–164**, 817
Appel, J., P. Hertel and F. Richter, Small spin-polaron model for a hole in the CuO_2 layer **162–164**, 1499
Apperley, M.H., see S.X. Dou **160**, 533
Arabski, J., see H. Raffy **162–164**, 613
Arabski, J., see N. Bontemps **162–164**, 1113
Arai, J. and H. Shimizu, Antiferromagnetic coupling between Fe and Cu moments in superconductor $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **161**, 475
Arai, J., see H. Shimizu **162–164**, 1293
Arai, J. and H. Shimizu, Magnetic properties of metal-doped superconductor $YBa_2(Cu_{1-x-y}Fe_yM_x)_3O_{7-z}$ **162–164**, 1295
Arai, T., see S. Onari **162–164**, 1343
Ardelean, I., see Gh. Ilonca **162–164**, 831
Ardelean, I., see S. Simon **162–164**, 1289
Arendt, P.N., see D.W. Cooke **162–164**, 1537
Argoud, R., see P. Bordet **162–164**, 524
Arima, T., see Y. Tokura **162–164**, 1231
Arkens, O., see J. Fransaer **162–164**, 881
Arko, A.J., see B.W. Veal **158**, 276
Arko, A.J., see R.S. List **159**, 439
Arko, A.J., see C.G. Olson **162–164**, 1697
Arnaudas, J.I., see A. del Moral **161**, 48
Arons, R.R., see K. Fischer **160**, 466
Arons, R.R., see B. Kabius **162–164**, 635
Arrasmith, S.R., see R.W. McCallum **162–164**, 933
Arrigoni, E., G. Strinati and C. Castellani, Itinerant vs. localized antiferromagnetism of CuO_2 layers **162–164**, 785
Asano, H., see F. Izumi **157**, 89; **158**, 433, 440; **160**, 235
Asano, H., see H. Maeda **157**, 483
Asano, H., see E. Takayama-Muromachi **159**, 634
Asano, H., see H. Akinaga **161**, 581
Asensio, M., see O. Strebel **162–164**, 1331
Ashkenazi, J. and C.G. Kuper, The cuprate superconductors: narrow correlated-electron bands and interlayer pairing via plane–chain charge transfer **162–164**, 767
Ashkenazi, J., see J. Genossar **162–164**, 1015
Ashkenazi, J., see B. Fisher **162–164**, 1207
Ashkenazi, J., see R. Bar-Deroma **162–164**, 1329
Ashkenazi, Y., see J. Genossar **157**, 320
Askew, T.R., see M.A. Subramanian **157**, 124
Aslam, M., see R.E. Soltis **162–164**, 649
Asmar, N.G., see D.E. Morris **159**, 287; **162–164**, 955
Asmar, N.G., see M.C. Krantz **162–164**, 1089
Asomoza, M., see Bokhimi **159**, 654
Asomoza, R., see Bokhimi **159**, 654
Aspnes, D.E., see M.K. Kelly **162–164**, 1123
Assmus, W., see B. Pümpin **162–164**, 151
Assmus, W., see H. Adrian **162–164**, 329
Assmus, W., see G. Sparn **162–164**, 508
Atake, T., H. Kawaji, M. Itoh, T. Nakamura and Y. Saito, Specific heats of Tl–Ba–Ca–Cu–O superconductors **162–164**, 488
Athreya, K.S., see L.A. Schwartzkopf **162–164**, 383
Auerbach, A., see J.H. Kim **162–164**, 1463
Aurell, M.T., see F. López-Aguilar **162–164**, 759
Avila, J., see J.A. Campa **162–164**, 1223
Awaji, S., see M. Abe **160**, 8
Awaji, S., see K.i. Kumagai **162–164**, 181
Awana, V.P.S., see S.K. Agarwal **160**, 278
Awana, V.P.S., see C.V. Narasimha Rao **160**, 365
Axe, J.D., see W. Ting **162–164**, 448
Ayoub, N.Y., see C.L. Seaman **159**, 391
Ayoub, N.Y., see E.A. Early **160**, 320
Ayoub, N.Y., see M.B. Maple **162–164**, 296
Ayoub, N.Y., see J.T. Markert **162–164**, 957

Baak, J., H.B. Brom, M.J.V. Menken and A.A. Menovsky, The low temperature specific heat in single crystals of $YBa_2Cu_3O_7$ and its magnetic field dependence **162–164**, 500
Baar, D.J. and J.P. Harrison, Flux dynamics in a sintered bulk high temperature superconductor **157**, 215
Babich, G.A., see A.B. Blank **162–164**, 1225
Babushkina, N.A., A.V. Inyushkin, I.Yu. Kalnova, I.K. Kobrin, A.K. Kuzakov, A.B. Myasoedov, V.I. Ozhogin, L.D. Shustov, A.N. Taldenkov, N.S. Tolmacheva and S.E. Voinova, Oxygen isotopic substitution in superconducting thallium ceramics **162–164**, 877
Bach, H., see M. Rosenberg **162–164**, 729
Baenitz, M., see G. Sparn **162–164**, 508
Bagley, B.G., see J.-M. Tarascon **162–164**, 285
Bagley, B.G., see L.H. Greene **162–164**, 1069
Bailey, A., S.L. Town, G. Alvarez, G.J. Russell and K.N.R. Taylor, High critical current density thick films of YBCO on YSZ **161**, 347
Bailey, A., see G.J. Russell **162–164**, 327
Bailey, A., see S. Bosi **162–164**, 895
Bakker, H., J.P.A. Westerveld, D.M.R. Lo Cascio and D.O. Welch, Theory of oxygen content, ordering and kinetics in 1,2,3 high-temperature superconductors **157**, 25
Balagurov, A.M., G.M. Mironova, A. Pajączkowska and H. Szymczak, Neutron diffraction study of the superconductor $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ at $x=0.06$ and 0.10, $\delta=0$ **158**, 265
Balakrishnan, G., L.W.J. Caves, R. Dupree, D.McK. Paul and M.E. Smith, NMR evidence for fluctuating, localised magnetic fields in zinc-doped $YBa_2Cu_3O_{7-\delta}$ **161**, 9

Balakrishnan, G., see B.V.B. Sarkissian **162–164**, 335
Balatsky, A.V. and S.I. Matveenko, Fermions in antiferromagnets and phase transition **161**, 136
Balestrino, G., R. Di Leo, M. Marinelli, E. Milani, A. Paoletti and P. Paroli, Zero resistivity at 81 K in BSCCO films grown from liquid KCl solutions **162–164**, 115
Balestrino, G., see E. Agostinelli **162–164**, 319
Balestrino, G., see A. De Ninno **162–164**, 359
Balle, S., see J. Costa-Quintana **162–164**, 757
Balle, S., see F. López-Aguilar **162–164**, 759
Ballentine, P.H., see A.M. Kadin **162–164**, 387
Baller, T.S., see G.N.A. van Veen **157**, 99
Balzarotti, A., see F. Rochet **159**, 447
Bamba, N., see H. Maeda **157**, 483
Bamba, N., see H. Maruyama **160**, 524
Ban, T., see K. Mori **162–164**, 923
Bando, Y., see Y. Takeda **157**, 358
Bando, Y., see J.S. Tsai **157**, 537
Bando, Y., see Z. Hiroi **158**, 269
Bando, Y., see K. Kamigaki **159**, 505
Bando, Y., see Y. Ochiai **161**, 447; **162–164**, 1033
Bando, Y., see T. Terashima **162–164**, 615
Bando, Y., see H. Mazaki **162–164**, 1641
Bando, Y., see K. Yamamoto **162–164**, 1643
Barbier, J., see Y.P. Lin **158**, 241
Barboux, P., see M.K. Kelly **162–164**, 1123
Barbur, I., see Gh. Ilonca **162–164**, 831
Barbur, I., see S. Simon **162–164**, 1289
Barczynski, R., see B. Kusz **158**, 497
Barczynski, R.J., see B. Kusz **160**, 25
Bar-Deroma, R., J. Felsteiner, R. Brener and J. Ashkenazi, Auger spectra, band structure, Coulomb parameters, and ionic charges in $La_{1.85}(Sr,Ba)_{0.15}CuO_4$ **162–164**, 1329
Barford, W., see M.W. Long **162–164**, 789
Barner, J.B., see L.H. Greene **162–164**, 1069
Barnes, S.E., see D. Shaltiel **161**, 13
Barnole, V., see C.F. Hague **162–164**, 1321
Baroni, S., see A. Parola **162–164**, 771
Barrachin, M., see M.-O. Ruault **162–164**, 77
Barrio, R.A., see R.W. Gomez **162–164**, 989
Barry, J.C., see B.L. Ramakrishna **158**, 203
Barry, J.C., see Z. Iqbal **162–164**, 29
Bartelt, N.C., T.L. Einstein and L.T. Wille, Phase diagram and critical properties of oxygen ordering in $YBa_2Cu_3O_z$ **162–164**, 871
Bartlett, R., see B.W. Veal **158**, 276
Bartlett, R.J., see R.S. List **159**, 439
Bartolomé, J., see F. Lera **162–164**, 325
Bartolomé, J., F. Lera, R. Navarro, C. Rillo, J.M. González-Calbet, J. Ramírez, M. Vallet, M. Carrera, J. Fontcuberta, X. Granados, X. Obradors and F. Pérez, Influence of Sb and Pb substitution on the physical properties of the Bi–Sr–Ca–Cu–O compounds **162–164**, 863
Bar'yakhtar, V.G., A.S. Vasil'kevich, P.G. Ivanitsky, V.T. Krotenko, A.N. Maistrenko, A.E. Morozovsky, V.M. Pan, M.V. Pasechnik and V.I. Slisenko, Phonon density of states $YBa_2Cu_3O_x$ **162–164**, 466
Baseman, R.J., see A. Gupta **162–164**, 127
Bashkin, I.O., see I. Natkaniec **162–164**, 1369
Baskaran, R., Y. Hariharan, M.P. Janawadkar and T.S. Radhakrishnan, Proximity effect controlled superconductivity in $YBa_2Cu_3O_{7-x}$ **158**, 406
Bastide, C., C. Lacroix and A. da Rosa Simoes, S-wave superconductivity with strong local repulsion **159**, 347
Basu, B.K., S.M. Pattalwar, R.N. Dixit, S.Y. Shete, G. Chandra, A.K. Nigam and R.S. Sannabhadti, Heat capacity and AC susceptibility measurements of $HoBa_2Cu_3O_{7-\delta}$ between 7 and 300 K **159**, 379
Baszynski, J., see J. Stankowski **160**, 170
Batlle, X., J.L. García-Muñoz, M. Medarde, J. Rodríguez-Carvajal, X. Obradors, J.L. Martínez, M. Vallet, J.M. González-Calbet, M.J. Sayagués and J. Fontcuberta, Antiferromagnetism in $La_{2-x}Sr_xNiO_{4-y}$ **162–164**, 1273
Batlogg, B., see R.J. Cava **159**, 372
Batlogg, B., see C.H. Chen **160**, 375
Batlogg, B., see E.J. Ansaldo **162–164**, 259
Batlogg, B., R.J. Cava, L.W. Rupp Jr., G.P. Espinosa, J.J. Krajewski, W.F. Peck Jr. and A.S. Cooper, Superconductivity in Bi–O and Sb–O perovskites **162–164**, 1393
Baudelet, F., see H. Renevier **162–164**, 51
Baughman, R.J., see D.S. Ginley **160**, 42
Baughman, R.J., see E.L. Venturini **162–164**, 673
Baules, P., see M.J. Casanove **159**, 461
Baumgart, P., S. Blumenröder, A. Erle, B. Hillebrands, P. Splittgerber, G. Güntherodt and H. Schmidt, Sound velocities of $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2CaCu_2O_x$ single crystals measured by Brillouin spectroscopy **162–164**, 1073
Bauminger, E.R., I. Felner, I. Nowik and U. Yaron, Antiferromagnetism in nonsuperconducting $Pr_xY_{1-x}Ba_2Cu_3O_z$ **162–164**, 1281
Bazhenov, A.V. and V.B. Timofeev, Infrared reflectivity spectra and anisotropy of $YBa_2Cu_3O_{6+x}$ single crystals **162–164**, 1247
Beall, G.H., see M.G. Alexander **162–164**, 919
Beasley, M.R., see L. Antognazza **162–164**, 411
Beasley, M.R., see S. Tahara **162–164**, 1175
Beasley, M.R., see S.M. Anlage **162–164**, 1645
Becker, W., see M. Peuckert **162–164**, 893
Becks, M., see M. Hein **162–164**, 111
Bedford, R.G., see C.E. Violet **162–164**, 1291
Bednorz, G., see T. Williams **161**, 331
Bednorz, J.G., see B. Pümpin **162–164**, 151
Beech, F., see R.J. Cava **157**, 272
Beery, J.G., see D.W. Cooke **162–164**, 1537
Beille, J., G. Demazeau, H. Dupendant, J. Etourneau, P. Lejay, A. Sulpice and R. Tournier, Susceptibility and antiferromagnetic order under hydrostatic and quasihydrostatic pressure in sintered $La_2Cu_xO_{4-y}$ **157**, 446
Beille, J., see E.A. Early **160**, 320
Beille, J., see C. Escribe-Filippini **162–164**, 427
Beille, J., see C. Chaillout **162–164**, 935
Bell, J.M., see G.B. Smith **160**, 333
Bell, R.F., see W.W. Warren Jr. **162–164**, 179

Belov, V.S., see V.V. Moshchalkov **162–164**, 1611, 1633
Belushkin, A.V., see I. Natkaniec **162–164**, 1359, 1369
Beňačka, Š., see S. Takács **162–164**, 1049
Bender, B., see R. Rayne **162–164**, 879
Bennett, B.L., see D.W. Cooke **162–164**, 1537
Bente, K., see F. Faupel **162–164**, 905
Berberich, P., see M. Obry **162–164**, 389
Berezin, A.B., S. Pan, E. Ogawa, R.M. Silver and A.L. de Lozanne, Thin films of Y–Ba–Cu–O grown in-situ by co-evaporation and plasma oxidation **162–164**, 657
Berger, A., see H.-E. Mahnke **162–164**, 345
Berger, C., see C. Chaillout **162–164**, 935
Berghuis, P., S.Q. Guo, A.L.F. van der Slot, G.M. Stollman and P.H. Kes, Field dependence of resistance transitions in thin films of $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ **162–164**, 1169
Berkowski, M., see R. Sobolewski **162–164**, 631
Berlowitz, D., see B. Senning **162–164**, 1597
Bernas, H., see M.-O. Ruault **162–164**, 77
Bernasconi, A., see E. Felder **162–164**, 429
Bernhardt, K., R. Gross, M. Hartmann, R.P. Huebener, F. Kober, D. Koelle and T. Sermet, A new inductive method for measuring the critical current density in high-T_c superconducting films **161**, 468
Bernstein, P., D. Roze and S. Herpin, YBCO films on polycrystalline BeO substrates with $T_c > 77$ K **162–164**, 611
Berthier, C., see M. Horvatić **159**, 689; **162–164**, 265
Berthier, C., see Y. Kitaoka **162–164**, 195
Berthier, Y., see M. Horvatić **159**, 689; **162–164**, 265
Berthier, Y., see Y. Kitaoka **162–164**, 195
Bertomptto, A., J. Hammann, D. Luzet and E. Vincent, Structure of a new type of satellite phase in $YBa_2Cu_3O_{7-\delta}$ **160**, 227
Bertschat, H.H., see H.-E. Mahnke **162–164**, 345
Besagni, T., see M. Affronte **162–164**, 1007
Besselink, M., see J.C. Jol **162–164**, 191
Betz, J., H. Lengfellner, E. Duschl, K. Meidenbauer and K.F. Renk, Superconducting Tl–Ca–Ba–Cu–O thin films prepared by diffusion of Tl into an excimer laser ablated $Ca_2Ba_2Cu_3O_x$ film **162–164**, 133
Beuneu, F., see H. Vichery **159**, 823; **162–164**, 1583
Beyers, R., B.T. Ahn, G. Gorman, V.Y. Lee, S.S.P. Parkin, M.L. Ramirez, K.P. Roche, J.E. Vazquez, T.M. Gür and R.A. Huggins, Oxygen ordering in $Y_1Ba_2Cu_3O_{7-x}$ **162–164**, 548
Beyers, R., see B.T. Ahn **162–164**, 883
Beyne, E., see J. Fransaer **162–164**, 881
Bezinge, A., see M.E. López-Morales **162–164**, 61
Bezinge, A., see J.B. Torrance **162–164**, 291
Bhadra, R., see U. Welp **161**, 345
Bhagat, S.M., see G. Shaw **162–164**, 341
Bhagat, S.M., see S. Tyagi **162–164**, 1569
Bhagwat, K.V., see P. Chaddah **159**, 570
Bhandage, G.T., see R. Suryanarayanan **162–164**, 139, 971
Bhandage, G.T., see J.L. Dormann **162–164**, 570, 1371
Bharathi, A., see Y. Hariharan **162–164**, 887
Bharathi, A., Computation of the positron distribution in oxide superconductors **162–164**, 1307
Bharathi, A., J. Janaki, D. Vasumathi and Y. Hariharan, Positron annihilation measurements in $La_{2-x}Sr_xCuO_4$ as a function of Sr doping **162–164**, 1309
Bharathi, A., see C.S. Sundar **162–164**, 1379
Bhargava, S.C., see J.L. Dormann **162–164**, 1371
Bhasin, K.B., see M.A. Stan **162–164**, 365
Bhat, S.V., V.V. Srinivasu and C.N.R. Rao, Certain novel features of the r.f. response of the $YBa_2Cu_3O_{7-x}$ superconductors **162–164**, 1571
Bianconi, A., P. Castrucci, A. Fabrizi, M. Pompa, A.M. Flank, P. Lagarde, H. Katayama-Yoshida and G. Calestani, Correlation between mxing of Cu d orbitals and T_c determined by polarized Cu L_3 XAS: experimental evidence for pairing mediated by d–d excitations **162–164**, 209
Biedermann, K., see H.-E. Mahnke **162–164**, 345
Bill, H., see D. Shaltiel **157**, 240; **158**, 424; **161**, 13
Billinge, S., see T. Egami **162–164**, 93
Birgeneau, R.J., see N.W. Preyer **162–164**, 1003
Birgeneau, R.J., see C.Y. Chen **162–164**, 1031
Birgeneau, R.J., see T. Thio **162–164**, 1301
Birrer, P., F.N. Gygax, B. Hettich, B. Hitti, E. Lippelt, H. Maletta, A. Schenck and M. Weber, Magnetic penetration depth in $Bi_2(Sr, Ca)_2CuO_{8-\delta}$ **158**, 230
Birrer, P., F.N. Gygax, B. Hitti, E. Lippelt, H. Maletta, A. Schenck and M. Weber, μ^+SR evidence for strong exchange interactions in $ErBa_2Cu_3O_x$ **162–164**, 153
Bischof, B., see J. Hauck **158**, 197
Bist, H.D., see A.G. Vedeshwar **158**, 385; **162–164**, 1573, 1575
Bist, H.D. and A.G. Vedeshwar, Mechanism of low field microwave absorption by high T_c superconductors **162–164**, 1577
Björjesson, L., see S.G. Eriksson **162–164**, 59
Bjørnholm, T., see J.T. Markert **158**, 178; **162–164**, 957
Bjørnholm, T., see C.L. Seaman **159**, 391
Bjørnholm, T., see S. Ghamaty **160**, 217
Bjørnholm, T., see M.B. Maple **162–164**, 296
Black, M.A., see P.J. McGinn **161**, 198
Blaha, P., see C. Ambrosch-Draxl **162–164**, 1353
Blander, M., see M. Tetenbaum **158**, 377
Blank, A.B., G.A. Babich, L.V. Glushkova, L.S. Zolotovitskaya, N.B. Lebed', I.I. Mirenskaya, Z.M. Nartova, R.P. Pantaler, V.G. Potapova, I.V. Pulyayeva, V.P. Seminozhenko, L.I. Filippovich, N.I. Shevtsov, Z.V. Shtitel'man and L.P. Eksperiandova, Methods for analytical control of HTSC materials **162–164**, 1225
Blank, B., see G. Roth **162–164**, 518
Blank, D.H.A., D.J. Adelerhof, J. Flokstra and H. Rogalla, Parameter study of in-situ grown superconducting YBaCuO thin films prepared by laser ablation **162–164**, 125
Blank, H., see P. Allenspach **161**, 671
Blasco, J., see F. Lera **162–164**, 325
Blatter, G., J. Rhyner and H. Dersch, Limiting interface model for strongly coupled oxide ceramics **162–164**, 355
Blazey, K.W., A.M. Portis and F.H. Holtzberg, Fluxon

nucleation by microwave currents in Josephson junctions **157**, 16
Blinovskov, Ya.N., see I.A. Leonidov **158**, 287
Blumenröder, S., see P. Baumgart **162–164**, 1073
Blumenröder, S., see A. Erle **162–164**, 1093
Blunt, F.J., see J.L. Tallon **161**, 523
Blunt, F.J., A.M. Campbell, P.P. Edwards, J.E. Evetts, P. Freeman, J. Johnson, J. Loram, K.A. Mirza, A. Putnis, E. Salje and W. Schmall, The effect of twins on critical currents of high T_c superconductors **162–164**, 1605
Blunt, F.J., see J.D. Johnson **162–164**, 1607
Boatner, L.A., see R. Feenstra **162–164**, 655
Boccara, A.C., see N. Bontemps **162–164**, 1113
Bock, J., see M. Peuckert **162–164**, 893
Bocquet, A.E., P. Chalker, J.F. Dobson, P.C. Healy, S. Myhra and J.G. Thompson, X-ray photoelectron spectra of perovskite-type cobalt oxides $La_{1-x}Sr_xCoO_{3-y}$ ($x=0.4$, 0.6) **160**, 252
Boehme, D.R., see K.F. McCarty **157**, 135
Boffa, V., G. Paternò, C. Alvani, S. Casadio, U. Gambardella and C. Vaccarezza, Effects of sintering conditions on the transport properties of YBaCuO pellets **162–164**, 913
Bohandy, J., see B.F. Kim **161**, 76
Böhm, P., see F. Seidler **157**, 375
Böhm, P., see E. Braun **162–164**, 496
Boichat, T., see O. Brunner **162–164**, 647
Boiko, M.P., V.G. Kantser, L.A. Konopko and A.S. Sidorenko, Sign-reversal thermopower in $Bi_2Sr_2CaCu_2O_y$ **162–164**, 506
Bokhimi, A. Garcia-Ruiz, L. Pérez, E. Orozco, R. Asomoza and M. Asomoza, Oxygen and the 110 K phase in the BiSrCaCuO superconductor system **159**, 654
Bolender, J., see L. Soderholm **161**, 252
Boley, M., see D. Shi **162–164**, 927
Boley, M.S., see D. Shi **160**, 417
Bolmaro, B., see D.W. Cooke **162–164**, 1537
Bolmont, D., see B. Loegel **159**, 816
Bombik, A., S.Z. Korczak, W. Korczak, P. Mazurek, A.W. Pacyna, M. Subotowicz and K.I. Wysokiński, Magnetic and microwave studies of BiSrCaCu oxide superconductors **157**, 251
Bonn, D.A., see T. Timusk **162–164**, 841
Bonn, D.A., see M. Reedyk **162–164**, 1083
Bonner, W.A., see M.K. Kelly **162–164**, 1123
Bontemps, N., see U. Dai **162–164**, 699
Bontemps, N., D. Fournier, A.C. Boccara, P. Monod, H. Alloul, J. Arabski, P. Regnier and G. Deutscher, Plasma frequency in randomly oriented and textured ceramics $YBa_2Cu_3O_{6+x}$ as a function of oxygen content **162–164**, 1113
Boon, W., see J. Fransaer **162–164**, 881
Bordet, P., see H. Renevier **162–164**, 51
Bordet, P., see J.J. Capponi **162–164**, 53
Bordet, P., see M. Marezio **162–164**, 281
Bordet, P., J.L. Hodeau, R. Argoud, J. Muller, M. Marezio, J.C. Martinez, J.J. Prejean, J. Karpinski, E. Kaldis, S. Rusiecki and B. Bucher, Single crystal study of the 80 K superconductor $YBa_2Cu_4O_8$ **162–164**, 524
Borg, A., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Borg, A., see D.S. Dessau **162–164**, 1373
Borik, M., M. Chernikov, P. Ivanov, V. Osiko, V. Stepankin and V. Veselago, Shielding anomalies in granular oxide superconductors **162–164**, 727
Borissov, M., see M. Georgiev **162–164**, 1519
Börjesson, L., see S.G. Eriksson **162–164**, 73
Börjesson, L., see M. Kakihana **162–164**, 931, 1245, 1251, 1253
Bormann, R. and J. Nölting, Critical oxygen partial pressure for the "in-situ" preparation of high T_c superconducting thin films **162–164**, 81
Bormann, R., see R.H. Hammond **162–164**, 703
Bornemann, H.J., R. Kmiec, G. Czjzek, P. Adelmann and A. Seidel, Dependence of structure and T_c upon the distribution of iron over the copper sites in $GdBa_2Cu_{1-x}Fe_x)_3O_z$ **159**, 173
Borovinskaya, I.P., see V.G. Grebinnik **162–164**, 145
Bose, A., see B.L. Ramakrishna **158**, 203
Bosi, S., see K.N.R. Taylor **162–164**, 520
Bosi, S., see T. Puzzer **162–164**, 603
Bosi, S., B. Hunter, S. Town, T. Puzzer, A. Nouruzi-Khorosani, J. Cochrane, A. Bailey, G.J. Russell and K.N.R. Taylor, Growth and properties of large single crystals of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 895
Boss, R.D., see T.E. Jones **162–164**, 25
Botlo, M., see H.W. Weber **161**, 272, 287; **162–164**, 401
Bouanani, A.M., see R. Suryanarayanan **162–164**, 139
Boucherle, J.X., J.Y. Henry, M.J. Jurgens, J. Rossat-Mignod, J. Schweizer and F. Tasset, Spin density in the high T_c superconductor $YBa_2Cu_3O_{6+x}$: dependence on temperature and oxygen concentration **162–164**, 1285
Boujida, M., see C. Escribe-Filippini **162–164**, 427
Bourbonnais, C., H. Nelisse, A. Reid and A.-M.S. Tremblay, Fermi surface of the one-dimensional Hubbard model: finite-size effects **162–164**, 805
Bourdelle, K.K., N.G. Chechenin, V.V. Moshchalkov, V.I. Voronkova and V.K. Janovsky, Channeling in $PrBa_2Cu_3O_{7-x}$-single crystals **162–164**, 949
Bourdillon, A.J., see H.K. Liu **157**, 93
Bourdillon, A.J., see S.X. Dou **158**, 93
Bourgault, D., see C. Martin **157**, 460
Bourgault, D., C. Martin, C. Michel, M. Hervieu and B. Raveau, Thallium mixed valence-Tl(I)/Tl(III) in "2212" thallium cuprates: the oxides $Tl^{III}_{2-(x/3)}Tl^{I}_{1-x}Ba_{1+x}LnCu_2O_8$ **158**, 511
Bourgault, D., see F. Studer **159**, 609
Bourgeal, S., see R. Villar **162–164**, 566
Boutellier, R., see B.N. Sun **157**, 189
Bowley, R.M., S. Iwama, P.J. King, D.S. Misra, W.B. Roys, M.S. Raven and K.N.R. Taylor, The electrical transport properties of granular high temperature superconductors **159**, 51
Boyce, J.B., see D.K. Fork **162–164**, 121
Boyce, J.B., see D.B. Fenner **162–164**, 141
Boyce, J.B., see T. Claeson **162–164**, 544
Boyce, J.B., see F. Bridges **162–164**, 969

Boyes, E.D., see M.A. Subramanian **157**, 124
Boyes, E.D., see P.L. Gai **159**, 801
Bozovic, I., Optical studies of cuprate superconductors: the nature of low-energy excitations **162–164**, 1239
Brabers, V.A.M., see J.H.P.M. Emmen **162–164**, 1613
Brakmann, M., see P. Lemmens **162–164**, 452
Brand, H.R., see M.M. Doria **159**, 46
Brand, H.R., H. Pleiner and M.M. Doria, Possible explanation of the curvature in the upper critical field for ceramic and heavy-fermion superconductors **162–164**, 251
Brand, R.A., see H. Lütgemeier **162–164**, 1367
Brandow, B.H., Superconductivity from valence fluctuations with finite U **162–164**, 1533
Brandt, E.H., Magnetic field density of distorted vortex lattices **162–164**, 257
Brandt, E.H., see A. Gupta **162–164**, 667
Brandt, E.H., Thermal fluctuation of the vortex positions in high-T_c superconductors **162–164**, 1167
Brandt, N.B., see B.A. Aminov **160**, 505
Brańkowski, J., see I. Natkaniec **162–164**, 1369
Bratsberg, H., see Z.J. Yang **160**, 461; **162–164**, 1587
Braun, E., see F. Seidler **157**, 375
Braun, E., see W. Schnelle **161**, 123
Braun, E., W. Schnelle, F. Seidler, P. Böhm, W. Braunisch, Z. Drzazga, S. Ruppel, H. Broicher, H. Geus, M. Galffy, B. Roden, I. Felner and D. Wohlleben, The specific heat anomalies at T_c of the BiSrCaCuO and TlBaCaCuO high temperature superconductors **162–164**, 496
Braun, H.F., see M. Kuboth **162–164**, 407
Braun, H.F., see A. Gupta **162–164**, 667
Braunisch, W., see F. Seidler **157**, 375
Braunisch, W., see W. Schnelle **161**, 123
Braunisch, W., see E. Braun **162–164**, 496
Bravman, J.C., see J.Z. Sun **162–164**, 687
Brawner, D.A., see J.-M. Tarascon **162–164**, 285
Brawner, D.A., see Z.Z. Wang **162–164**, 1013
Breiter, M., see A. Pinkowski **162–164**, 1039
Bremert, O., C. Michaelsen and H.-U. Krebs, Structure of Fe-doped $Y_1Ba_2Cu_3O_y$ and $Bi_2Sr_2Ca_1Cu_2O_y$ **162–164**, 45
Brener, R., see R. Bar-Deroma **162–164**, 1329
Brennert, G.F., see W.W. Warren Jr. **162–164**, 179
Brewer, J.H., J.F. Carolan, W.N. Hardy, H. Hart, R. Kadono, J.F. Kempton, R.F. Kiefl, S.R. Kreitzman, G.M. Luke, T.M. Riseman, P.W. Schleger, B.J. Sternlieb, Y.J. Uemura, D. Williams and B.X. Yang, Magnetic ordering in $YBa_2Cu_3O_x$ studied by μ^+ spin rotation **162–164**, 33
Brewer, J.H., see E.J. Ansaldo **162–164**, 147
Brewer, J.H., J.F. Carolan, W.N. Hardy, B.X. Yang, P.W. Schleger, R. Kadono, J.R. Kempton, R.F. Kiefl, S.R. Kreitzman, G.M. Luke, T.M. Riseman, D. Williams, K. Chow, P. Dosanjh, B. Gowe, R. Krahn and M. Norman, Coexistence of superconductivity and magnetic order in $YBa_2Cu_3O_x$ **162–164**, 157
Brewer, J.H., see R.F. Kiefl **162–164**, 161
Brewer, J.H., see B.J. Sternlieb **162–164**, 679
Brewer, J.H., see G.M. Luke **162–164**, 825
Brewer, J.H., see Y.J. Uemura **162–164**, 857
Brewer, J.H., see T.M. Riseman **162–164**, 1555
Briceno, G., see M.F. Crommie **162–164**, 1397
Bridges, F., see D.K. Fork **162–164**, 121
Bridges, F., see T. Claeson **162–164**, 544
Bridges, F., J.B. Boyce, T. Claeson, T.H. Geballe and J.-M. Tarascon, Substitution on the Cu(1) sites in $Y_1Ba_2Cu_3O_{7-\delta}$; **evidence for distorted chains of Co and Fe atoms** **162–164**, 969
Brinkmann, D., see H. Zimmermann **159**, 681
Brinkmann, D., see H. Schiefer **162–164**, 171
Brinkmann, D., see K. Müller **162–164**, 173
Brnicevic, N., see P. Knoll **162–164**, 1097
Broicher, H., see W. Schnelle **161**, 123
Broicher, H., see E. Braun **162–164**, 496
Brom, H.B., see J.C. Jol **162–164**, 191
Brom, H.B., see J. Baak **162–164**, 500
Brown, D.R., see D.W. Cooke **162–164**, 1537
Browning, V.M., see G.A. Candela **162–164**, 421
Brüesch, P., see P. Allenspach **157**, 58
Bruggink, W.H.M., see J. Reyes-Gasga **159**, 831
Bruggink, W.H.M., see G. Van Tendeloo **162–164**, 945
Brulet, A., see R. Kahn **159**, 323
Brun, G., see R. Suryanarayanan **162–164**, 139
Brundle, C.R., see D.E. Fowler **162–164**, 1303
Brunner, O., see J.-M. Triscone **158**, 293
Brunner, O., see A. Junod **162–164**, 480
Brunner, O., J.-M. Triscone, M.G. Karkut, L. Antognazza, A.D. Kent, T. Driscoll, T. Boichat and Ø. Fischer, Epitaxial growth and anisotropic transport properties of $YBa_2Cu_3O_7$ thin films **162–164**, 647
Brunner, O., see A.D. Kent **162–164**, 1035
Bruynseraede, Y., J.-P. Locquet, J. Vanacken, B. Wuyts, C. van Haesendonck and I.K. Schuller, Effect of the oxygen distribution on high T_c superconductivity **162–164**, 23
Bruynseraede, Y., see J. Fransaer **162–164**, 881
Bryksin, V.V., A.V. Goltsev and S.N. Dorogóvtsev, Properties of superconducting networks with large Josephson junctions **160**, 103
Bucci, C., see R. De Renzi **162–164**, 155
Bucci, C., see G. Guidi **162–164**, 189
Bucher, B., J. Karpinski, E. Kaldis and P. Wachter, Strong pressure dependence of T_c of the new 80 K phase $YBa_2Cu_4O_{8+x}$ **157**, 478
Bucher, B., see J. Karpinski **160**, 449; **161**, 618
Bucher, B., see P. Bordet **162–164**, 524
Buckley, R.G., see J.L. Tallon **158**, 247
Budai, J.D., see D.K. Christen **162–164**, 653
Budai, J.D., see R. Feenstra **162–164**, 655
Buder, R., see S. Revenaz **162–164**, 1585
Buder, R., see C.J. Liu **162–164**, 1609
Budnick, J.I., see Z. Tan **160**, 571
Budnick, J.I., see B.R. Weinberger **161**, 91
Budnick, J.I., see H. Glückler **162–164**, 149
Budnick, J.I., see C. Niedermayer **162–164**, 159
Budnick, J.I., see C. Hohenemser **162–164**, 1283
Bukowski, E.D., see Q. Huang **161**, 141
Bukowski, E.D., see F. Slakey **162–164**, 1095

Bukowski, Z., see M. Slaski **162–164**, 103
Bulaevskii, L.N., O.V. Dolgov and A.A. Golubov, Electron–phonon coupling model and high-temperature superconductors **162–164**, 1527
Bullock, D.C., T.J. Folkerts, P. Klavins and R.N. Shelton, Macroscopic magnetic properties of high T_c epitaxial $Y_1Ba_2Cu_3O_x$ thin films **162–164**, 331
Bullock, D.C., G. Gorman, J.R. Salem, C. Hwang, R. Savoy, V. Lee, W. Lee, T. Huang and A. Segmüller, Structural properties of high T_c epitaxial $Y_1Ba_2Cu_3O_x$ thin films **162–164**, 643
Buluggiu, E., see G. Calestani **158**, 217; **162–164**, 526
Buluggiu, E., D.C. Giori, A. Valenti, A. Vera, G. Amoretti, F.C. Matacotta and E. Olzi, H-modulated X-band microwave absorption in $Bi_2Sr_2CaCu_2O_z$ powder. Dependence on the magnetic field **162–164**, 1647
Bungre, S.S., R. Meisels, A.D. Caplin and S.E. Male, Critical currents and dissipation in bulk $YBa_2Cu_3O_7$ and Pb-stabilised $Bi_2Sr_2Ca_2Cu_3O_{16}$ **162–164**, 1171
Burila, C.T., see B.R. Weinberger **161**, 91
Burkhardt, E., see H. Schmid **157**, 555; **159**, 150
Bürkle, H., see G. Roth **162–164**, 518
Burlachkov, L.I. and L.S. Levitov, Critical phenomena in quasiperiodic superconducting layered structures **158**, 88
Burlet, P., see C. Perrin **162–164**, 889
Burlet, P., see J. Rossat-Mignod **162–164**, 1269
Burmester, C.P., M.E. Mann, G. Ceder, L.T. Wille and D. de Fontaine, Monte Carlo simulation of oxygen ordering in $YBa_2Cu_3O_z$ **162–164**, 225
Burns, S.J., see A. Goyal **159**, 313
Bush, A.A., see I.V. Zubov **162–164**, 37
Bush, A.A., see A.A. Zhukov **162–164**, 1623, 1631
Bush, P., see Y. Gao **160**, 431
Buslaps, T., see R. Manzke **162–164**, 1381
Bussmann-Holder, A., H. Büttner and A. Simon, Competition of anharmonic electron–phonon and electron–electron interaction in ferroelectric and superconducting oxides **162–164**, 779
Bustillo, C., see J.V. Acrivos **162–164**, 1665
Butaud, P., see M. Horvatić **159**, 689; **162–164**, 265
Butaud, P., see Y. Kitaoka **162–164**, 195
Butera, A., A. Caneiro, M.T. Causa, L.B. Steren, R. Zysler, M. Tovar and S.B. Oseroff, Depression of the weak-ferromagnetism of CuO_2 planes in Gd_2CuO_4 through Ce and Th doping **160**, 341
Butorin, S.M., see V.R. Galakhov **160**, 267
Büttner, H., see A. Bussmann-Holder **162–164**, 779
Button, T.W., see S.G. Hammond **162–164**, 395
Button, T.W., see Y. Feng **162–164**, 943
Buzdin, A.I., B.U. Vuyichit and D.A. Kuptsov, Anomalous temperature dependences of London penetration depth in layered superconductors **162–164**, 1561

Cabanel, R., see A. Schuhl **162–164**, 627
Cabrera, A., see E. Yepez **162–164**, 1495, 1497
Cai, P., see J. Chen **159**, 317
Cai, W., see J. Hu **162–164**, 444
Calandra, C., F. Manghi and T. Minerva, One hole spectra at $YBa_2Cu_3O_7$ surfaces **162–164**, 211
Calandra, C., see F. Parmigiani **162–164**, 1385
Caldes, M.T., A. Fuertes, J.M. González-Calbet, M. Vallet-Regi, A. Garcia, X. Obradors, J. Fontcuberta, J. Rodriguez, C. Miravitlles and F. Perez, Electron microsopy, electrical resistivity and magnetic properties of the new tubular phase $Bi_4Sr_8Cu_5O_{19+x}$ **162–164**, 865
Calestani, G., C. Rizzoli, G.D. Andreetti, E. Buluggiu, D.C. Giori, A. Valenti, A. Vera and G. Amoretti, Composition effects on the formation and superconducting character of $c \approx 31$ Å and $c \approx 37$ Å phases in the Bi–Sr–Ca–Cu–O and Bi–Pb–Sr–Ca–Cu–O systems. X-ray and ESR analysis **158**, 217
Calestani, G., C. Rizzoli, M.G. Francesconi and G.D. Andreetti, The modulated structure of $Bi_2Sr_{3-x}Ca_xCu_2O_8$: a commensurate model from single crystal X-ray diffraction data **161**, 598
Calestani, G., see R. De Renzi **162–164**, 155
Calestani, G., see G. Guidi **162–164**, 189
Calestani, G., see A. Bianconi **162–164**, 209
Calestani, G., M.G. Francesconi, G. Amoretti, C. Paracchini, E. Buluggiu, D.C. Giori, A. Valenti and A. Vera, Analysis of superconducting transitions in $c \approx 31$ and $c \approx 37$ Å BSCCO systems **162–164**, 526
Caley, C.E., J.P. Collman and W.A. Little, Preparation of in-situ superconducting YBCO thin films by single target magnetron sputtering **162–164**, 651
Caley, C.E., see M.J. Holcomb **162–164**, 1071
Calles, A., see E. Yepez **162–164**, 1495, 1497
Calzona, V., M.R. Cimberle, C. Ferdeghini, M. Putti and A.S. Siri, AC susceptibility and magnetization of high-T_c superconductors: critical state model for the intergranular region **157**, 425
Calzona, V., M.R. Cimberle, C. Ferdeghini, M. Putti, A.S. Siri and R. Vaccarone, Supercurrent lengthscale in sintered YBCO and critical state model **162–164**, 369
Calzona, V., see F. Celani **162–164**, 903
Campa, J.A., J. Avila, M.T. Casais, C. Cascales, I. Rasines and J.L. Sacedon, Irregular oxygen distribution in $Bi_2Sr_2CuO_{6+x}$ crystals **162–164**, 1223
Campbell, A.M., Ginzburg–Landau calculations of the critical current densities of grain boundaries **162–164**, 273
Campbell, A.M., see F.J. Blunt **162–164**, 1605
Campbell, A.M., see J.D. Johnson **162–164**, 1607
Campbell, I.A., see L. Fruchter **160**, 185
Campuzano, J.C., see B.W. Veal **158**, 276
Campuzano, J.C., see R.S. List **159**, 439
Candela, G.A., R.J. Soulen Jr., V.M. Browning and J.F. Schooley, Temperature reference points using cuprate superconductors **162–164**, 421
Caneiro, A., see A. Butera **160**, 341
Cannavacciuolo, M., R. Di Leo, L. Maritato, A. Nigro and R. Vaglio, Fabrication and properties of thin films of the $YBa_2Cu_3O_7$ compound **162–164**, 1063
Cao, L., see H. Liu **159**, 665
Cao, L., see J. Xia **162–164**, 1221

Cao, L.Z., see J.S. Xia **158**, 477
Cao, N., J.Q. Zheng, X.S. Chen and W.Y. Guan, Magnetic characteristics of normal and superconductive states in $SmBa_2Cu_3O_7$ **159**, 195
Cao, X., see Y. Zhang **162–164**, 691
Caplin, A.D., see J.R. Laverty **162–164**, 1165
Caplin, A.D., see S.S. Bungre **162–164**, 1171
Capone II, D.W., see Y.S. Yao **157**, 247
Capponi, J.J., see E.A. Hewat **157**, 502, 509
Capponi, J.J., see H. Renevier **162–164**, 51
Capponi, J.J., P. Bordet, C. Chaillout, J. Chenavas, O. Chmaissem, E.A. Hewat, J.L. Hodeau, W. Korczak and M. Marezio, Structural changes and oxygen stoichiometry in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 53
Capponi, J.J., see M. Marezio **162–164**, 281
Capponi, J.J., see O. Laborde **162–164**, 827
Car, R., see A. Parola **162–164**, 771
Carbotte, J.P., see R. Akis **157**, 395; **162–164**, 1491
Carbotte, J.P., see F. Marsiglio **162–164**, 1493
Cardona, M., see C. Thomsen **162–164**, 1079
Carlson, D., see J.E. Schirber **161**, 412
Carolan, J.F., see R.F. Kiefl **162–164**, 161
Carolan, J.F., see J.H. Brewer **162–164**, 33, 157
Carolan, J.F., see B.J. Sternlieb **162–164**, 679
Carolan, J.F., see T.M. Riseman **162–164**, 1555
Carpenter Jr., E.R., see A.W. Webb **162–164**, 899
Carrera, M., X. Granados, J. Fontcuberta, M. Vallet and J.M. González-Calbet, Twins, electron–phonon coupling and fluctuations in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-y}$ **157**, 285
Carrera, M., X. Granados, M.A. Crusellas, J. Fontcuberta, X. Obradors, J.L. García-Muñoz, J. Rodriguez, M. Vallet, J.M. González-Calbet, C. Rillo and F. Lera, On inhomogeneous superconductivity in Fe substituted $YBa_2Cu_3O_{7-\delta}$ **162–164**, 41
Carrera, M., X. Granados, J. Fontcuberta, X. Obradors, M. Vallet and J.M. González-Calbet, Fluctuations and critical fields in (Y–Sm) HTSC **162–164**, 723
Carrera, M., see J. Bartolomé **162–164**, 863
Carretta, P., see R. De Renzi **162–164**, 155
Carretta, P., see G. Guidi **162–164**, 189
Carrillo-Cabrera, W. and W. Göpel, Influence of high-temperature annealing on the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ phase and determination of its crystal structure by X-ray powder diffractometry **161**, 373
Casadio, S., see V. Boffa **162–164**, 913
Casais, M.T., see J.A. Campa **162–164**, 1223
Casanove, M.J., P. Baules, E. Snoeck and C. Roucau, The high T_c superconductor $Bi_2Sr_2CaCu_2O_8$ studied by electron microscopy. Influence of the partial substitution of Yb for Ca on the modulated structure **159**, 461
Cascales, C., see J.A. Campa **162–164**, 1223
Caspary, R., M. Winkelmann and F. Steglich, Origin of the nuclear specific heats in high-T_c superconductors **162–164**, 474
Cassanho, A., see N.W. Preyer **162–164**, 1003
Castellani, C., see E. Arrigoni **162–164**, 785
Castro, J.J., see E. Yepez **162–164**, 1495, 1497
Castrucci, P., see A. Bianconi **162–164**, 209
Cattani, S., see M. Affronte **162–164**, 1007
Causa, M.T., see A. Butera **160**, 341
Cava, R.J., M. Marezio, J.J. Krajewski, W.F. Peck Jr., A. Santoro and F. Beech, Neutron powder diffraction study of $Pb_2Sr_2YCu_3O_8$, the prototype of a new family of superconductors **157**, 272
Cava, R.J., see E.A. Hewat **157**, 509
Cava, R.J., J.J. Krajewski, W.F. Peck Jr., B. Batlogg and L.W. Rupp Jr., A straightforward synthetic route to the bulk form of the $LnBa_2Cu_4O_8$ superconductors (Ln = Er, Ho) at one atmosphere oxygen pressure **159**, 372
Cava, R.J., see W.W. Warren Jr. **162–164**, 179
Cava, R.J., see E.J. Ansaldo **162–164**, 259
Cava, R.J., see M. Marezio **162–164**, 281
Cava, R.J., see B. Batlogg **162–164**, 1393
Caves, L.W.J., see G. Balakrishnan **161**, 9
Ceder, G., see C.P. Burmester **162–164**, 225
Celani, F., A. Saggese, V. Calzona, M. Putti, L. Liberatori, S. Pace, B. Polichetti and R. Scafuro, Improvements of sintered YBCO samples by citrate pyrolysis and ozone annealing **162–164**, 903
Celio, M., see T.M. Riseman **162–164**, 1555
Ceperley, D.M., see N. Trivedi **162–164**, 1455
Chabala, J.M., R.P.R. Chang, J.B. Ketterson, R. Levi-Setti, D.X. Li, Y.L. Wang and X.K. Wang, Ion microprobe characterization of E-beam deposited YBaCu(F)O films: effects of post-deposition processing **162–164**, 75
Chaddah, P., K.V. Bhagwat and G. Ravikumar, Magnetisation hysteresis and critical current density **159**, 570
Chaddah, P., see C. Radhakrishnamurty **162–164**, 333
Chaddah, P., see A.K. Grover **162–164**, 337
Chaddah, P. and G. Ravikumar, Time-decay of magnetisation in high T_c superconductors **162–164**, 347
Chaillout, C., see E.A. Hewat **157**, 228, 509
Chaillout, C., S.W. Cheong, Z. Fisk, M.S. Lehmann, M. Marezio, B. Morosin and J.E. Schirber, The crystal structure of superconducting $La_2CuO_{4.032}$ by neutron diffraction **158**, 183
Chaillout, C., see J.J. Capponi **162–164**, 53
Chaillout, C., J. Chenavas, S.-W. Cheong, Z. Fisk, M.S. Lehmann, M. Marezio, B. Morosin and J.E. Schirber, Structural aspects of the phase separation in $La_2CuO_{4.032}$ **162–164**, 57
Chaillout, C., see M. Marezio **162–164**, 281
Chaillout, C., C. Berger, F. Cyrot-Lackmann, C. Escribe-Filippini, G. Fourcaudot, G. Deutscher, J. Beille, M. Cyrot, H. Dupendant, M. Godinho and J.L. Tholence, Synthesis and superconductivity of $Ba_{0.6}K_{0.4}BiO_{3-y}$ **162–164**, 935
Chakrabarti, B.K. and D.K. Ray, Superconductivity of fermi glasses **162–164**, 271
Chakravarti, A., see N. Chatterjee **161**, 589
Chalker, P., see A.E. Bocquet **160**, 252
Chaloupka, H., see N. Klein **162–164**, 1549
Chamberland, B., see C. Hohenemser **162–164**, 1283
Chamberland, B.L., see Z. Tan **160**, 571
Chancey, C.C., see K.P. Jain **162–164**, 793

Chand, P., see A.G. Vedeshwar **158**, 385
Chandra, G., see B.K. Basu **159**, 379
Chandrasekhar, B.S., see F. Gross **162–164**, 419
Chandrashekhar, G.V., see L. Krusin-Elbaum **162–164**, 1553
Chandrashekhar, G.V., see I. Felner **162–164**, 1635
Chang, C.-A., see Q.Y. Ma **162–164**, 637
Chang, C.T., see R.S. Liu **162–164**, 113
Chang, F., see Y. He **161**, 226
Chang, F.G., see Y.S. He **162–164**, 450
Chang, K., J.T. Chen, L.E. Wenger and E.M. Logothetis, Effects of microwave radiation on YBaCuO films **162–164**, 1591
Chang, L.J., see J.C. Jao **162–164**, 915
Chang, R.P.R., see J.M. Chabala **162–164**, 75
Chang, T.C., see J.W. Chen **162–164**, 87
Chang, Y., see R.S. List **159**, 439
Chang, Y.C., see C.G. Olson **162–164**, 1697
Chao, Y.H., see N. Yang **162–164**, 71
Char, K., see D.K. Fork **162–164**, 121
Chatterjee, D., see D. Majumdar **158**, 413
Chatterjee, N., C.D. Mukherjee, R. Ranganathan, A. Chakravarti and A.K. Raychaudhuri, Superconductivity in low bismuth containing system **161**, 589
Chatterjee, R., T.R.S. Prasanna, J. Moodera and R.C. O'Handley, Superconductivity through percolation in $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ **158**, 485
Chaudhari, P., see R. Gross **162–164**, 1603
Chebotaev, M.M., see B.N. Goshchitskii **162–164**, 1023
Chebotaev, N.M., see S.A. Davydov **161**, 549
Chechenin, N.G., see K.K. Bourdelle **162–164**, 949
Chen, C., see C. Raptis **161**, 83
Chen, C., see A. Mackenzie **162–164**, 1029
Chen, C.-X. and H.-B. Schüttler, Spin dynamics of cuprate superconductors: exact results from numerical continued fraction expansions **162–164**, 207
Chen, C.-X., see H.-B. Schüttler **162–164**, 1337
Chen, C.F., see J.W. Chen **162–164**, 87
Chen, C.H., see H.E. Horng **158**, 480
Chen, C.H., D.J. Werder, A.C.W.P. James, D.W. Murphy, S. Zahurak, R.M. Fleming, B. Batlogg and L.F. Schneemeyer, Superlattice modulation and superconductivity in the electron-doped $Nd_2CuO_{4-x}F_x$ and $Nd_{2-x}Ce_xCuO_4$ systems **160**, 375
Chen, C.H., see D.J. Werder **160**, 411
Chen, C.Y., see N.W. Preyer **162–164**, 1003
Chen, C.Y., R.J. Birgeneau, D.R. Gabbe, H.P. Jenssen, M.A. Kastner, P.J. Picone, N.W. Preyer and T. Thio, Frequency dependence of the conductivity and dielectric constant of La_2CuO_{4+y} near the insulator–metal transition **162–164**, 1031
Chen, C.Y., see T. Thio **162–164**, 1301
Chen, F.C., see S.M. Fu **162–164**, 619
Chen, H., Z. Su and L. Yu, Competition and possible coexistence of antiferromagnetic and RVB states in 2D Heisenberg model **162–164**, 761
Chen, J., see J.S. Xia **158**, 477
Chen, J., L. Xie, Y. Zhao, P. Cai and H. Gu, Infrared studies of the oxygen-deficient triperovskite $YBa_2Cu_{3-x}Fe_xO_{7+y}$ compound **159**, 317
Chen, J., see D. Shi **162–164**, 927
Chen, J., see C.L. Lin **162–164**, 1325
Chen, J.T., see R.E. Soltis **162–164**, 649
Chen, J.T., see K. Chang **162–164**, 1591
Chen, J.T., see L.-Q. Wang **162–164**, 1617
Chen, J.W., T.C. Chang and C.F. Chen, Superconductivity in the $Re_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ (RE=Y, Nd, Sm, Gd, Dy, Ho, Yb) systems **162–164**, 87
Chen, K.Y., Z.M. Tang and Y.J. Qian, The behavior of bulk $YBa_2Cu_3O_{7-x}$ dissipative state **157**, 164
Chen, K.Y. and Y.J. Qian, Critical current and magnetoresistance hysteresis in polycrystalline $YBa_2Cu_3O_{7-x}$ **159**, 131
Chen, L., see X. Wei **162–164**, 1109
Chen, L., see Y. Zhang **162–164**, 691, 731
Chen, L.C., see R.S. Liu **159**, 385
Chen, L.J., see R.S. Liu **162–164**, 869
Chen, W., see P.J. McGinn **161**, 198
Chen, X.-H., see Y.-N. Wang **162–164**, 456
Chen, X.S., see N. Cao **159**, 195
Chen, Y., see H. Tao **162–164**, 1127
Chen, Z., see H. Liu **159**, 665
Chen, Z., see J. Xia **162–164**, 1221
Chen, Z., see Q. Zhang **162–164**, 999, 1197
Chen, Z.Y., see J.S. Xia **158**, 477
Chenavas, J., see J.J. Capponi **162–164**, 53
Chenavas, J., see C. Chaillout **162–164**, 57
Chenavas, J., see M. Marezio **162–164**, 281
Chen Lei, M., see J.V. Acrivos **162–164**, 1665
Cheong, S.-W., see M.F. Hundley **158**, 102
Cheong, S.-W., J.D. Thompson and Z. Fisk, Properties of La_2CuO_4 and related compounds **158**, 109
Cheong, S.-W., Z. Fisk, J.D. Thompson and R.B. Schwarz, Systematics of new T*-phase superconductivity **159**, 407
Cheong, S.-W., see S. Skanthakumar **160**, 124
Cheong, S.-W., see C. Chaillout **162–164**, 57
Cheong, S.-W., see Z. Fisk **162–164**, 1681
Cheong, S.W., see C. Chaillout **158**, 183
Chernikov, M., see M. Borik **162–164**, 727
Chew, N.G., see J.S. Satchell **162–164**, 625
Chiang, C.K., S.W. Freiman, W. Wong-Ng, L.P. Cook, R.D. Shull and A.J. Shapiro, Preparation of Bi–Pb–Sr–Ca–Cu–O superconducting composites using glass technology **162–164**, 901
Chiang, Y.-M., see A. Roshko **162–164**, 1625
Chien, T.R., Z.Z. Wang and N.P. Ong, Discontinuous jump in transverse magnetization of the flux lattice in $YBa_2Cu_3O_7$ crystals observed by torque magnetometry **162–164**, 343
Chien, T.R., see Z.Z. Wang **162–164**, 1013
Ching, W.Y., see K.W. Wong **158**, 1, 15
Chmaissem, O., see J.J. Capponi **162–164**, 53
Choi, J.-S., see R. Kikuchi **160**, 347
Chojetzki, W., see M. Rosenberg **162–164**, 729
Chopra, K.L., see B.K. Roul **160**, 439
Choudhury, P., see A.N. Das **158**, 311

Choudhury, P., see A. Poddar **159**, 226, 231; **161**, 567
Chow, K., see J.H. Brewer **162–164**, 157
Chrisey, D.B., K.S. Grabowski and M.S. Osofsky, Pulsed laser deposition of $YBa_2Cu_3O_{7-\delta}$ in an oxygen background and discharge **162–164**, 129
Christen, D.K., C.E. Klabunde, J.R. Thompson, H.R. Kerchner, S.T. Sekula, R. Feenstra and J.D. Budai, Transport critical currents in epitaxial $Y_1Ba_2Cu_3O_{7-x}$ thin films **162–164**, 653
Christen, D.K., see H.R. Kerchner **162–164**, 1557
Christensen, P., see O. Peña **159**, 443
Christensen, P., see C. Perrin **162–164**, 889
Chrzanowski, J., see J.P. Franck **162–164**, 753
Chrzanowski, J., J.C. Irwin and D.J. Lockwood, Magnetic exciton in CuO **162–164**, 1087
Chu, C.W., see Y.Y. Xue **158**, 211
Chu, C.W., see P.H. Hor **159**, 629
Chu, C.W., see R.H. Howell **162–164**, 1377
Chu, C.W., see C.S. Sundar **162–164**, 1379
Chu, J.J., M.R. Tseng, F.J. Shieh and P.T. Wu, The growth and characterization of Bi–Pb–Sr–Ca–Cu–O films on single crystal substrate by spray pyrolysis and RF magnetron sputtering **162–164**, 117
Chudnovskii, F.A., see Yu.M. Gerbstein **162–164**, 961
Chumbley, L.S., see M.J. Kramer **162–164**, 552
Ciccarello, I., C. Fazio, M. Guccione and M. Li Vigni, Nonlinear microwave response in field-cooled high-T_c and type II superconductors **159**, 769
Ciccarello, I., M. Guccione and M. Li Vigni, Low-field microwave effects in zero-field-cooled high-T_c superconductors **161**, 39
Cimberle, M.R., see V. Calzona **157**, 425; **162–164**, 369
Cinti, R., see H. Guyot **162–164**, 1305
Cipolli, R., see B.R. Weinberger **161**, 91
Civale, L., see H. Safar **162–164**, 665
Claeson, T., J.B. Boyce, F. Bridges, T.H. Geballe, J.M. Remeika and A.W. Sleight, X-ray absorption study of superconducting $BaBi_{1-x}Pb_xO_3$ and $BaBiO_3$ **162–164**, 544
Claeson, T., see F. Bridges **162–164**, 969
Claessen, R., see R. Manzke **162–164**, 1381
Claus, H., see B.W. Veal **158**, 276; **162–164**, 97
Clayman, B.P., see S.H. Wang **162–164**, 1077
Clem, J.R., see A.P. Malozemoff **162–164**, 353
Clem, J.R., Phenomenological theory of magnetic structure in the high-temperature superconductors **162–164**, 1137
Clinton, T.W., see S. Skanthakumar **160**, 124
Clougherty, D.P., K.H. Johnson and M.E. McHenry, Dynamic Jahn–Teller coupling and high T_c superconductivity **162–164**, 1475
Cochrane, J., see S. Bosi **162–164**, 895
Coddens, G., see M. Hennion **159**, 124
Coffey, L., Ultrasonic attenuation in heavy fermion superconductors **162–164**, 417
Cohen, R.E., see W.E. Pickett **162–164**, 1419
Collin, C., see B. Gillon **162–164**, 1275
Collin, G., see R. Kahn **159**, 323
Collin, G., see H. Vichery **159**, 697; **162–164**, 749
Collin, G., see F. Keller-Berest **161**, 150
Collin, G., see P. Mendels **162–164**, 167
Collin, G., see W. Reichardt **162–164**, 464
Collin, G., see M. Konczykowski **162–164**, 747
Collin, G., see D. Petitgrand **162–164**, 1271
Collins, R.T., see Z. Schlesinger **162–164**, 1111
Collman, J.P., see G.T. Yee **161**, 195
Collman, J.P., see C.E. Caley **162–164**, 651
Collman, J.P., see M.J. Holcomb **162–164**, 1071
Comberg, A., see P. Lemmens **162–164**, 452
Combescot, R., On the spectral dependence of the critical temperature of superconductors **162–164**, 1507
Coniglio, A. and H.E. Stanley, Dilute annealed magnetism and high temperature superconductivity **161**, 88
Connell, G.A.N., see D.K. Fork **162–164**, 121
Connell, G.A.N., see D.B. Fenner **162–164**, 141
Cook, L.P., see C.K. Chiang **162–164**, 901
Cooke, D.W., E.R. Gray, R.J. Houlton, H.H.S. Javadi, M.A. Maez, B.L. Bennett, B. Rusnak, E.A. Meyer, P.N. Arendt, J.G. Beery, D.R. Brown, F.H. Garzon, I.D. Raistrick, A.D. Rollett, B. Bolmaro, N.E. Elliott, N. Klein, G. Müller, S. Orbach, H. Piel, J.Y. Josefowicz, D.B. Rensch, L. Drabeck and G. Grüner, Surface resistance of $YBa_2Cu_3O_7$ films deposited on $LaGaO_3$ substrates **162–164**, 1537
Cooke, D.W., see A.M. Portis **162–164**, 1547
Cooper, A.S., see B. Batlogg **162–164**, 1393
Cooper, E.I., see A. Gupta **158**, 225
Cooper, S.L., see T. Timusk **162–164**, 841
Cooper, S.L., see M. Reedyk **162–164**, 1083
Coppens, P., see Y. Gao **160**, 431
Coppersmith, S.N., see M. Inui **162–164**, 237
Correia dos Santos, A., O. Figueiredo, M. Rosa Nunes, F.M. Costa, J. Ferreira da Silva, A. Frey Ramos and C. Moreira de Sá, New structural data on Zr-replaced Y–Ba–Cu superconducting oxides **162–164**, 977
Cost, J.R., see M.E. McHenry **162–164**, 689
Costa, F., see A.P. Gonçalves **159**, 273
Costa, F.M., see A. Correia dos Santos **162–164**, 977
Costa, J.L., see Y. Zhang **157**, 108
Costa-Quintana, J., F. López-Aguilar, S. Balle, J.S. Muñoz and A. Sánchez, Coulomb correlation effects in YBaCuO system **162–164**, 757
Costa-Quintana, J., see F. López-Aguilar **162–164**, 759
Couach, M., see M. Horvatić **162–164**, 265
Cox, D.E., see M. Eibschutz **162–164**, 530
Cox, S.F.J., see R. De Renzi **162–164**, 155
Cozar, O., see Gh. Ilonca **162–164**, 831
Crabtree, G.W., see A.J. Schultz **157**, 301
Crabtree, G.W., see U. Welp **161**, 1; **162–164**, 735
Crabtree, G.W., see W.K. Kwok **162–164**, 669
Crabtree, G.W., see A. Umezawa **162–164**, 733
Crabtree, G.W., see F.M. Sauerzopf **162–164**, 751
Crabtree, G.W., U. Welp, W.K. Kwok, K.G. Vandervoort, J.Z. Liu and A. Umezawa, Magnetic phase diagram of La_2CuO_4 **162–164**, 1299
Crawford, M.K., see J.B. Parise **159**, 255

Crawford, M.K., see A.J. Vega **162–164**, 165
Crawford, M.K., M. Kunchur, W.E. Farneth, E.M. McCarron and S.J. Poon, ^{18}O isotope effect on T_c in $La_{2-x}Sr_xCuO_4$ as a function of x **162–164**, 755
Crepeau, R.H., see A. Dulcic **160**, 223
Creuzet, G., see A. Schuhl **162–164**, 627
Crljen, Z., see G. Wendin **162–164**, 1327
Crommie, M.F., G. Briceno and A. Zett, Transport and tunneling in $Bi_2Sr_2CaCu_2O_{8-x}$ **162–164**, 1397
Crow, J.E., see C.L. Lin **162–164**, 1325
Crusellas, M.A., see M. Carrera **162–164**, 41
Cu, B., see M. Wang **162–164**, 528
Cucolo, A.M., J.M. Valles Jr., R.C. Dynes, M. Gurvitch, J.M. Phillips and J.P. Garno, Low leakage tunnel junctions on liquid etched thin films of $Y_1Ba_2Cu_3O_7$ **161**, 351
Cucolo, A.M., see M. Gurvitch **162–164**, 1067
Curzon, A., see S. Gygax **162–164**, 1551
Cyca, B.R., see T.M. Riseman **162–164**, 1555
Cyrot, M., see D. Peter **162–164**, 199
Cyrot, M., see C. Chaillout **162–164**, 935
Cyrot, M., see W.E. Pickett **162–164**, 1433
Cyrot-Lackmann, F., see C. Chaillout **162–164**, 935
Cyrot-Lackmann, F., see W.E. Pickett **162–164**, 1433
Cyrot-Lackmann, F., see D.A. Papaconstantopoulos **162–164**, 1435
Czech, B., see M. Tetenbaum **158**, 377
Cziráki, Á., B. Fogarassy, S. Pekker, Gy. Hutiray, P. Sovak, L. Potoczky and V. Karel, Anisotropy effect detected by TEM in Y–Ba–Cu–O at low temperature **162–164**, 560
Czjzek, G., see H.J. Bornemann **159**, 173
Czyzak, B., see J. Stankowski **160**, 170
Czyzyk, M.T., see R.V. Kawoski **162–164**, 1349

Dąbkowski, A., see G. Jung **158**, 419
Dabkowski, A., see R. Sobolewski **162–164**, 631
Dabrowski, B., see J.F. Zasadzinski **158**, 519; **162–164**, 1053
Dabrowski, B., D.R. Richards, D.G. Hinks, R.H. Hannon, W. Peng, H. Lee, A.P. Genis, V.J. Melim and C.W. Kimball, Superconducting behavior and chemistry of $Pb_{0.3}Bi_{1.8-x}Sb_xSr_{1.9}Ca_2Cu_3O_y$ **160**, 281
Dabrowski, B., D.R. Richards, D.G. Hinks, R.H. Hannon, H. Lee, V.J. Melim, W. Peng and C.W. Kimball, Effect of electron and volume change via SB(V) doping on the superconducting behavior of $K_{0.4}Ba_{0.6}Bi_{1-x}Sb_xO_3$ **162–164**, 91
Dabrowski, B., see C.W. Kimball **162–164**, 95
Dabrowski, B., J.D. Jorgensen, D.G. Hinks, S. Pei, D.R. Richards, H.B. Vanfleet and D.L. Decker, $La_2CuO_{4+\delta}$ and $La_2NiO_{4+\delta}$: phase separation resulting from excess oxygen defects **162–164**, 99
Dabrowski, B., see S. Pei **162–164**, 556
Dabrowski, B., see C.S. Sundar **162–164**, 1379
Dabrowski, B., see D.G. Hinks **162–164**, 1405
Dai, U., L.R. Tessler, N. Hess, G. Deutscher, N. Bontemps, G. Vetter, F. Queyroux, R. Nahoum, M. Lagües and P. Mocaer, Flux creep limited current in $YBa_2Cu_3O_{7-\delta}$ ceramics under applied fields **162–164**, 699
Dalderop, J.H.J., see J.H.P.M. Emmen **162–164**, 1613
Dalvi, A.G.I., see M.D. Sastry **160**, 69; **162–164**, 1589
Dam, B., see G.M. Stollman **159**, 854; **161**, 444; **162–164**, 1191
Dam, B., see J. Lensink **162–164**, 663
Dam, B. and D. Scholten, On the fabrication of flat post-annealed $YBa_2Cu_3O_{7-\delta}$ films **162–164**, 705
Dam, B., see Ph. Flueckiger **162–164**, 1563
Danan, H., see W. Andrä **162–164**, 349
Dan'ko, N.V., see V.S. Melnikov **162–164**, 534
Darlington, C.N.W., see J.S. Abell **162–164**, 909
Da Rosa Simoes, A., see C. Bastide **159**, 347
Dartige, E., see H. Renevier **162–164**, 51
Dartyge, E., see F. Studer **159**, 609
Das, A.N., B. Ghosh and P. Choudhury, Superconductivity, antiferromagnetism, Hall coefficient and the thermoelectric power for a single-band Hubbard model **158**, 311
Das, A.N., see A. Poddar **159**, 226, 231; **161**, 567
Das, A.N. and S. Sil, Electron–phonon interaction in a strongly correlated Hubbard system **161**, 325
Das, B.N., see H.A. Hoff **162–164**, 1115
Datta, T., see P.K. Pujari **159**, 75
Datta, T., see J. Stankowski **160**, 170
Davidović, G.S., see Lj.M. Ristovski **160**, 548
Davies, P.K., see T. Egami **162–164**, 93
Davis, M.F., see J. Wosik **162–164**, 641
Davis, M.R., see B.J. Sternlieb **162–164**, 679
Davis, R.L., see B.A. Hunter **161**, 594
Davoli, I., see B. Kusz **160**, 25
Davydov, S.A., B.N. Goshchitskii, A.E. Karkin, A.V. Mirmelstein, V.D. Parkhomenko, N.M. Chebotaev and A.A. Samokhvalov, Anisotropy of conductivity in radiation-disordered $YBa_2Cu_3O_{7-\delta}$ single crystals **161**, 549
Davydov, S.A., see B.N. Goshchitskii **162–164**, 997, 1019, 1023
Day, P., see M.J. Rosseinsky **161**, 21
Dayan, M. and V. Volterra, A test for consistency between measured Δ and T_c of $YBa_2Cu_3O_7$ and the strong coupling theory of superconductivity **159**, 519
Debely, P., see Ph. Flueckiger **162–164**, 1563
De Boer, F.R., see P.H. Kes **162–164**, 1621
Decker, D.L., see B. Dabrowski **162–164**, 99
De Crescenzi, M., see F. Rochet **159**, 447
Decroux, M., see D. Shaltiel **157**, 240
Decroux, M., see J.-M. Triscone **158**, 293
Dediu, V.I., A.G. Sandler and A.S. Sidorenko, Dimensional effects in layered superconductor **162–164**, 425
De Fontaine, D., see C.P. Burmester **162–164**, 225
Degiorgi, L., S. Rusiecki and P. Wachter, About the superconducting gap in the n-type high-T_c superconductor $(Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **161**, 239
De Groot, D.G., see A.J. Vermeer **162–164**, 409
De Groot, D.G., see R. Griessen **162–164**, 661
De Groot, P.A.J., see S.B. Ota **157**, 520; **158**, 298
De Jonge, W.J.M., see J.H.P.M. Emmen **162–164**, 1613
De Jongh, L.J., see H.W. Zandbergen **159**, 81
De Jongh, L.J., see W.T. Fu **159**, 210; **162–164**, 979

De Jongh, L.J., Some applications of the quantum-lattice-gas model to high-T_c superconductivity **161**, 631
De Kleuver, J.J., see E.N. van Enige **162–164**, 737
De la Cruz, F., see H. Safar **162–164**, 665
Delapalme, A., see D. Petitgrand **162–164**, 1271
Delapalme, A., see B. Gillon **162–164**, 1275
De Leeuw, D.M., C.A.H.A. Mutsaers, R.A. Steeman, E. Frikkee and H.W. Zandbergen, Crystal structure and electrical conductivity of $YBa_4Cu_3O_{8.5+\delta}$ (δ=0.0–0.5) **158**, 391
De Leeuw, D.M., see W.A. Groen **159**, 417
De Leeuw, D.M., see R.A. Steeman **162–164**, 542
Delin, K.A., E.J. McNiff Jr., S. Foner, T.P. Orlando, R.B. van Dover, L.F. Schneemeyer and J.V. Waszczak, Resistive transitions of Ni-doped $Ba_2YCu_3O_7$ in high-magnetic fields **162–164**, 719
Deline, V., see W.Y. Lee **160**, 511
Della Valle, R.G., Lattice dynamics of $YBa_2Cu_3O_6$ and $YBa_2Cu_3O_7$, a rigid ion model **162–164**, 1429
Del Moral, A., M.R. Ibarra, P.A. Algarabel and J.I. Arnaudas, Magnetostriction and thermal expansion of high-T_c magnetic superconductors $REBa_2Cu_3O_{7-x}$ (RE=Sm, Eu, Gd, Dy, Ho, Er, Tm and Y) **161**, 48
De Lozanne, A.L., see A.B. Berezin **162–164**, 657
Demazeau, G., see J. Beille **157**, 446
Demenko, D.P., see V.S. Melnikov **162–164**, 534
Deng, T., see J. Hu **162–164**, 444
Dengler, J., G. Ritter, G. Saemann-Ischenko, B. Roas, L. Schultz, B. Molnar, D.L. Nagy and I.S. Szücs, A conversion electron Mössbauer spectroscopy-study of *c*-axis oriented ^{57}Fe doped thin films of $YBa_2Cu_3O_7$ **162–164**, 1297
De Ninno, A., P. Gislon, M. Marinelli, G. Patèrnò, U. Gambardella, P. Paroli and G. Balestrino, Transport critical currents in Bi–Sr–Ca–Cu–O pellets and single crystals **162–164**, 359
Denisov, V.N., see I.V. Aleksandrov **162–164**, 1057
Dennis, K.W., see R.W. McCallum **162–164**, 933
De Padova, P., see P. Kuiper **157**, 260
De Renzi, R., C. Bucci, P. Carretta, G. Guidi, R. Tedeschi, G. Calestani and S.F.J. Cox, μSR study of the magnetic phase diagram of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 155
De Renzi, R., see G. Guidi **162–164**, 189
Derjugin, Yu.N., see A.I. Pavlovskii **162–164**, 1659
Derory, A., see S. Vilminot **160**, 575
Dersch, H., see G. Blatter **162–164**, 355
Deschanvres, J.L., see M. Langlet **162–164**, 137
Dessau, D.S., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Dessau, D.S., Z.-X. Shen, P.A.P. Lindberg, B.O. Wells, A. Borg, I. Lindau, W.E. Spicer, J.V. Waszczak and L.F. Schneemeyer, The electronic structure of $Pb_2Sr_2PrCu_3O_8$ as studied by resonant photoemission spectroscopy **162–164**, 1373
Deutscher, G., see U. Dai **162–164**, 699
Deutscher, G., see C. Chaillout **162–164**, 935
Deutscher, G., see N. Bontemps **162–164**, 1113
De Vries, J.W.C., G.M. Stollman and M.A.M. Gijs, Analysis of the critical current density in high-T_c superconducting films **157**, 406
De Vries, J.W.C., see G. Marbach **161**, 111
De Vries, J.W.C., M. Klee, G. Marbach and S. Stotz, Superconductivity in Bi–(Pb)–Sr–Ca–Cu–O films made by thermal decomposition of metal carboxylates: Preparation, characterisation and magnetisation **161**, 661
De Waele, A.Th., see H.J. van Schevicoven **162–164**, 1055
De Wette, F.W., see W. Kress **162–164**, 1345
Dhalle, M., see J. Fransaer **162–164**, 881
Diederichs, J., see C. Allgeier **162–164**, 741
Dieumegard, D., see G. Garry **162–164**, 441
Di Leo, R., see G. Balestrino **162–164**, 115
Di Leo, R., see M. Cannavacciuolo **162–164**, 1063
Dimitriev, Y., see E. Vlakhov **162–164**, 975
Dimos, D., see T.R. McGuire **162–164**, 131
Dimos, D., see R. Gross **162–164**, 1603
Dina, S., see M. Moske **162–164**, 609
Ding, S.Y., J.L. Yan, Z. Yu, K.X. Shi, H.W. Tong and L. Qiu, Effects of magnetizing on flux pinning force for sintered YBCO superconductor **162–164**, 675
Dinia, A., see O. Peña **159**, 443; **162–164**, 1215
Dinia, A., see C. Perrin **162–164**, 889
Dinolova, E., see M.D. Mateev **162–164**, 993
Dinolova, E., see I.Z. Kostadinov **162–164**, 995
Dinse, K.-P., see B. Senning **162–164**, 1597
Dixit, R.N., see B.K. Basu **159**, 379
Dixon, J.M., see J.A. Tuszyński **161**, 687
Dmowski, W., see T. Egami **162–164**, 93
Dmowski, W., see B.H. Toby **162–164**, 101
Dobbert, O., see B. Senning **162–164**, 1597
Dobrzyński, L., see J. Waliszewski **160**, 189
Dobson, J.F., see A.E. Bocquet **160**, 252
Dochev, P., see D. Kovacheva **162–164**, 1227
Dolgopolov, V.T., R.K. Nikolaev, L.V. Ovchinnikova and N.S. Sidorov, The variation of the acoustic resonance frequency in high-T_c ceramics in a DC magnetic field **162–164**, 458
Dolgov, O.V. and S.V. Shulga, Tunneling and optical properties of anisotropic superconductors **162–164**, 1233
Dolgov, O.V., see L.N. Bulaevskii **162–164**, 1527
Dolgov, O.V., E.G. Maksimov, I.I. Mazin and D.Yu. Savrasov, Microscopic calculations of the NMR relaxation rate for high temperature superconductors **162–164**, 1529
Domarco, G., see J.A. Veira **162–164**, 375
Domengès, B., see C. Martin **157**, 460
Domke, M., see C. Laubschat **162–164**, 1317
Donaldson, W.R., see A.M. Kadin **162–164**, 387
Doneit, J., see A. Pinkowski **162–164**, 1039
Dong, C., see J.H. Wang **158**, 507
Dong, C., Z.Z. Sheng, X. Fei, L. Sheng, J.H. Wang and A.M. Hermann, Superconductivity about 120 K in the Tl–Bi–Sr–Ca–Cu–O system **161**, 257
Donlon, W.T., see R.E. Soltis **162–164**, 649
Dopf, G., A. Muramatsu and W. Hanke, Monte Carlo simulation for CuO_2 layers: 3-band Hubbard model **162–164**, 807

Doria, M.M., H.R. Brand and H. Pleiner, Possible explanation for the curvature in the upper critical field for ceramic superconductors **159**, 46
Doria, M.M., see H.R. Brand **162–164**, 251
Doria, M.M., J.E. Gubernatis and D. Rainer, A virial theorem and the method of simulated annealing in the Ginzburg–Landau theory **162–164**, 1521
Dorin, V.V., see A.A. Golubov **162–164**, 1559
Dormann, J.L., S. Sayouri, G.T. Bhandage, G. Priftis, H. Pankowska, O. Gorochov and R. Suryanarayanan, Detailed Mössbauer studies on $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ (O–T phases) with low iron content **162–164**, 570
Dormann, J.L., S. Sayouri, G.T. Bhandage, S.C. Bhargava, G. Priftis, H. Pankowska, O. Gorochov and R. Suryanarayanan, Detailed Mössbauer studies on $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ (O–T phases) with low iron content **162–164**, 1371
Dorogóvtsev, S.N., see V.V. Bryksin **160**, 103
Dosanjh, P., see J.H. Brewer **162–164**, 157
Dosanjh, P., see R.F. Kiefl **162–164**, 161
Dosanjh, P., see B.J. Sternlieb **162–164**, 679
Dossmann, Y., see S. Vilminot **160**, 575
Dossmann, Y., see R. Kuentzler **162–164**, 564
Dou, S.X., see H.K. Liu **157**, 93
Dou, S.X., H.K. Liu, A.J. Bourdillon, N.X. Tan and C.C. Sorrell, Diffusion grown superconducting thick films of Bi–(Pb)–Sr–Ca–Cu–O with zero resistance at 103 K **158**, 93
Dou, S.X., H.K. Liu, N.X. Tan, Y.J. Sheng and W.K. Jones, Effect of Sb substitution on T_c in Bi–Pb–Sr–Ca–Cu–O systems **158**, 97
Dou, S.X., K.H. Song, H.K. Liu, C.C. Sorrell, M.H. Apperley, A.J. Gouch, N. Savvides and D.W. Hensley, The interaction of Ag with Bi–Pb–Sr–Ca–Cu–O superconductor **160**, 533
D'Ovidio, C.A., see M.T. Malachevsky **162–164**, 939
Dow, J.D., see R.V. Kawoski **162–164**, 1349
Downey, J.W., see B.W. Veal **162–164**, 97
Drabeck, L., see D.W. Cooke **162–164**, 1537
Drake, A., see J.S. Abell **162–164**, 909
Drew, G.D., see D.A. Papaconstantopoulos **162–164**, 1435
Drillon, M., see S. Vilminot **160**, 575
Driscoll, T., see O. Brunner **162–164**, 647
Driver, R., see K.-H. Müller **158**, 69, 366; **162–164**, 1177
Drzazga, Z., see F. Seidler **157**, 375
Drzazga, Z., see E. Braun **162–164**, 496
Duan, J.-M., see M. Randeria **162–164**, 1457
Duan, W.-H., see B.-L. Gu **162–164**, 1515
Dubonosov, V.L., see V.M. Puzikov **162–164**, 629
Dubreuil, D., see G. Garry **162–164**, 441
Ducharme, S.J., see R. Durny **162–164**, 1065
Dudoladov, I.P., A.M. Podurets, V.M. Prokopenko, N.S. Sidorov, M.R. Trunin and R.F. Trunin, Shock compression of $YBa_2Cu_3O_{6.9}$ **162–164**, 937
Duginov, V.N., see V.G. Grebinnik **162–164**, 145
Dulčić, A., see B. Senning **162–164**, 1597
Dulcic, A., R.H. Crepeau and J.H. Freed, Discrete microwave absorption lines in $YBa_2Cu_3O_{7-\delta}$ single crystals **160**, 223
Dumas, J., see S. Revenaz **162–164**, 1585
Dumoulin, L., see M.-O. Ruault **162–164**, 77
Dunlap, B.D., J.D. Jorgensen, C. Segre, A.E. Dwight, J.L. Matykiewicz, H. Lee, W. Peng and C.W. Kimball, Structural behavior and chemical order of Fe in $YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$ **158**, 397
Dunlap, R.A., see M. Foldeáki **161**, 403
Dupendant, H., see J. Beille **157**, 446
Dupendant, H., see C. Chaillout **162–164**, 935
Dupouy, P., see E. Faulques **162–164**, 1101, 1105
Dupree, R., see G. Balakrishnan **161**, 9
Durán, C., see H. Safar **162–164**, 665
Duran, J., see W.Y. Lee **160**, 511
Durčok, S., see N. Nevřiva **157**, 334
Durny, R., S.J. Ducharme, J. Hautala, D.J. Zheng, O.G. Synko, P.C. Taylor and S. Kulkarni, Microwave-induced voltage in superconducting YBaCuO **162–164**, 1065
Duschl, E., see J. Betz **162–164**, 133
Dwight, A.E., see B.D. Dunlap **158**, 397
Dwir, B., M. Affronte and D. Pavuna, Critical current and electronic properties of YBCO–Ag compounds **162–164**, 351
Dwir, B., see B.J. Kellett **162–164**, 713
Dwir, B., see O. Laborde **162–164**, 827
Dynes, R.C., see A.M. Cucolo **161**, 351
Dynes, R.C., see M. Gurvitch **162–164**, 1067

Eagles, D.M., R.J. Tainsh and C. Andrikidis, Evidence for pairing without superconductivity from resistance between 130 mK and 70 mK in a specimen of ceramic Zr-doped $SrTiO_3$ **157**, 48
Eagles, D.M. and N. Savvides, A two-band model applied to resistivity data on a superconducting ceramic specimen of $YBa_2Cu_3O_{7-x}$ **158**, 258
Early, E.A., see J.T. Markert **158**, 178; **162–164**, 957
Early, E.A., see C.L. Seaman **159**, 391
Early, E.A., see S. Ghamaty **160**, 217
Early, E.A., N.Y. Ayoub, J. Beille, J.T. Markert and M.B. Maple, $Sm_{1.85}Th_{0.15}CuO_{4-y}$: a new electron-doped copper oxide superconductor **160**, 320
Early, E.A., see M.B. Maple **162–164**, 296
Early, E.A., see S.T. Weir **162–164**, 1263
Eaton Jr., H.E., see B.R. Weinberger **161**, 91
Ebner, C. and D. Stroud, Fluctuation specific heat and vortex configurations in model high-temperature superconductors **162–164**, 1469
Eckert, D., see A. Junod **159**, 215; **162–164**, 476, 478, 480, 482, 1401
Eckhardt, H., see B.L. Ramakrishna **158**, 203
Eckhardt, H., see Z. Iqbal **162–164**, 29, 885
Edvardsson, S., see C.F.J. Flipse **162–164**, 1389
Edwards, J.A., see J.S. Satchell **162–164**, 625
Edwards, P.P., see F.J. Blunt **162–164**, 1605
Egami, T., B.H. Toby, W. Dmowski, S. Billinge, P.K. Davies, J.D. Jorgensen, M.A. Subramanian and A.W. Sleight, Symmetry breaking oxygen displacements in superconducting oxides **162–164**, 93

Egami, T., see B.H. Toby **162–164**, 101
Eggermont, T., see J. Fransaer **162–164**, 881
Ehlers, B., see J. Wagner **162–164**, 811
Eibschutz, M., L.G. van Uitert, W.H. Grodkiewicz and D.E. Cox, High resolution synchrotron X-ray powder diffraction study of the structure of $Tl_2Ba_2CaCu_2O_8$ **162–164**, 530
Eick, H.A., see E. Hodorowicz **158**, 127
Eickenbusch, H., see C. Niedermayer **162–164**, 159
Einstein, T.L., see N.C. Bartelt **162–164**, 871
Einzel, D., see R. Hackl **162–164**, 1241
Ekimov, E.V., see A.I. Golovashkin **162–164**, 715
Ekimov, E.V., A.I. Golovashkin, S.I. Krasnosvobodtsev, E.V. Pechen, N.P. Shabanova, S.V. Antonenko, V.F. Elesin, A.S. Molchanov and V.E. Zhuchkov, Upper critical field and electronic structure features of $Ho(Y)Ba_2Cu_3O_{7-x}$ single-crystal films **162–164**, 833
Ekin, J.W., see R.L. Peterson **157**, 325
Ekin, J.W., T.M. Larson, A.M. Hermann, Z.Z. Sheng, K. Togano and H. Kumakura, Double-step behavior of critical current vs. magnetic field in Y-, Bi- and Tl-based bulk high-T_c superconductors **160**, 489
Eksperiandova, L.P., see A.B. Blank **162–164**, 1225
Elashkin, M.V., A.A. Zhukov, D.A. Komarkov, V.V. Moshchalkov, I.G. Muttik, N.A. Samarin, V.P. Shabatin and A.Yu. Galkin, Superconductivity in Ag–$YBa_2Cu_3O_{7-y}$ composites **162–164**, 1173
Elesin, V.F., see E.V. Ekimov **162–164**, 833
Elliott, N.E., see D.W. Cooke **162–164**, 1537
Ellis, W., see P.A.P. Lindberg **159**, 649
Elsbernd, C.E., see M.-Y. Su **160**, 114
Emel'chenko, G.A., see V.A. Grazhulis **159**, 404
Emin, D., Formation, motion and high-temperature superconductivity of large bipolarons **162–164**, 799
Emmen, J.H.P.M., see G.M. Stollman **159**, 854; **161**, 444; **162–164**, 1191
Emmen, J.H.P.M., V.A.M. Brabers, C. v.d. Steen, J.H.J. Dalderop, S.K.J. Lenczowski and W.J.M. de Jonge, Inter- and intragranular properties of $Bi_2CaSr_2Cu_2O_y$ superconductors **162–164**, 1613
Endoh, Y., see M. Lang **162–164**, 1037
Endres, G., see B. Roas **162–164**, 135
Englman, R., M. Weger and B. Halperin, Superconducting gap equation for strongly energy dependent gap functions **162–164**, 1339
Enokihara, A., S. Kohiki, K. Setsune, K. Wasa, Y. Higashi, S. Fukushima and Y. Goshsi, X-ray irradiation effects on $ErBa_2Cu_3O_{7-x}$ superconducting thin films **161**, 431
Eom, C.-B., J.Z. Sun, S. Ryu, S.S. Laderman, K. Yamamoto, A. Kapitulnik and T.H. Geballe, Orientation dependent resistive transition broadening in magnetic field of $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 605
Eom, C.-B., see J.Z. Sun **162–164**, 687
Eom, C.-B., see S. Tahara **162–164**, 1175
Eom, C.-B., see S.M. Anlage **162–164**, 1645
Erhart, P., see B. Senning **162–164**, 1597
Eriksson, S.G., L.-G. Johansson, L. Björjesson and M. Kakihana, Oxygen content and structural properties of some Ba–Cu oxides **162–164**, 59
Eriksson, S.G., L.-G. Johansson, L. Börjesson and M. Kakihana, Investigations on oxygen content and ordering in $Y_1(Ba, Sr)_2(Cu, Co)_3O_{7-d}$ superconductors by means of wet chemical analysis, X-ray- and neutron diffraction techniques **162–164**, 73
Eriksson, S.G., see M. Kakihana **162–164**, 931, 1245, 1251, 1253
Erle, A., see P. Baumgart **162–164**, 1073
Erle, A., S. Blumenröder and G. Güntherodt, Characterization of the intergrain and surface properties of $Y_1Ba_2Cu_3O_{7-x}$ by Raman spectroscopy **162–164**, 1093
Ermolieff, A., see O. Laborde **162–164**, 827
Erxmeyer, J., see H.-E. Mahnke **162–164**, 345
Eschrig, H., Chemical aspects and the correlated electronic structure of superconductor oxocuprates **159**, 545
Eschrig, H., see K.F. Renk **162–164**, 1085
Escribe-Filippini, C., J. Beille, M. Boujida, J. Marcus and C. Schlenker, Pressure effect on the transport properties of superconducting $Li_{0.9}Mo_6O_{17}$ bronze **162–164**, 427
Escribe-Filippini, C., see C. Chaillout **162–164**, 935
Escribe-Filippini, C., see C.J. Liu **162–164**, 1609
Escudero, R., see R.W. Gomez **162–164**, 989
Escudero, R., F. Morales and E. Guarner, Electron tunneling in the high T_c superconducting ceramic $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ **162–164**, 1059
Eskes, H., G.A. Sawatzky and L.F. Feiner, Effective transfer for singlets formed by hole doping in the high-T_c superconductors **160**, 424
Esparza, D.A., see M.T. Malachevsky **162–164**, 939
Espinosa, G.P., see W.W. Warren Jr. **162–164**, 179
Espinosa, G.P., see B. Batlogg **162–164**, 1393
Esquinazi, P., see A. Gupta **162–164**, 667
Etourneau, J., see J. Beille **157**, 446
Evetts, J., see J. MacManus **162–164**, 143
Evetts, J.E., see F.J. Blunt **162–164**, 1605
Ewert, D., see B. Renker **162–164**, 462
Ewert, D., see J. Fink **162–164**, 1415
Ewert, S., see P. Lemmens **162–164**, 452

Fabrizi, A., see A. Bianconi **162–164**, 209
Face, D.W., see J.T. Kucera **162–164**, 671
Face, D.W., J.T. Kucera, D.G. Steel, J.M. Graybeal, T.P. Orlando and D.A. Rudman, Bi–Sr–Ca–Cu-oxide thin films with $T_c > 100$ K and dc SQUIDS **162–164**, 709
Fainstein, C., see H. Safar **162–164**, 665
Fang, M., see J. Xia **162–164**, 1221
Fang, M., see Q. Zhang **162–164**, 963, 999, 1197
Fang, M.M., see U. Welp **161**, 1
Fang, Z., see Y. Zhang **157**, 108
Farneth, W.E., see M.A. Subramanian **157**, 124
Farneth, W.E., see A.J. Vega **162–164**, 165
Farneth, W.E., see M.K. Crawford **162–164**, 755
Farnoux, B., see R. Kahn **159**, 323
Farrow, L.A., see L.H. Greene **162–164**, 1069

Farrow, L.A., R. Ramesh and J.-M. Tarascon, Raman spectra of doped bismuth oxides **162–164**, 1257
Farrow, R.C., see J. Kwo **162–164**, 623
Fastampa, R., see M. Giura **162–164**, 1581
Faulques, E., P. Dupouy and T.P. Nguyen, Raman and XPS characterizations of high T_c superconducting Pb doped Bi–Sr–Ca–Cu–O systems **162–164**, 1101
Faulques, E., P. Dupouy, G. Hauchecorne, F. Kerherve, A. Laurent and J. Perriere, Micro-Raman analysis of Bi–Sr–Ca–Cu–O superconducting thin films deposited by pulsed laser evaporation **162–164**, 1105
Faupel, F., Th. Hehenkamp, K. Bente, M. Mariolakos and K. Winzer, Isochoric equilibrium studies of $YBa_2Cu_3O_x$ **162–164**, 905
Favrot, D., see H. Vichery **159**, 697; **162–164**, 749
Fazio, C., see I. Ciccarello **159**, 769
Febrero, F., see F. López-Aguilar **162–164**, 759
Fedotov, V.K., see I. Natkaniec **162–164**, 1369
Fedro, A.J., see H.-B. Schüttler **162–164**, 1337
Feenstra, R., see D.K. Christen **162–164**, 653
Feenstra, R., J.D. Budai, M.D. Galloway and L.A. Boatner, Comparison between $LaGaO_3$, $LaAlO_3$, $KTaO_3$ and $SrTiO_3$ substrates for the epitaxial growth of $YBa_2Cu_3O_{7-x}$ thin films by a "BaF_2 process" **162–164**, 655
Feenstra, R., see H.R. Kerchner **162–164**, 1557
Fehrenbacher, R. and M.W. Long, Nagaoka and the triangular lattice **162–164**, 1487
Fei, X., see J.H. Wang **158**, 507
Fei, X., see C. Dong **161**, 257
Feigel'man, M., see V. Geshkenbein **162–164**, 239
Feile, R., Lattice vibrations in high-T_c superconductors: optical spectroscopy and lattice dynamics **159**, 1
Feile, R., see J. Fröhlingsdorf **159**, 513; **162–164**, 123
Feiner, L.F., see H. Eskes **160**, 424
Feiner, L.F., see H. Verweij **162–164**, 439
Feiner, L.F. and J. Zaanen, Charged vortices in the negative U Hubbard model **162–164**, 777
Felder, E., A. Bernasconi, H.R. Ott, Z. Fisk and J.L. Smith, The low-temperature phase diagram of $U_{1-x}Th_xBe_{13}$ **162–164**, 429
Feldmann, W.L., see L.H. Greene **162–164**, 1069
Felner, I., see F. Seidler **157**, 375
Felner, I., see E. Braun **162–164**, 496
Felner, I., see E.R. Yacoby **162–164**, 697
Felner, I., see Y. Yeshurun **162–164**, 1148
Felner, I., see E.R. Bauminger **162–164**, 1281
Felner, I., U. Yaron, Y. Yeshurun, G.V. Chandrashekhar and F. Holtzberg, Anisotropic flux trapping in high temperature superconductor crystals **162–164**, 1635
Felsteiner, J., see R. Bar-Deroma **162–164**, 1329
Feng, Q., see S. Feng **162–164**, 1649
Feng, S., H. Zhang, X. Zhu, B. Zhang, Q. Feng, J. Zhang and Z. Gan, Anisotropic properties of single crystal $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1649
Feng, Y., R.E. Smallman, I.P. Jones, F. Wellhofer, N.McN. Alford and T.W. Button, Analytical electron microscopy of lead-stablized Bi–Sr–Ca–Cu–O wires **162–164**, 943
Fenner, D.B., D.K. Fork, J.B. Boyce, G.A.N. Connell and A.M. Viano, Deposition and characterization of Y–Ba–Cu–O thin films on silicon substrates: interface analysis **162–164**, 141
Ferdeghini, C., see V. Calzona **157**, 425; **162–164**, 369
Ferreira, I.B., G. Leyden, D. Paine, L. Genzel, C. Richter and P. Murugaraj, Microwave absorption from 119–176 GHz for polycrystalline and partially a–b oriented ceramic $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1579
Ferreira da Silva, J., see A. Correia dos Santos **162–164**, 977
Ferrell, R.A., Surface resistance of small superconducting spheres **157**, 1
Ferrell, R.A., see B. Mirhashem **161**, 354
Figueiredo, M.O., see A.P. Gonçalves **159**, 273
Figueiredo, O., see A. Correia dos Santos **162–164**, 977
Fil', D.V., see D.O. Livdan **161**, 517
Fil', D.V., D.O. Livdan and O.I. Tokar', On the nature of isotope effect in the RVB models of superconductivity **162–164**, 201
Fil', D.V. and O.I. Tokar', Superconductivity and interaction of band electrons with RVB ordered system **162–164**, 795
Fil', D.V., D.O. Livdan and O.I. Tokar', Eliashberg equations analogue in Anderson model for HTSC **162–164**, 797
Filipczuk, S.W., see G.B. Smith **160**, 333
Filipkowski, M., see C. Hohenemser **162–164**, 1283
Filippovich, L.I., see A.B. Blank **162–164**, 1225
Fink, J., see R. Manzke **162–164**, 1381
Fink, J., N. Nücker, H. Romberg, M. Alexander, S. Nakai, B. Scheerer, P. Adelmann and D. Ewert, Electron energy-loss studies on high-temperature superconductors **162–164**, 1415
Finkelstein, L.D., see V.R. Galakhov **160**, 267
Finlayson, T.R., see J.R. Fraser **159**, 70
Finnemore, D.K., see M. Wacenovsky **160**, 55; **162–164**, 1629
Finnemore, D.K., see L.A. Schwartzkopf **162–164**, 383
Fiorani, D., see E. Agostinelli **162–164**, 319
Fiory, A.T., S. Martin, R.M. Fleming, L.F. Schneemeyer, J.V. Waszczak, A.F. Hebard and S.A. Sunshine, Transport, tunneling, X-ray, and penetration depth studies of superconducting $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ crystals **162–164**, 1195
Fischer, Ø., see J.-M. Triscone **158**, 293
Fischer, Ø., see A.J. Vermeer **162–164**, 409
Fischer, Ø., see L. Antognazza **162–164**, 411
Fischer, Ø., see O. Brunner **162–164**, 647
Fischer, Ø., see A.D. Kent **162–164**, 1035
Fischer, K., A. Rojek, S. Thierfeldt, H. Lippert and R.R. Arons, Tracking the formation of 2223 BiSrCaCu oxygen compounds by resistivity and susceptibility measurements reaching $T_c(0) = 115$ K **160**, 466
Fischer, P., see D. Shaltiel **158**, 424
Fischer, P., see K. Remschnig **158**, 458
Fischer, P., see E. Kaldis **159**, 668
Fischer, P., see B. Rupp **162–164**, 538
Fiscina, J., see M.T. Malachevsky **162–164**, 939

Fisher, B., see J. Genossar **157**, 320; **162–164**, 1015
Fisher, B., J. Genossar, L. Patlagan, I.O. Lelong and J. Ashkenazi, The relation between transport properties and oxygen stoichiometry in oxygen depleted $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1207
Fisher, L.M., see B.A. Aminov **160**, 505
Fisher, R.A., see J.E. Gordon **162–164**, 484
Fisher, R.A., see S. Kim **162–164**, 494
Fisher, R.A., S. Kim, Y. Wu, N.E. Phillips, H.M. Ledbetter and K. Togano, Specific heat of the high-T_c superconductor $(Bi_{1.66}Pb_{0.34})Ca_2SrCu_3O_{10}$ **162–164**, 502
Fisher, R.A., see N.E. Phillips **162–164**, 413, 1651
Fisk, Z., see M.F. Hundley **158**, 102
Fisk, Z., see S.-W. Cheong **158**, 109; **159**, 407
Fisk, Z., see C. Chaillout **158**, 183; **162–164**, 57
Fisk, Z., see S. Skanthakumar **160**, 124
Fisk, Z., see P.C. Hammel **162–164**, 177
Fisk, Z., see E. Felder **162–164**, 429
Fisk, Z., S.-W. Cheong, J.D. Thompson, M.F. Hundley, R.B. Schwarz, G.H. Kwei and J.E. Schirber, T*-phase superconductivity **162–164**, 1681
Fisk, Z., see M. Takigawa **162–164**, 175, 853
Fjellvåg, H., P. Karen, A. Kjekshus and A.F. Andresen, Superconducting properties in relation to chemical pressure in $YBa_2Cu_3O_{9-\delta}$ **162–164**, 49
Flambaum, V.V. and O.P. Sushkov, On the electronic structure of high-T_c superconductors. Undoped CuO_2-plane **159**, 586
Flambaum, V.V. and O.P. Sushkov, On the electronic structure of high-T_c superconductors. The nature of charge carriers **159**, 595
Flank, A.M., see A. Bianconi **162–164**, 209
Fleisher, V.G., M.N. Tkachuk and B.P. Zakharchenya, Optical local magnetometry of HTSC in low magnetic fields **162–164**, 1119
Fleming, R.M., see C.H. Chen **160**, 375
Fleming, R.M., see J. Kwo **162–164**, 623
Fleming, R.M., see A.T. Fiory **162–164**, 1195
Flensberg, K. and P. Hedegård, RVB superconductors and tunnel junctions **160**, 89
Flippen, R.B., see M.A. Subramanian **157**, 124
Flipse, C.F.J., see G.N.A. van Veen **157**, 99
Flipse, C.F.J., see J. Lensink **162–164**, 663
Flipse, C.F.J., S. Edvardsson and K. Kadowaki, XPS study of the new superconductor Nd–Ce–Cu–O **162–164**, 1389
Flokstra, J., see D.H.A. Blank **162–164**, 125
Flouquet, J., see N.E. Phillips **162–164**, 413
Flueckiger, Ph., J.-L. Gavilano, Ch. Leemann, P. Martinoli, B. Dam, G.M. Stollman, P.K. Srivastava, P. Debely and H.E. Hintermann, Penetration depth in YBaCuO films **162–164**, 1563
Fluss, M.J., see A.L. Wachs **162–164**, 1375
Fluss, M.J., see R.H. Howell **162–164**, 1377
Fluss, M.J., see C.S. Sundar **162–164**, 1379
Flyatau, E.E., see I.A. Leonidov **158**, 287
Fogarassy, B., see Á. Cziráki **162–164**, 560
Foldeáki, M., M.E. McHenry, R.C. O'Handley and R.A. Dunlap, Local moments, diamagnetism and pinned flux in $RBa_2Cu_3O_{7-\delta}$ high temperature superconductors **161**, 403
Folkerts, T.J., see D.C. Bullock **162–164**, 331
Folkerts, T.J., R.N. Shelton and H.B. Radousky, Preparation and characterization of single phase $Ba_{1-x}K_xBiO_3$ **162–164**, 550
Fölster, J., see K. Niskanen **162–164**, 1637
Foner, S., see K.A. Delin **162–164**, 719
Fontaine, A., see F. Studer **159**, 609
Fontaine, A., see H. Renevier **162–164**, 51
Fontcuberta, J., see M. Carrera **157**, 285; **162–164**, 41, 723
Fontcuberta, J., see J. Bartolomé **162–164**, 863
Fontcuberta, J., see M.T. Caldes **162–164**, 865
Fontcuberta, J., see X. Batlle **162–164**, 1273
Fonteneau, G., see O. Peña **159**, 443
Fonteneau, G., see C. Perrin **162–164**, 889
Forgan, E.M., see J.S. Abell **162–164**, 909
Fork, D.K., K. Char, F. Bridges, S. Tahara, B. Lairson, J.B. Boyce, G.A.N. Connell and T.H. Geballe, YBCO films on YSZ and Al_2O_3 by pulsed laser deposition **162–164**, 121
Fork, D.K., see D.B. Fenner **162–164**, 141
Fork, D.K., see S. Tahara **162–164**, 1175
Forrester, M.G. and J. Talvacchio, Photon detection by high-temperature superconducting films: fundamental limits **162–164**, 391
Forrester, M.G., see J.R. Gavaler **162–164**, 1051
Fossheim, K., see S. Gjølmesli **162–164**, 339
Fossheim, K., see W. Ting **162–164**, 448
Fossheim, K., see T. Laegreid **162–164**, 490
Fossheim, K., see M. Slaski **162–164**, 103, 492
Foster, C.M., A.J. Heeger, Y.H. Kim, G. Stucky and N. Herron, Photogenerated carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$, and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$: polarizability-induced pairing of polarons **162–164**, 1107
Fourcaudot, G., see C. Chaillout **162–164**, 935
Fournier, D., see N. Bontemps **162–164**, 1113
Fournier, T., see P. Strobel **161**, 167
Fowler, D.E., C.R. Brundle, J. Lerczak and F. Holtzberg, Core and valence level XPS of clean, cleaved single crystal surfaces of $YBa_2Cu_3O_7$ **162–164**, 1303
Francesconi, M.G., see G. Calestani **161**, 598; **162–164**, 526
Franck, J.P., see M.K. Yu **162–164**, 468
Franck, J.P., J. Jung, G.J. Salomons, W.A. Miner, M.A.-K. Mohamed, J. Chrzanowski, S. Gygax, J.C. Irwin, D.F. Mitchell and I. Sproule, Oxygen isotope effect in the superconductor $YBa_2Cu_3O_{7-x}$ **162–164**, 753
Franck, J.P., see J. Jung **162–164**, 1183
Franck, J.P., see M.A.-K. Mohamed **162–164**, 1185
François, M., see D. Shaltiel **158**, 424; **161**, 13
François, M., see M. Affronte **162–164**, 1007
Fransaer, J., T. Eggermont, O. Arkens, O. van der Biest, E. Beyne, J. Roggen, W. Boon, M. Dhalle, J. Vanacken, B. Wuyts, C. Van Haesendonck and Y. Bruynseraede, A new method of synthesizing high-T_c superconducting materials **162–164**, 881
Franse, J.J.M., see J.N. Li **161**, 313

Franse, J.J.M., see K. Kadowaki **162–164**, 516
Franse, J.J.M., see W.G. Haije **162–164**, 875
Franse, J.J.M., see P.H. Kes **162–164**, 1621
Franz, M., see T. Zetterer **162–164**, 1075
Franz, M., see W. Ose **162–164**, 1081
Franz, M., see K.F. Renk **162–164**, 1085
Fraser, J.R., T.R. Finlayson and T.F. Smith, Time-dependent magnetization behaviour for type II superconductors – V_3Si **159**, 70
Fray, D., see J. MacManus **162–164**, 143
Freed, J.H., see A. Dulcic **160**, 223
Freeman, P., see F.J. Blunt **162–164**, 1605
Freer, B.S., see T. Thio **162–164**, 1301
Freiburg, C., see J. Hauck **158**, 197
Freiman, S.W., see C.K. Chiang **162–164**, 901
Freyhardt, H.C., see K. Heinemann **162–164**, 433
Freyhardt, H.C., see R. Wördenweber **162–164**, 965, 1601
Frey Ramos, A., see A. Correia dos Santos **162–164**, 977
Friedmann, T.A., see D.M. Ginsberg **162–164**, 486
Frikkee, E., see D.M. de Leeuw **158**, 391
Frikkee, E., see R.A. Steeman **162–164**, 542
Frikkee, E., see W.G. Haije **162–164**, 875
Frischherz, M.C., see M.A. Kirk **162–164**, 532
Fröhlich, K., see F. Gömöry **160**, 1
Fröhlingsdorf, J., W. Zander, B. Stritzker, R. Feile and P. Leiderer, Macroscopic persistent currents in laser deposited $YBa_2Cu_3O_7$ films **159**, 513
Fröhlingsdorf, J., P. Leiderer, R. Feile, W. Zander and B. Stritzker, Fast one step preparation of high quality $YBa_2Cu_3O_{7-x}$ thin films by laser ablation **162–164**, 123
Froment, M., see F. Rochet **159**, 447
Frommer, M.H., X-ray photoelectron study of the non-equivalent oxygen lattice sites in Y–Ba–Cu oxides **158**, 281
Fruchter, L., C. Aguillon, S. Senoussi and I.A. Campbell, Parallel and perpendicular magnetization on YBaCuO single crystals in the irreversible regime **160**, 185
Fu, S.M., H.H. Sung, H.C. Yang, D.S. Lee and H.E. Horng, Effects of Pb-layer on the superconductivity of Bi–Ca–Sr–Cu–O system **162–164**, 617
Fu, S.M., H.C. Yang, F.C. Chen, H.E. Horng and J.C. Jao, Superconductivity in Bi–Pb–Ca–Sr–Cu–O thin films **162–164**, 619
Fu, W.T., see H.W. Zandbergen **159**, 81; **161**, 390
Fu, W.T., H.W. Zandbergen, W.G. Haije and L.J. de Jongh, Preparation and crystal structure of $Pb_2Ba_2YCu_3O_{8+\delta}$ **159**, 210
Fu, W.T., H.W. Zandbergen, J.M. Van Ruitenbeek, Q. Xu, A.A. Verheijen, A. Smits and L.J. De Jongh, Properties of a new superconductor $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **162–164**, 979
Fueki, K., see K. Kishio **162–164**, 55
Fueno, T., see K. Yamaguchi **162–164**, 1333
Fuertes, A., C. Miravitlles, J. Gonzalez-Calbet, M. Vallet-Regi, X. Obradors and J. Rodriguez-Carvajal, The tubular crystal structure of the new phase $Bi_4Sr_8Cu_5O_{19+x}$ related to the superconducting perovskites **157**, 525
Fuertes, A., see M.T. Caldes **162–164**, 865
Fujii, H., see T. Takabatake **157**, 263; **162–164**, 65
Fujii, H., see K. Morimoto **159**, 849
Fujii, H., see T. Shinjo **159**, 869; **161**, 442
Fujimori, A., see F. Izumi **158**, 440
Fujimoto, H., see H. Matsuyama **160**, 567
Fujita, J., see J.S. Tsai **157**, 537
Fujita, T., see T. Oashi **157**, 315
Fujita, T., see T. Suzuki **159**, 111; **162–164**, 983
Fujita, T., see M. Abe **160**, 8
Fujita, T., see Y. Nakamichi **162–164**, 185
Fujita, T. and T. Tomita, Substitution effects in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 985
Fujita, T., see T. Tamaki **162–164**, 987
Fujita, T., see K.i. Kumagai **162–164**, 181, 183
Fujiyoshi, T., see K. Yamafuji **159**, 743
Fukami, T., T. Kamura, A.A.A. Youssef, Y. Horie and S. Mase, Magnetic flux creep properties in $Bi_2Sr_2CaCu_2O_8$ films made by the laser evaporation method **159**, 422
Fukami, T., T. Kamura, A.A.A. Youssef, Y. Horie and S. Mase, The electronic and pinning properties of $Bi_2Sr_2CaCu_2O_8$ films by the laser evaporation method **159**, 427
Fukami, T., T. Kamura, T. Yamamoto and S. Mase, Mechanism of characteristic shape of resistive transition in $Bi_2Sr_2CaCu_2O_8$ films made by the laser evaporation **160**, 391
Fukami, T., A.A.A. Youssef, Y. Horie and S. Mase, A hysteresis on temperature dependence of ultrasonic quantities in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ by a sintering method **161**, 34
Fukase, T., see Y. Koike **159**, 105
Fukishima, N., H. Niu, S. Nakamura, S. Takeno, M. Hayashi and K. Ando, Structural modulation and superconducting properties in $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+d}$ and $Bi_{2-y}Pb_ySr_2YCu_2O_{8+d}$ **159**, 777
Fukuda, T., see T. Sasaki **162–164**, 504
Fukuda, Y., K. Terashima, Y. Nakanishi, T. Suzuki, M. Nagoshi, Y. Syono and M. Tachiki, Core-level and valence-band electronic states of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$ studied by photoemission **162–164**, 1315
Fukuda, Y., see T. Suzuki **162–164**, 1387
Fukuoka, A., see S. Kambe **160**, 35
Fukushima, S., see A. Enokihara **161**, 431
Fukuyama, H. and H. Matsukawa, Effective Hamiltonian for high T_c Cu oxides **162–164**, 775
Fung, K.K., see C.Y. Yang **160**, 161
Funk, L.L., see M.A. Kirk **162–164**, 532
Funkenbusch, P.D., see A. Goyal **159**, 313
Furono, S., see D. Shindo **159**, 794
Furrer, A., see P. Allenspach **157**, 58; **161**, 671
Furrer, A., see B. Rupp **162–164**, 538
Furukawa, H., see M. Nakao **162–164**, 677
Furuyama, M., see T. Sasaki **162–164**, 504

Gabay, M. and P.J. Hirschfeld, Incommensurate magnetic phases in doped high T_c compounds **162–164**, 823
Gabbe, D.R., see N.W. Preyer **162–164**, 1003
Gabbe, D.R., see C.Y. Chen **162–164**, 1031
Gabbe, D.R., see T. Thio **162–164**, 1301
Gadkari, S.C., K.P. Muthe, S.K. Gupta, S.C. Sabharwal and

M.K. Gupta, Magnetoresistance studies on the $Bi_2Sr_2CaCu_2O_x$ superconductor **160**, 167
Gai, P.L., see M.A. Subramanian **157**, 124
Gai, P.L., see J.B. Parise **159**, 245, 255
Gai, P.L., M.A. Subramanian, J. Gopalakrishnan and E.D. Boyes, Microstructure and microchemistry of defects and interfaces in $Tl_2Ba_2Ca_3Cu_4O_{12}$, $TlBa_2Ca_4Cu_5O_{13}$ and (Tl, Pb)$Sr_2Ca_n{}_{-1}Cu_nO_{2n+3}$ ($n=2, 3$) oxide superconductors **159**, 801
Galakhov, V.R., S.M. Butorin, L.D. Finkelstein, E.Z. Kurmaev, Yu.M. Yarmoshenko, V.A. Trofimova and V.L. Kozhevnikov, X-ray spectra and electronic structure of high-T_c superconductors $La_{1.83}Sr_{0.17}CuO_4$ and $Bi_4Ca_3Sr_3Cu_4O_{16}$ **160**, 267
Galasiewicz, Z.M., Remark about influence of the phonon-charged boson interaction on the isotope effect **160**, 314
Galffy, M., see W. Schnelle **161**, 123
Galffy, M., see E. Braun **162–164**, 496
Galkin, A.Yu., see M.V. Elashkin **162–164**, 1173
Gallagher, M.C. and J.G. Adler, Scanning tunneling spectroscopy of $YBa_2Cu_3O_x$ thin films **162–164**, 1129
Gallop, J.C., W.J. Radcliffe, C.D. Langham, R. Sobolewski, W. Kula and P. Gierłowski, Josephson effects and microwave response of HTS thin films **162–164**, 1545
Galloway, M.D., see R. Feenstra **162–164**, 655
Gama, S., see R.F. Jardim **159**, 306
Gambardella, U., see A. De Ninno **162–164**, 359
Gambardella, U., see V. Boffa **162–164**, 913
Gammel, P.L., A.F. Hebard, C.E. Rice and A.F.J. Levi, Temperature and field dependence of the magnetic penetration length of c-axis oriented $YBa_2Cu_3O_7$ films **162–164**, 1565
Gan, Z., see S. Feng **162–164**, 1649
Ganapathi, L., see R. Nagarajan **158**, 453
Gangadharan, K., see R.M. Iyer **160**, 155
Ganguli, A.K., R. Vijayaraghavan and C.N.R. Rao, Novel series of thallium cuprate superconductors **162–164**, 867
Ganne, J.P., R. Kormann, M. Labeyrie, F. Lainee and B. Lloret, Frequency dependence of microwave surface resistance of YBCO superconducting ceramics **162–164**, 1541
Gantmakher, V.F., V.I. Kulakov, G.I. Leviev, R.K. Nikolaev, A.V. Polisskii, N.S. Sidorov and M.R. Trunin, High-frequency resistance of the Y–Ba–Cu–O ceramics **162–164**, 1539
Gao, F., see T. Timusk **162–164**, 841
Gao, L., see Y.Y. Xue **158**, 211
Gao, W., S.-C. Li, D.A. Rudman, G.J. Yurek and J.B. Vander Sande, Synthesis of Bi–Pb–Sr–Ca–Cu oxide/silver superconducting microcomposites by oxidation of metallic precursors **161**, 71
Gao, Y., P. Lee, J. Ye, P. Bush, V. Petricek and P. Coppens, The incommensurate modulation in the $Bi_2Sr_{2-x}Ca_xCuO_6$ superconductor, and its relation to the modulation in $Bi_2Sr_{2-x}Ca_xCu_2O_8$ **160**, 431
Garcia, A., see M.T. Caldes **162–164**, 865
García, J., see F. Lera **162–164**, 325
García-Alvarado, F., see M.A. Señaris-Rodriguez **162–164**, 85
García-Muñoz, J.L., see M. Carrera **162–164**, 41
García-Muñoz, J.L., see X. Batlle **162–164**, 1273
Garcia-Ruiz, A., see Bokhimi **159**, 654
Garno, J.P., see A.M. Cucolo **161**, 351
Garrett, J.D., see T. Timusk **162–164**, 841
Garrett, J.D., see M. Reedyk **162–164**, 1083
Garry, G., D. Dubreuil, Y. Lemaitre, D. Dieumegard, J. Siejka and C. Ortega, Mechanisms of crystallization of amorphous $Y_1Ba_2Cu_3O_{7-x}$ thin films during annealing in oxygen and argon atmospheres: "in situ" measurements **162–164**, 441
Garzon, F.H., see D.W. Cooke **162–164**, 1537
Gasgnier, M., see M.-O. Ruault **162–164**, 77
Gasgnier, M., see R. Suryanarayanan **162–164**, 971
Gasparov, L.V., V.D. Kulakowskii, O.V. Misochko and V.B. Timofeev, Manifestation of the orthorhombic symmetry in Raman spectra of untwinned single crystals of $YBa_2Cu_3O_{7-x}$ **157**, 341
Gasparov, L.V., V.D. Kulakovskii, O.V. Misochko, A.A. Polyanskii and V.B. Timofeev, Raman study of Tl-based superconducting single crystals: phonons assignment and temperature dependence **160**, 147
Gauzzi, A., see B.J. Kellett **162–164**, 713
Gavaler, J.R., M.G. Forrester and J. Talvacchio, Properties of YBCO-based tunnel junctions **162–164**, 1051
Gavilano, J.-L., see Ph. Flueckiger **162–164**, 1563
Gazda, M., see B. Kusz **160**, 25
Ge, Y.L., see G.W. Qiao **162–164**, 907
Geballe, T.H., see D.K. Fork **162–164**, 121
Geballe, T.H., see T. Claeson **162–164**, 544
Geballe, T.H., see C.-B. Eom **162–164**, 605
Geballe, T.H., see J.Z. Sun **162–164**, 687
Geballe, T.H., see F. Bridges **162–164**, 969
Geballe, T.H., see S. Tahara **162–164**, 1175
Geballe, T.H., see S.M. Anlage **162–164**, 1645
Geelen, G.P.J., see R.A. Steeman **162–164**, 542
Geerk, J., see Ch. Neumann **162–164**, 321
Geerk, J., G. Linker, O. Meyer, Q. Li, R.-L. Wang and X.X. Xi, The tunneling gap of high T_c-superconductors **162–164**, 837
Gegenheimer, B., see N. Moser **159**, 117
Gegenheimer, B., see U. Koch **162–164**, 739
Gegenheimer, B., see C. Thomsen **162–164**, 1079
Geisselbrecht, J., see H. Kuzmany **162–164**, 1219
Genis, A.P., see B. Dabrowski **160**, 281
Genis, A.P., see C.W. Kimball **162–164**, 95
Genossar, J., B. Fisher, I.O. Lelong, Y. Ashkenazi and L. Patlagan, On the normal state resistivity and thermoelectric power of $YBa_2Cu_3O_x$: experiments and interpretation **157**, 320
Genossar, J., B. Fisher and J. Ashkenazi, A narrow conduction band in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1015
Genossar, J., see B. Fisher **162–164**, 1207
Genzel, L., see I.B. Ferreira **162–164**, 1579
Georgiev, M., M. Borissov and A. Vavrek, Vibronic pairing mechanism in LaSCO **162–164**, 1519
Gerbstein, Yu.M., N.E. Timoschchenko and F.A. Chudnovskii,

Measurement of electron density of states at the Fermi level in YBCO by means of an "oxygen pump" **162–164**, 961
Gerdanian, P., C. Picard and J.F. Marucco, Thermodynamics of $YBa_2Cu_3O_z$ **157**, 180
Gerhäuser, W., see J.P. Ströbel **162–164**, 1209
Gering, E., see B. Renker **162–164**, 462
Gershanov, Yu., see E. Meilikhov **157**, 431
Geshkenbein, V., A. Larkin, M. Feigel'man and V. Vinokur, Flux pinning and creep in high-T_c superconductors **162–164**, 239
Geus, H., see F. Seidler **157**, 375
Geus, H., see W. Schnelle **161**, 123
Geus, H., see E. Braun **162–164**, 496
Ghamaty, S., see J.T. Markert **158**, 178
Ghamaty, S., see C.L. Seaman **159**, 391
Ghamaty, S., B.W. Lee, J.T. Markert, E.A. Early, T. Bjørnholm, C.L. Seaman and M.B. Maple, Low temperature specific heat of Ln_2CuO_4 (Ln=Pr, Nd, Sm, Eu and Gd) and $Nd_{1.85}M_{0.15}CuO_{4-y}$ (M=Ce and Th) **160**, 217
Ghamaty, S., see M.B. Maple **162–164**, 296
Ghorayeb, A.M., see G. Priftis **162–164**, 1201
Ghosh, B., see A.N. Das **158**, 311
Ghosh, B., see A. Poddar **159**, 226, 231; **161**, 567
Ghosh Ray, K., see A. Poddar **159**, 226
Giapintzakis, J., see F. Sharifi **161**, 555
Gierłowski, P., see G. Jung **158**, 419
Gierłowski, P., see R. Sobolewski **162–164**, 631
Gierłowski, P., see J. Konopka **162–164**, 1041
Gierłowski, P., see J.C. Gallop **162–164**, 1545
Giessen, B.C., see R.S. Markiewicz **160**, 497; **162–164**, 1655
Gijs, M.A.M., see J.W.C. de Vries **157**, 406
Gijs, M.A.M., D. Scholten, Th. van Rooy and R. IJsselsteijn, Proximity effect in thin film $Y_1Ba_2Cu_3O_{7-\delta}$–Ag–Pb structures **162–164**, 1615
Gilberd, P.W., see J.L. Tallon **158**, 247
Gillon, B., see D. Petitgrand **162–164**, 1271
Gillon, B., D. Petitgrand, A. Delapalme, C. Collin and P. Schweiss, Induced magnetic moment on Cu(1) in $YBaCuO_x$ compounds **162–164**, 1275
Ginley, D.S., see K.F. McCarty **157**, 135; **159**, 603
Ginley, D.S., see J.E. Schirber **157**, 237; **162–164**, 745
Ginley, D.S., J.F. Kwak, E.L. Venturini, B. Morosin and R.J. Baughman, Morphology control and high critical currents in superconducting thin films in the Tl–Ca–Ba–Cu–O system **160**, 42
Ginley, D.S., see E.J. Ansaldo **162–164**, 147
Ginley, D.S., see E.L. Venturini **162–164**, 673
Ginsberg, D.M., see S.E. Stupp **158**, 299
Ginsberg, D.M., see Q. Huang **161**, 141
Ginsberg, D.M., see F. Sharifi **161**, 555
Ginsberg, D.M., M.E. Reeves, S.E. Stupp, T.A. Friedmann, F. Slakey and M.V. Klein, Specific heat of polycrystalline $YBa_2Cu_3O_{7-x}$ in a magnetic field **162–164**, 486
Ginsberg, D.M., see F. Slakey **162–164**, 1095
Ginzburg, V.L., Thermoelectric effects in high-temperature superconductors **162–164**, 277
Giorgi, A.L., see N.E. Phillips **162–164**, 413
Giori, D.C., see G. Calestani **158**, 217; **162–164**, 526
Giori, D.C., see E. Buluggiu **162–164**, 1647
Gippius, A.A., V.V. Moshchalkov, Yu.A. Koksharov, A.N. Tikhonov, B.V. Mill and Y. Zoubkova, The $Ln_2Cu_2O_5$ ESR study (Ln=Y, Tb–Lu) **162–164**, 253
Gippius, A.A., V.V. Moshchalkov, Yu.M. Petrusevich, O.P. Revokatov, E.V. Antipov and A.L. Kcharlanov, NMR studies of new oxides in the Ba–Sc–Cu–O system **162–164**, 255
Gippius, A.A., see V.V. Moshchalkov **162–164**, 1193, 1611
Gippius, A.A., see I.V. Vodolazskaya **162–164**, 1213
Giroud, M., see L.H. Greene **162–164**, 1069
Gislon, P., see A. De Ninno **162–164**, 359
Giura, M., R. Marcon and R. Fastampa, Microwave absorption at low magnetic field in sintered $YBa_2Cu_3O_7$: freezing effects at low temperature and intragrain fluxon motion **162–164**, 1581
Gjølmesli, S., L.T. Sagdahl, T. Laegreid and K. Fossheim, Temperature and field dependence of the weak-link behavior in superconducting $YBa_2Cu_3O_{7-x}$ **162–164**, 339
Gjølmesli, S., see M. Slaski **162–164**, 103, 492
Gladyshev, I.V., see A.A. Zhukov **162–164**, 1631
Gläser, W., see R. Hackl **162–164**, 431, 1241
Gledel, C., see J.-F. Marucco **160**, 73
Glückler, H., A. Weidinger, A. Golnik, C. Niedermayer, M. Rauer, R. Simon, E. Recknagel, J.I. Budnick, W. Paulus and R. Schöllhorn, Dependence of the magnetic ordering in $YBa_2Cu_3O_y:H_x$ on the oxygen and hydrogen concentration **162–164**, 149
Glückler, H., see C. Niedermayer **162–164**, 159
Glushkova, L.V., see A.B. Blank **162–164**, 1225
Godfrey, M. and M. Gunn, Long-range spin deformation around quasiparticles **162–164**, 1477
Godinho, M., see E.A. Hewat **157**, 228
Godinho, M., see C. Chaillout **162–164**, 935
Godinho, M.M., see A.P. Gonçalves **159**, 273
Goldenfeld, N., see J.F. Annett **162–164**, 377
Golnik, A., see H. Glückler **162–164**, 149
Golnik, A., see C. Niedermayer **162–164**, 159
Golovashkin, A.I., E.V. Ekimov, S.I. Krasnosvobodtsev, V.P. Martovitsky and E.V. Pechen, High T_c superconducting films grown by magnetron and laser-beam technique **162–164**, 715
Golovashkin, A.I., see E.V. Ekimov **162–164**, 833
Golovashkin, A.I., see A.L. Shelehov **162–164**, 1229
Golovashkin, A.I., see N.V. Anshuokova **162–164**, 1657
Golovashkin, A.I., see A.I. Pavlovskii **162–164**, 1659
Golovashkin, A.I., O.M. Ivanenko and K.V. Mitsen, HTSC – the undegenerated impurity semiconductor? **162–164**, 1661
Goltsev, A.V., see V.V. Bryksin **160**, 103
Golubov, A.A. and A.E. Koshelev, Surface magnetic impedance of granular superconductor **162–164**, 399
Golubov, A.A., see L.N. Bulaevskii **162–164**, 1527
Golubov, A.A. and V.V. Dorin, Perpendicular upper critical field of layered superconductor **162–164**, 1559
Golubov, A.D. and A.E. Koshelev, Microwave absorption by a

long Josephson junction in magnetic field **159**, 337
Gómez, A., see R. Herrera **158**, 490
Gómez, M.E., see B. Kabius **162–164**, 635
Gomez, R.W., S. Aburto, V. Marquina, M.L. Marquina, M. Jimenez, C. Quintanar, R.A. Barrio, R. Escudero, D. Ríos-Jara and T. Akachi, Local magnetic fields in the Cu sites of $YBa_2Cu_{3-x}Fe_xO_y$ detected by Mössbauer spectroscopy **162–164**, 989
Gömöry, F., S. Takács, P. Lobotka, K. Fröhlich and V. Plecháček, AC magnetization of high T_c superconductors at low superimposed dc magnetic fields **160**, 1
Gömöry, F., see S. Takács **162–164**, 681
Gompf, F., see B. Renker **162–164**, 462
Gompf, F., see G. Roth **162–164**, 518
Gonçalves , A.P., I.C. Santos, M. Almeida, M.O. Figueiredo, F. Costa, J.M. Vieira, J.M. Alves and M.M. Godinho, Bi–Ca–Sr–Cu–O superconductors obtained by glass crystallisation; **effect of potassium dopping** **159**, 273
Goncharov, A.F., see I.V. Aleksandrov **162–164**, 1057
Goncharov, A.F., see A.L. Shelehov **162–164**, 1229
Gong, C., see D. Sheng **159**, 577
González, M.A., see M.A. Señaris-Rodriguez **162–164**, 85
Gonzalez-Calbet, J., see A. Fuertes **157**, 525
González-Calbet, J.M., see M. Carrera **157**, 285; **162–164**, 41, 723
González-Calbet, J.M., see R. Villar **162–164**, 566
González-Calbet, J.M., see J. Bartolomé **162–164**, 863
González-Calbet, J.M., see M.T. Caldes **162–164**, 865
González-Calbet, J.M., see X. Batlle **162–164**, 1273
Goodenough, J.B. and A. Manthiram, Evidence for some suppression of magnetic moments in superconductive copper oxides **157**, 439
Goodenough, J.B., see A. Manthiram **159**, 760; **162–164**, 69
Goodenough, J.B., see X.X. Tang **161**, 574
Goodman, G.L., see L. Soderholm **161**, 252
Goodman, P., D.G. Jensen and T.J. White, Coexisting phases in the Pb–Sr–Ca–Y–Cu–O HT superconducting system **158**, 173
Goodyear, S.W., see J.S. Satchell **162–164**, 625
Gopalakrishnan, I.K., see P.V.P.S.S. Sastry **157**, 491
Gopalakrishnan, I.K., see P.K. Pujari **159**, 75
Gopalakrishnan, I.K., see R. Srinivasan **159**, 797
Gopalakrishnan, I.K., P.V.P.S.S. Sastry, H. Rajagopal, A. Sequeira, J.V. Yahmi and R.M. Iyer, Effect of argon-annealing and subsequent oxygen-annealing on the superconductivity and structure of $Tl_2CaBa_2Cu_2O_{8-x}$ **159**, 811
Gopalakrishnan, J., see C.C. Torardi **157**, 115; **158**, 465
Gopalakrishnan, J., see M.A. Subramanian **157**, 124
Gopalakrishnan, J., see J.B. Parise **159**, 239, 245
Gopalakrishnan, J., see P.L. Gai **159**, 801
Gopalakrishnan, J., see B.H. Toby **162–164**, 101
Gopalakrishnan, J., see B.J. Sternlieb **162–164**, 679
Gopalakrishnan, J., see G.M. Luke **162–164**, 825
Göpel, W., see W. Carrillo-Cabrera **161**, 373
Gordeev, S.N., see R.I. Antonov **162–164**, 437
Gordeev, S.N., see A.A. Zhukov **162–164**, 1623, 1631
Gordon, J.E., R.A. Fisher, S. Kim and N.E. Phillips, Lattice and electronic specific heat of $YBa_2Cu_3O_7$ **162–164**, 484
Gordon, J.E., see S. Kim **162–164**, 494
Gordon, J.E., see N.E. Phillips **162–164**, 1651
Gorelik, V.S., see N.V. Anshuokova **162–164**, 1657
Goremychkin, E.A., see I. Natkaniec **162–164**, 1359, 1369
Gorius, M.F., see E.A. Hewat **157**, 228
Gor'kov, L.P. and A.V. Sokol, Phase diagram peculiarities of new superconductors in the model with localized and delocalized states **159**, 329
Gor'kov, L.P., Harmless survey of the theoretical situation in the high temperature superconductivity **162–164**, 12
Gorman, G., see R. Beyers **162–164**, 548
Gorman, G., see D.C. Bullock **162–164**, 643
Gorochov, O., see M. Rateau **162–164**, 1199
Gorochov, O., see G. Priftis **162–164**, 1201
Gorochov, O., see R. Suryanarayanan **162–164**, 139, 971
Gorochov, O., see J.L. Dormann **162–164**, 570, 1371
Goshchitskii, B.N., see S.A. Davydov **161**, 549
Goshchitskii, B.N., S.A. Davydov, A.E. Karkin and A.V. Mirmelstein, Hall effect in disordered ceramic high-T_c $YBa_2Cu_3O_7$ **162–164**, 997
Goshchitskii, B.N., S.A. Davydov, A.E. Karkin, A.V. Mirmelstein, M.V. Sadovskii and V.I. Voronin, Localization effects in disordered high-T_c superconductors **162–164**, 1019
Goshchitskii, B.N., S.A. Davydov, A.E. Karkin, A.V. Mirmelstein, V.I. Voronin, M.M. Chebotaev and A.A. Samokhvalov, Anisotropy of electrical resistivity and the upper critical fields in disordered single crystals of $YBa_2Cu_3O_7$ **162–164**, 1023
Goshsi, Y., see A. Enokihara **161**, 431
Gossett, C.R., see T.P. Thorpe **162–164**, 645
Gossner, H., see C. Allgeier **162–164**, 741
Goto, T., Fine Y–Ba–Cu–O superconducting filaments produced by suspension spinning method **162–164**, 558
Gotoh, S., see T. Miyatake **160**, 541
Gouch, A.J., see S.X. Dou **160**, 533
Gougeon, P., see E. Vincent **159**, 863
Gougeon, P., see M.-O. Ruault **162–164**, 77
Gougeon, P., see M. Guillot **162–164**, 361
Gougeon, P., see O. Laborde **162–164**, 1619
Gough, C.E., see Z. Wu **162–164**, 385
Gough, C.E., see S.G. Hammond **162–164**, 395
Gough, C.E., see C. Mee **162–164**, 1187
Gould, A., see S. Tyagi **162–164**, 1569
Gowe, B., see J.H. Brewer **162–164**, 157
Goyal, A., S.J. Burns, S. Gracewski and P.D. Funkenbusch, Discontinuity of the isothermal elastic compliance across the superconducting transition in $Y_1Ba_2Cu_3O_{7-\delta}$ **159**, 313
Graboi, I.E., see B.A. Aminov **160**, 505
Grabowski, K.S., see D.B. Chrisey **162–164**, 129
Gracewski, S., see A. Goyal **159**, 313
Graf, T., see A. Junod **162–164**, 482, 1401
Granados, X., see M. Carrera **157**, 285; **162–164**, 41, 723
Granados, X., see J. Bartolomé **162–164**, 863
Grant, J.B. and A.K. McMahan, Comparison of the electronic

structure of La_2CuO_4, La_2NiO_4, and K_2CuF_4 **162–164**, 1439
Grant, P.M., see M.E. López-Morales **162–164**, 61
Grassmann, A., J. Schlötterer, J.P. Ströbel, M. Klauda, R.L. Johnson and G. Saemann-Ischenko, Electronic structure of $Nd_2CuO_{4-y}F_y$ and $Nd_{2-x}Ce_xCuO_{4-\delta}$ studied by photoemission spectroscopy **162–164**, 1383
Gratz, E., see K. Remschnig **158**, 458
Gratz, E., see M. Reissner **162–164**, 31
Gray, E.R., see D.W. Cooke **162–164**, 1537
Gray, K.E., see Q. Huang **161**, 141
Gray, K.E., see K.C. Woo **162–164**, 1011
Graybeal, J.M., see J.T. Kucera **162–164**, 671
Graybeal, J.M., see D.W. Face **162–164**, 709
Grazhulis, V.A., G.A. Emel'chenko and A.M. Ionov, Investigation of (001) surfaces of $La_{1.85}Sr_{0.15}CuO_4$: LEED and Auger studies **159**, 404
Greaves, C. and P.R. Slater, Nb and Ta substitutions in $YBa_2Cu_3O_{7-x}$ and related phases: structural characterisation of $La_{1.1}Ba_{1.9}Cu_{2.1}M_{0.9}O_8$ (M = Nb, Ta) **161**, 245
Grebinnik, V.G., V.N. Duginov, V.A. Zhukov, S. Kapusta, A.B. Lazarev, V.G. Olshevsky, V.Yu. Pomjakushin, S.N. Shilov, I.I. Gurevich, B.F. Kirillov, B.A. Nikolsky, A.V. Pirogov, A.N. Ponorarev, V.A. Suetin, A.G. Peresada, M.D. Nersesyan, I.P. Borovinskaya, V.R. Karasik, O.E. Omelyanovsky and T.G. Togonidze, The μSR-investigation of the magnetic and superconducting properties of the compound $La_{2-x}Sr_xCuO_4$ **162–164**, 145
Greedan, J.E., see Y.P. Lin **158**, 241
Greedan, J.E., see T. Timusk **162–164**, 841
Greedan, J.E., see M. Reedyk **162–164**, 1083
Green, M., see T. Nonaka **160**, 517
Green, S.M., see W.-F. Yau **162–164**, 21
Greenblatt, M., see S. Li **157**, 365
Greene, L.H., see J.-M. Tarascon **162–164**, 285
Greene, L.H., J.B. Barner, W.L. Feldmann, L.A. Farrow, P.F. Miceli, R. Ramesh, B.J. Wilkens, B.G. Bagley, J.-M. Tarascon, J.H. Wernick, M. Giroud and J.M. Rowell, Studies of proximity-effect and tunneling in YBCO/metal layered films **162–164**, 1069
Greene, L.H., see P.F. Miceli **162–164**, 1267
Griessen, R., see G.N.A. van Veen **157**, 99
Griessen, R., see A.J. Vermeer **162–164**, 409
Griessen, R., C.W. Hagen, J. Lensink and D.G. de Groot, Distribution of activation energies in high temperature superconductors **162–164**, 661
Griessen, R., see J. Lensink **162–164**, 663
Griessen, R., see E.N. van Enige **162–164**, 737
Griessen, R.P., see C.W. Hagen **157**, 199
Griffin, A., How to probe the low energy interlayer plasmons in oxide superconductors **162–164**, 1427
Grimsditch, M., see U. Welp **161**, 1, 345
Grioni, M., see P. Kuiper **157**, 260
Grodkiewicz, W.H., see M. Eibschutz **162–164**, 530
Groen, W.A., see S. Olivier **157**, 531
Groen, W.A. and D.M. de Leeuw, Oxygen content, lattice constants and T_c of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 417
Gromov, A.M., see Yu.A. Osipyan **159**, 137
Groshev, A. and T. Hristov, Shapiro steps without RF source by coupling of Josephson and piezo oscillators **160**, 317
Gross, F., see E. Schuberth **162–164**, 415
Gross, F., K. Andres and B.S. Chandrasekhar, Experimental determination of the absolute value of the London penetration depth in the heavy fermion superconductors UBe_{13} and UPt_3 **162–164**, 419
Gross, M. and H. Hamber, The Langevin method and Hubbard-like models **162–164**, 1489
Gross, R., see K. Bernhardt **161**, 468
Gross, R., J. Mannhart, K. Hipler, R.P. Huebener, P. Chaudhari, D. Dimos, C.C. Tsuei, J. Schubert and U. Poppe, Spatial variation of the critical current density in $Y_1Ba_2Cu_3O_7$ films **162–164**, 1603
Groult, D., see T. Rouillon **159**, 201
Grover, A.K., see C. Radhakrishnamurty **162–164**, 333
Grover, A.K., see B.V.B. Sarkissian **162–164**, 335
Grover, A.K., P.L. Paulose, P. Chaddah and G. Ravikumar, Field and temperature dependence of ZFC, FC and REM magnetization in superconductors **162–164**, 337
Gruehn, R., see J.-H. Müller **159**, 527
Grüner, G., Properties and parameters of the superconducting oxides **162–164**, 8
Grüner, G., see D.W. Cooke **162–164**, 1537
Gu, B.-L., see Y.S. He **162–164**, 450
Gu, B.-L., M.-L. Wang, Q. Wang, W.-H. Duan and X.-W. Zhang, A mechanism of structural transition in $YBa_2Cu_3O_{7-y}$ **162–164**, 1515
Gu, C., see B.W. Veal **158**, 276
Gu, C., see R.S. List **159**, 439
Gu, H., see J. Chen **159**, 317
Guan, W.Y., see B. Zhu **157**, 370
Guan, W.Y., see N. Cao **159**, 195
Guarner, E., see R. Escudero **162–164**, 1059
Gubernatis, J.E., see M.M. Doria **162–164**, 1521
Guccione, M., see I. Ciccarello **159**, 769; **161**, 39
Guertin, R.P., see Y.S. Yao **157**, 247
Guidi, G., see R. De Renzi **162–164**, 155
Guidi, G., C. Bucci, P. Carretta, R. De Renzi, R. Tedeschi, G. Calestani and C. Vignali, NQR characterization of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ materials **162–164**, 189
Guillot, M., J.L. Tholence, O. Laborde, M. Potel, P. Gougeon, H. Noel and J.C. Levet, Critical current densities (up to 20 T) of high T_c $REBa_2Cu_3O_7$, $Bi_2Sr_2CaCu_2O_8$, $Tl_2Ba_2CaCu_2O_8$ crystals **162–164**, 361
Guillot, M., see O. Laborde **162–164**, 827
Guimpel, J., see H. Safar **162–164**, 665
Gulnar, A., see C.V. Tomy **162–164**, 925
Gumbar, P.K., see S.P. Tewari **160**, 545
Gunn, J.M.F. and B.D. Simons, String polarons **162–164**, 1479
Gunn, J.M.F. and B.D. Simons, "Internal" structure of hole quasiparticles in antiferromagnets **162–164**, 1481
Gunn, J.M.F. and D.K.K. Lee, Screening of random potentials by bosons **162–164**, 1483

Gunn, M., see M. Godfrey **162–164**, 1477
Gunnarsson, O., see J. Zaanen **162–164**, 821
Güntherodt, G., see P. Baumgart **162–164**, 1073
Güntherodt, G., see A. Erle **162–164**, 1093
Guo, G.Y., Z. Szotek and W.M. Temmerman, Effects of doping and structure on the electronic properties of Nd_2CuO_4 **162–164**, 1351
Guo, S.-Q., see G.N.A. van Veen **157**, 99
Guo, S.Q., see P. Berghuis **162–164**, 1169
Gupta, A. and E.I. Cooper, Superconducting Bi–Si–Ca–Cu–O films prepared from metal trifluoroacetate precursors **158**, 225
Gupta, A., see C.C. Tsuei **161**, 415
Gupta, A., G. Koren, R.J. Baseman, A. Segmüller and W. Holber, Anisotropic electrical properties of epitaxial $YBa_2Cu_3O_{7-\delta}$ films on (110) $SrTiO_3$ **162–164**, 127
Gupta, A., see T.R. McGuire **162–164**, 131
Gupta, A., P. Esquinazi, H.F. Braun and E.H. Brandt, Multiple phases or multiple flux lattice melting temperatures: vibrating reed studies on Bi-based ceramics **162–164**, 667
Gupta, A., see G. Koren **162–164**, 1021
Gupta, H.C., Phonons in high-T_c $CaBi_2Sr_2Cu_2O_8$ **157**, 257
Gupta, H.C., Phonons in high-T_c $Ba_{0.6}K_{0.4}BiO_3$ **158**, 153
Gupta, L.C., see A.K. Rajarajan **162–164**, 163
Gupta, M., see R.P. Gupta **160**, 129; **161**, 122; **162–164**, 1437
Gupta, M.K., see S.C. Gadkari **160**, 167
Gupta, R.P. and M. Gupta, Role of the electronic structure on the possibility of electron versus hole doping in superconducting Nd_2CuO_4 **160**, 129
Gupta, R.P. and M. Gupta, Role of electronic structure on the possibility of electron versus hole doping in superconducting Nd_2CuO_4. Physica C 160, 141. Erratum **161**, 122
Gupta, R.P. and M. Gupta, Electronic structure of the high T_c ceramic superconductors **162–164**, 1437
Gupta, S.K., see S.C. Gadkari **160**, 167
Gür, T.M., see R. Beyers **162–164**, 548
Gür, T.M., see B.T. Ahn **162–164**, 883
Gurevich, A.Vl. and R.G. Mints, Superconducting glassy state induced by twins **162–164**, 233
Gurevich, I.I., see V.G. Grebinnik **162–164**, 145
Gurvitch, M., see D.J. Werder **160**, 411
Gurvitch, M., see A.M. Cucolo **161**, 351
Gurvitch, M., J.M. Valles, R.C. Dynes, A.M. Cucolo and L.F. Schneemeyer, Reproducibility in tunneling achieved through liquid etching of YBCO **162–164**, 1067
Guyot, H., L. Schmidt, R. Cinti, P.L. Reydet and J. Marcus, Influence of oxygen stoichiometry analyzed by XPS and XAES in high textured $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 1305
Gvozdover, R.S., see I.V. Vodolazskaya **162–164**, 1213
Gygax, F.N., see P. Birrer **158**, 230; **162–164**, 153
Gygax, S., see M.K. Yu **162–164**, 468
Gygax, S., see J.P. Franck **162–164**, 753
Gygax, S., see S.H. Wang **162–164**, 1077
Gygax, S., W. Xing, O. Rajora and A. Curzon, H^{c1} and penetration depth of $Bi_2Sr_2CaCu_2O_8$ crystals **162–164**, 1551
Gzowski, O., see B. Kusz **160**, 25

Habermeier, H.-U. and G. Mertens, Patterning of high T_c Y–Ba–Cu–O thin films deposited on bare silicon **162–164**, 601
Hackl, R., R. Kaiser and W. Gläser, Electronic and phonon-mediated gap modes in A15 compounds **162–164**, 431
Hackl, R., P. Müller, D. Einzel and W. Gläser, Light-scattering study of the superconducting energy gap in $YBa_2Cu_3O_7$ single crystals **162–164**, 1241
Hadjiev, V.G., see M.N. Iliev **157**, 495
Haga, T., see K. Yamaya **162–164**, 1009
Hagberg, J., A. Uusimäki, J. Levoska and S. Leppävuori, Preparation of Bi–Pb–Sr–Ca–Cu–O high T_c superconducting material via oxalate route at various pH values **160**, 369
Hagemann, H., see D. Shaltiel **157**, 240; **158**, 424; **161**, 13
Hagen, C.W., see G.N.A. van Veen **157**, 99
Hagen, C.W., R.P. Griessen and E. Salomons, Thermally activated flux motion in high-T_c superconductors: an analytical model **157**, 199
Hagen, C.W., see A.J. Vermeer **162–164**, 409
Hagen, C.W., see R. Griessen **162–164**, 661
Haghighi, H., see A.L. Wachs **162–164**, 1375
Hague, C.F., V. Barnole, J.-M. Mariot and M. Ohno, Electronic structure of high-T_c superconductors by X-ray emission spectroscopy **162–164**, 1321
Hahn, P.A., see C.E. Violet **162–164**, 1291
Hahn, P.A., see H.B. Radousky **162–164**, 1363
Haije, W.G., see W.T. Fu **159**, 210
Haije, W.G., K. Kadowaki, M.J.V. Menken, A.C. Moleman, A.A. Menovsky, J.J.M. Franse and E. Frikkee, Crystal structures of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, 0.5) **162–164**, 875
Hajdu, J., see A. Szász **162–164**, 973
Halbritter, J., see W. Ose **162–164**, 1081
Halbritter, J., see S.M. Anlage **162–164**, 1645
Halperin, B., see R. Englman **162–164**, 1339
Hamber, H., see M. Gross **162–164**, 1489
Hammann, J., see E. Vincent **159**, 863
Hammann, J., see A. Bertomptto **160**, 227
Hammel, P.C., M. Takigawa, R.H. Heffner, Z. Fisk and K.C. Ott, Nuclear relaxation rates at copper and oxygen sites in $YBa_2Cu_3O_7$ **162–164**, 177
Hammel, P.C., see M. Takigawa **162–164**, 175, 853
Hammond, R.H. and R. Bormann, Correlation between the in situ growth conditions of YBCO thin films and the thermodynamic stability criteria **162–164**, 703
Hammond, S.G., S.P. Harrop, C.M. Muirhead, C.E. Gough, N.McN. Alford and T.W. Button, Noise properties of bulk 2-hole SQUIDS of YBCO and BSCCO **162–164**, 395
Hanke, W., see G. Dopf **162–164**, 807
Hanke, W., see J. Wagner **162–164**, 811
Hannon, R.H., see B. Dabrowski **160**, 281; **162–164**, 91
Hannon, R.H., see C.W. Kimball **162–164**, 95
Harada, K., see H. Itozaki **162–164**, 367
Hardy, W.N., see R.F. Kiefl **162–164**, 161

Hardy, W.N., see J.H. Brewer **162–164**, 33, 157
Hardy, W.N., see B.J. Sternlieb **162–164**, 679
Hardy, W.N., see T.M. Riseman **162–164**, 1555
Hariharan, Y., see R. Baskaran **158**, 406
Hariharan, Y., A. Bharathi, M.P. Janawadkar, D. Vasumathi, V.S. Sastry and T.S. Radhakrishnan, Phase instability in $Y_1Ba_2Cu_3O_{7-x}$ **162–164**, 887
Hariharan, Y., see A. Bharathi **162–164**, 1309
Harrison, J.P., see D.J. Baar **157**, 215
Harrison, W.A., Consequences of Fermi surface geometry **162–164**, 769
Harrop, S.P., see S.G. Hammond **162–164**, 395
Harshman, D.R., see E.J. Ansaldo **162–164**, 259
Hart, H., see J.H. Brewer **162–164**, 33
Hart, H., see T.M. Riseman **162–164**, 1555
Hartford, E.H., see E.S. Hellman **162–164**, 633
Hartmann, M., see K. Bernhardt **161**, 468
Hase, M., see K. Uchinokura **162–164**, 981
Hasegawa, T., see T. Nonaka **160**, 517
Hasegawa, T., see K. Kishio **162–164**, 55
Hasegawa, Y., see M. Itoh **157**, 65
Hasselbach, K., see N.E. Phillips **162–164**, 413
Hauchecorne, G., see F. Rochet **159**, 447
Hauchecorne, G., see E. Faulques **162–164**, 1105
Hauck, J., B. Bischof, C. Freiburg, U. Köbler, W. Reichert, M. Last, S. Ipta and H. Altenburg, Phase relations and physical properties of $La_4Ba_ySr_{1-y}Cu_5O_x$ solid solution **158**, 197
Hauck, J. and K. Mika, Structural architecture of superconducting oxides **161**, 512
Hautala, J., see R. Durny **162–164**, 1065
Hayashi, M., see N. Fukishima **159**, 777
Hayashi, N., see S. Takano **162–164**, 1535
Hayashi, S., see K. Hirochi **160**, 273
Haycock, P.W., see C. Raptis **161**, 83
He, A., see Y. He **161**, 226
He, A.S., see Y.S. He **162–164**, 450
He, Y., J. Xiang, H. Wang, A. He, J. Zhang and F. Chang, Experimental evidence for the lattice instability of Bi-based superconducting systems **161**, 226
He, Y., see J. Hu **162–164**, 444
He, Y.S., J. Xiang, F.G. Chang, J.C. Zhang, A.S. He, H. Wang and B.-L. Gu, Anomalous structural changes and elastic properties of bismuth oxide superconductors **162–164**, 450
He, Z., see Q. Zhang **162–164**, 963, 999, 1197
Healy, P.C., see A.E. Bocquet **160**, 252
Hebard, A.F. and T.T.M. Palstra, Vortex depinning in $YBa_2Cu_3O_7$: resistive transition identification of the crossover from flux-creep to flux-flow behavior **162–164**, 1181
Hebard, A.F., see A.T. Fiory **162–164**, 1195
Hebard, A.F., see P.L. Gammel **162–164**, 1565
Hedayati, M.R., see G. Vignale **162–164**, 1503
Hedegård, P., see K. Flensberg **160**, 89
Heeger, A.J., see C.M. Foster **162–164**, 1107
Heffner, R.H., see P.C. Hammel **162–164**, 177
Heffner, R.H., see M. Takigawa **162–164**, 175, 853
Hegedü, Z., see M. Andersson **160**, 65
Heger, G., see G. Roth **162–164**, 518
Hehenkamp, Th., see F. Faupel **162–164**, 905
Heiden, C., see A. Höhler **162–164**, 607
Hein, M., E. Mahner, G. Müller, H. Piel, L. Ponto, M. Becks, U. Klein and M. Peiniger, Electrophoretic deposition of highly textured $YBa_2Cu_3O_{7-x}$ thick films **162–164**, 111
Heinemann, K., R. Wördenweber, J. Hoffmann, Y. Luo, B. Ullmann and H.C. Freyhardt, Phase formation and superconducting properties of Nb–Al thin films **162–164**, 433
Heinemann, K., see R. Wördenweber **162–164**, 965, 1601
Heinmaa, I., see E. Lippmaa **162–164**, 263
Heise, J., see C. Allgeier **157**, 293
Heise, J., see W. Reith **162–164**, 109
Helgesen, G., see Z.J. Yang **160**, 461; **162–164**, 1587
Hellman, E.S., E.H. Hartford and T.T.M. Palstra, Superconducting $(Rb,Ba)BiO_3$ thin films grown by molecular beam epitaxy **162–164**, 633
Hellmoldt, D., see J.V. Acrivos **162–164**, 1665
Helmersson, U., see T.I. Selinder **162–164**, 599
Hemmes, H., see E.N. van Enige **162–164**, 737
Hennion, B., see W. Reichardt **162–164**, 464
Hennion, B., see M. Aïn **162–164**, 1279
Hennion, M., I. Mirebeau, G. Coddens, A. Menelle, T.E. Phillips, K. Moorjani and M. Hervieu, Dynamics of Fe in superconducting $YBa_2(Cu_{1-x}Fe_x)_3O_y$ by neutron scattering **159**, 124
Henry, J.Y., see M. Horvatić **162–164**, 265
Henry, J.Y., see J. Rossat-Mignod **162–164**, 1269
Henry, J.Y., see J.X. Boucherle **162–164**, 1285
Hensel, B., see B. Roas **162–164**, 135
Hensel, B., see K.F. Renk **162–164**, 1085
Hensel, B., see J.P. Ströbel **162–164**, 1209
Hensley, D.W., see S.X. Dou **160**, 533
Hentsch, F., N. Winzek, M. Mehring, Hj. Mattausch and A. Simon, NMR shifts and relaxation of ^{205}Tl in the $Tl_2Ba_2CaCu_2O_8$ (2212) high-T_c-superconductor **158**, 137
Herath, J. and D. Rainer, Effects of impurities on Andreev reflection in an N–S bilayer **161**, 209
Hergt, R., see W. Andrä **162–164**, 349
Herman, F. and R.V. Kasowski, Electronic structure of Tl–Ba–Ca–Cu–O high T_c superconductors **162–164**, 1355
Hermann, A.M., see J.H. Wang **158**, 507
Hermann, A.M., see J. Stankowski **160**, 170
Hermann, A.M., see J.W. Ekin **160**, 489
Hermann, A.M., see C. Dong **161**, 257
Herpin, S., see P. Bernstein **162–164**, 611
Herr, S.L., see T. Timusk **162–164**, 841
Herrera, R., J. Reyes-Gasga, P. Schabes-Retchkiman, A. Gómez and M.J. Yacamán, On the long period superstructure of the superconducting phase $Bi_2Sr_2CaCu_2O_{8+x}$ **158**, 490
Herron, N., see J.B. Parise **159**, 255
Herron, N., see D. Jung **160**, 381
Herron, N., see C.M. Foster **162–164**, 1107
Hertel, P., J. Appel and J.C. Swihart, CDW instability near the superconducting transition in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 817

Hertel, P., see J. Appel **162–164**, 1499
Hervieu, M., see C. Martin **157**, 460
Hervieu, M., see D. Bourgault **158**, 511
Hervieu, M., see M. Hennion **159**, 124
Hervieu, M., see T. Rouillon **159**, 201
Hervieu, M., see G. Roth **162–164**, 518
Hess, N., see U. Dai **162–164**, 699
Hettich, B., see P. Birrer **158**, 230
Hettich, B., see M. Peuckert **162–164**, 893
Hewat, A.W., see R. Sonntag **159**, 141
Hewat, A.W., see E. Kaldis **159**, 668
Hewat, A.W., see M. Marezio **162–164**, 281
Hewat, E.A., C. Chaillout, M. Godinho, M.F. Gorius and M. Marezio, Electron beam induced superstructure in $Ba_{1-x}K_xBiO_{3-y}$ **157**, 228
Hewat, E.A., J.J. Capponi and M. Marezio, A model for the superstructure of $Bi_2Sr_2CaCu_2O_{8.2}$ **157**, 502
Hewat, E.A., J.J. Capponi, R.J. Cava, C. Chaillout, M. Marezio and J.L. Tholence, Electron microscopy of superconducting $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ **157**, 509
Hewat, E.A., see E. Kaldis **159**, 668
Hewat, E.A., see J.J. Capponi **162–164**, 53
Hewat, E.A., see M. Marezio **162–164**, 281
Heyen, E.T., see C. Thomsen **162–164**, 1079
Hidaka, S., see S. Onari **162–164**, 1343
Hidaka, Y., see Y. Tajima **158**, 237
Hidaka, Y., see W. Ting **162–164**, 448
Hidaka, Y., see B.J. Sternlieb **162–164**, 679
Hidaka, Y., see G.M. Luke **162–164**, 825
Hidaka, Y., see N.W. Preyer **162–164**, 1003
Hidaka, Y., see K. Yamaya **162–164**, 1009
Hidaka, Y., see M. Lang **162–164**, 1037
Hietaniemi, J., see I. Tittonen **162–164**, 1259
Higaki, K., see H. Itozaki **162–164**, 367
Higashi, Y., see A. Enokihara **161**, 431
Hihara, T., see K. Morimoto **159**, 849
Hikita, M., see Y. Tajima **158**, 237
Hillebrands, B., see P. Baumgart **162–164**, 1073
Hinks, D.G., see Y.S. Yao **157**, 247
Hinks, D.G., see J.F. Zasadzinski **158**, 519; **162–164**, 1053
Hinks, D.G., see B. Dabrowski **160**, 281; **162–164**, 91, 99
Hinks, D.G., see C.W. Kimball **162–164**, 95
Hinks, D.G., see S. Pei **162–164**, 556
Hinks, D.G., see R.H. Howell **162–164**, 1377
Hinks, D.G., see C.S. Sundar **162–164**, 1379
Hinks, D.G., B. Dabrowski, D.R. Richards, J.D. Jorgensen, S. Pei and J.F. Zasadzinski, Evidence for phonon-mediated coupling in superconducting $Ba_{1-x}K_xBiO_3$ **162–164**, 1405
Hintermann, H.E., see Ph. Flueckiger **162–164**, 1563
Hipler, K., see R. Gross **162–164**, 1603
Hirabayashi, M., see R. Sugise **157**, 131
Hiraga, K., see M. Kikuchi **158**, 79
Hiraga, K., see S. Nakajima **158**, 471; **160**, 458
Hiraga, K., see D. Shindo **159**, 794
Hiraga, K., see A. Tokiwa **161**, 459
Hiraga, K., see T. Kajitani **161**, 483
Hirai, T., see N. Kobayashi **159**, 295; **162–164**, 683
Hirai, T., see Y. Muto **162–164**, 105
Hirao, T., see K. Hirochi **160**, 273
Hirata, K., see K. Kamigaki **159**, 505
Hirata, K., see Y. Ochiai **161**, 447; **162–164**, 1033
Hirata, K., see T. Terashima **162–164**, 615
Hirata, K., see H. Mazaki **162–164**, 1641
Hirata, K., see K. Yamamoto **162–164**, 1643
Hiroaki, T., see S. Onari **162–164**, 1343
Hirochi, K., S. Hayashi, H. Adachi, T. Mitsuyu, T. Hirao, K. Setsune and K. Wasa, Optical properties of $Nd_{2-x}Ce_xCuO_4$ thin films **160**, 273
Hiroi, Z., see Y. Takeda **157**, 358
Hiroi, Z., M. Takano, Y. Bando, Y. Takeda and R. Kanno, Two-phase microstructures in $YBa_2Cu_3O_y$ observed by transmission electron microscopy **158**, 269
Hiroi, Z., see Y. Ikeda **159**, 93
Hirsch, J.E., Bond-charge repulsion and hole superconductivity **158**, 326
Hirsch, J.E., see F. Marsiglio **159**, 157; **162–164**, 1451
Hirsch, J.E., Hole superconductivity: the strong coupling limit **161**, 185
Hirsch, J.E. and F. Marsiglio, Hole superconductivity: review and some new results **162–164**, 591
Hirschfeld, P.J., see M. Gabay **162–164**, 823
Hirtz, J.P., see A. Schuhl **162–164**, 627
His, C., see R. Kuentzler **162–164**, 564
Hitotsuyanagi, H., see S. Takano **162–164**, 1535
Hitti, B., see P. Birrer **158**, 230; **162–164**, 153
Hizhnyakov, V., N. Kristoffel and E. Sigmund, On the percolation induced conductivity in high-T_c superconducting materials **160**, 119
Hizhnyakov, V., N. Kristoffel and E. Sigmund, On the percolation induced conductivity in high-T_c superconducting materials. Physica C 160, 119. Erratum **161**, 435
Ho, J.C., see Y.Y. Xue **158**, 211
Ho, J.C., see P.G. Wahlbeck **161**, 175
Ho, J.C., see C.S. Sundar **162–164**, 1379
Hoben, R., see W. Reith **162–164**, 109
Hodeau, J.-L., see P. Strobel **161**, 155
Hodeau, J.L., see H. Renevier **162–164**, 51
Hodeau, J.L., see J.J. Capponi **162–164**, 53
Hodeau, J.L., see M. Marezio **162–164**, 281
Hodeau, J.L., see P. Bordet **162–164**, 524
Hodges, J.A., see E. Vincent **159**, 863
Hodges, J.A., P. Imbert, J.B. Marimon Da Cunha and J.P. Sanchez, ^{166}Er Mössbauer absorption in $ErBa_2Cu_3O_{7-x}$ **160**, 49
Hodorowicz, E., S.A. Hodorowicz and H.A. Eick, A preparatory and phase study of the Tm–Ba–Cu–O system **158**, 127
Hodorowicz, S.A., see E. Hodorowicz **158**, 127
Hoff, H.A., M.S. Osofsky, W.L. Lechter, L.E. Toth, M. Rubinstein, T.A. Vanderah, B.N. Das, L.E. Richards, R.J. Soulen Jr., S.A. Wolf and C.S. Pande, The color of polarization in high temperature superconductors **162–164**, 1115
Hoffmann, J., see K. Heinemann **162–164**, 433

Hofmann, G., see E. Schuberth **162–164**, 415
Hofmann, U., see K.F. Renk **162–164**, 1085
Hohenemser, C., J. Saylor, A. Teh, J.I. Budnick, M. Filipkowski and B. Chamberland, PAC study of magnetic critical behavior and line broadening in La_2CuO_4 **162–164**, 1283
Höhler, A., H. Neeb and C. Heiden, Preparation and characterization of thin $Y_1Ba_2Cu_3O_{7-\delta}$ films made by DC magnetron sputtering **162–164**, 607
Höhler, A., see W. Ose **162–164**, 1081
Hohlwein, D., see R. Sonntag **159**, 141
Höhr, A., see H. Adrian **162–164**, 329
Hojou, K., see D. Shindo **159**, 794
Holba, P., see N. Nevřiva **157**, 334
Holber, W., see A. Gupta **162–164**, 127
Holcomb, M.J., C.E. Caley, G.T. Yee, J.P. Collman and W.A. Little, Thermal modulation spectroscopy of the high transition temperature superconductors **162–164**, 1071
Holland, D., see T.C. Shields **162–164**, 1265
Hollin, C.A., see J.S. Abell **162–164**, 909
Holtzberg, F., see D.E. Fowler **162–164**, 1303
Holtzberg, F., see I. Felner **162–164**, 1635
Holtzberg, F.H., see K.W. Blazey **157**, 16
Holz, A., Semiclassical theory of doped two-dimensional spin-1/2 antiferromagnet **162–164**, 1449
Homonnay, Z., see A. Nath **161**, 205
Honbo, E., see H. Kaga **161**, 677
Hong, M., see J. Kwo **162–164**, 623
Honma, T., see K. Yamaya **162–164**, 1009
Hor, P.H., see Y.Y. Xue **158**, 211
Hor, P.H., Y.Y. Xue, Y.Y. Sun, Y.C. Tao, Z.J. Huang, W. Rabalais and C.W. Chu, Structural anomalies in $Nd_{2-x}Ce_xCuO_{4-y}$: evidence for mixed valence and charge transfer **159**, 629
Hor, P.H., see J. Wosik **162–164**, 641
Hor, P.H., see C.S. Sundar **162–164**, 1379
Horie, Y., see T. Fukami **159**, 422, 427; **161**, 34
Horiuchi, T., see T. Kawai **161**, 561
Horn, S., see G. Sparn **162–164**, 508
Horng, H.E., J.C. Jao, M.H. Hsieh, H.C. Yang, B.C. Yao and C.H. Chen, Study of superconducting properties of oxygen deficient $GdBa_2Cu_3O_{7-y}$ by a heating cycle technique **158**, 480
Horng, H.E., see J.C. Jao **162–164**, 915
Horng, H.E., J.C. Jao and H.C. Yang, High temperature electrical and thermal properties of Bi–Ca–Sr–Cu–O samples **162–164**, 1025
Horng, H.E., see S.M. Fu **162–164**, 617, 619
Horsch, P., W.H. Stephan, K. van Szczepanski, M. Ziegler and W. von der Linden, Quasiparticles and photoemission spectra in correlated fermion systems **162–164**, 783
Horvatić, M., Y. Berthier, P. Butaud, Y. Kitaoka, P. Ségransan, C. Berthier, H. Katayama-Yoshida, Y. Okabe and T. Takahashi, ^{17}O NMR study of $YBa_2Cu_3O_{7-\delta}$ ($T_c = 92$ K) **159**, 689
Horvatić, M., see Y. Kitaoka **162–164**, 195
Horvatić, M., P. Ségransan, Y. Berthier, P. Butaud, Y. Kitaoka, C. Berthier, J.Y. Henry and M. Couach, NMR study of $^{63,65}Cu$ in $YBa_2Cu_3O_7$ to 6.65 single crystals **162–164**, 265
Hoser, A., see R. Sonntag **159**, 141
Hosoito, N., see T. Shinjo **159**, 869; **161**, 442
Hosoya, S., see Y. Koike **159**, 105
Houlton, R.J., see D.W. Cooke **162–164**, 1537
Howell, R.H., see A.L. Wachs **162–164**, 1375
Howell, R.H., H.B. Radousky, A.L. Wachs, M.J. Fluss, P.E.A. Turchi, Y.C. Jean, C.S. Sundar, C.W. Chu, R.N. Shelton and D.G. Hinks, Systematics in positron annihilation lifetime analysis of high T_c superconducting transitions **162–164**, 1377
Howell, R.H., see C.S. Sundar **162–164**, 1379
Hristov, T., see A. Groshev **160**, 317
Hsieh, M.H., see H.E. Horng **158**, 480
Hsu, T.C. and P.W. Anderson, Interlayer pair hopping: an experimental viewpoint **162–164**, 1445
Hu, J., S. Zhang, Q. Zhang, W. Cai, T. Deng, L. Zhang, Y. He and J. Xiang, Ultrasonic attenuation and velocity in BiSrCaCuO high T_c superconductor **162–164**, 444
Hu, S., see Y. Zhao **160**, 361
Hu, Z.Q., see G.W. Qiao **162–164**, 907
Huang, J.G., see G.W. Qiao **162–164**, 907
Huang, Q., J.F. Zasadzinski, K.E. Gray, E.D. Bukowski and D.M. Ginsberg, Point-contact tunneling study of the normal and superconducting states of $Tl_2Ba_2CaCu_2O_x$ **161**, 141
Huang, T., see D.C. Bullock **162–164**, 643
Huang, T.C., E. Moran, A.I. Nazzal and J.B. Torrance, Synthesis and X-ray characterization of superconducting and related $Ln_{2-x}Ce_xCuO_{4-y}$ (Ln = Nd and Gd) compounds **158**, 148
Huang, T.C., E. Moran, A.I. Nazzal, J.B. Torrance and P.W. Wang, Determination of the average ionic radius and effective valance of Ce in the $Nd_{2-x}Ce_xCuO_4$ electron superconductor system by X-ray diffraction **159**, 625
Huang, T.C., see E. Moran **160**, 30
Huang, T.C., see W.Y. Lee **160**, 511; **162–164**, 639
Huang, Y.T., see R.S. Liu **159**, 385; **162–164**, 869
Huang, Y.T., R.S. Liu, W.N. Wang and P.T. Wu, A new series of $(Tl_{1-y}Bi_y)(Ca_{1-x}Y_x)Sr_2Cu_2O_z$ superconductors with "1122" structure **162–164**, 39
Huang, Y.T., see W.H. Lee **162–164**, 323
Huang, Z.J., see Y.Y. Xue **158**, 211
Huang, Z.J., see P.H. Hor **159**, 629
Huang, Z.J., see C.S. Sundar **162–164**, 1379
Hudner, J., see P. Norling **162–164**, 107
Hudner, J., see H. Ohlsén **162–164**, 621
Huebener, R.P., see K. Bernhardt **161**, 468
Huebener, R.P., see R. Gross **162–164**, 1603
Huggins, R.A., see R. Beyers **162–164**, 548
Huggins, R.A., see B.T. Ahn **162–164**, 883
Hughes, R., see T. Timusk **162–164**, 841
Hughes, R., see M. Reedyk **162–164**, 1083
Hull, G.W., see J.-M. Tarascon **162–164**, 285
Hulliger, F., see A. Schilling **157**, 144; **161**, 626
Hulliger, F., see A. Schillinger **158**, 524
Humphreys, R.G., see J.S. Satchell **162–164**, 625
Hundley, M.F., J.D. Thompson, S.-W. Cheong, Z. Fisk and

S.B. Oseroff, Specific heat and anisotropic magnetic susceptibility of Pr_2CuO_4, Nd_2CuO_4 and Sm_2CuO_4 crystals **158**, 102
Hundley, M.F., see Z. Fisk **162–164**, 1681
Hünnekes, C., see P. Lemmens **162–164**, 452
Hunter, B., see S. Bosi **162–164**, 895
Hunter, B.A., S.L. Town, R.L. Davis, G.J. Russell and K.N.R. Taylor, Neutron scattering study of the structure of Y_2BaCuO_5 at 294 K and 77 K **161**, 594
Hutiray, Gy., see Á. Cziráki **162–164**, 560
Huttunen, J., see I. Tittonen **162–164**, 1259
Hwang, C., see D.C. Bullock **162–164**, 643
Hybertsen, M.S., see M. Schluter **162–164**, 583
Hyun, O.B., see M. Wacenovsky **160**, 55; **162–164**, 1629

Ibáñez, J., see M.A. Señaris-Rodriguez **162–164**, 85
Ibáñez, J., see U. Amador **162–164**, 873
Ibarra, M.R., see A. del Moral **161**, 48
Ichihashi, T., see Y. Shimakawa **157**, 279
Ichihashi, T., see Y. Kubo **162–164**, 991
Ido, T., see Y. Tokura **162–164**, 1231
Igarashi, H., see Y. Shimakawa **157**, 279
Igarashi, H., see T. Manako **158**, 143
Igarashi, H., see Y. Kubo **162–164**, 991
Igarashi, T., see K. Mori **162–164**, 512
Ignjatovic, D., see M.A. Stan **162–164**, 365
Ihara, H., see R. Sugise **157**, 131
Ihringer, J., see J. Waliszewski **160**, 189
Iijima, K., see J.S. Tsai **157**, 537
Iijima, K., see K. Kamigaki **159**, 505
Iijima, K., see Y. Ochiai **161**, 447; **162–164**, 1033
Iijima, K., see T. Terashima **162–164**, 615
Iijima, K., see H. Mazaki **162–164**, 1641
Iijima, K., see K. Yamamoto **162–164**, 1643
Iijima, S., see Y. Shimakawa **157**, 279
Iijima, S., see Y. Kubo **162–164**, 991
IJsselsteijn, R., see M.A.M. Gijs **162–164**, 1615
Ikeda, H., see R. Yoshizaki **162–164**, 67
Ikeda, R., T. Ohmi and T. Tsuneto, Fluctuation effects in high T_c superconductors in strong fields **162–164**, 1693
Ikeda, Y., H. Ito, S. Shimomura, Y. Oue, K. Inaba, Z. Hiroi and M. Takano, Phases and their relations in the Bi–Sr–Cu–O system **159**, 93
Ikeda, Y., see Y. Takeda **159**, 789
Ikeda, Y., see Y. Motoi **162–164**, 929
Iliev, M.N. and V.G. Hadjiev, Polarized Raman scattering from Bi-based HTS single crystals and its relation to the lattice dynamics of Y-123 compounds **157**, 495
Ilonca, Gh., S. Simon, I. Ardelean, R. Redac, O. Cozar and I. Barbur, Magnetic properties of Y–Ba–Cu–O ceramics undoped and doped with Ni and Dy **162–164**, 831
Ilonca, Gh., see S. Simon **162–164**, 1289
Ilyushin, A.S., see I.V. Zubov **162–164**, 37
Imai, T., H. Yasuoka, T. Shimizu, Y. Ueda, K. Yoshimura and K. Kosuge, Cu spin dynamics in high T_c and related oxides investigated by nuclear spin-lattice relaxation **162–164**, 169
Imbert, P., see J.A. Hodges **160**, 49
Inaba, K., see Y. Ikeda **159**, 93
Inaba, T., see K. Sekizawa **162–164**, 1277
Inokuchi, H., see H. Matsuyama **160**, 567
Inoue, J., M. Miyazaki and S. Maekawa, Density of states of a hole in the half-filled Hubbard model **157**, 209
Inoue, K., see A. Yamanaka **162–164**, 1099
Inui, M., P.B. Littlewood and S.N. Coppersmith, Effect of thermal fluctuation on magnetic flux depinning and the crossover from flux creep to flux flow **162–164**, 237
Inyushkin, A.V., see N.A. Babushkina **162–164**, 877
Ionov, A.M., see V.A. Grazhulis **159**, 404
Ipta, S., see J. Hauck **158**, 197
Iqbal, Z., see B.L. Ramakrishna **158**, 203
Iqbal, Z., B.L. Ramakrishna, F. Reidinger, H. Eckhardt and J.C. Barry, Structure and properties of a metallic, cubic thallium-doped barium cuprate **162–164**, 29
Iqbal, Z., N. Thadhani, K.A. Johnson, K.V. Rao, B.L. Ramakrishna, R. Sharma, F. Reidinger and H. Eckhardt, Microstructure and superconductivity of shock processed high T_c superconductors **162–164**, 885
Irkhin, V.Yu., M.I. Katsnelson and A.V. Trefilov, On the reconstruction of the conduction electron spectrum in metal-oxide superconductors owing to the interaction with coherent atomic displacements **160**, 397
Irwin, J.C., see J.P. Franck **162–164**, 753
Irwin, J.C., see J. Chrzanowski **162–164**, 1087
Ishibashi, S., see Y. Tokura **162–164**, 1231
Ishida, K., see H. Kamimura **162–164**, 781
Ishida, T., S. Nakamura, Y. Iye, K. Koga, S. Okui, K. Kanoda and T. Takahashi, Characterization of quenched $Bi_2Sr_2CaCu_2O_x$ **162–164**, 1005
Ishihara, S., see S. Takahashi **162–164**, 1511
Ishii, T. and T. Yamada, Anisotropic lower critical field of single crystal $Ba_2YCu_3O_y$ **159**, 483
Ishii, T., see H. Maruyama **160**, 524
Ishii, T., see K. Soda **161**, 219
Ishii, T., see A. Matsuda **162–164**, 371
Ishikawa, M., see Y. Nakazawa **158**, 381; **162–164**, 83
Ishikawa, M., see L. Rebelsky **160**, 197
Ishikawa, M., see K. Soda **161**, 219
Isikawa, Y., see K. Mori **162–164**, 512, 923
Ithnin, R., see J.V. Acrivos **162–164**, 1665
Ito, A., see T. Tamaki **162–164**, 987
Ito, H., see Y. Ikeda **159**, 93
Itoh, M., Y. Hasegawa, H. Yasuoka, Y. Ueda and K. Kosuge, ^{7}Li NMR in the superconducting $Li_{1+x}Ti_{2-x}O_4$ spinel compounds **157**, 65
Itoh, M., see R. Liang **157**, 83
Itoh, M., K. Karashima, M. Kyogoku and I. Aoki, Cu NQR investigations of the R^{3+} paramagnetic fluctuations in high-T_c superconductors $RBa_2Cu_3O_{7-y}$ (R: rare earth) **160**, 177
Itoh, M., see T. Atake **162–164**, 488
Itoh, T., see H. Nagata **161**, 66
Itozaki, H., K. Higaki, K. Harada, S. Tanaka, S. Yazu and K. Tada, Properties of high J_c BiSrCaCuO and TlBaCaCuO thin film **162–164**, 367

Ivanenko, O.M., see A.I. Pavlovskii **162–164**, 1659
Ivanenko, O.M., see A.I. Golovashkin **162–164**, 1661
Ivanitsky, P.G., see V.G. Bar'yakhtar **162–164**, 466
Ivanov, P., see M. Borik **162–164**, 727
Ivanov, Tz., see M.D. Mateev **162–164**, 993
Ivanov, V.A. and R.O. Zaitsev, The antiferromagnetic order in the Hubbard model **162–164**, 763
Ivanov, V.A., The kinematic mechanism of superconductivity in the d-, p-electron system **162–164**, 1485
Ivanova, L.I., see N.V. Anshuokova **162–164**, 1657
Iwabuchi, Y., see Y. Koike **159**, 105
Iwama, S., see R.M. Bowley **159**, 51
Iwański, W., see I. Natkaniec **162–164**, 1359
Iwasaki, H., see M. Kikuchi **158**, 79
Iwasaki, H., see S. Nakajima **158**, 471
Iwasaki, H., see N. Kobayashi **159**, 295; **162–164**, 683
Iwasaki, H., N. Kobayashi, M. Kikuchi, Y. Syono, Y. Muto and S. Nakajima, Anisotropic superconducting properties of high-T_c Tl–Ba–Ca–Cu–O single crystal **159**, 301
Iye, Y., see T. Tamegai **159**, 181
Iye, Y., S. Nakamura and T. Tamegai, Absence of current direction dependence of the resistive state of high temperature superconductors in magnetic fields **159**, 433
Iye, Y., S. Nakamura and T. Tamegai, Hall effect in high temperature superconductors near T_c **159**, 616
Iye, Y., see T. Ishida **162–164**, 1005
Iyer, R.M., see P.V.P.S.S. Sastry **157**, 491; **161**, 656
Iyer, R.M., see P.K. Pujari **159**, 75
Iyer, R.M., see R. Srinivasan **159**, 797
Iyer, R.M., see I.K. Gopalakrishnan **159**, 811
Iyer, R.M., see M.D. Sastry **160**, 69; **162–164**, 1589
Iyer, R.M., G.M. Phatak, K. Gangadharan, M.D. Sastry, R.M. Kadam, P.V.P.S.S. Sastry and J.V. Yakhmi, Superconducting transition temperature of single-phase Tl-2223: crucial role of Ca-vacancies and Tl-content **160**, 155
Iyo, A., see H. Uwe **162–164**, 743
Izumi, F., E. Takayama-Muromachi, Y. Nakai and H. Asano, Structure refinement of $La_{1.9}Ca_{1.1}Cu_2O_6$ with neutron powder diffraction data **157**, 89
Izumi, F., see H. Maeda **157**, 483
Izumi, F., Y. Matsui, H. Takagi, S. Uchida, Y. Tokura and H. Asano, Neutron and electron diffraction study of the electron-doped superconductor $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ **158**, 433
Izumi, F., E. Takayama-Muromachi, A. Fujimori, T. Kamiyama, H. Asano, J. Akimitsu and H. Sawa, Metal ordering and oxygen displacements in (Nd, Sr, Ce)$_2$CuO$_{4-y}$ **158**, 440
Izumi, F., see E. Takayama-Muromachi **159**, 634
Izumi, F., H. Kito, H. Sawa, J. Akimitsu and H. Asano, Oxygen deficiency and atomic displacements in superconducting $(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+z}$ **160**, 235

Jacak, L., see P. Wróbel **157**, 221
Jacobson, A.J., see S. Pei **162–164**, 556
Jaeger, H., see M. Weller **162–164**, 953
Jain, K.P., R. Ramakumar and C.C. Chancey, Superconducting correlations in the one- and two-band Hubbard models **162–164**, 793
James, A.C.W.P., see C.H. Chen **160**, 375
James, J.H., see B.J. Kellett **162–164**, 713
Janaki, J., see A. Bharathi **162–164**, 1309
Janawadkar, M.P., see R. Baskaran **158**, 406
Janawadkar, M.P., see Y. Hariharan **162–164**, 887
Janovsky, V.K., see K.K. Bourdelle **162–164**, 949
Jao, J.C., see H.E. Horng **158**, 480; **162–164**, 1025
Jao, J.C., see S.M. Fu **162–164**, 619
Jao, J.C., L.J. Chang, H.E. Horng and H.C. Yang, Superconductivity in Bi–Pb–Ca–Sr–Cu–O system **162–164**, 915
Jardim, R.F. and S. Gama, Enhanced grain growth in $YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$ compounds **159**, 306
Javadi, H.H.S., see D.W. Cooke **162–164**, 1537
Jayaprakash, C., see H.R. Krishnamurthy **162–164**, 1447
Jayaram, B., see S.B. Ota **157**, 520; **158**, 298
Jayaram, B., P.C. Lanchester and M.T. Weller, Superconductivity and localisation in $Bi_2Sr_2Ca_{1-x}RE_xO_{8+d}$ (RE = Nd, Sm, Gd and Dy) system **160**, 17
Jean, Y.C., see A.L. Wachs **162–164**, 1375
Jean, Y.C., see R.H. Howell **162–164**, 1377
Jean, Y.C., see C.S. Sundar **162–164**, 1379
Jedrzejek, C. and M. Streszewski, Numerical simulation of the ferromagnetic state in a Hubbard cluster **162–164**, 1523
Jegondaz, J., see D. Shaltiel **161**, 13
Jennison, D.R., see E.B. Stechel **162–164**, 765
Jensen, D.G., see P. Goodman **158**, 173
Jensen, M., see B.W. Veal **162–164**, 97
Jenssen, H.P., see N.W. Preyer **162–164**, 1003
Jenssen, H.P., see C.Y. Chen **162–164**, 1031
Jenssen, H.P., see T. Thio **162–164**, 1301
Jha, S.S., Anisotropic superconductivity in high-T_c layered crystals **162–164**, 203
Jiang, I.M., see S.T. Lin **159**, 188
Jiang, M., see G.W. Qiao **162–164**, 907
Jiang, P.Z., see R.S. List **159**, 439
Jiang, P.Z., see C.G. Olson **162–164**, 1697
Jilek, E., see J. Karpinski **160**, 449; **161**, 618
Jimenez, M., see R.W. Gomez **162–164**, 989
Jin, R., F. Shi, Q. Ran, N. Shi, Z. Shi and S. Zhou, The specific heat of the single-phase (Bi, Pb)$_2$Sr$_2$Ca$_2$Cu$_3$O$_{10+y}$ superconductor **158**, 255
Jin, W., see A.K. Rajagopal **162–164**, 247
Jing, T.W., Z.Z. Wang and N.P. Ong, Andreev reflection and the proximity effect in Au–$YBa_2Cu_3O_7$ junctions with ultra-low interface resistance **162–164**, 1061
Jo, M., see R. Sugise **157**, 131
Job, R., M. Rosenberg and K. Nahm, A magnetic study of $Y_{1-x}R_xBa_2Cu_3O_{7-\delta}$ ceramic superconductors with R = Dy and Er **162–164**, 43
Job, R., see M. Rosenberg **162–164**, 729
Jodlbauer, H., see H. Kuzmany **162–164**, 1219
Jodlbauer, H., see W. Lang **162–164**, 1639
Johansen, T.H., see Z.J. Yang **160**, 461; **162–164**, 1587
Johansson, E., see H. Ohlsén **162–164**, 621

Johansson, L.-G., see S.G. Eriksson **162–164**, 59, 73
Johnson, J., see F.J. Blunt **162–164**, 1605
Johnson, J.D., A.M. Campbell, F.J. Blunt and N.McN. Alford, Screening of electromagnetic fields by particulate superconductors **162–164**, 1607
Johnson, K.A., see Z. Iqbal **162–164**, 885
Johnson, K.H., see D.P. Clougherty **162–164**, 1475
Johnson, R.L., see A. Grassmann **162–164**, 1383
Jol, J.C., H.B. Brom, J. van den Berg, R.A. Zacher and M. Besselink, Spin dynamics in $YBa_2Cu_3O_{7-\delta}$ with $0.0 \leq \delta \leq 0.6$ studied by ^{89}Y-NMR **162–164**, 191
Joliber, E., see M.T. Malachevsky **162–164**, 939
Jones, I.P., see Y. Feng **162–164**, 943
Jones, T.E., P.M. Thibado, W.C. McGinnis, R.D. Boss, J.W. Schindler and S. Oseroff, Substitutions of 3-d transition metal ions for copper in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ **162–164**, 25
Jones, W.K., see S.X. Dou **158**, 97
Joon, E., see E. Lippmaa **162–164**, 263
Jorgensen, J.D., see B.D. Dunlap **158**, 397
Jorgensen, J.D., see T. Egami **162–164**, 93
Jorgensen, J.D., see B. Dabrowski **162–164**, 99
Jorgensen, J.D., see B.H. Toby **162–164**, 101
Jorgensen, J.D., see S. Pei **162–164**, 556
Jorgensen, J.D., see D.G. Hinks **162–164**, 1405
Josefowicz, J.Y., see D.W. Cooke **162–164**, 1537
Joubert, J.C., see M. Langlet **162–164**, 137
Joynt, R., Superconducting phases of heavy fermion superconductors **162–164**, 1673
Julien, J.P., see D.A. Papaconstantopoulos **162–164**, 1435
Julsrud, S., see B.E. Vigeland **162–164**, 546
Jung, D., see J. Ren **158**, 501; **159**, 151
Jung, D., M.-H. Whangbo, N. Herron and C.C. Torardi, Difference between single and double Tl–O layers for generating holes in Tl-based copper-oxide superconductors **160**, 381
Jung, G., A. Dąbkowski, P. Gierłowski and W. Kula, Improved microstructure of superconducting Y–Ba–Cu–O films deposited on $LaAlO_3$ substrates **158**, 419
Jung, G., see R. Sobolewski **162–164**, 631
Jung, G., see J. Konopka **162–164**, 1041
Jung, G. and J. Konopka, Josephson and quantum interferometer effects in microwave emission from high-T_c Y–Ba–Cu–O films **162–164**, 1567
Jung, J., see M.K. Yu **162–164**, 468
Jung, J., see J.P. Franck **162–164**, 753
Jung, J., M.A.-K. Mohamed and J.P. Franck, Flux creep and penetration in Fe-doped $Y_1Ba_2Cu_3O_7$ **162–164**, 1183
Jung, J., see M.A.-K. Mohamed **162–164**, 1185
Junod, A., see D. Shaltiel **157**, 240
Junod, A., D. Eckert, G. Triscone, V.Y. Lee and J. Muller, Specific heat (1–330 K), Meissner effect and magnetic susceptibility of $Tl_2Ba_2Ca_2Cu_3O_{10}$, $Tl_2Ba_2CaCu_2O_8$ and $Tl_2Ba_2CuO_6$ ceramic samples **159**, 215
Junod, A., see G. Triscone **162–164**, 470
Junod, A., D. Eckert, G. Triscone, J. Muller and V.Y. Lee, Specific heat (1–330 K), magnetic susceptibility and Meissner effect of Tl–Ba–Ca–Cu–O samples **162–164**, 476
Junod, A., D. Eckert, G. Triscone, J. Muller and W. Reichardt, Specific heat (1–330 K), magnetic susceptibility (5–250 K) and phonon DOS of CuO: a study of the magnetic transitions **162–164**, 478
Junod, A., D. Eckert, G. Triscone, O. Brunner, J. Muller and Z.-X. Zhao, Specific heat (1–330 K), magnetic susceptibility and Meissner effect of Bi–(Pb)–Sr–Ca–Cu–O samples **162–164**, 480
Junod, A., D. Eckert, T. Graf, G. Triscone and J. Muller, $YBa_2Cu_3O_{7-\delta}$: improvement of the specific heat behavior at low temperatures and near T_c **162–164**, 482
Junod, A., D. Eckert, T. Graf, G. Triscone and J. Muller, Thermodynamic and magnetic properties of oxide superconductors **162–164**, 1401
Jurgens, M.J., see J. Rossat-Mignod **162–164**, 1269
Jurgens, M.J., see J.X. Boucherle **162–164**, 1285
Juri, G., see A.C. Mota **162–164**, 695, 1152
Jüttner, K., see A. Pinkowski **162–164**, 1039

Kabius, B., M.E. Gómez, P. Prieto, S. Thierfeldt and R.R. Arons, TEM investigation on the crystal structure of the high-T_c superconductor system Bi–Pb–Sr–Ca–Cu–O doped with Sb **162–164**, 635
Kabuto, C., see T. Kajitani **161**, 483
Kachi, T., see M. Ohkubo **160**, 480; **161**, 443
Kadam, R.M., see E.V. Sampathkumaran **159**, 267
Kadam, R.M., see R.M. Iyer **160**, 155
Kadam, R.M., see M.D. Sastry **162–164**, 1589
Kadin, A.M., W.R. Donaldson, P.H. Ballentine and R. Sobolewski, Nonequilibrium hot-electron transport in optically irradiated YBCO films **162–164**, 387
Kadomtseva, A.M., N.P. Kolmakova, I.B. Krynetskii, R.Z. Levitin, V.V. Snegirev and A.K. Zvezdin, High-field rare-earth magnetostriction of high-T_c $HoBa_2Cu_3O_{7-\delta}$ compounds **162–164**, 1361
Kadono, R., see R.F. Kiefl **162–164**, 161
Kadono, R., see J.H. Brewer **162–164**, 33, 157
Kadono, R., see B.J. Sternlieb **162–164**, 679
Kadono, R., see G.M. Luke **162–164**, 825
Kadono, R., see Y.J. Uemura **162–164**, 857
Kadowaki, K., see H.W. Zandbergen **158**, 155; **161**, 390
Kadowaki, K., M.J.V. Menken and A.C. Moleman, Synthesis, phase formation and high-T_c superconductivity at 78 K of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **159**, 165
Kadowaki, K., see J.N. Li **161**, 313
Kadowaki, K., A.C. Moleman, M.J.V. Menken, H.W. Zandbergen, A.A. Menovsky and J.J.M. Franse, High temperature structural instability of the high-T_c superconductor $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 516
Kadowaki, K., see W.G. Haije **162–164**, 875
Kadowaki, K., see C.F.J. Flipse **162–164**, 1389
Kadowaki, K., see P.H. Kes **162–164**, 1621
Kaga, H. and T. Yoshida, Quasiparticle interactions due to charge and spin fluctuations in the lattice heavy-fermion states **159**, 727

Kaga, H. and E. Honbo, Pairing states in the cubic-lattice heavy-fermion model **161**, 677
Kahn, R., A. Brulet, G. Collin and B. Farnoux, Small-angle neutron scattering in monocrystalline YBaCuO **159**, 323
Kaiho, K., see K. Takahashi **162–164**, 381
Kaindl, G., see C. Laubschat **162–164**, 1317
Kaindl, G., see O. Strebel **162–164**, 1331
Kaiser, G., see M. Weller **162–164**, 953
Kaiser, J.H., see A.L. Wachs **162–164**, 1375
Kaiser, R., see R. Hackl **162–164**, 431
Kajitani, T., K. Hiraga, S. Nakajima, M. Kikuchi, Y. Syono and C. Kabuto, X-ray diffraction analysis on 2223 Tl-oxide single crystals **161**, 483
Kajitani, T., see T. Sasaki **162–164**, 504
Kakihana, M., see S.G. Eriksson **162–164**, 59, 73
Kakihana, M., L. Börjesson, S.G. Eriksson, P. Svedlindh and P. Norling, Synthesis of highly pure $YBa_2Cu_3O_{7-\delta}$ superconductors using a colloidal processing technique **162–164**, 931
Kakihana, M., L. Börjesson, L.M. Torell and S.G. Eriksson, Phonon Raman scattering and structure of Co substituted $YBa_2Cu_3O_{6+\delta}$ **162–164**, 1245
Kakihana, M., L. Börjesson and S.G. Eriksson, Raman scattering and X-ray diffraction in Ni and Zn substituted $YBa_2Cu_3O_{6+\delta}$ **162–164**, 1251
Kakihana, M., L. Börjesson and S.G. Eriksson, The influence of oxygen variation on Raman scattering and X-ray diffraction from $BaCuO_{2-\delta}$ **162–164**, 1253
Kakurai, K., see G.M. Luke **162–164**, 825
Kakurai, K., see T.M. Riseman **162–164**, 1555
Kaldis, E., see B. Bucher **157**, 478
Kaldis, E., P. Fischer, A.W. Hewat, E.A. Hewat, J. Karpinski and S. Rusiecki, Low temperature anomalies and pressure effects on the structure and T_c of the superconductor $YBa_2Cu_4O_8$ (T_c+0 K) **159**, 668
Kaldis, E., see H. Zimmermann **159**, 681
Kaldis, E., see J. Karpinski **160**, 449; **161**, 618
Kaldis, E., see B. Pümpin **162–164**, 151
Kaldis, E., see H. Schiefer **162–164**, 171
Kaldis, E., see P. Bordet **162–164**, 524
Kalnova, I.Yu., see N.A. Babushkina **162–164**, 877
Kamarás, K., see T. Timusk **162–164**, 841
Kamarás, K., see M. Reedyk **162–164**, 1083
Kambe, S., K. Kitazawa, M. Naito, A. Fukuoka, I. Tanaka and H. Kojima, Anisotropic resistivity in the two-dimensional metal $(La_{1-x}Sr_x)_2CuO_4$ **160**, 35
Kambe, S., M. Naito, K. Kitazawa, I. Tanaka and H. Kojima, Broadening of the fluctuation region under magnetic field in $(La, Sr)_2)_2CuO_4$ single crystal **160**, 243
Kambe, S., see K. Kitazawa **162–164**, 1017
Kamigaki, K., H. Terauchi, T. Terashima, Y. Bando, K. Iijima, K. Yamamoto and K. Hirata, X-ray study on a 100 Å-thick $YBa_2Cu_3O_{7-\delta}$ epitaxial film: the relationship between the orthorhombic symmetry and superconductivity **159**, 505
Kamigaki, K., see T. Terashima **162–164**, 615
Kamimura, H., S. Matsuno and K. Ishida, Possible mechanism of superconductivity in electron superconducting cuprates **162–164**, 781
Kamitsos, E.I., see E. Liarokapis **157**, 551
Kamiya, K., see J. Tanaka **161**, 451; **162–164**, 1117
Kamiyama, T., see F. Izumi **158**, 440
Kampwirth, R.T., see K.C. Woo **162–164**, 1011
Kamura, T., see T. Fukami **159**, 422, 427; **160**, 391
Kaneko, K., see T. Nonaka **160**, 517
Kang, D.B., see M.-H. Whangbo **158**, 371
Kang, J.H., see K.C. Woo **162–164**, 1011
Kannewurf, C.R., see J. Zhao **159**, 710
Kanno, R., see Y. Takeda **157**, 358; **159**, 789
Kanno, R., see Z. Hiroi **158**, 269
Kanoda, K., T. Takahashi and G. Saito, Complex susceptibility and penetration depth of the organic superconductor, $(BEDT\text{-}TTF)_2Cu(NCS)_2$ **162–164**, 405
Kanoda, K., see T. Ishida **162–164**, 1005
Kantser, V.G., see M.P. Boiko **162–164**, 506
Kapitulnik, A., see P. Kuiper **157**, 260
Kapitulnik, A., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Kapitulnik, A., see G. Sparn **162–164**, 508
Kapitulnik, A., see C.-B. Eom **162–164**, 605
Kapitulnik, A., see J.Z. Sun **162–164**, 687
Kapusta, S., see V.G. Grebinnik **162–164**, 145
Karashima, K., see M. Itoh **160**, 177
Karasik, V.R., see V.G. Grebinnik **162–164**, 145
Karel, V., see Á. Cziráki **162–164**, 560
Karen, P., see H. Fjellvåg **162–164**, 49
Karkin, A.E., see S.A. Davydov **161**, 549
Karkin, A.E., see B.N. Goshchitskii **162–164**, 997, 1019, 1023
Karkut, M.G., see J.-M. Triscone **158**, 293
Karkut, M.G., see A.J. Vermeer **162–164**, 409
Karkut, M.G., see L. Antognazza **162–164**, 411
Karkut, M.G., see O. Brunner **162–164**, 647
Karkut, M.G., see A.D. Kent **162–164**, 1035
Karpinski, J., see B. Bucher **157**, 478
Karpinski, J., see E. Kaldis **159**, 668
Karpinski, J., see H. Zimmermann **159**, 681
Karpinski, J., S. Rusiecki, E. Kaldis, B. Bucher and E. Jilek, Phase diagrams of $YBa_2Cu_4O_8$ and $YBa_2Cu_{3.5}O_{7.5}$ in the pressure range 1 bar $\leq P_{O_2} \leq$ 3000 bar **160**, 449
Karpinski, J., S. Rusiecki, B. Bucher, E. Kaldis and E. Jilek, The nonstoichiometry of the high-T_c superconductor $Y_2Ba_4Cu_7O_{15\pm x}$ (14 K $\leqslant T_c \leqslant$ 68 K) **161**, 618
Karpinski, J., see P. Bordet **162–164**, 524
Karppinen, M., see I. Tittonen **162–164**, 1259
Kashiwakura, T., see H. Matsuyama **160**, 567
Kasowski, R.V., see F. Herman **162–164**, 1355
Kastner, M.A., see N.W. Preyer **162–164**, 1003
Kastner, M.A., see C.Y. Chen **162–164**, 1031
Kastner, M.A., see T. Thio **162–164**, 1301
Kataoka, M., Electronic-instability-caused high-temperature superconductivity in the perovskite-family oxides **162–164**, 1513
Katayama-Yoshida, H., see M. Horvatić **159**, 689
Katayama-Yoshida, H., see H. Matsuyama **160**, 567; **162–164**, 1319

Katayama-Yoshida, H., see Y. Kitaoka **162–164**, 195
Katayama-Yoshida, H., see A. Bianconi **162–164**, 209
Katayama-Yoshida, H., see R. Nishitani **162–164**, 1255
Katayama-Yoshida, H., see T. Takahashi **162–164**, 1323
Katila, T., see I. Tittonen **162–164**, 1259
Kato, K., see E. Takayama-Muromachi **158**, 449; **159**, 634
Katsnelson, M.I., see V.Yu. Irkhin **160**, 397
Kaul, A.R., see B.A. Aminov **160**, 505
Kawabe, H., see N. Kobayashi **159**, 295; **162–164**, 27, 683
Kawabe, H., see Y. Muto **162–164**, 105
Kawaguchi, K., see M. Nakao **162–164**, 677
Kawai, M., see R. Sekine **159**, 161
Kawai, S., see T. Kawai **161**, 561
Kawai, T., T. Horiuchi, K. Mitsui, K. Ogura, S. Takagi and S. Kawai, Effect of alkaline metal substitutions to Bi–Sr–Ca–Cu–O superconductor **161**, 561
Kawaji, H., see T. Atake **162–164**, 488
Kawanaka, H., see T. Takabatake **157**, 263
Kawasaki, K., see R. Aoki **162–164**, 921
Kawoski, R.V., M.-H. Tsai, J.D. Dow and M.T. Czyzyk, Self-consistent antiferromagnetic ground state for La_2CuO_4 and CuO via energy band theory **162–164**, 1349
Kcharlanov, A.L., see A.A. Gippius **162–164**, 255
Kehlenbeck, M., see H.-U. Krebs **162–164**, 119
Keller, H., see B. Pümpin **162–164**, 151
Keller, J., see K.F. Renk **162–164**, 1085
Keller-Berest, F., S. Megtert, G. Collin, P. Monod and M. Ribault, The $(Y_{1-x}Ca_x)(Ba_{2-x}La_x)Cu_3O_7$ system and the pseudo "$CaBaLaCu_3O_7$" **161**, 150
Kellett, B.J., J.H. James, A. Gauzzi, B. Dwir and D. Pavuna, Superconducting $YBa_2Cu_3O_7$ thin films grown in-situ by ion beam co-deposition **162–164**, 713
Kelly, M.K., P. Barboux, J.-M. Tarascon, D.E. Aspnes, P.A. Morris and W.A. Bonner, Optical properties related to local structures in Cu–O superconductors **162–164**, 1123
Kemmler-Sack, S., see R. Sonntag **159**, 141
Kempton, J.F., see J.H. Brewer **162–164**, 33
Kempton, J.R., see J.H. Brewer **162–164**, 157
Kempton, J.R., see R.F. Kiefl **162–164**, 161
Kent, A.D., see O. Brunner **162–164**, 647
Kent, A.D., I. Maggio-Aprile, Ph. Niedermann, Ch. Renner, J.-M. Triscone, M.G. Karkut, O. Brunner, L. Antognazza and Ø. Fischer, Direct measurements of the local electron transport properties in YBaCuO superconducting thin films **162–164**, 1035
Kerchner, H.R., see D.K. Christen **162–164**, 653
Kerchner, H.R., R. Feenstra, J.O. Thomson, J.R. Thompson, Y.C. Kim, D.K. Christen and S.T. Sekula, Magnetic hysteresis and ac response of $YBa_2Cu_3O_z$ films **162–164**, 1557
Kerhervé, F., see F. Rochet **159**, 447
Kerherve, F., see E. Faulques **162–164**, 1105
Kes, P.H., see P. Berghuis **162–164**, 1169
Kes, P.H., see J. van den Berg **162–164**, 1189
Kes, P.H., J.N. Li, L.W. Roeland, F.R. de Boer, K. Kadowaki, M.J.V. Menken, A.A. Menovsky, P. Koorevaar and J.J.M. Franse, Irreversible magnetic properties of $YBa_2Cu_3O_7$ single crystals in fields to 40 T **162–164**, 1621
Ketterson, J.B., see J.M. Chabala **162–164**, 75
Khomskii, D.I., Influence of thermal phonons on a local-pair superconductivity **162–164**, 245
Khrustalev, B.P., see K.S. Aleksandrov **161**, 493
Kiefl, R.F., E.J. Ansaldo, J.H. Brewer, J.F. Carolan, P. Dosanjh, W.N. Hardy, R. Kadono, J.R. Kempton, W.J. Kossler, R. Krahn, S.R. Kreitzman, G.M. Luke, P.W. Schleger, C.L. Seaman, B.J. Sternlieb, H. Takagi, S. Uchida, Y.J. Uemura, B.X. Yang, X.H. Yu and H. Zhou, μSR study of magnetism in $La_{1.85}Sr_{0.15}CuO_4$ and $YBa_2Cu_3O_x$ below 90 mK **162–164**, 161
Kiefl, R.F., see J.H. Brewer **162–164**, 33, 157
Kiefl, R.F., see B.J. Sternlieb **162–164**, 679
Kiefl, R.F., see G.M. Luke **162–164**, 825
Kiefl, R.F., see Y.J. Uemura **162–164**, 857
Kiefl, R.F., see T.M. Riseman **162–164**, 1555
Kiemel, R., see R. Sonntag **159**, 141
Kikuchi, M., S. Nakajima, Y. Syono, K. Hiraga, T. Oku, D. Shindo, N. Kobayashi, H. Iwasaki and Y. Muto, Preparation of the bulk superconductor $Tl_2Ba_2Ca_3Cu_4O_{12}$ **158**, 79
Kikuchi, M., see S. Nakajima **158**, 471; **160**, 458
Kikuchi, M., see H. Iwasaki **159**, 301
Kikuchi, M., see D. Shindo **159**, 794
Kikuchi, M., see T. Oashi **161**, 367
Kikuchi, M., see A. Tokiwa **161**, 459
Kikuchi, M., see T. Kajitani **161**, 483
Kikuchi, M., see T. Suzuki **162–164**, 1387
Kikuchi, R. and J.-S. Choi, Low temperature behavior of the $YBa_2Cu_3O_{6+2x}$ phase diagram **160**, 347
Kim, B.F., J. Bohandy, T.E. Phillips, F.J. Adrian and K. Moorjani, Detection of weak link superconductivity by magnetically modulated electrical resistance **161**, 76
Kim, J.H., K. Levin, R. Wentzcovitch and A. Auerbach, Electron–phonon interactions in copper-oxides **162–164**, 1463
Kim, S., see J.E. Gordon **162–164**, 484
Kim, S., R.A. Fisher, N.E. Phillips and J.E. Gordon, Specific heat of high-T_c $YBa_2(Cu_{3-x}M_x)O_7$ with M = Cr or Zn **162–164**, 494
Kim, S., see R.A. Fisher **162–164**, 502
Kim, S., see N.E. Phillips **162–164**, 413, 1651
Kim, S.A., see H. Ledbetter **162–164**, 460
Kim, T.Y., see K.J. Kwon **159**, 659
Kim, Y.C., see H.R. Kerchner **162–164**, 1557
Kim, Y.H., see C.M. Foster **162–164**, 1107
Kimball, C.W., see B.D. Dunlap **158**, 397
Kimball, C.W., see B. Dabrowski **160**, 281; **162–164**, 91
Kimball, C.W., W. Peng, R.H. Hannon, H. Lee, A.P. Genis, V.J. Melim, B. Dabrowski, D.R. Richards and D.G. Hinks, Chemistry and superconducting behavior of Sb-substituted Bi/Pb-based oxides **162–164**, 95
Kimishima, Y. and H. Kittaka, Antiferromagnetic phase transition in $Bi_2Sr_2YCu_2O_{8.37}$ **160**, 136
Kinder, H., see M. Obry **162–164**, 389
King, P.J., see R.M. Bowley **159**, 51

Kinoshita, K., see A. Matsuda **162–164**, 371
Kirillov, B.F., see V.G. Grebinnik **162–164**, 145
Kirk, M.A., M.C. Frischherz, J.Z. Liu, L.L. Funk, L.J. Thompson, E.A. Ryan, S.T. Ockers and H.W. Weber, Defect structures preceding amorphization by ion irradiations in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 532
Kishio, K., see T. Nonaka **160**, 517
Kishio, K., K. Kitazawa, K. Suzuki, T. Hasegawa and K. Fueki, Oxygen diffusion in $Ba_2YCu_3O_{7-\delta}$ investigated by thermogravimetric relaxation technique **162–164**, 55
Kitaguchi, H., J. Takada, K. Oda, A. Osaka, Y. Miura, Y. Tomii, H. Mazaki and M. Takano, Magnetic suspension of a Bi, Pb–Sr–Ca–Cu–O superconductor due to the Meissner effect **157**, 267
Kitaoka, Y., see M. Horvatić **159**, 689; **162–164**, 265
Kitaoka, Y., Y. Berthier, P. Butaud, M. Horvatić, P. Ségransan, C. Berthier, H. Katayama-Yoshida, Y. Okabe and T. Takahashi, NMR study of ^{17}O in high T_c superconducting oxides **162–164**, 195
Kitazawa, K., see S. Kambe **160**, 35, 243
Kitazawa, K., see T. Nonaka **160**, 517
Kitazawa, K., see K. Kishio **162–164**, 55
Kitazawa, K., S. Kambe, M. Naito, I. Tanaka and H. Kojima, Broadened resistive transition under magnetic field and its mechanism in single crystalline $(La, Sr)_2CuO_4$ **162–164**, 1017
Kito, H., see F. Izumi **160**, 235
Kittaka, H., see Y. Kimishima **160**, 136
Kiuchi, M., see N. Kobayashi **162–164**, 27
Kjekshus, A., see H. Fjellvåg **162–164**, 49
Klabunde, C.E., see D.K. Christen **162–164**, 653
Klauda, M., see J.P. Ströbel **162–164**, 1209
Klauda, M., see A. Grassmann **162–164**, 1383
Klaumünzer, S., see B. Roas **162–164**, 135
Klavins, P., see D.C. Bullock **162–164**, 331
Klee, M., see G. Marbach **161**, 111
Klee, M., see J.W.C. de Vries **161**, 661
Klehe, A.-K., see W. Reith **162–164**, 109
Klein, M.V., see D.M. Ginsberg **162–164**, 486
Klein, M.V., see F. Slakey **162–164**, 1095
Klein, M.V., The Raman-active continuum in high temperature superconductors and its interactions with phonons **162–164**, 1701
Klein, N., see D.W. Cooke **162–164**, 1537
Klein, N., G. Müller, S. Orbach, H. Piel, H. Chaloupka, B. Roas, L. Schultz, U. Klein and M. Peiniger, Millimeter wave surface resistance and London penetration depth of epitaxially grown $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 1549
Klein, U., see M. Hein **162–164**, 111
Klein, U., see N. Klein **162–164**, 1549
Kleiner, R., see W. Reith **162–164**, 109
Kleiner, R., P. Müller and K. Andres, DC Josephson effect and critical currents of $YBa_2Cu_3O_7$ and $Tl_2CaBa_2Cu_2O_8$ **162–164**, 393
Kleinjan, S., see J.E. Schirber **161**, 412
Klochko, V.S., see N.V. Zavaritsky **162–164**, 562
Kmiec, R., see H.J. Bornemann **159**, 173
Knoll, P., B. Stadlober, M. Pressl and N. Brnicevic, Investigations of the vibrational modes of single crystals and ceramic superconductors **162–164**, 1097
Kobayashi, K., see T. Nonaka **160**, 517
Kobayashi, M., see E. Takayama-Muromachi **158**, 449
Kobayashi, N., see M. Kikuchi **158**, 79
Kobayashi, N., see S. Nakajima **158**, 471; **160**, 458
Kobayashi, N., see Y. Koike **159**, 105
Kobayashi, N., H. Iwasaki, H. Kawabe, K. Watanabe, H. Yamane, H. Kurosawa, H. Masumoto, T. Hirai and Y. Muto, Resistive transition in $YBa_2Cu_3O_z$ and $Bi_2(Sr,Ca)_3Cu_z$ CVD films under high magnetic field **159**, 295
Kobayashi, N., see H. Iwasaki **159**, 301
Kobayashi, N., see D. Shindo **159**, 794
Kobayashi, N., H. Kawabe, K. Kusaba, M. Kiuchi, Y. Syono and Y. Muto, Synthesis and superconducting properties of (Bi, Pb)–Sr–Ca–Cu–O system **162–164**, 27
Kobayashi, N., see Y. Muto **162–164**, 105
Kobayashi, N., see T. Sasaki **162–164**, 504
Kobayashi, N., H. Kawabe, H. Iwasaki, K. Watanabe, H. Yamane, H. Kurosawa, H. Masumoto, T. Hirai, T. Matsushita and Y. Muto, Electric resistance in the mixed state of the high T_c oxide films **162–164**, 683
Kobeleva, S.P., see B.A. Aminov **160**, 505
Kober, F., see K. Bernhardt **161**, 468
Köbler, U., see J. Hauck **158**, 197
Köbler, U., Susceptibility behaviour at the change from superconductivity to antiferromagnetism in $YBa_2Cu_3O_x$ **159**, 491
Koblischka, M.R., see N. Moser **159**, 117
Kobrin, I.K., see N.A. Babushkina **162–164**, 877
Koch, S., see A. Schuhl **162–164**, 627
Koch, U., J. Wittig and B. Gegenheimer, Toward the true stress dependence of T_c for $YBa_2Cu_3O_{6.9}$ **162–164**, 739
Koelle, D., see K. Bernhardt **161**, 468
Koeman, N.J., see A.J. Vermeer **162–164**, 409
Koga, K., see T. Ishida **162–164**, 1005
Kogan, V.G., Anisotropy in magnetic properties of high-T_c materials **162–164**, 1689
Kogure, T., A. Otto and J.B. vander Sande, Formation of $Yb_nBa_{2n}Cu_{3n+1}O_x$ ($n=3, 4$) by oxidation of Yb–Ba–Cu–Ag metallic precursors **157**, 159
Kogure, T., A. Otto and J.B. vander Sande, Microstructure of $Yb_2Ba_4Cu_7O_xAg$ composites produced by oxidizing metallic procursors **157**, 351
Kohiki, S., see A. Enokihara **161**, 431
Koike, Y., Y. Iwabuchi, S. Hosoya, N. Kobayashi and T. Fukase, Correlation between T_c and hole concentration in the cation-substituted $Bi_2Sr_2CaCu_2O_{8+\delta}$ system **159**, 105
Koizumi, A., see H. Maeda **157**, 483
Koizumi, A., see H. Maruyama **160**, 524
Kojima, H., see S. Kambe **160**, 35, 243
Kojima, H., see K. Kitazawa **162–164**, 1017
Kojima, H., see T.M. Riseman **162–164**, 1555
Kojnok, J., see A. Szász **162–164**, 973
Kokosinsky, V.Yu., see A.A. Zhukov **162–164**, 435

Koksharov, Yu.A., see A.A. Gippius **162–164**, 253
Kolesnikov, A.I., see I. Natkaniec **162–164**, 1369
Kolesnikov, N.N., V.E. Korotkov, M.P. Kulakov, G.A. Lagvenov, V.N. Molchanov, L.A. Muradyan, V.I. Simonov, R.A. Tamazyan, P.R.P. Shibaeva and I.F. Shchegolev, Structure of superconducting single crystals of $TlBa_2(Ca_{0.87}Tl_{0.13})Cu_2O_7$, $T_c = 80$ K **162–164**, 1663
Kolmakova, N.P., see A.M. Kadomtseva **162–164**, 1361
Kolodzieczyk, A., see O. Strebel **162–164**, 1331
Kolokolchikov, N.P., see A.I. Pavlovskii **162–164**, 1659
Komarkov, D.A., see M.V. Elashkin **162–164**, 1173
Komarkov, D.A., see A.A. Zhukov **162–164**, 435, 1623
Komazaki, T., see Y. Saito **161**, 683
Konczykowski, M., see H. Vichery **159**, 697; **162–164**, 749
Konczykowski, M., F. Rullier-Albenque, H. Vichery and H. Pascard, Electron irradiation effect on the intergrain critical field in ceramic $YBa_2Cu_3O_7$ **162–164**, 357
Konczykowski, M., F. Rullier-Albenque and G. Collin, Radiation defects and pressure effects on the critical current in $YBa_2Cu_3O_7$ single crystals **162–164**, 747
Kondoh, S., M. Sera, Y. Ando and M. Sato, Normal state properties and oxygen isotope effect of $(Ba,K)BiO_3$ **157**, 469
Konopka, A., see J. Konopka **162–164**, 1041
Konopka, J., G. Jung, P. Gierłowski, W. Kula, A. Konopka, R. Sobolewski and S.J. Lewandowski, Interaction of microwave radiation with high-T_c films of different microstructures **162–164**, 1041
Konopka, J., see G. Jung **162–164**, 1567
Konopko, L.A., see M.P. Boiko **162–164**, 506
Koo, H.S., see R.S. Liu **162–164**, 869
Koo, H.S., see W.N. Wang **162–164**, 911
Koorevaar, P., see J. van den Berg **162–164**, 1189
Koorevaar, P., see P.H. Kes **162–164**, 1621
Kopeć, T.K. and P. Wróbel, Superconducting glass state in the random infinite-range interaction extended Hubbard model **162–164**, 227
Kopylov, V.N., I.F. Schegolev and T.G. Togonidze, Magnetization curves and low critical fields of $Tl_2Ba_2CaCu_2O_x$ single crystals **162–164**, 1143
Korczak, S.Z., see A. Bombik **157**, 251
Korczak, W., see A. Bombik **157**, 251
Korczak, W., see P. Strobel **161**, 155, 167
Korczak, W., see J.J. Capponi **162–164**, 53
Koren, G., see C.C. Tsuei **161**, 415
Koren, G., see A. Gupta **162–164**, 127
Koren, G., see T.R. McGuire **162–164**, 131
Koren, G., A. Gupta and A. Segmüller, Localization and oxygen concentration in epitaxial $YBa_2Cu_3O_x$ thin films on (100) $SrTiO_3$ substrates deposited by laser ablation **162–164**, 1021
Koren, G., see E. Zeldov **162–164**, 1599
Kormann, R., see H. Vichery **159**, 697; **162–164**, 749
Kormann, R., see J.P. Ganne **162–164**, 1541
Kornilov, E.I., see V.I. Aksenov **162–164**, 229
Korotin, M.A., see V.I. Anisimov **159**, 412; **161**, 59
Korotkov, V.E., see N.N. Kolesnikov **162–164**, 1663
Kortan, A.R., see J. Kwo **162–164**, 623
Koshelev, A.E., see A.D. Golubov **159**, 337
Koshelev, A.E., see A.A. Golubov **162–164**, 399
Koshihara, S., see Y. Tokura **162–164**, 1231
Koshizuka, N., see T. Miyatake **160**, 541
Kossler, W.J., see R.F. Kiefl **162–164**, 161
Kossler, W.J., see T.M. Riseman **162–164**, 1555
Kostadinov, I.Z., see M.D. Mateev **162–164**, 993
Kostadinov, I.Z., M.D. Mateev, J. Tihov, V. Skumriev, E. Tsakin, O. Petrov, E. Dinolova and V. Kovachev, $Tl_{0.75}Pb_{0.20}Sb_{0.05}Ca_2Ba_3Cu_4O_y$ high T_c superconductor **162–164**, 995
Kosuge, K., see M. Itoh **157**, 65
Kosuge, K., see T. Imai **162–164**, 169
Kosugi, N., see H. Matsuyama **160**, 567
Kovachev, V., see E. Vlakhov **162–164**, 975
Kovachev, V., see M.D. Mateev **162–164**, 993
Kovachev, V., see I.Z. Kostadinov **162–164**, 995
Kovachev, V., see D. Kovacheva **162–164**, 1227
Kovachev, V., see P. Vassilev **162–164**, 510, 917
Kovacheva, D., see P. Vassilev **162–164**, 917
Kovacheva, D., K. Petrov, V. Lovchinov, E. Nazarova, P. Dochev, G. Melnikliev and V. Kovachev, Phase formation and superconductivity in Bi–Pb–Sr–Ca–Cu–O **162–164**, 1227
Kowal, C., see W. Reith **162–164**, 109
Kowalewski, J., see B. Pümpin **162–164**, 151
Kowalewski, J., see H. Adrian **162–164**, 329
Kowallik, R., see H.-E. Mahnke **162–164**, 345
Koyama, T. and M. Tachiki, Appearance of narrow band with hole doping in high T_c superconducting oxides **162–164**, 1509
Kozhevnikov, V.L., see I.A. Leonidov **158**, 287
Kozhevnikov, V.L., see V.R. Galakhov **160**, 267
Kozioł, Z., Frequency dependent susceptibility of the ceramic $Y_1Ba_2Cu_3O_{7-\delta}$ – the spin-glass-like approach **159**, 281
Krahn, R., see J.H. Brewer **162–164**, 157
Krahn, R., see R.F. Kiefl **162–164**, 161
Kraiskaya, K.V., see A.L. Shelehov **162–164**, 1229
Krajewski, J.J., see R.J. Cava **157**, 272; **159**, 372
Krajewski, J.J., see B. Batlogg **162–164**, 1393
Krakauer, H., see W.E. Pickett **162–164**, 1419, 1433
Krakauer, H., see D. Singh **162–164**, 1431
Kramer, M.J., R.W. McCallum and L.S. Chumbley, Effects of deformation on shielding currents in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 552
Kramer, M.J., see R.W. McCallum **162–164**, 933
Krantz, M.C., H.J. Rosen, R.M. MacFarlane, N.G. Asmar and D.E. Morris, Raman spectra and normal mode assignments of superconducting $YBa_2Cu_4O_8$ single crystals **162–164**, 1089
Krantz, M.C., see R.M. MacFarlane **162–164**, 1091
Krasnosvobodtsev, S.I., see A.I. Golovashkin **162–164**, 715
Krasnosvobodtsev, S.I., see E.V. Ekimov **162–164**, 833
Krasser, W., see A. Szász **162–164**, 973
Krebs, H.-U., see O. Bremert **162–164**, 45
Krebs, H.-U. and M. Kehlenbeck, In-situ preparation of c-axis

oriented Y–Ba–Cu–O and Bi–Sr–Ca–Cu–O films on Si-substrates by laser ablation **162–164**, 119
Kreitzman, S.R., see R.F. Kiefl **162–164**, 161
Kreitzman, S.R., see J.H. Brewer **162–164**, 33, 157
Kreitzman, S.R., see B.J. Sternlieb **162–164**, 679
Kreitzman, S.R., see G.M. Luke **162–164**, 825
Kreitzman, S.R., see Y.J. Uemura **162–164**, 857
Krekels, T., see J. Reyes-Gasga **159**, 831
Krekels, T., see G. Van Tendeloo **162–164**, 945
Kresin, V.Z. and S.A. Wolf, A method for evaluating the electron–phonon coupling in cuprates from heat capacity measurements **158**, 76
Kresin, V.Z., see S.A. Wolf **162–164**, 217
Kresin, V.Z. and H. Morawitz, The phonon–plasmon mechanism of high T_c **162–164**, 1471
Kress, W., J. Prade, U. Schröder, A.D. Kulkarni and F.W. De Wette, Lattice dynamics of high-T_c superconductors: $Pb_2Sr_2YCu_3O_8$ **162–164**, 1345
Krishnamurthy, H.R., C. Jayaprakash, W. Wenzel and S. Sarker, New mean field theories of the Hubbard model **162–164**, 1447
Krishnan, H., see R. Srinivasan **159**, 797
Kristoffel, N., see V. Hizhnyakov **160**, 119; **161**, 435
Krivomazov, S.N., see K.S. Aleksandrov **161**, 493
Kronmüller, H., see N. Moser **159**, 117
Krotenko, V.T., see V.G. Bar'yakhtar **162–164**, 466
Krtanenburg, R., see J. Wosik **162–164**, 641
Krupski, M., see J. Stankowski **160**, 170
Krusin-Elbaum, L., see A.P. Malozemoff **162–164**, 353
Krusin-Elbaum, L., A.P. Malozemoff and G.V. Chandrashekhar, Anisotropy of flux penetration into BiSrCaCuO crystals **162–164**, 1553
Krynetskii, I.B., see A.M. Kadomtseva **162–164**, 1361
Ku, H.C., see J.B. Shi **162–164**, 721
Kubo, Y., see Y. Shimakawa **157**, 279
Kubo, Y., see I. Takeuchi **158**, 83
Kubo, Y., see T. Manako **158**, 143
Kubo, Y., Y. Shimakawa, T. Manako, T. Satoh, S. Iijima, T. Ichihashi and H. Igarashi, Large T_c-variation from 0 K to 80 K and hole concentration in $Tl_2Ba_2CuO_6$ **162–164**, 991
Kubo, Y., see J.S. Tsai **162–164**, 1133
Kuboth, M., H.F. Braun, L. Schellenberg and J. Muller, Superconductivity under hydrostatic pressure in $RE_5Os_4Si_{15}$ compounds (RE = Y, Tb, Er) **162–164**, 407
Kucera, J.T., D.G. Steel, D.W. Face, J.M. Graybeal, T.P. Orlando and D.A. Rudman, Critical current densities in textured thin films of Bi–Sr–Ca–Cu-oxide **162–164**, 671
Kucera, J.T., see D.W. Face **162–164**, 709
Kudora, Y., see Y. Ōno **159**, 878
Kuentzler, R., see S. Vilminot **160**, 575
Kuentzler, R., S. Vilminot, Y. Dossmann, T.L. Wen and C. His, Magnetism and superconductivity in $YBa_2(Cu_{1-x}M_x)_3O_7$ with M = Fe and Co **162–164**, 564
Kuiper, P., M. Grioni, G.A. Sawatzky, D.B. Mitzi, A. Kapitulnik, A. Santaniello, P. De Padova and P. Thiry, Symmetry of the oxygen hole states in $Bi_2Sr_2CaCu_2O_8$ investigated by XAS **157**, 260
Kula, W., see G. Jung **158**, 419
Kula, W., see R. Sobolewski **162–164**, 631
Kula, W., see J. Konopka **162–164**, 1041
Kula, W., see J.C. Gallop **162–164**, 1545
Kulakov, M.P., see N.N. Kolesnikov **162–164**, 1663
Kulakov, V.I., see Yu.A. Osipyan **159**, 137
Kulakov, V.I., see V.F. Gantmakher **162–164**, 1539
Kulakovskii, V.D., see L.V. Gasparov **160**, 147
Kulakowskii, V.D., see L.V. Gasparov **157**, 341
Kulkarni, A.D., see W. Kress **162–164**, 1345
Kulkarni, S., see R. Durny **162–164**, 1065
Kumagai, K. and Y. Nakamura, Evidence of magnetic order of Cu moments in the superconducting and normal region of $La_{2-x}Sr_xCuO_4$: observation of Cu-NQR for $0.12 \leqq x \leqq 0.40$ **157**, 307
Kumagai, K., see T. Oashi **157**, 315; **161**, 367
Kumagai, K., see N. Wada **157**, 453
Kumagai, K., see M. Abe **160**, 8
Kumagai, K., see Y. Nakamura **161**, 265
Kumagai, K.i., M. Abe, S. Awaji and T. Fujita, Cu-NMR of the antiferromagnetic and superconducting $Nd_{2-x}Ce_xCuO_{4-y}$ **162–164**, 181
Kumagai, K.i., T. Oashi, H. Nakajima, T. Tomita and T. Fujita, Cu-AFNR and NQR of the antiferromagnetic and superconducting $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+y}$ **162–164**, 183
Kumagai, K.i., see Y. Nakamichi **162–164**, 185
Kumagai, K.i., see Y. Nakamura **162–164**, 187
Kumagai, K.i., see N. Wada **162–164**, 472
Kumakura, H., see J.W. Ekin **160**, 489
Kumakura, H., K. Togano, H. Maeda and E. Yanagisawa, Intergrain coupling and flux creep in textured Bi-based oxide superconductor **162–164**, 685
Kumaraswamy, B.V., see S.K. Agarwal **160**, 278
Kunchur, M., see M.K. Crawford **162–164**, 755
Kündig, W., see B. Pümpin **162–164**, 151
Kuper, C.G., see J. Ashkenazi **162–164**, 767
Kuptsov, D.A., see A.I. Buzdin **162–164**, 1561
Kurihara, S., Interacting hole-spin model for oxide superconductors: NMR relaxation rate **162–164**, 1505
Kurmaev, E.Z., see V.R. Galakhov **160**, 267
Kuroda, Y., see H. Maeda **157**, 483
Kurosawa, H., see N. Kobayashi **159**, 295; **162–164**, 683
Kurosawa, H., see Y. Muto **162–164**, 105
Kusaba, K., see N. Kobayashi **162–164**, 27
Kusaka, T., see M. Takano **159**, 375
Kusuda, T., see T. Shinjo **159**, 869; **161**, 442
Kusz, B., R. Barczynski and J. Pastor, Internal friction in $ErBa_2Cu_3O_x$ superconductors **158**, 497
Kusz, B., R.J. Barczynski, M. Gazda, L. Murawski, O. Gzowski, S. Stizza and I. Davoli, Superconducting and anelastic effects in Pb–doped BiSrCaCuO ceramics **160**, 25
Kuzakov, A.K., see N.A. Babushkina **162–164**, 877
Kuzmany, H., see M. Matus **162–164**, 967
Kuzmany, H., P. Schaffarich, J. Geisselbrecht, T. Pichler, W. Lang, H. Jodlbauer, W. Steiner and M. Reissner, Single phase superconductivity at 112 K in (BiPb)CaSrCuO **162–164**, 1219

Kuzmany, H., see W. Markowitsch **162–164**, 1235
Kuzmany, H., see W. Lang **162–164**, 1639
Kuz'min, R.N., see I.V. Zubov **162–164**, 37
Kwak, J.F., see K.F. McCarty **159**, 603
Kwak, J.F., see D.S. Ginley **160**, 42
Kwak, J.F., see E.L. Venturini **162–164**, 673
Kwei, G.H., see Z. Fisk **162–164**, 1681
Kwo, J., M. Hong, D.J. Trevor, R.M. Fleming, A.E. White, J.P. Mannaerts, R.C. Farrow, A.R. Kortan and K.T. Short, In-situ growth of $Y_1BaCu_3O_{7-x}$ films by molecular beam epitaxy with an activated oxygen source **162–164**, 623
Kwok, W.-K., see A.J. Schultz **157**, 301
Kwok, W.K., see U. Welp **161**, 1; **162–164**, 735
Kwok, W.K., see J.E. Schirber **161**, 412
Kwok, W.K., U. Welp, G.W. Crabtree, K.G. Vandervoort and J.Z. Liu, Flux flow resistivity in single crystal $YBa_2Cu_3O_{7-\delta}$ **162–164**, 669
Kwok, W.K., see A. Umezawa **162–164**, 733
Kwok, W.K., see G.W. Crabtree **162–164**, 1299
Kwon, K.J., Z.S. Lim, T.Y. Kim, J.K. Son and S.-I. Lee, Superconductivity of Bi–Sr–Ca–Cu–O thick films prepared by a rapid solidification method **159**, 659
Kyogoku, M., see M. Itoh **160**, 177

Laa, C., see H.W. Weber **161**, 272, 287; **162–164**, 401
Laa, C., see E. Seidl **161**, 294
Labdi, S., see H. Raffy **162–164**, 613
Labeyrie, M., see J.P. Ganne **162–164**, 1541
Laborde, O., see M. Guillot **162–164**, 361
Laborde, O., B. Souletie, M. Guillot, J.J. Capponi, P. Lejay, J.L. Tholence, A. Ermolieff, S. Marthon, B. Dwir and D. Pavuna, Magnetic and transport properties of superconducting $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ ceramics **162–164**, 827
Laborde, O., P. Monceau, M. Potel, J. Padiou, P. Gougeon, J.C. Levet and H. Noel, Anisotropic properties of single crystals of $(TlO)_mBa_2Ca_2Cu_3O_8$ **162–164**, 1619
Lacroix, C., see C. Bastide **159**, 347
Laderman, S.S., see C.-B. Eom **162–164**, 605
Laegreid, T., see S. Gjølmesli **162–164**, 339
Laegreid, T., see W. Ting **162–164**, 448
Laegreid, T., P. Tuset, O.-M. Nes, M. Slaski and K. Fossheim, Contribution to specific heat and electrical conductivity of $YBa_2Cu_3O_{7-\delta}$ from fluctuations **162–164**, 490
Laegreid, T., see M. Slaski **162–164**, 103, 492
Lagarde, P., see A. Bianconi **162–164**, 209
Lagües, M., see U. Dai **162–164**, 699
Lagvenov, G.A., see N.N. Kolesnikov **162–164**, 1663
Lahiri, S.K., see A. Poddar **159**, 226
Lai, W., see Z. Su **162–164**, 773
Laibowitz, R.B., see T.R. McGuire **162–164**, 131
Lainee, F., see J.P. Ganne **162–164**, 1541
Lairson, B., see D.K. Fork **162–164**, 121
Lairson, B., see J.Z. Sun **162–164**, 687
Lam, D.J., see A.J. Schultz **157**, 301
Lancaster, M.J., see Z. Wu **162–164**, 385
Lanchester, P.C., see S.B. Ota **157**, 520; **158**, 298
Lanchester, P.C., see B. Jayaram **160**, 17
Lang, M., H. Spille, F. Steglich, Y. Hidaka, T. Murakami and Y. Endoh, Complex phase diagram of La_2CuO_4 near 35 K **162–164**, 1037
Lang, W., see H. Kuzmany **162–164**, 1219
Lang, W., see W. Markowitsch **162–164**, 1235
Lang, W., H. Jodlbauer, W. Markowitsch, P. Schaffarich and H. Kuzmany, Systematic investigation of complex susceptibility and transport properties in (Bi,Pb)CaSrCuO **162–164**, 1639
Langham, C.D., see J.C. Gallop **162–164**, 1545
Langlet, M., E. Senet, J.L. Deschanvres, F. Weiss, J.C. Joubert, O. Thomas and J.P. Senateur, A new route for the deposition of YBaCuO thin films **162–164**, 137
Langley, B., see S.M. Anlage **162–164**, 1645
Langmann, E., see W. Pint **157**, 415; **161**, 441
Langmann, E., Theory of the upper critical magnetic field without local approximation **159**, 561
Lapertot, G., see J. Rossat-Mignod **162–164**, 1269
Lapinskas, S., see V.E. Zubkus **159**, 501
Larkin, A., see V. Geshkenbein **162–164**, 239
Larson, T.M., see J.W. Ekin **160**, 489
Larsson, G., see T.I. Selinder **162–164**, 599
Last, M., see J. Hauck **158**, 197
Lasyer, M.I., see A.A. Zhukov **162–164**, 435
Laubschat, C., E. Weschke, M. Domke, J.E. Ortega and G. Kaindl, Photoemission study of interface formation with ceramic superconductors **162–164**, 1317
Laubschat, C., see O. Strebel **162–164**, 1331
Laurent, A., see E. Faulques **162–164**, 1105
Laverty, J.R., A.D. Caplin and S.E. Male, High critical current densities in bulk Pb-doped BiSrCaCuO **162–164**, 1165
Lay, K.W., see T.M. Riseman **162–164**, 1555
Lazarev, A.B., see V.G. Grebinnik **162–164**, 145
Le, L.P., see B.J. Sternlieb **162–164**, 679
Le, L.P., see G.M. Luke **162–164**, 825
Le, L.P., see Y.J. Uemura **162–164**, 857
Lebech, B., see J. Waliszewski **160**, 189
Lebed', N.B., see A.B. Blank **162–164**, 1225
Lebedev, A.V., see R.I. Antonov **162–164**, 437
Lechter, W.L., see H.A. Hoff **162–164**, 1115
Ledbetter, H., Grüneisen parameter of $Y_1Ba_2Cu_3O_7$ **159**, 488
Ledbetter, H., S.A. Kim, C.E. Violet and J.D. Thompson, Low-temperature elastic constants of polycrystalline La_2CuO_4 and $La_{1.85}Sr_{0.15}CuO_4$ **162–164**, 460
Ledbetter, H.M., see R.A. Fisher **162–164**, 502
Lederer, P., D. Poilblanc and T.M. Rice, Correlated electron motion, flux states and superconductivity **162–164**, 587
Lederer, P. and T.M. Rice, Flux phases and superconductivity **162–164**, 819
Lee, B.S., Anharmonicities and cooperative Jahn–Teller phase transitions in the high-T_c superconductors $La_{2-x}M_xCuO_4$ (M=Sr, Ba) **157**, 72
Lee, B.S., Possible local instability mode coupling mechanism for high temperature superconductivity in La–Sr–Cu–O **160**, 141
Lee, B.S., Possible local instability mode coupling mechanism

for high temperature superconductiviti in La–Sr–Cu–O. Physica C 160, 141. Erratum **161**, 121
Lee, B.W., see J.T. Markert **158**, 178
Lee, B.W., see C.L. Seaman **159**, 391
Lee, B.W., see S. Ghamaty **160**, 217
Lee, B.W., see M.B. Maple **162–164**, 296
Lee, D.K.K., see J.M.F. Gunn **162–164**, 1483
Lee, D.S., see S.M. Fu **162–164**, 617
Lee, H., see B.D. Dunlap **158**, 397
Lee, H., see B. Dabrowski **160**, 281; **162–164**, 91
Lee, H., see C.W. Kimball **162–164**, 95
Lee, K.H., T.-K. Xia and D. Stroud, Electrodynamic and microwave properties of high-temperature superconductors: model calculations for coupled wear links **162–164**, 1593
Lee, M.J.G., see Y.P. Lin **158**, 241
Lee, P., see Y. Gao **160**, 431
Lee, S.-I., see K.J. Kwon **159**, 659
Lee, S.-N., see N.-L. Wu **161**, 302
Lee, V., see W.Y. Lee **160**, 511
Lee, V., see D.C. Bullock **162–164**, 643
Lee, V.Y., see A. Junod **159**, 215; **162–164**, 476
Lee, V.Y., see R. Beyers **162–164**, 548
Lee, V.Y., see W.Y. Lee **162–164**, 639
Lee, V.Y., see B.T. Ahn **162–164**, 883
Lee, W., D. Rainer and W. Zimmermann, Holstein effect in the far-infrared conductivity of high T_c superconductors **159**, 535
Lee, W., see D.C. Bullock **162–164**, 643
Lee, W.H., Y.T. Huang, R.S. Liu and P.T. Wu, Coexistence of paramagnetism and superconductivity in $(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$ **162–164**, 323
Lee, W.Y., J. Salem, V. Lee, V. Deline, T.C. Huang, R. Savoy, J. Duran and R.L. Sandstrom, The effects of substrate temperature on the superconducting properties of $Tl_2Ca_2Ba_2Cu_3O_{10}$ films sputter-deposited from stoichiometric oxide targets **160**, 511
Lee, W.Y., J.R. Salem, V.Y. Lee, T.C. Huang and R. Savoy, Optical emission studies and preparation of high T_c Tl–Ca–Ba–Cu–O thin films **162–164**, 639
Lee, W.Y., see Z. Schlesinger **162–164**, 1111
Lee, Y.Y., see R.M. MacFarlane **162–164**, 1091
Leemann, Ch., see Ph. Flueckiger **162–164**, 1563
Lehmann, M.S., see C. Chaillout **158**, 183; **162–164**, 57
Lei, L., see B. Zhu **157**, 370
Leiderer, P., see J. Fröhlingsdorf **159**, 513; **162–164**, 123
Leising, G., see W. Markowitsch **162–164**, 1235
Lejay, P., see J. Beille **157**, 446
Lejay, P., see H. Vichery **159**, 823; **162–164**, 1583
Lejay, P., see O. Laborde **162–164**, 827
Lejay, P., see P.J.M. van Bentum **162–164**, 1237
Lelental, M., see D. Majumdar **161**, 145
Lelong, I.O., see J. Genossar **157**, 320
Lelong, I.O., see B. Fisher **162–164**, 1207
Lemaitre, Y., see G. Garry **162–164**, 441
Lemmens, P., C. Hünnekes, M. Brakmann, S. Ewert, A. Comberg and H. Passing, Anomalous Poisson ratio and bulk modulus in high-T_c superconductors **162–164**, 452
Lenczowski, S.K.J., see J.H.P.M. Emmen **162–164**, 1613
Lengfellner, H., see J. Betz **162–164**, 133
Lensink, J., see R. Griessen **162–164**, 661
Lensink, J., C.F.J. Flipse, J. Roobeek, R. Griessen and B. Dam, Magnetic flux relaxation of epitaxial $YBa_2Cu_3O_{7-\delta}$ films at low temperatures **162–164**, 663
Lensink, J.G., see G.N.A. van Veen **157**, 99
Leonidov, I.A., Ya.N. Blinovskov, E.E. Flyatau, P.Ya. Novak and V.L. Kozhevnikov, Transport properties and defect structure of $YBa_2Cu_3O_{7-\delta}$ **158**, 287
Leont'eva, I.N., see I.V. Vodolazskaya **162–164**, 1213
Le Page, Y., see J. Ren **158**, 501; **159**, 151
Leppävuori, S., see J. Hagberg **160**, 369
Lera, F., see M. Carrera **162–164**, 41
Lera, F., R. Navarro, C. Rillo, J. Bartolomé, J. Blasco, J. García and L.A. Angurel, Non-linearity of the $YBa_2Cu_3O_{7-\delta}$ low field diamagnetic properties: multi-harmonic analysis **162–164**, 325
Lera, F., see J. Bartolomé **162–164**, 863
Lerczak, J., see D.E. Fowler **162–164**, 1303
Lesueur, J., see M.-O. Ruault **162–164**, 77
LeTourneau, V.M., see K.J. Sun **162–164**, 446
LeTourneau, V.M., see A.W. Webb **162–164**, 899
Leventouri, Th., see E. Liarokapis **157**, 551
Levet, J.C., see E. Vincent **159**, 863
Levet, J.C., see M.-O. Ruault **162–164**, 77
Levet, J.C., see M. Guillot **162–164**, 361
Levet, J.C., see O. Laborde **162–164**, 1619
Levi, A.F.J., see P.L. Gammel **162–164**, 1565
Leviev, G.I., see V.F. Gantmakher **162–164**, 1539
Leviev, G.I., A.V. Rylyakov and M.R. Trunin, Measurement of the superconducting order-parameter relaxation time in monocrystalline Y–Ba–Cu–O **162–164**, 1595
Levin, K., see J.H. Kim **162–164**, 1463
Levin, K., see J.P. Lu **162–164**, 1465
Levin, K., see Q. Si **162–164**, 1467
Levi-Setti, R., see J.M. Chabala **162–164**, 75
Levitin, R.Z., see A.M. Kadomtseva **162–164**, 1361
Levitov, L.S., see L.I. Burlachkov **158**, 88
Levoska, J., see J. Hagberg **160**, 369
Levy, M., see K.J. Sun **162–164**, 446
Lewandowski, S.J., see J. Konopka **162–164**, 1041
Leyden, G., see I.B. Ferreira **162–164**, 1579
Li, B., see H. Liu **159**, 665
Li, D.X., see J.M. Chabala **162–164**, 75
Li, J.N., K. Kadowaki, M.J.V. Menken, A.A. Menovsky and J.J.M. Franse, Resistive transition in single-crystalline $YBa_2Cu_3O_7$ for various configurations of current and magnetic field directions **161**, 313
Li, J.N., see P.H. Kes **162–164**, 1621
Li, Q., see J. Geerk **162–164**, 837
Li, S. and M. Greenblatt, Preparation and superconducting properties of $(Tl, Bi)Sr_2CaCu_2O_y$ **157**, 365
Li, S.-C., see W. Gao **161**, 71
Li, W.-H., see S. Skanthakumar **160**, 124
Li, Y., see W. Tang **161**, 181
Li, Y., see Z. Su **162–164**, 773

Li, Z.Z., see A. Perrin **162–164**, 707
Liang, J.M., see R.S. Liu **159**, 385; **162–164**, 869
Liang, R., M. Itoh, T. Nakamura and R. Aoki, The effect of La substitution on the superconductivity of $Ba_2YCu_3O_y$ **157**, 83
Liang, R., see R. Aoki **162–164**, 921
Liang, S. and N. Trivedi, Broken time reversal invariance in the ground state – a Monte Carlo study **162–164**, 1459
Liang, W.Y., Distortion induced bi-polaron model for oxide superconductors **162–164**, 197
Liang, W.Y., see J.W. Loram **162–164**, 498
Liarokapis, E., E.I. Kamitsos, Th. Leventouri and F.D. Medina, Raman and far-infrared reflectance investigation of microcrystal orientation in $YBa_2Cu_3O_{7-\delta}$ superconductors **157**, 551
Liberatori, L., see F. Celani **162–164**, 903
Licci, F., see M. Affronte **162–164**, 1007
Lilly, L., see J. Wagner **162–164**, 811
Lim, Z.S., see K.J. Kwon **159**, 659
Lin, C.L., see S.T. Lin **159**, 188
Lin, C.L., S.L. Qiu, J. Chen, J.M. Tranquada, M. Strongin and J.E. Crow, The identification of oxygen related species in the XPS and near edge spectra of the high-T_c superconductors **162–164**, 1325
Lin, H.C., see N. Yang **162–164**, 71
Lin, K.C., see S.T. Lin **159**, 188
Lin, M., see W. Tang **161**, 181
Lin, R.J., S.W. Lu and P.T. Wu, Effect of Mg addition on superconducting properties of Bi–Sr–Ca–Cu–O compounds **162–164**, 35
Lin, S.T., C.L. Lin, K.C. Lin, C. Tien and I.M. Jiang, Crystal structure, T_c, magnetic properties and Mössbauer spectrum of Fe-doped $GdBa_2Cu_3O_{7-\delta}$ **159**, 188
Lin, T.Y., see J.B. Shi **162–164**, 721
Lin, Y.P., J. Barbier, J.E. Greedan, Z. Wang, M.J.G. Lee and B.W. Statt, Electron diffraction investigation of Pb-stabilised Bi–Sr–Ca–Cu–O high-T_c superconductor **158**, 241
Lin, Z., see W. Tang **161**, 181
Lindau, I., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Lindau, I., see Z.-X. Shen **162–164**, 1311
Lindau, I., see D.S. Dessau **162–164**, 1373
Lindberg, P.A.P., Z.-X. Shen, D.S. Dessau, B.O. Wells, A. Borg, W. Ellis, D.B. Mitzi, I. Lindau, W.E. Spicer and A. Kapitulnik, The electronic structure of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ superconductors studied using ultraviolet and X-ray photoelectron spectroscopy **159**, 649
Lindberg, P.A.P., see Z.-X. Shen **162–164**, 1311
Lindberg, P.A.P., Z.-X. Shen, D.S. Dessau, B.O. Wells, A. Borg, D.B. Mitzi, I. Lindau, W.E. Spicer and A. Kapitulnik, Electronic structure of single crystalline $Bi_2(Sr,Ca,La)_3Cu_2O_8$ **162–164**, 1313
Lindberg, P.A.P., see D.S. Dessau **162–164**, 1373
Lindén, J., see I. Tittonen **162–164**, 1259
Lindsay, M.P., see L. Lynds **159**, 61
Linker, G., see J. Geerk **162–164**, 837
Lippelt, E., see P. Birrer **158**, 230; **162–164**, 153
Lippert, H., see K. Fischer **160**, 466
Lippert, M., see J.P. Ströbel **162–164**, 1209
Lippmaa, E., E. Joon, I. Heinmaa, A. Miller, V. Miidel, R. Stern and S. Vija, NMR of ^{17}O and ^{63}Cu in uniaxially aligned superconductor $YBa_2Cu_3O_{7-\delta}$ **162–164**, 263
List, R.S., see B.W. Veal **158**, 276
List, R.S., A.J. Arko, R.J. Bartlett, C.G. Olson, A.-B. Yang, R. Liu, C. Gu, B.W. Veal, Y. Chang, P.Z. Jiang, K. Vandervoort, A.P. Paulikas and J.C. Campuzano, Evidence from photoemission of strongly hybridized states at the Fermi level of $Bi_2Sr_2CaCu_2O_8$ **159**, 439
List, R.S., see C.G. Olson **162–164**, 1697
Little, W.A., see G.T. Yee **161**, 195
Little, W.A., see C.E. Caley **162–164**, 651
Little, W.A., see M.J. Holcomb **162–164**, 1071
Little, W.A., Proximity effect between narrow band, anisotropic superconductors and conventional metals **162–164**, 1125
Littlewood, P.B., see M. Inui **162–164**, 237
Liu, C.J., R. Buder, C. Escribe-Filippini, J. Marcus, P.L. Reydet, B.S. Mathis and C. Schlenker, Magnetic properties, lower critical fields and vortex pinning in $YBa_2Cu_3O_7$ thin films **162–164**, 1609
Liu, H., W. Zhang, L. Zhou, Z. Mao, B. Li, M. Yan, L. Cao, Z. Chen, Y. Ruan, D. Peng and Y. Zhang, Superconducting properties in $Bi_{2-x-y}Pb_xSb_ySr_2Ca_2Cu_3O_z$ ($x=0$, 0.1, 0.3, 0.5; $y=0$, 0.1) **159**, 665
Liu, H., see Y. Zhang **162–164**, 731
Liu, H.K., S.X. Dou, N. Savvides, J.P. Zhou, N.X. Tan, A.J. Bourdillon and C.C. Sorrell, Stabilisation of 110 K superconducting phase in Bi–Sr–Ca–Cu–O Pb substitution **157**, 93
Liu, H.K., see S.X. Dou **158**, 93, 97; **160**, 533
Liu, J.Z., see A.J. Schultz **157**, 301
Liu, J.Z., see B.W. Veal **158**, 276
Liu, J.Z., see U. Welp **161**, 1, 345; **162–164**, 735
Liu, J.Z., see M.A. Kirk **162–164**, 532
Liu, J.Z., see W.K. Kwok **162–164**, 669
Liu, J.Z., see A. Umezawa **162–164**, 733
Liu, J.Z., see F.M. Sauerzopf **162–164**, 751
Liu, J.Z., see G.W. Crabtree **162–164**, 1299
Liu, J.Z., see C.G. Olson **162–164**, 1697
Liu, R., see B.W. Veal **158**, 276
Liu, R., see R.S. List **159**, 439
Liu, R., see C. Thomsen **162–164**, 1079
Liu, R., see C.G. Olson **162–164**, 1697
Liu, R.S., J.M. Liang, S.F. Wu, Y.T. Huang, P.T. Wu and L.C. Chen, The fabrication and characterization of superconducting Tl–Pb–Ca–Pr–Sr–Cu–O compounds with $Y_1Ba_2Cu_3O_y$-like structure and T_c (zero) up to 106 K **159**, 385
Liu, R.S., see J.L. Tallon **161**, 523
Liu, R.S., see Y.T. Huang **162–164**, 39
Liu, R.S., see N. Yang **162–164**, 71
Liu, R.S., W.N. Wang, P.T. Wu and C.T. Chang, A sol–gel route to prepare Tl–Ca–Ba–Cu–O superconductor with T_c above 120 K **162–164**, 113
Liu, R.S., see W.H. Lee **162–164**, 323

Liu, R.S., J.M. Liang, Y.T. Huang, W.N. Wang, S.F. Wu, H.S. Koo, P.T. Wu and L.J. Chen, Synthesis and characterization for a new family of Tl-containing septenary oxides with T_c, zero above 105 K **162–164**, 869
Liu, R.S., see W.N. Wang **162–164**, 911
Liu, Z., see W. Tang **161**, 181
Livdan, D.O., V.P. Seminozhenko, V.L. Sobolev, O.I. Tokar' and D.V. Fil', The spinon channel of Cooper pairing in the two-band Hubbard model **161**, 517
Livdan, D.O., see D.V. Fil' **162–164**, 201, 797
Li Vigni, M., see I. Ciccarello **159**, 769; **161**, 39
Lloret, B., see J.P. Ganne **162–164**, 1541
Lobotka, P., see F. Gömöry **160**, 1
Lo Cascio, D.M.R., see H. Bakker **157**, 25
Lockwood, D.J., see J. Chrzanowski **162–164**, 1087
Locquet, J.-P., see Y. Bruynseraede **162–164**, 23
Loegel, B., D. Bolmont and A. Mehdaoui, Flux pinning and dynamical critical fields in some YBaCuO compounds **159**, 816
Logothetis, E.M., see R.E. Soltis **162–164**, 649
Logothetis, E.M., see K. Chang **162–164**, 1591
Logothetis, E.M., see L.-Q. Wang **162–164**, 1617
Long, M.W. and W. Barford, Oxygen hole pairing and clustering due to Cu–O coulomb repulsion in high temperature superconductors **162–164**, 789
Long, M.W., see R. Fehrenbacher **162–164**, 1487
Lönnberg, B., see P. Svedlindh **162–164**, 1365
Lonzarich, G., see A. Mackenzie **162–164**, 1029
Loong, C.-K., see A.J. Schultz **157**, 301
López-Aguilar, F., see J. Costa-Quintana **162–164**, 757
López-Aguilar, F., J. Costa-Quintana, S. Balle, F. Febrero, M.T. Aurell, A. Sánchez and J.S. Muñoz, Dielectric response in high T_c superconductors **162–164**, 759
Lopez de la Torre, M.A., R. Villar, S. Vieira, M.B. Maple and M.S. Torikachvili, Thermal conductivity of f-electron systems $Er_{0.4}Ho_{0.6}Rh_4B_4$ and URu_2Si_2 **162–164**, 1653
López-Morales, M.E., A. Bezinge, P.M. Grant and D. Ríos-Jara, Praseodymium 1-2-3: intrinsic structure, oxygen concentration effects and solid solutions with yttrium, calcium and zinc **162–164**, 61
Loram, J., see F.J. Blunt **162–164**, 1605
Loram, J.W., K.A. Mirza, W.Y. Liang and J. Osborne, A systematic study of the specific heat anomaly in $La_{2-x}Sr_xCuO_4$ **162–164**, 498
Lorentzen, I., see Z.J. Yang **162–164**, 1587
Lorenz, W.J., see A. Pinkowski **162–164**, 1039
Lösch, S., see R. Sonntag **159**, 141
Lovchinov, V., see D. Kovacheva **162–164**, 1227
Lovy, D., see D. Shaltiel **161**, 13
Lu, J.P., Q. Si and K. Levin, Competition between magnetic and Fermi liquid phases in the copper oxides **162–164**, 1465
Lu, J.P., see Q. Si **162–164**, 1467
Lu, S.W., see R.J. Lin **162–164**, 35
Lucas, J., see O. Peña **159**, 443
Lucas, J., see C. Perrin **162–164**, 889
Luke, G.M., see R.F. Kiefl **162–164**, 161
Luke, G.M., see J.H. Brewer **162–164**, 33, 157
Luke, G.M., see B.J. Sternlieb **162–164**, 679
Luke, G.M., L.P. Le, B.J. Sternlieb, Y.J. Uemura, J.H. Brewer, R. Kadono, R.F. Kiefl, S.R. Kreitzman, T.M. Riseman, M.B. Maple, C.L. Seaman, K. Kakurai, S. Uchida, H. Takagi, Y. Tokura, Y. Hidaka, T. Murakami, J. Gopalakrishnan, A.W. Sleight and M.A. Subramanian, Static magnetic order in electron-superconductor related compounds **162–164**, 825
Luke, G.M., see Y.J. Uemura **162–164**, 857
Luke, G.M., see T.M. Riseman **162–164**, 1555
Lundgren, L., see P. Norling **162–164**, 107
Lundgren, L., see P. Svedlindh **162–164**, 1365
Lundström, T., see P. Svedlindh **162–164**, 1365
Lundström, T., see K. Niskanen **162–164**, 1637
Luo, H.L., see W.-F. Yau **162–164**, 21
Luo, Y., see K. Heinemann **162–164**, 433
Lütgemeier, H., see R. Michalak **162–164**, 267
Lütgemeier, H., R.A. Brand, Ch. Sauer, B. Rupp, P.M. Meuffels and W. Zinn, Magnetic structure of Cu in antiferromagnetic $REBa_2Cu_3O_Y$ **162–164**, 1367
Luzet, D., see A. Bertomptto **160**, 227
Luzuriaga, J., see H. Safar **162–164**, 665
Lynch, D.W., see C.G. Olson **162–164**, 1697
Lynds, L., B.R. Weinberger, D.M. Potrepka, G.G. Peterson and M.P. Lindsay, High temperature superconducting thin films: the physics of pulsed laser ablation **159**, 61
Lynds, L., see B.R. Weinberger **161**, 91
Lynn, J.W., see S. Skanthakumar **160**, 124

Ma, Q.Y., X. Wu, M.T. Schmidt, E.S. Yang and C.-A. Chang, Interdiffusion between Si substrates and YBaCuO films **162–164**, 637
MacFarlane, J.C., see K.-H. Müller **158**, 69; **162–164**, 1177
Macfarlane, J.C., see K.-H. Müller **158**, 366
MacFarlane, R.M., see M.C. Krantz **162–164**, 1089
MacFarlane, R.M., M.C. Krantz, H.J. Rosen and Y.Y. Lee, A Raman study of phonon mode softening in superconducting and non-superconducting $(E)Ba_2Cu_3O_7$ for RE = Y, Eu, Pr **162–164**, 1091
Machida, K. and M. Ozaki, Superconductivity in UPt_3 **157**, 53
Machida, K., Magnetism in La_2CuO_4 based compounds **158**, 192
Mackenzie, A., E. Marseglia, I. Marsden, G. Lonzarich, C. Chen and B. Wanklyn, Characterisation and transport measurements on single crystals in the Bi–Sr–Cu–O system **162–164**, 1029
Maclean, T.S.M., see Z. Wu **162–164**, 385
MacManus, J., D. Fray and J. Evetts, An electrochemical method for the determination of the chemical diffusion coefficient of oxygen in $Y_1Ba_2Cu_3O_{7-x}$ as a function of vacancy concentration **162–164**, 143
Maeda, A., Y. Nakayama, S. Takebayashi and K. Uchinokura, $1/f$ conduction noise in the high-temperature superconductor Bi–Sr–Ca–Cu–O system **160**, 443
Maeda, A., see Y. Nakayama **162–164**, 711
Maeda, A., see K. Uchinokura **162–164**, 981

Maeda, A., Y. Nakayama, S. Takebayashi and K. Uchinokura, Conductance fluctuation of Bi–Sr–Ca–Cu–O system **162–164**, 1203
Maeda, A., K. Noda, S. Takebayashi and K. Uchinokura, Preparation and physical properties of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ **162–164**, 1205
Maeda, H., A. Koizumi, N. Bamba, E. Takayama-Muromachi, F. Izumi, H. Asano, K. Shimizu, H. Moriwaki, H. Maruyama, Y. Kuroda and H. Yamazaki, EXAFS and neutron diffraction studies of local and average structures for $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ **157**, 483
Maeda, H., see H. Maruyama **160**, 524
Maeda, H., see H. Kumakura **162–164**, 685
Maeda, T., K. Sakuyama, H. Yamauchi and S. Tanaka, Effects of Sb-doping on the formation of superconducting phases in Bi–Pb–Sr–Ca–Cu oxides **159**, 784
Maekawa, S., see J. Inoue **157**, 209
Maekawa, S., see T. Tohyama **158**, 525
Maekawa, S., see A. Oguri **162–164**, 1473
Maeno, Y., see T. Williams **161**, 331
Maeno, Y., see B. Pümpin **162–164**, 151
Maez, M.A., see D.W. Cooke **162–164**, 1537
Maggio-Aprile, I., see A.D. Kent **162–164**, 1035
Mahanti, S.D., see A.K. Rajagopal **162–164**, 247
Mahner, E., see M. Hein **162–164**, 111
Mahnke, H.-E., A. Berger, H.H. Bertschat, K. Biedermann, J. Erxmeyer, R. Kowallik, W. Müller, B. Spellmeyer, Ch. Stenzel and A. Weidinger, PAD investigations with ^{62}Cu and ^{19}F in $La_{2-x}Sr_xCuO_4$ and CuO **162–164**, 345
Maistrenko, A.N., see V.G. Bar'yakhtar **162–164**, 466
Majumdar, D., D. Chatterjee and G. Paz-Pujalt, XPS studies on passivated and degraded $YBa_2Cu_3O_{7-x}$ films **158**, 413
Majumdar, D. and M. Lelental, XPS studies on copper valence in 85 K and 110 K mixed phase lead-free Bi–Sr–Ca–Cu–O superconducting thin films prepared by MOD techniques **161**, 145
Makarenko, I.N., see I.V. Aleksandrov **162–164**, 1057
Makarov, V.I., see N.V. Zavaritsky **162–164**, 562
Maki, K. and R.S. Thompson, Fluctuation contribution to flux-flow conductivity **162–164**, 275
Maki, K. and R.S. Thompson, Fluctuation-induced pair breaking in high T_c superconductors **162–164**, 1441
Maksimov, A.A., I.I. Tartakovskii and V.B. Timofeev, Magnon Raman scattering in La_2CuO_4, Gd_2CuO_4 and Eu_2CuO_4 single crystals **160**, 249
Maksimov, A.A., I.I. Tartakovskii and V.B. Timofeev, Electronic Raman scattering and the superconducting gap in single crystals of $Tl_2Ba_2CaCu_2O_8$ **162–164**, 1243
Maksimov, A.A., see V.B. Timofeev **162–164**, 1409
Maksimov, E.G., see O.V. Dolgov **162–164**, 1529
Malachevsky, M.T., D.A. Esparza, C.A. D'Ovidio, J. Malarría, E. Joliber and J. Fiscina, Superconductivity in the Bi–Sr–Ca–Cu–O system **162–164**, 939
Malarría, J., see M.T. Malachevsky **162–164**, 939
Male, S.E., see J.R. Laverty **162–164**, 1165
Male, S.E., see S.S. Bungre **162–164**, 1171
Maletta, H., see P. Birrer **158**, 230; **162–164**, 153
Maley, M.P., see M. Takigawa **162–164**, 175
Maley, M.P., see M.E. McHenry **162–164**, 689
Maley, M.P., M.E. McHenry, J.O. Willis and M. McElfresh, Observation of thermally activated flux motion in weak link structures **162–164**, 701
Mali, M., see H. Zimmermann **159**, 681
Mali, M., see H. Schiefer **162–164**, 171
Mali, M., see K. Müller **162–164**, 173
Malik, S.K., see C.V. Tomy **162–164**, 925
Malozemoff, A.P., L. Krusin-Elbaum and J.R. Clem, Interlayer coupling in high temperature superconductors **162–164**, 353
Malozemoff, A.P., see Y. Yeshurun **162–164**, 1148
Malozemoff, A.P., see L. Krusin-Elbaum **162–164**, 1553
Manako, T., see Y. Shimakawa **157**, 279
Manako, T., see I. Takeuchi **158**, 83
Manako, T., Y. Shimakawa, Y. Kubo, T. Satoh and H. Igarashi, Superconductivity of $TlBa_{1+x}La_{1-x}CuO_5$ with 1201 structure **158**, 143
Manako, T., see Y. Kubo **162–164**, 991
Manako, T., see J.S. Tsai **162–164**, 1133
Mandal, P., see A. Poddar **159**, 226, 231; **161**, 567
Mangelschots, I., see T. Williams **161**, 331
Manghi, F., see C. Calandra **162–164**, 211
Manheimer, M.A., see S. Tyagi **162–164**, 1569
Mann, M.E., see C.P. Burmester **162–164**, 225
Mannaerts, J.P., see J. Kwo **162–164**, 623
Mannhart, J., see R. Gross **162–164**, 1603
Manohar, S.B., see P.K. Pujari **159**, 75
Manthiram, A., see J.B. Goodenough **157**, 439
Manthiram, A. and J.B. Goodenough, Factors influencing T_c in 123 copper-oxide superconductors **159**, 760
Manthiram, A., see X.X. Tang **161**, 574
Manthiram, A. and J.B. Goodenough, Chemical probes of T_c vs p in p-type copper-oxide superconductors **162–164**, 69
Manzke, R., T. Buslaps, R. Claessen, M. Skibowski and J. Fink, On the electronic structure and superconducting gap of $Bi_2Sr_2CaCu_2O_8$ **162–164**, 1381
Mao, X., see Y. Zhang **162–164**, 691, 731
Mao, Z., see H. Liu **159**, 665
Maple, M.B., see J.T. Markert **158**, 178; **162–164**, 957
Maple, M.B., see C.L. Seaman **159**, 391
Maple, M.B., see S. Ghamaty **160**, 217
Maple, M.B., see E.A. Early **160**, 320
Maple, M.B., N.Y. Ayoub, T. Bjørnholm, E.A. Early, S. Ghamaty, B.W. Lee, J.T. Markert, J.J. Neumeier and C.L. Seaman, Magnetism, specific heat, and pressure-dependent resistivity of the electron-doped compounds $Ln_{2-x}M_xCuO_{4-y}$ (Ln=Pr,Nd,Sm,Eu,Gd; **M=Ce,Th)** **162–164**, 296
Maple, M.B., see G.M. Luke **162–164**, 825
Maple, M.B., see S.T. Weir **162–164**, 1263
Maple, M.B., see M.A. Lopez de la Torre **162–164**, 1653
Marbach, G., S. Stotz, M. Klee and J.W.C. de Vries, Superconductivity in Bi–Sr–Ca–Cu–O bulk samples made by thermal decomposition of metal oxalates **161**, 111
Marbach, G., see J.W.C. de Vries **161**, 661

Marcon, R., see M. Giura **162–164**, 1581
Marcus, J., see C. Escribe-Filippini **162–164**, 427
Marcus, J., see H. Guyot **162–164**, 1305
Marcus, J., see S. Revenaz **162–164**, 1585
Marcus, J., see C.J. Liu **162–164**, 1609
Marcy, H.O., see J. Zhao **159**, 710
Marezio, M., see E.A. Hewat **157**, 228, 502, 509
Marezio, M., see R.J. Cava **157**, 272
Marezio, M., see C. Chaillout **158**, 183; **162–164**, 57
Marezio, M., see H. Renevier **162–164**, 51
Marezio, M., see J.J. Capponi **162–164**, 53
Marezio, M., P. Bordet, J.J. Capponi, R.J. Cava, C. Chaillout, J. Chenavas, A.W. Hewat, E.A. Hewat, J.L. Hodeau and P. Strobel, Oxygen stoichiometry and superconductivity in $YBa_2Cu_3O_{6+x}$ and $Pb_2Sr_2Y_{1-x}Ca_xO_{8+\delta}$ **162–164**, 281
Marezio, M., see P. Bordet **162–164**, 524
Marimon Da Cunha, J.B., see J.A. Hodges **160**, 49
Marinelli, M., G. Morpurgo and G.L. Olcese, Diamagnetism of powder and bulk superconducting YBCO measured with a new magnetic levitometer **157**, 149
Marinelli, M., G. Morpurgo and C.L. Olcese, Diamagnetism of powder and bulk superconducting YBCO measured with a new magnetic levitometer, Physica C 157, 149. Erratum **159**, 715
Marinelli, M., see G. Balestrino **162–164**, 115
Marinelli, M., see A. De Ninno **162–164**, 359
Mariolakos, M., see F. Faupel **162–164**, 905
Mariot, J.-M., see C.F. Hague **162–164**, 1321
Maritato, L., see M. Cannavacciuolo **162–164**, 1063
Markert, J.T., E.A. Early, T. Bjørnholm, S. Ghamaty, B.W. Lee, J.J. Neumeier, R.D. Price, C.L. Seaman and M.B. Maple, Two new electron cuprate superconductors, $Pr_{1.85}Th_{0.15}CuO_{4-y}$ and $Eu_{1.85}Ce_{0.15}CuO_{4-y}$, and properties of $Nd_{2-x}Ce_xCuO_{4-y}$ **158**, 178
Markert, J.T., see C.L. Seaman **159**, 391
Markert, J.T., see S. Ghamaty **160**, 217
Markert, J.T., see E.A. Early **160**, 320
Markert, J.T., see M.B. Maple **162–164**, 296
Markert, J.T., N.Y. Ayoub, T. Bjørnholm, E.A. Early, C.L. Seaman, P.K. Tsai and M.B. Maple, Processing and superconducting properties of the electron-doped compounds $Ln_{2-x}M_xCuO_{4-y}$ (Ln = Pr, Nd, Sm, Eu, Gd; **M = Ce, Th**) **162–164**, 957
Markiewicz, R.S. and B.C. Giessen, Correlation of T_c with structure in the density of states in the new high-T_c superconductors **160**, 497
Markiewicz, R.S., Phase separation near the Mott transition in $La_{2-x}Sr_xCuO_4$ **162–164**, 215
Markiewicz, R.S., Flux lattice melting in the high-T_c materials **162–164**, 235
Markiewicz, R.S. and B.C. Giessen, Correlation of high-T_c superconductivity with density of states peaks **162–164**, 1655
Markowitsch, W., W. Lang, P. Schaffarich, H. Kuzmany, K. Pressl and G. Leising, Reflection and magnetoreflection of high-T_c superconductors **162–164**, 1235
Markowitsch, W., see W. Lang **162–164**, 1639
Marks, T.J., see J. Zhao **159**, 710
Marquina, M.L., see R.W. Gomez **162–164**, 989
Marquina, V., see R.W. Gomez **162–164**, 989
Marsden, I., see A. Mackenzie **162–164**, 1029
Marseglia, E., see A. Mackenzie **162–164**, 1029
Marsiglio, F. and J.E. Hirsch, Tunneling asymmetry: a test of superconductivity mechanisms **159**, 157
Marsiglio, F., Eliashberg theory of superconductivity with repulsive Coulomb enhancement **160**, 305
Marsiglio, F., see J.E. Hirsch **162–164**, 591
Marsiglio, F. and J.E. Hirsch, BCS theory of hole superconductivity: quasi-two-dimensional model **162–164**, 1451
Marsiglio, F., Monte Carlo evaluation of Migdal–Eliashberg theory in two dimensions **162–164**, 1453
Marsiglio, F., P.J. Williams and J.P. Carbotte, Some results for asymptotic limits in Eliashberg theory **162–164**, 1493
Marsolais, R., see P. Allenspach **157**, 58
Marthon, S., see O. Laborde **162–164**, 827
Martin, C., J. Provost, D. Bourgault, B. Domengès, C. Michel, M. Hervieu and B. Raveau, Structural peculiarities of the "1212" superconductor $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ **157**, 460
Martin, C., see D. Bourgault **158**, 511
Martin, C., see F. Studer **159**, 609
Martin, R.M., see J.F. Annett **162–164**, 809
Martin, S., see A.T. Fiory **162–164**, 1195
Martinez, G., see P.J.M. van Bentum **162–164**, 1237
Martinez, J.C., see H. Renevier **162–164**, 51
Martinez, J.C., see P. Bordet **162–164**, 524
Martínez, J.L., see X. Batlle **162–164**, 1273
Martinez-Ripoll, M., see U. Amador **162–164**, 873
Martini, L., see S. Zannella **162–164**, 1179
Martinoli, P., see Ph. Flueckiger **162–164**, 1563
Martovitsky, V.P., see A.I. Golovashkin **162–164**, 715
Marucco, J.-F. and C. Gledel, Non-stoichiometry and thermodynamics of defects in the system $YBa_2Cu_3O_z$ **160**, 73
Marucco, J.F., see P. Gerdanian **157**, 180
Marucco, J.F., see P. Mendels **162–164**, 167
Maruthi Kumar, P., see S.K. Agarwal **160**, 278
Maruthi Kumar, P., see C.V. Narasimha Rao **160**, 365
Maruyama, H., see H. Maeda **157**, 483
Maruyama, H., T. Ishii, N. Bamba, H. Maeda, A. Koizumi, Y. Yoshikawa and H. Yamazaki, Temperature dependence of the EXAFS spectrum in $YBa_2Cu_3O_{7-\delta}$ compounds **160**, 524
Mase, S., see T. Fukami **159**, 422, 427; **160**, 391; **161**, 34
Mason, T.O., see M.-Y. Su **160**, 114
Masuda, K., see H. Akinaga **161**, 581
Masumoto, H., see N. Kobayashi **159**, 295; **162–164**, 683
Matacotta, F.C., see E. Buluggiu **162–164**, 1647
Mateev, M.D., I.Z. Kostadinov, B. Alexandrov, J. Tihov, Tz. Ivanov, O. Petrov, E. Dinolova and V. Kovachev, Localization effects in $Nd_{2-x}Ce_xCuO_4$ electronic superconductor **162–164**, 993
Mateev, M.D., see I.Z. Kostadinov **162–164**, 995
Mateev, M.D., see P. Vassilev **162–164**, 510, 917

Mathis, B.S., see C.J. Liu **162–164**, 1609
Matijasevic, V., see L. Antognazza **162–164**, 411
Matsuda, A., T. Ishii, K. Kinoshita and T. Yamada, Superconducting fluctuation in $Ba_2[Y,Ln]Cu_3O_7$ measured by magnetoresistance **162–164**, 371
Matsuda, S., see M. Morita **162–164**, 1217
Matsui, Y., see F. Izumi **158**, 433
Matsukawa, H., see H. Fukuyama **162–164**, 775
Matsukuma, K., see T. Shinjo **159**, 869; **161**, 442
Matsumoto, H., M. Sasaki and M. Tachiki, Electronic states near the metal–insulator transition in oxide superconductors **162–164**, 221
Matsuno, S., see H. Kamimura **162–164**, 781
Matsushita, T., see K. Yamafuji **159**, 743
Matsushita, T., Elastic modulus of fluxoid lattice in type II superconductors **160**, 328
Matsushita, T., see N. Kobayashi **162–164**, 683
Matsuta, Y., see M. Nakao **162–164**, 677
Matsuura, T., see Y. Ōno **159**, 875, 878
Matsuyama, H., T. Takahashi, H. Katayama-Yoshida, T. Kashiwakura, Y. Okabe, S. Sato, N. Kosugi, A. Yagishita, K. Tanaka, H. Fujimoto and H. Inokuchi, Impurity-state-like nature of Fermi-liquid states in $Bi_2Sr_2CaCu_2O_8$ observed by photoemission and X-ray absorption **160**, 567
Matsuyama, H., T. Takahashi, H. Katayama-Yoshida, Y. Okabe, H. Takagi and S. Uchida, Photoemission study of single crystal $BaPb_{1-x}Bi_xO_3$ **162–164**, 1319
Matsuzawa, T., see S. Onari **162–164**, 1343
Mattausch, Hj., see F. Hentsch **158**, 137
Mattes, B.L., Possible interfacial superconducting transport in CuCl:Si **162–164**, 554
Matthews, D.N., see G.J. Russell **162–164**, 327
Matthews, D.N., see K.N.R. Taylor **162–164**, 1543
Matus, M., H. Kuzmany, B. Sumetsberger and T. Pichler, Oxygen doping of tetragonal $YBa_2(Cu,Ga)_3O_x$ superconductors **162–164**, 967
Matveenko, S.I., see A.V. Balatsky **161**, 136
Matykiewicz, J.L., see B.D. Dunlap **158**, 397
Mavrin, B.N., see I.V. Aleksandrov **162–164**, 1057
Mayer, J., see I. Natkaniec **162–164**, 1359, 1369
Mayerhofer, E., see H.W. Weber **161**, 272; **162–164**, 401
Mayou, D., see D. Peter **162–164**, 199
Maza, J., C. Torron and F. Vidal, Influence of the local strains on the rounding of the resistivity near T_c in copper oxide superconductors **162–164**, 373
Maza, J., see J.A. Veira **162–164**, 375
Mazaki, H., see H. Kitaguchi **157**, 267
Mazaki, H., H. Yasuoka, K. Yamamoto, K. Hirata, K. Iijima, T. Terashima and Y. Bando, AC susceptibility in single crystal $YBa_2Cu_3O_{7-x}$ I **162–164**, 1641
Mazaki, H., see K. Yamamoto **162–164**, 1643
Mazin, I.I. and S.N. Rashkeev, Influence of local symmetry on the electron–phonon coupling in perovskites **162–164**, 1347
Mazin, I.I., see O.V. Dolgov **162–164**, 1529
Mazumdar, S., Experimental predictions for the normal state of electron-doped high-temperature superconductors **161**, 423
Mazurek, P., see A. Bombik **157**, 251
McCallum, R.W., see M.J. Kramer **162–164**, 552
McCallum, R.W., S.R. Arrasmith, K.W. Dennis and M.J. Kramer, Superconducting properties of grain boundaries in dense, fine grained $YBa_2Cu_3O_x$ **162–164**, 933
McCarron, E.M., see A.J. Vega **162–164**, 165
McCarron, E.M., see M.K. Crawford **162–164**, 755
McCarty, K.F., B. Morosin, D.S. Ginley and D.R. Boehme, Raman analysis of $TlCa_2Ba_2Cu_3O_{19}$ and $Tl_2Ca_2Ba_2Cu_3O_{10}$ crystals **157**, 135
McCarty, K.F., E.L. Venturini, D.S. Ginley, B. Morosin and J.F. Kwak, Observation of magnetic excitations in antiferromagnetic $TlYBa_2Cu_2O_7$ by inelastic light scattering **159**, 603
McElfresh, M., see M.P. Maley **162–164**, 701
McGinn, P.J., W. Chen and M.A. Black, Texture processing of bulk $YBa_2Cu_3O_{6+x}$ by zone melting **161**, 198
McGinnis, W.C., see T.E. Jones **162–164**, 25
McGreevy, R.L., see C. Raptis **161**, 83
McGuire, T.R., A. Gupta, G. Koren, R.B. Laibowitz and D. Dimos, Magnetic study of superconductivity in $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 131
McHenry, M.E., see M. Foldeáki **161**, 403
McHenry, M.E., J.O. Willis, M.P. Maley, J.D. Thompson, J.R. Cost and D.E. Peterson, Critical currents and magnetic relaxation in neutron irradiated Y123 **162–164**, 689
McHenry, M.E., see M.P. Maley **162–164**, 701
McHenry, M.E., see D.P. Clougherty **162–164**, 1475
McKay, J.M., see D.A. Nepela **158**, 65
McKinnon, W.R., see J. Ren **158**, 501; **159**, 151
McMahan, A.K., see J.B. Grant **162–164**, 1439
McNiff Jr., E.J., see K.A. Delin **162–164**, 719
Medarde, M., see X. Batlle **162–164**, 1273
Medelius, H., see Y. Zhang **157**, 108
Medina, F.D., see E. Liarokapis **157**, 551
Mee, C., A.I.M. Rae, W.F. Vinen and C.E. Gough, Flux creep in high T_c superconductors **162–164**, 1187
Megtert, S., see F. Keller-Berest **161**, 150
Megtert, S., see H. Raffy **162–164**, 613
Meguro, S., see K. Takahashi **162–164**, 381
Mehdaoui, A., see B. Loegel **159**, 816
Mehler, M.J., see Z. Wu **162–164**, 385
Mehring, M., see F. Hentsch **158**, 137
Mei, Z., see C.E. Violet **162–164**, 1291
Meidenbauer, K., see J. Betz **162–164**, 133
Meidenbauer, K., see T. Zetterer **162–164**, 514
Meilikhov, E. and Yu. Gershanov, Percolation model of ceramic high-T_c superconductors. Critical current and current–voltage characteristic **157**, 431
Meisels, R., see S.S. Bungre **162–164**, 1171
Melik-Shahchnazarov, V.A., see I.V. Aleksandrov **162–164**, 1057
Melim, V.J., see B. Dabrowski **160**, 281; **162–164**, 91
Melim, V.J., see C.W. Kimball **162–164**, 95

Melnikliev, G., see D. Kovacheva **162–164**, 1227
Melnikov, V.S., A.G. Popov, N.V. Dan'ko, N.P. Pshentsova, D.P. Demenko and V.M. Pan, High T_c superconductivity and crystal structure of Pb–Sr–Y, Ca–Cu–O system **162–164**, 534
Melnikov, V.S., see S.K. Tolpygo **162–164**, 941
Mendels, P., H. Alloul, T. Ohno, G. Collin and J.F. Marucco, Antiferromagnetism in $YBa_2Cu_3O_{6+x}$ studied by ^{63}Cu and ^{89}Y NMR **162–164**, 167
Mendels, P., see H. Alloul **162–164**, 193
Menelle, A., see M. Hennion **159**, 124
Meng, R.L., see Y.Y. Xue **158**, 211
Meng, R.L., see C.S. Sundar **162–164**, 1379
Meng, X., see W. Tang **161**, 181
Menken, M.J.V., see H.W. Zandbergen **158**, 155
Menken, M.J.V., see K. Kadowaki **159**, 165; **162–164**, 516
Menken, M.J.V., see J.N. Li **161**, 313
Menken, M.J.V., see J. Baak **162–164**, 500
Menken, M.J.V., see W.G. Haije **162–164**, 875
Menken, M.J.V., see J. van den Berg **162–164**, 1189
Menken, M.J.V., see P.H. Kes **162–164**, 1621
Menovsky, A.A., see H.W. Zandbergen **158**, 155
Menovsky, A.A., see J.N. Li **161**, 313
Menovsky, A.A., see J. Baak **162–164**, 500
Menovsky, A.A., see K. Kadowaki **162–164**, 516
Menovsky, A.A., see W.G. Haije **162–164**, 875
Menovsky, A.A., see J. van den Berg **162–164**, 1189
Menovsky, A.A., see P.H. Kes **162–164**, 1621
Mereiter, K., see M. Wacenovsky **160**, 55
Merkle, K.L., see A.L. Wachs **162–164**, 1375
Mertens, G., see H.-U. Habermeier **162–164**, 601
Meshkov, S.V., S.N. Molotkov, S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic structure of the superconducting compounds $Tl_2Ba_2CuO_6$ and $Bi_2Sr_2CuO_6$ **161**, 497
Meuffels, P., R. Naeven and H. Wenzl, Pressure–composition isotherms for the oxygen solution in $YBa_2Cu_3O_{6+x}$ **161**, 539
Meuffels, P.M., see H. Lütgemeier **162–164**, 1367
Meyer, E.A., see D.W. Cooke **162–164**, 1537
Meyer, O., see J. Geerk **162–164**, 837
Miceli, P.F., see J.-M. Tarascon **162–164**, 285
Miceli, P.F., see L.H. Greene **162–164**, 1069
Miceli, P.F., J.-M. Tarascon, L.H. Greene, J.J. Rhyne and D.A. Neumann, Magnetic ordering in $YBa_2Cu_{3-x}M_xO_{6+y}$ **162–164**, 1267
Michaelsen, C., see O. Bremert **162–164**, 45
Michalak, R., M. Rosenberg and H. Lütgemeier, NQR and NMR study of Bi–(PB)–Sr–Ca–Cu–O ceramic superconductors **162–164**, 267
Michel, C., see C. Martin **157**, 460
Michel, C., see D. Bourgault **158**, 511
Michel, C., see T. Rouillon **159**, 201
Michel, C., see F. Studer **159**, 609
Miguelez, F., see J.A. Veira **162–164**, 375
Miidel, V., see E. Lippmaa **162–164**, 263
Mika, K., see J. Hauck **161**, 512
Mikhailov, I.G., see S.K. Tolpygo **162–164**, 941, 959
Mikhov, M., see P. Vassilev **162–164**, 917
Mila, F. and T.M. Rice, Analysis of magnetic resonance experiments in $YBa_2Cu_3O_7$ **157**, 561
Milani, E., see G. Balestrino **162–164**, 115
Mill, B.V., see A.A. Gippius **162–164**, 253
Miller, A., see E. Lippmaa **162–164**, 263
Miller, B., see D.J. Werder **160**, 411
Millis, A.J., see T. Timusk **162–164**, 841
Min, E., see H. Nagata **161**, 66
Minami, F., see K. Yamaya **162–164**, 1009
Minami, F., see A. Yamanaka **162–164**, 1099
Minamigawa, S., see T. Takabatake **157**, 263
Mineev, V.P., Nonmagnetic impurities in magnetic superconductors **162–164**, 1531
Miner, W.A., see M.K. Yu **162–164**, 468
Miner, W.A., see J.P. Franck **162–164**, 753
Minerva, T., see C. Calandra **162–164**, 211
Mints, R.G., see A.Vl. Gurevich **162–164**, 233
Miranda, R., see O. Strebel **162–164**, 1331
Miravitlles, C., see A. Fuertes **157**, 525
Miravitlles, C., see M.T. Caldes **162–164**, 865
Mirebeau, I., see M. Hennion **159**, 124
Mirenskaya, I.I., see A.B. Blank **162–164**, 1225
Mirhashem, B. and R.A. Ferrell, Bias current dependence of the electromagnetic response of thin granular films and Josephson arrays **161**, 354
Mirmelstein, A.V., see S.A. Davydov **161**, 549
Mirmelstein, A.V., see B.N. Goshchitskii **162–164**, 997, 1019, 1023
Mironova, G.M., see A.M. Balagurov **158**, 265
Mirza, K.A., see J.W. Loram **162–164**, 498
Mirza, K.A., see F.J. Blunt **162–164**, 1605
Mirzoeva, I.I., see I.V. Aleksandrov **162–164**, 1057
Mishra, P.K., see C. Radhakrishnamurty **162–164**, 333
Misochko, O.V., see L.V. Gasparov **157**, 341; **160**, 147
Misochko, O.V. and V.B. Timofeev, Raman scattering peculiarities in high-T_c superconductors **162–164**, 1249
Misochko, O.V., see V.B. Timofeev **162–164**, 1409
Misra, D.S., see R.M. Bowley **159**, 51
Misra, N.C., see A.K. Rajarajan **162–164**, 163
Missert, N., see L. Antognazza **162–164**, 411
Mita, M., see H. Shimizu **162–164**, 1293
Mitchell, A.W., see J.F. Zasadzinski **158**, 519; **162–164**, 1053
Mitchell, A.W., see S. Pei **162–164**, 556
Mitchell, A.W., see C.S. Sundar **162–164**, 1379
Mitchell, D.F., see J.P. Franck **162–164**, 753
Mitsen, K.V., see N.V. Anshuokova **162–164**, 1657
Mitsen, K.V., see A.I. Pavlovskii **162–164**, 1659
Mitsen, K.V., see A.I. Golovashkin **162–164**, 1661
Mitsui, K., see T. Kawai **161**, 561
Mitsuyu, T., see K. Hirochi **160**, 273
Mittag, M., see M. Rosenberg **162–164**, 729
Mitzi, D.B., see P. Kuiper **157**, 260
Mitzi, D.B., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Miura, S., see J.S. Tsai **157**, 537
Miura, Y., see H. Kitaguchi **157**, 267
Miyamoto, K., see M. Morita **162–164**, 1217

Miyamoto, M., see M. Takano **159**, 375
Miyamoto, S., see J. Tanaka **162–164**, 1117
Miyatake, T., K. Yamaguchi, T. Takata, S. Gotoh, N. Koshizuka and S. Tanaka, Preparation and superconducting properties of $YBa_2Cu_4O_8$ **160**, 541
Miyazaki, M., see J. Inoue **157**, 209
Mizutani, T., see T. Shinjo **159**, 869; **161**, 442
Mocaer, P., see U. Dai **162–164**, 699
Mohamed, M.A.-K., see M.K. Yu **162–164**, 468
Mohamed, M.A.-K., see J.P. Franck **162–164**, 753
Mohamed, M.A.-K., see J. Jung **162–164**, 1183
Mohamed, M.A.-K., J. Jung and J.P. Franck, Trapped flux, persistent current and diamagnetic shielding in a ring and a disk of $Y_1Ba_2Cu_3O_7$ **162–164**, 1185
Mohan Ram, R.A., see R. Nagarajan **158**, 453
Moisa, V.S., see I.V. Zubov **162–164**, 37
Moise, A., see W. Reith **162–164**, 109
Molchanov, A.S., see E.V. Ekimov **162–164**, 833
Molchanov, V.N., see L.A. Muradyan **162–164**, 536
Molchanov, V.N., see N.N. Kolesnikov **162–164**, 1663
Moleman, A.C., see K. Kadowaki **159**, 165; **162–164**, 516
Moleman, A.C., see W.G. Haije **162–164**, 875
Molnar, B., see J. Dengler **162–164**, 1297
Molotkov, S.N., see S.V. Meshkov **161**, 497
Monceau, P., see O. Laborde **162–164**, 1619
Monod, P., see D. Shaltiel **161**, 13
Monod, P., see F. Keller-Berest **161**, 150
Monod, P., see N. Bontemps **162–164**, 1113
Moodenbaugh, A.R., see Y. Xu **162–164**, 1627
Moodera, J., see R. Chatterjee **158**, 485
Moodera, J.S., see A. Roshko **162–164**, 1625
Moorjani, K., see M. Hennion **159**, 124
Moorjani, K., see B.F. Kim **161**, 76
Moorthy, V.N., see A.G. Vedeshwar **158**, 385
Moorthy, V.N., see S.K. Agarwal **160**, 278
Morales, F., see R. Escudero **162–164**, 1059
Morán, E., see M.A. Señaris-Rodriguez **162–164**, 85
Morán, E., see U. Amador **162–164**, 873
Moran, E., see T.C. Huang **158**, 148; **159**, 625
Moran, E., A.I. Nazzal, T.C. Huang and J.B. Torrance, Extra oxygen in electron superconductors: Ce and Th doped $Nd_2CuO_{4+\delta}$ and $Gd_2CuO_{4+\delta}$ **160**, 30
Morawitz, H., see V.Z. Kresin **162–164**, 1471
Moreira de Sá, C., see A. Correia dos Santos **162–164**, 977
Mori, K., M. Sasakawa, T. Igarashi, Y. Isikawa, K. Sato, K. Noto and Y. Muto, Thermal conductivity, electrical resistivity and specific heat of high-T_c $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_x$ superconductor **162–164**, 512
Mori, K., Y. Isikawa, T. Ban, K. Sato and K. Rokudo, Preparation of high-T_c Bi–Sr–Ca–Cu–O oxide superconductors and their electrical resistivities **162–164**, 923
Mori, T., see K. Soda **161**, 219
Mori, T., see S. Onari **162–164**, 1343
Morimoto, K., T. Takabatake, W. Ye, S. Orimo, T. Hihara and H. Fujii, ^1H NMR study of hydrogenated $YBa_2Cu_3O_{6.9}$ and $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 849
Morita, M., M. Murakami, K. Miyamoto, K. Sawano and S. Matsuda, Superconducting properties of bulk $YBa_2Cu_3O_{7-y}$ prepared by a quench and melt growth process **162–164**, 1217
Moriwaki, H., see H. Maeda **157**, 483
Morosin, B., see K.F. McCarty **157**, 135; **159**, 603
Morosin, B., see J.E. Schirber **157**, 237; **162–164**, 745
Morosin, B., see C. Chaillout **158**, 183; **162–164**, 57
Morosin, B., see D.S. Ginley **160**, 42
Morosin, B., see E.J. Ansaldo **162–164**, 147
Morosin, B., see E.L. Venturini **162–164**, 673
Morozovsky, A.E., see V.G. Bar'yakhtar **162–164**, 466
Morozovsky, A.E., see S.K. Tolpygo **162–164**, 959
Morpurgo, G., see M. Marinelli **157**, 149; **159**, 715
Morris, D.E., N.G. Asmar, J.H. Nickel, R.L. Sid, J.Y.T. Wei and J.E. Post, Stability of 124, 123, and 247 superconductors **159**, 287
Morris, D.E., N.G. Asmar, J.Y.T. Wei, R.L. Sid, J.H. Nickel, J.S. Scott and J.E. Post, Rare earth substituted 124 and 247 superconductors **162–164**, 955
Morris, D.E., see M.C. Krantz **162–164**, 1089
Morris, P.A., see M.K. Kelly **162–164**, 1123
Morss, L., see B.W. Veal **162–164**, 97
Moser, N., M.R. Koblischka, H. Kronmüller, B. Gegenheimer and H. Theuss, Observation of flux penetration in $YBa_2Cu_3O_{7-\delta}$ superconductors by means of the magneto-optical Faraday effect **159**, 117
Moshchalkov, V.V., see R.I. Antonov **162–164**, 437
Moshchalkov, V.V., see F.G. Aliev **162–164**, 572
Moshchalkov, V.V., see K.K. Bourdelle **162–164**, 949
Moshchalkov, V.V., see M.V. Elashkin **162–164**, 1173
Moshchalkov, V.V., A.A. Gippius, V.I. Voronkova and A.A. Zhukov, Time relaxation of the untwinned $TmBa_2Cu_3O_{7-\delta}$ single crystal remanent magnetization **162–164**, 1193
Moshchalkov, V.V., see I.V. Vodolazskaya **162–164**, 1213
Moshchalkov, V.V., O.V. Petrenko, A.A. Zhukov, A.A. Gippius, V.I. Voronkova, V.S. Belov and V.A. Rybachuk, Temperature dependences of lower critical fields in $TmBa_2Cu_3O_{7-x}$ single-crystals **162–164**, 1611
Moshchalkov, V.V., O.V. Petrenko, V.S. Belov and V.I. Voronkova, Anisotropy of the monodomain $TmBa_2Cu_3O_{7-x}$ single-crystal magnetic properties **162–164**, 1633
Moshchalkov, V.V., see A.A. Gippius **162–164**, 253, 255
Moshchalkov, V.V., see A.A. Zhukov **162–164**, 435, 1623, 1631
Moshchil, V.Ye., see S.K. Tolpygo **162–164**, 941
Moske, M., K. Samwer, S. Dina and G. van Minnigerode, C-axis oriented $Y_2Ba_2Cu_3O_{7-x}$ films using the BaF_2-method **162–164**, 609
Mota, A.C., A. Pollini, P. Visani and G. Juri, Low-field flux motion in single crystal $Y_1Ba_2Cu_3O_{7-\delta}$ and in other superconductors **162–164**, 695
Mota, A.C., G. Juri, P. Visani and A. Pollini, Flux motion in high-T_c superconductors **162–164**, 1152
Motoi, Y., Y. Ikeda, H. Uwe and T. Sakudo, Enhancement of T_c

by annealing under reducing conditions on $Bi_2Sr_2CaCu_2O_x$ **162–164**, 929
Motta, N., see F. Rochet **159**, 447
Mrost, S.E., see R.I. Antonov **162–164**, 437
Mrost, S.E., see A.A. Zhukov **162–164**, 1631
Mueller, W., Relativistic cluster results for $YBa_2Cu_3O_7$ **162–164**, 1357
Muhammed, M., see Y. Zhang **157**, 108
Muirhead, C.M., see S.G. Hammond **162–164**, 395
Mukherjee, C.D., see N. Chatterjee **161**, 589
Müller, G., see M. Hein **162–164**, 111
Müller, G., see D.W. Cooke **162–164**, 1537
Müller, G., see N. Klein **162–164**, 1549
Müller, H., see K. Remschnig **158**, 458
Muller, J., see A. Junod **159**, 215; **162–164**, 476, 478, 480, 482, 1401
Muller, J., see M. Kuboth **162–164**, 407
Muller, J., see G. Triscone **162–164**, 470
Muller, J., see P. Bordet **162–164**, 524
Müller, J.-H. and R. Gruehn, Mechanism of the transition from orthorhombic to tetragonal $YBa_2Cu_3O_{7-x}$. Investigation of a reversible topotactic reaction in the electron microscope **159**, 527
Müller, K., M. Mali, J. Roos and D. Brinkmann, Pressure effects of NQR parameters in $YBa_2Cu_3O_y$ **162–164**, 173
Müller, K.-H., J.C. MacFarlane and R. Driver, Josephson vortices and flux penetration in high temperature superconductors **158**, 69
Müller, K.-H., J.C. Macfarlane and R. Driver, Nonlinear magnetic flux response in high temperature superconductors **158**, 366
Müller, K.-H., AC susceptibility of high temperature superconductors in a critical state model **159**, 717
Müller, K.-H. and A.J. Pauza, Intergranular AC loss in high-temperature superconductors **161**, 319
Müller, K.-H., B.W. Ricketts, J.C. MacFarlane and R. Driver, Intergranular flux pinning in high temperature superconductors **162–164**, 1177
Müller, K.A., see B. Pümpin **162–164**, 151
Müller, P., see W. Reith **162–164**, 109
Müller, P., see R. Kleiner **162–164**, 393
Müller, P., see C. Allgeier **162–164**, 741
Müller, P., see R. Hackl **162–164**, 1241
Müller, W., see H.-E. Mahnke **162–164**, 345
Muñoz, J.S., see J. Costa-Quintana **162–164**, 757
Muñoz, J.S., see F. López-Aguilar **162–164**, 759
Muradyan, L.A., V.N. Molchanov, R.A. Tamazyan and V.I. Simonov, Structural investigations of single crystals of high T_c superconductors: La- and Y-phases **162–164**, 536
Muradyan, L.A., see N.N. Kolesnikov **162–164**, 1663
Murakami, H., see R. Aoki **162–164**, 921
Murakami, M., see M. Morita **162–164**, 1217
Murakami, T., see B.J. Sternlieb **162–164**, 679
Murakami, T., see G.M. Luke **162–164**, 825
Murakami, T., see N.W. Preyer **162–164**, 1003
Murakami, T., see M. Lang **162–164**, 1037
Muraki, T., see M. Taniwaki **162–164**, 568
Muramatsu, A., see G. Dopf **162–164**, 807
Muramatsu, A., see J. Wagner **162–164**, 811
Murata, K., see H. Uwe **162–164**, 743
Murata, K., see T. Takahashi **162–164**, 1323
Murawski, L., see B. Kusz **160**, 25
Murayama, N. and Y. Torii, Increase in J_c of Bi–Pb–Sr–Ca–Cu–O superconductors by hot-pressing **162–164**, 1261
Muro-Oka, H., see N. Wada **157**, 453
Murphy, D.W., see C.H. Chen **160**, 375
Murphy, S.D., see G. Shaw **162–164**, 341
Murugaraj, P., see I.B. Ferreira **162–164**, 1579
Muthe, K.P., see S.C. Gadkari **160**, 167
Muto, Y., see M. Kikuchi **158**, 79
Muto, Y., see S. Nakajima **158**, 471; **160**, 458
Muto, Y., see N. Kobayashi **159**, 295; **162–164**, 27, 683
Muto, Y., see H. Iwasaki **159**, 301
Muto, Y., K. Watanabe, N. Kobayashi, H. Kawabe, H. Yamane, H. Kurosawa and T. Hirai, Transport critical current and morphology for Y–Ba–Cu–O films prepared by chemical vapor deposition **162–164**, 105
Muto, Y., see T. Sasaki **162–164**, 504
Muto, Y., see K. Mori **162–164**, 512
Mutsaers, C.A.H.A., see D.M. de Leeuw **158**, 391
Muttik, I.G., see M.V. Elashkin **162–164**, 1173
Muzi, R., see E. Agostinelli **162–164**, 319
Muzychka, A.Yu., see I. Natkaniec **162–164**, 1359
Myasoedov, A.B., see N.A. Babushkina **162–164**, 877
Mydosh, J.A., see J. van den Berg **162–164**, 1189
Myers, D.L., see P.G. Wahlbeck **161**, 175
Myhra, S., see A.E. Bocquet **160**, 252

Naeven, R., see P. Meuffels **161**, 539
Nagarajan, R., R. Vijayaraghavan, L. Ganapathi, R.A. Mohan Ram and C.N.R. Rao, Evidence for two distinct orthorhombic structures associated with different T_c regimes in $LnBa_2Cu_3O_{7-\delta}$ (Ln = Nd, Eu, Gd and Dy): a study of the dependence of superconductivity on oxygen stoichiometry **158**, 453
Nagarajan, R., see A. Sequeira **159**, 87
Nagasawa, H., see Y. Saito **161**, 683
Nagase, K., see S. Nakajima **160**, 458
Nagata, H., E. Min, M. Aihara, T. Itoh and H. Takai, Characteristics of $YBa_2Cu_3O_x$ films heat-treated in inert gases **161**, 66
Nagoshi, M., see A. Tokiwa **161**, 459
Nagoshi, M., see Y. Fukuda **162–164**, 1315
Nagoshi, M., see T. Suzuki **162–164**, 1387
Nagy, D.L., see J. Dengler **162–164**, 1297
Nahm, K., see R. Job **162–164**, 43
Nahoum, R., see U. Dai **162–164**, 699
Naito, M., see S. Kambe **160**, 35, 243
Naito, M., see K. Kitazawa **162–164**, 1017
Nakai, S., see J. Fink **162–164**, 1415
Nakai, Y., see F. Izumi **157**, 89
Nakajima, H., see T. Oashi **161**, 367
Nakajima, H., see K.i. Kumagai **162–164**, 183
Nakajima, H., see Y. Nakamichi **162–164**, 185

Nakajima, S., see M. Kikuchi **158**, 79
Nakajima, S., M. Kikuchi, Y. Syono, T. Oku, D. Shindo, K. Hiraga, N. Kobayashi, H. Iwasaki and Y. Muto, Synthesis of bulk high T_c superconductors of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ $(n=2-5)$ **158**, 471
Nakajima, S., see H. Iwasaki **159**, 301
Nakajima, S., see D. Shindo **159**, 794
Nakajima, S., M. Kikuchi, T. Oku, N. Kobayashi, T. Suzuki, K. Nagase, K. Hiraga, Y. Muto and Y. Syono, Over-doping of $Tl_2Ba_2CuO_6$ due to charge transfer $Tl^{3-\prime}$–$(Cu–O)^{p}$ **160**, 458
Nakajima, S., see T. Kajitani **161**, 483
Nakajima, S., see T. Suzuki **162–164**, 1387
Nakajima, Y., see T. Oashi **157**, 315
Nakamichi, Y., K.i. Kumagai, H. Nakajima and T. Fujita, Magnetic order at Cu sites in superconducting $YBa_2(Cu_{1-x}Fe_x)_3O_7$ **162–164**, 185
Nakamura, F., see Y. Ochiai **161**, 447; **162–164**, 1033
Nakamura, F., K. Senoh, T. Tamura, Y. Ochiai and Y. Narahara, Magnetic interactions in $GdBa_2Cu_3O_y$ compounds **162–164**, 1287
Nakamura, S., see Y. Iye **159**, 433, 616
Nakamura, S., see N. Fukishima **159**, 777
Nakamura, S., see T. Ishida **162–164**, 1005
Nakamura, T., see R. Liang **157**, 83
Nakamura, T., see T. Atake **162–164**, 488
Nakamura, T., see R. Aoki **162–164**, 921
Nakamura, Y., see K. Kumagai **157**, 307
Nakamura, Y., see N. Wada **157**, 453; **162–164**, 472
Nakamura, Y. and K. Kumagai, Studies of $^{63/65}$Cu-NQR and electrical resistivity for the wide range of x in $La_{2-x}Sr_xCuO_4$ **161**, 265
Nakamura, Y. and K.i. Kumagai, Cu-NQR study on the antiferromagnetism and superconductivity in $La_{2-x}Sr_xCuO_4$ **162–164**, 187
Nakanishi, Y., see Y. Fukuda **162–164**, 1315
Nakao, M., K. Kawaguchi, H. Furukawa, K. Shikichi and Y. Matsuta, Comparison of flux pinning in superconducting Tl–Ca–Ba–Cu–O single crystals and thin film **162–164**, 677
Nakaoka, K., see S. Onari **162–164**, 1343
Nakayama, Y., see A. Maeda **160**, 443; **162–164**, 1203
Nakayama, Y., I. Tsukada, A. Maeda and K. Uchinokura, Molecular beam epitaxy growth of Bi–Sr–Ca–Cu–O thin films **162–164**, 711
Nakazawa, Y. and M. Ishikawa, Effects of oxygen stoichiometry and oxygen ordering in $Ba_2YCu_3O_y$ $(6 \le y \le 7)$ **158**, 381
Nakazawa, Y., see L. Rebelsky **160**, 197
Nakazawa, Y. and M. Ishikawa, Effects of oxygen stoichiometry and ordering in $Ba_2YCu_3O_y$ $(6 \le y \le 7)$ **162–164**, 83
Nam, S.B., Entangled fluxoid liquid state in high T_c superconductors **162–164**, 231
Namimoto, H., see K. Yamaguchi **162–164**, 1333
Narahara, Y., see Y. Ochiai **161**, 447; **162–164**, 1033
Narahara, Y., see F. Nakamura **162–164**, 1287
Narasimha Rao, C.V., see S.K. Agarwal **160**, 278
Narasimha Rao, C.V., S.K. Agarwal, P. Maruthi Kumar, V.P.S. Awana and A.V. Narlikar, Disappearance and reappearance of superconductivity in higher hole concentration compounds of the $La_{2-x}Sr_xCuO_{4-y}$ system **160**, 365
Narlikar, A.V., see A.G. Vedeshwar **158**, 385; **162–164**, 1573, 1575
Narlikar, A.V., see S.K. Agarwal **160**, 278
Narlikar, A.V., see C.V. Narasimha Rao **160**, 365
Nartova, Z.M., see A.B. Blank **162–164**, 1225
Nasu, K., S-wave pairing mediated by double excitation of triplet in two band systems with intermediate electron correlation **162–164**, 815
Nasu, K., see K. Yamaguchi **162–164**, 1333
Natarajan, V., see M.D. Sastry **160**, 69
Nath, A. and Z. Homonnay, Emission Mössbauer studies of nonrigidity of copper–oxygen chain in $YBa_2Cu_3O_{7-\delta}$ **161**, 205
Natkaniec, I., A.V. Belushkin, E.A. Goremychkin, W. Iwański, J. Mayer, A.Yu. Muzychka and I.L. Sashin, Phonon spectra of $Bi_2Sr_2CaCu_2O_8$ depending on temperature **162–164**, 1359
Natkaniec, I., A.V. Belushkin, J. Brańkowski, E.A. Goremychkin, J. Mayer, I.L. Sashin, V.K. Fedotov, A.I. Kolesnikov, I.O. Bashkin, V.V. Sinicyn and E.G. Ponyatovskii, Hydrogen vibrations in $H_xYBa_2Cu_3O_7$ superconducting ceramics **162–164**, 1369
Navarro, R., see F. Lera **162–164**, 325
Navarro, R., see J. Bartolomé **162–164**, 863
Nazarova, E., see D. Kovacheva **162–164**, 1227
Nazin, S.S., see S.V. Meshkov **161**, 497
Nazzal, A.I., see T.C. Huang **158**, 148; **159**, 625
Nazzal, A.I., see E. Moran **160**, 30
Nazzal, A.I., see J.B. Torrance **162–164**, 291
Neeb, H., see A. Höhler **162–164**, 607
Nelisse, H., see C. Bourbonnais **162–164**, 805
Nellis, W.J., see S.T. Weir **162–164**, 1263
Nelson, D.R., Melted flux liquids in high-T_c superconductors **162–164**, 1156
Nelson, R., see R.E. Soltis **162–164**, 649
Nenkov, K., see E. Vlakhov **162–164**, 975
Nepela, D.A. and J.M. McKay, Correlation of electronegativity and transition temperature in high-T_c superconductors **158**, 65
Nersesyan, M.D., see V.G. Grebinnik **162–164**, 145
Nes, O.-M., see T. Laegreid **162–164**, 490
Nes, O.-M., see M. Slaski **162–164**, 103, 492
Neumaier, H., see C. Allgeier **162–164**, 741
Neumann, Ch., P. Ziemann, J. Geerk and X.X. Xi, AC-susceptibility measurements on differently prepared YBaCuO-films as a tool to provide an additional quality criterion **162–164**, 321
Neumann, D.A., see P.F. Miceli **162–164**, 1267
Neumeier, J.J., see J.T. Markert **158**, 178
Neumeier, J.J., see C.L. Seaman **159**, 391
Neumeier, J.J., see M.B. Maple **162–164**, 296
Neumüller, H.-W., see M. Peuckert **162–164**, 893
Neumüller, H.-W., see J.P. Ströbel **162–164**, 1209

Neumüller, H.W. and G. Ries, Pinning model derived from resistive measurements on melt processed $Bi_2Sr_2CaCu_2O_8$ **160**, 471
Neumüller, H.W. and G. Ries, Critical currents and flux creep in melt processed $Bi_2Sr_2CaCu_2O_8$ superconductor **162–164**, 363
Nevřiva, N., P. Holba, S. Durčok, D. Zemanová, E. Pollert and A. Tříska, On the melt equilibria in the Y–Ba–Cu–(O) system **157**, 334
Newns, D.M., see P.C. Pattnaik **157**, 13
Newsam, J.M., see S. Pei **162–164**, 556
Nguyen, T.P., see E. Faulques **162–164**, 1101
Niarchos, D., see M. Pissas **159**, 643
Nickel, J.H., see D.E. Morris **159**, 287; **162–164**, 955
Niedermann, Ph., see A.D. Kent **162–164**, 1035
Niedermayer, C., see H. Glückler **162–164**, 149
Niedermayer, C., A. Golnik, H. Glückler, M. Rauer, R. Simon, E. Recknagel, A. Weidinger, J.I. Budnick, H. Eickenbusch, W. Paulus and R. Schöllhorn, Magnetic correlations in superconducting $YBa_2Cu_3O_{6.6}$ (T_c=40 K) observed by muon spin rotation **162–164**, 159
Niemi, K.J., see V.M. Polvi **162–164**, 379
Nigam, A.K., see B.K. Basu **159**, 379
Nigro, A., see M. Cannavacciuolo **162–164**, 1063
Niinistö, L., see I. Tittonen **162–164**, 1259
Nikolaev, R.K., see Yu.A. Osipyan **159**, 137
Nikolaev, R.K., see V.T. Dolgopolov **162–164**, 458
Nikolaev, R.K., see V.F. Gantmakher **162–164**, 1539
Nikolsky, B.A., see V.G. Grebinnik **162–164**, 145
Nindel, M., see G. Roth **162–164**, 518
Nishina, Y., see R. Nishitani **162–164**, 1255
Nishitani, R., N. Yoshida, Y. Sasaki, Y. Nishina, H. Katayama-Yoshida, Y. Okabe and T. Takahashi, Raman scattering measurements of site-dependent ^{18}O exchange in $YBa_2Cu_3{}^{16}O_7$ **162–164**, 1255
Nishizawa, M., see T. Tamaki **162–164**, 987
Niskanen, K., see P. Norling **162–164**, 107
Niskanen, K., see P. Svedlindh **162–164**, 1365
Niskanen, K., P. Norling, P. Nordblad, P. Svedlindh, J. Fölster and T. Lundström, Field and time dependence of the magnetic susceptibility of single crystal $YBa_2Cu_3O_7$ **162–164**, 1637
Niu, H., see N. Fukishima **159**, 777
Noda, K., see A. Maeda **162–164**, 1205
Noel, H., see E. Vincent **159**, 863
Noel, H., see M.-O. Ruault **162–164**, 77
Noel, H., see M. Guillot **162–164**, 361
Noel, H., see O. Laborde **162–164**, 1619
Nölting, J., see R. Bormann **162–164**, 81
Nonaka, T., M. Green, K. Kishio, T. Hasegawa, K. Kitazawa, K. Kaneko and K. Kobayashi, Bi–Pb–Sr–Ca–Cu–O films fabricated by dip coating using the alkoxide–alkanolamine method **160**, 517
Nordblad, P., see P. Norling **162–164**, 107
Nordblad, P., see P. Svedlindh **162–164**, 1365
Nordblad, P., see K. Niskanen **162–164**, 1637
Noritake, T., see M. Ohkubo **160**, 480; **161**, 443
Norling, P., K. Niskanen, P. Svedlindh, P. Nordblad, L. Lundgren, J. Hudner, H. Ohlsén and L. Stolt, Magnetic measurements on coevaporated $YBa_2Cu_3O_7$ thin films **162–164**, 107
Norling, P., see M. Kakihana **162–164**, 931
Norling, P., see P. Svedlindh **162–164**, 1365
Norling, P., see K. Niskanen **162–164**, 1637
Norman, M., see J.H. Brewer **162–164**, 157
Norman, N., see Z.J. Yang **162–164**, 1587
Noto, K., see K. Mori **162–164**, 512
Nouruzi-Khorasani, A., see K.N.R. Taylor **159**, 707
Nouruzi-Khorosani, A., see K.N.R. Taylor **162–164**, 520
Nouruzi-Khorosani, A., see S. Bosi **162–164**, 895
Novák, J., P. Vyhlídka, D. Zemanová, E. Pollert and A. Tříska, Determination of the peroxidic oxygen and total oxygen stoichiometry in $YBa_2Cu_3O_{7-x}$ **157**, 346
Novak, P.Ya., see I.A. Leonidov **158**, 287
Novakova, A.A., see I.V. Zubov **162–164**, 37
Novikov, G.V., see Yu.A. Osipyan **159**, 137
Nowik, I., see E.R. Bauminger **162–164**, 1281
Nücker, N., see J. Fink **162–164**, 1415
Nygren, M., see M. Andersson **160**, 65

Oashi, T., K. Kumagai, Y. Nakajima, T. Tomita and T. Fujita, Observation of Cu-NQR in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ **157**, 315
Oashi, T., K. Kumagai, H. Nakajima, M. Kikuchi and Y. Syono, Nuclear quadrupole resonance of $^{63/65}Cu$ in the 2223 phase of Tl–Ba–Ca–Cu–O and (Bi, Pb)–Sr–Ca–Cu–O **161**, 367
Oashi, T., see K.i. Kumagai **162–164**, 183
Obara, H., K. Uchinokura and S. Tanaka, Fluctuation-induced diamagnetism above T_c in Nb/Si superconductive multilayers **157**, 37
Obradors, X., see A. Fuertes **157**, 525
Obradors, X., see M. Carrera **162–164**, 41, 723
Obradors, X., see J. Bartolomé **162–164**, 863
Obradors, X., see M.T. Caldes **162–164**, 865
Obradors, X., see X. Batlle **162–164**, 1273
Obry, M., J. Tate, P. Berberich and H. Kinder, YBaCuO films on silicon substrates: fabrication, characterization, and use as phonon detectors **162–164**, 389
Obst, B., see G. Roth **162–164**, 518
Ochiai, Y., F. Nakamura, K. Senoh, T. Tamura, T. Terashima, K. Iijima, K. Yamamoto, K. Hirata, Y. Bando and Y. Narahara, Low temperature conduction in $GdBa_2Cu_3C_y$ (y<6.4) films **161**, 447
Ochiai, Y., F. Nakamura, K. Senoh, T. Tamura, T. Terashima, K. Iijima, K. Yamamoto, K. Hirata, Y. Bando and Y. Narahara, Low temperature transport in $GdBa_2Cu_3O_y$ (y<6.5) **162–164**, 1033
Ochiai, Y., see F. Nakamura **162–164**, 1287
Ockers, S.T., see M.A. Kirk **162–164**, 532
O'Connor, D.A., see J.S. Abell **162–164**, 909
Octavio, M., see J.M. Aponte **162–164**, 1027
Oda, K., see H. Kitaguchi **157**, 267
Odermatt, W., see B. Pümpin **162–164**, 151

Ogata, M. and H. Shiba, Characterization of the ground states of a simplified CuO_2 model in strong- and weak-coupling regions **158**, 355
Ogawa, E., see A.B. Berezin **162–164**, 657
Ogura, K., see T. Kawai **161**, 561
Oguri, A. and S. Maekawa, Thermopower and resistivity in strongly correlated electron systems **162–164**, 1473
O'Handley, R.C., see R. Chatterjee **158**, 485
O'Handley, R.C., see M. Foldeáki **161**, 403
Ohkubo, M., T. Kachi and T. Noritake, Ion-channeling analysis for epitaxial $YBa_2Cu_3O_x$ superconducting thin films by laser deposition **160**, 480
Ohkubo, M., T. Kachi and T. Noritake, Ion-channeling analysis for epitaxial $YBa_2Cu_3O_x$ superconducting thin films by laser deposition. Physica C 160, 480. Erratum **161**, 443
Ohlsén, H., see P. Norling **162–164**, 107
Ohlsén, H., J. Hudner, L. Stolt and E. Johansson, Y–Ba–Cu–O thin films on sapphire substrates **162–164**, 621
Ohmi, T., see R. Ikeda **162–164**, 1693
Ohno, M., see C.F. Hague **162–164**, 1321
Ohno, T., see P. Mendels **162–164**, 167
Ohno, T., see H. Alloul **162–164**, 193
Ohta, H., see T. Takahashi **162–164**, 1323
Ohta, Y., see T. Tohyama **158**, 525
Okabe, Y., see M. Horvatić **159**, 689
Okabe, Y., see H. Matsuyama **160**, 567; **162–164**, 1319
Okabe, Y., see Y. Kitaoka **162–164**, 195
Okabe, Y., see R. Nishitani **162–164**, 1255
Okabe, Y., see T. Takahashi **162–164**, 1323
Okada, H., see M. Takano **159**, 375
Oku, T., see M. Kikuchi **158**, 79
Oku, T., see S. Nakajima **158**, 471; **160**, 458
Oku, T., see A. Tokiwa **161**, 459
Okuda, S., see S. Takano **162–164**, 1535
Okui, S., see T. Ishida **162–164**, 1005
Olcese, C.L., see M. Marinelli **159**, 715
Olcese, G.L., see M. Marinelli **157**, 149
Olivier, S., W.A. Groen, C. van der Beek and H.W. Zandbergen, On the solid solutions in the systems $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ $Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$ and $Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$ **157**, 531
Olshevsky, V.G., see V.G. Grebinnik **162–164**, 145
Olson, B.L., see T. Penney **162–164**, 63
Olson, C., see B.W. Veal **158**, 276
Olson, C.G., see R.S. List **159**, 439
Olson, C.G., R. Liu, D.W. Lynch, B.W. Veal, Y.C. Chang, P.Z. Jiang, J.Z. Liu, A.P. Paulikas, A.J. Arko and R.S. List, High resolution-angle resolved photoemission studies of high temperature superconductors **162–164**, 1697
Olzi, E., see E. Buluggiu **162–164**, 1647
Omelyanovsky, O.E., see V.G. Grebinnik **162–164**, 145
Onari, S., T. Mori, K. Nakaoka, T. Matsuzawa, T. Hiroaki, A. Ono, S. Hidaka and T. Arai, Lattice dynamics and far infrared spectra of $LnBa_2Cu_3O_x$ (Ln = lanthanide) and $TlBa_2Ca_{n-1}Cu_nO_{3+2n}$ **162–164**, 1343
Ong, E.W., see B.L. Ramakrishna **158**, 203
Ong, N.P., see J.-M. Tarascon **162–164**, 285
Ong, N.P., see T.R. Chien **162–164**, 343
Ong, N.P., see Z.Z. Wang **162–164**, 1013
Ong, N.P., see W.-F. Yau **162–164**, 1047
Ong, N.P., see T.W. Jing **162–164**, 1061
Ono, A., see S. Onari **162–164**, 1343
Ōno, Y. and T. Matsuura, Electronic state of strongly correlated electrons **159**, 875
Ōno, Y., T. Matsuura and Y. Kudora, Critical study of strongly correlated systems: a unified description of the incoherent and coherent regimes **159**, 878
Orbach, S., see D.W. Cooke **162–164**, 1537
Orbach, S., see N. Klein **162–164**, 1549
Orenstein, J., see T. Timusk **162–164**, 841
Orimo, S., see T. Takabatake **157**, 263; **162–164**, 65
Orimo, S., see K. Morimoto **159**, 849
Orlando, T.P., see J.T. Kucera **162–164**, 671
Orlando, T.P., see D.W. Face **162–164**, 709
Orlando, T.P., see K.A. Delin **162–164**, 719
Orozco, E., see Bokhimi **159**, 654
Ortega, C., see G. Garry **162–164**, 441
Ortega, J.E., see C. Laubschat **162–164**, 1317
Osada, T., see H. Uwe **162–164**, 743
Osaka, A., see H. Kitaguchi **157**, 267
Osborne, J., see J.W. Loram **162–164**, 498
Ose, W., see T. Zetterer **162–164**, 1075
Ose, W., J. Schützmann, M. Franz, A. Höhler, J. Halbritter and K.F. Renk, Far-infrared properties of an oriented $YBa_2Cu_3O_{7-\delta}$ thin film on MgO **162–164**, 1081
Ose, W., see K.F. Renk **162–164**, 1085
Ose, W., see J.P. Ströbel **162–164**, 1209
Oseroff, S., see T.E. Jones **162–164**, 25
Oseroff, S.B., see M.F. Hundley **158**, 102
Oseroff, S.B., see A. Butera **160**, 341
Osiko, V., see M. Borik **162–164**, 727
Osipyan, Yu.A., O.V. Zharikov, G.V. Novikov, N.S. Sidorov, V.I. Kulakov, L.V. Sypavina, R.K. Nikolaev and A.M. Gromov, Oxygen–iodine isomorphism in the Y–Ba–Cu–O ceramics **159**, 137
Osofsky, M.S., see D.B. Chrisey **162–164**, 129
Osofsky, M.S., see K.J. Sun **162–164**, 446
Osofsky, M.S., see T.P. Thorpe **162–164**, 645
Osofsky, M.S., see A.W. Webb **162–164**, 899
Osofsky, M.S., see H.A. Hoff **162–164**, 1115
Ossipyan, Yu.A. and O.V. Zharikov, Superconductivity and the structure of $YBa_2Cu_3O_6$ ceramics and single crystals treated in halogen vapours **162–164**, 79
Ostenson, J.E., see L.A. Schwartzkopf **162–164**, 383
Ota, S.B., R.A. Rose, B. Jayaram, P.A.J. de Groot and P.C. Lanchester, Signature of possible vortex lattice melting in magnetic hysteresis of high-T_c $Bi_2Sr_2CaCu_2O_{8+x}$ **157**, 520
Ota, S.B., R.A. Rose, B. Jayaram, P.A.J. de Groot and P.C. Lanchester, Signature of possible vortex lattice melting in magnetic hysteresis of high-T_c $Bi_2Sr_2CaCu_2O_{8+x}$, Physica C 157, 520. Erratum **158**, 298
Otsu, H., see D. Shindo **159**, 794
Ott, H.R., see A. Schilling **157**, 144; **161**, 626

Ott, H.R., see A. Schillinger **158**, 524
Ott, H.R., see E. Felder **162–164**, 429
Ott, H.R., Unconventional superconductivity in heavy-electron systems **162–164**, 1669
Ott, K.C., see P.C. Hammel **162–164**, 177
Ott, K.C., see M. Takigawa **162–164**, 853
Otto, A., see T. Kogure **157**, 159, 351
Otto, A. and J.B. Vander Sande, Superconducting properties and formation of $Yb_2Ba_4Cu_7O_{14-x}$ **160**, 352
Otto, A.J. and J.B. Vander Sande, Local critical current variability and bulk critical current in long superconductors **159**, 357
Otto, H.H., see T. Zetterer **162–164**, 514, 1075
Ottoboni, V., see S. Zannella **162–164**, 1179
Oudet, X., On the linear temperature dependence of the Hall number in $YBa_2Cu_3O_7$ **162–164**, 213
Oudet, X., Superconductivity and valence bond **162–164**, 219
Oue, Y., see Y. Ikeda **159**, 93
Ovchinnikova, L.V., see V.T. Dolgopolov **162–164**, 458
Overmyer, D.L., see J.E. Schirber **161**, 412
Oychinnikov, S.G. and I.S. Sandalov, The band structure of strong-correlated electrons in $La_{2-x}Sr_xCuO_4$ and $YBa_2Cu_3O_{7-y}$ **161**, 607
Ozaki, M., see K. Machida **157**, 53
Ozeki, H., see J. Tanaka **162–164**, 1117
Ozhogin, V.I., see N.A. Babushkina **162–164**, 877

Pace, S., see F. Celani **162–164**, 903
Pacyna, A.W., see A. Bombik **157**, 251
Padiou, J., see A. Perrin **162–164**, 707
Padiou, J., see O. Laborde **162–164**, 1619
Paine, D., see I.B. Ferreira **162–164**, 1579
Pajączkowska, A., see A.M. Balagurov **158**, 265
Pajaczkowska, A., see M. Slaski **162–164**, 492
Pajaczkowska, A., see R. Sobolewski **162–164**, 631
Pal, A.J., see R. Zamboni **162–164**, 1103
Pal, A.J., see X. Wei **162–164**, 1109
Palstra, T.T.M., see E.S. Hellman **162–164**, 633
Palstra, T.T.M., see A.F. Hebard **162–164**, 1181
Pan, S., see A.B. Berezin **162–164**, 657
Pan, V.M., see V.G. Bar'yakhtar **162–164**, 466
Pan, V.M., see V.S. Melnikov **162–164**, 534
Pan, V.M., see S.K. Tolpygo **162–164**, 941
Pande, C.S., see H.A. Hoff **162–164**, 1115
Pankert, J., see G.M. Stollman **159**, 854; **161**, 444; **162–164**, 1191
Pankowska, H., see R. Suryanarayanan **162–164**, 971
Pankowska, H., see M. Rateau **162–164**, 1199
Pankowska, H., see G. Priftis **162–164**, 1201
Pankowska, H., see J.L. Dormann **162–164**, 570, 1371
Pannetier, J., see G. Roth **162–164**, 518
Pantaler, R.P., see A.B. Blank **162–164**, 1225
Paoletti, A., see G. Balestrino **162–164**, 115
Papaconstantopoulos, D.A., see W.E. Pickett **162–164**, 1433
Papaconstantopoulos, D.A., G.D. Drew, F. Cyrot-Lackmann, A. Pasturel and J.P. Julien, Electron–phonon interaction in the $Ba(K)Pb(Bi)O_3$ system **162–164**, 1435
Paracchini, C., see G. Calestani **162–164**, 526
Parinello, M., see A. Parola **162–164**, 771
Parise, J.B., see C.C. Torardi **157**, 115
Parise, J.B., C.C. Torardi, M.A. Subramanian, J. Gopalakrishnan, A.W. Sleight and E. Prince, Superconducting $Tl_{2.0}Ba_{2.0}CuO_{6+\delta}$: a high resolution neutron powder and single crystal X-ray diffraction investigation **159**, 239
Parise, J.B., P.L. Gai, M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, The superconductors (Tl, Pb)$Sr_2CaCu_2O_7$ and (Tl, Pb)$Sr_2Ca_2Cu_3O_9$: neutron powder diffraction, high resolution electron microscopy and X-ray absorption studies **159**, 245
Parise, J.B., N. Herron, M.K. Crawford and P.L. Gai, $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$: variation of T_c with cadmium substitution **159**, 255
Parise, J.B., see B.H. Toby **162–164**, 101
Park, K.T., see K. Soda **161**, 219
Parkhomenko, V.D., see S.A. Davydov **161**, 549
Parkin, S.S.P., see J.B. Torrance **162–164**, 291
Parkin, S.S.P., see R. Beyers **162–164**, 548
Parkin, S.S.P., see Z. Schlesinger **162–164**, 1111
Parmigiani, F., see S. Zannella **162–164**, 1179
Parmigiani, F., G. Samoggia and C. Calandra, Surface and mixed valence effects in XPS spectra from YBCO **162–164**, 1385
Parola, A., S. Sorella, S. Baroni, R. Car, M. Parinello and E. Tosatti, Recent numerical results on the two dimensional Hubbard model **162–164**, 771
Paroli, P., see G. Balestrino **162–164**, 115
Paroli, P., see E. Agostinelli **162–164**, 319
Paroli, P., see A. De Ninno **162–164**, 359
Pascard, H., see H. Vichery **159**, 697; **162–164**, 749
Pascard, H., see M. Konczykowski **162–164**, 357
Pasechnik, M.V., see V.G. Bar'yakhtar **162–164**, 466
Passing, H., see P. Lemmens **162–164**, 452
Pastor, J., see B. Kusz **158**, 497
Pasturel, A., see D.A. Papaconstantopoulos **162–164**, 1435
Patella, F., see F. Rochet **159**, 447
Paternò, G., see A. De Ninno **162–164**, 359
Paternò, G., see V. Boffa **162–164**, 913
Patlagan, L., see J. Genossar **157**, 320
Patlagan, L., see B. Fisher **162–164**, 1207
Pattalwar, S.M., see B.K. Basu **159**, 379
Pattnaik, P.C. and D.M. Newns, Estimate of electron–phonon coupling constant in high-T_c superconductors **157**, 13
Paul, D.McK., see G. Balakrishnan **161**, 9
Paulikas, A.P., see B.W. Veal **158**, 276; **162–164**, 97
Paulikas, A.P., see R.S. List **159**, 439
Paulikas, A.P., see C.G. Olson **162–164**, 1697
Paulose, P.L., see B.V.B. Sarkissian **162–164**, 335
Paulose, P.L., see A.K. Grover **162–164**, 337
Paulus, W., see H. Glückler **162–164**, 149
Paulus, W., see C. Niedermayer **162–164**, 159
Pauza, A.J., see K.-H. Müller **161**, 319
Pavlovskii, A.I., N.P. Kolokolchikov, V.V. Platonov, O.M. Tatsenko, Yu.N. Derjugin, A.I. Golovashkin,

O.M. Ivanenko and K.V. Mitsen, Destruction of superconductivity in $YBa_2Cu_3O_{7-x}$ ceramics by ultrahigh magnetic field **162–164**, 1659
Pavuna, D., see B. Dwir **162–164**, 351
Pavuna, D., see B.J. Kellett **162–164**, 713
Pavuna, D., see O. Laborde **162–164**, 827
Pavuna, D., see M. Affronte **162–164**, 1007
Paz-Pujalt, G., see D. Majumdar **158**, 413
Pechen, E.V., see A.I. Golovashkin **162–164**, 715
Pechen, E.V., see E.V. Ekimov **162–164**, 833
Peck Jr., W.F., see R.J. Cava **157**, 272; **159**, 372
Peck Jr., W.F., see B. Batlogg **162–164**, 1393
Pei, S., see B. Dabrowski **162–164**, 99
Pei, S., J.D. Jorgensen, D.G. Hinks, B. Dabrowski, D.R. Richards, A.W. Mitchell, Y. Zheng, J.M. Newsam, S.K. Sinha, D. Vaknin and A.J. Jacobson, Structural phase diagram of the $Ba_{1-x}K_xBiO_3$ system **162–164**, 556
Pei, S., see D.G. Hinks **162–164**, 1405
Peiniger, M., see M. Hein **162–164**, 111
Peiniger, M., see N. Klein **162–164**, 1549
Pekker, S., see Á. Cziráki **162–164**, 560
Peña, O., C. Perrin, A. Dinia, M. Sergent, P. Christensen, G. Fonteneau and J. Lucas, Influence of fluorination on the 110 K transition in the Bi–Sr–Ca–Cu–O system **159**, 443
Peña, O., see C. Perrin **162–164**, 889
Peña, O., A. Dinia, C. Perrin, A. Perrin and M. Sergent, Reducing and oxidizing annealings of bismuth high-T_c superconductors **162–164**, 1215
Peng, D., see H. Liu **159**, 665
Peng, J.L., R.N. Shelton and H.B. Radousky, Superconductivity and magnetic scattering in the $Nd_{2-x}Ce_xCuO_{4-\delta}$ compounds **162–164**, 89
Peng, J.L., see H.B. Radousky **162–164**, 1363
Peng, J.L., see Y. Xu **162–164**, 1627
Peng, W., see B.D. Dunlap **158**, 397
Peng, W., see B. Dabrowski **160**, 281; **162–164**, 91
Peng, W., see C.W. Kimball **162–164**, 95
Penney, T., M.W. Shafer and B.L. Olson, Hole concentration, Hall number and disorder in compensation doped $NdBa_2Cu_3O_y$ **162–164**, 63
Pepy, G., see M. Aïn **162–164**, 1279
Peresada, A.G., see V.G. Grebinnik **162–164**, 145
Pérez, F., see J. Bartolomé **162–164**, 863
Perez, F., see M.T. Caldes **162–164**, 865
Pérez, L., see Bokhimi **159**, 654
Perrière, J., see F. Rochet **159**, 447
Perriere, J., see H. Raffy **162–164**, 613
Perriere, J., see E. Faulques **162–164**, 1105
Perrin, A., Z.Z. Li, J. Padiou and M. Sergent, Effect of the atmosphere annealing on the structure of $Bi_2Sr_2CaCu_2O_8$ thin films grown on (100)$SrTiO_3$ substrates **162–164**, 707
Perrin, A., see O. Peña **162–164**, 1215
Perrin, C., see O. Peña **159**, 443; **162–164**, 1215
Perrin, C., O. Peña, A. Dinia, M. Sergent, G. Fonteneau, P. Christensen, J. Lucas, P. Burlet and J. Rossat-Mignod, Actual fluorination of $YBa_2Cu_3O_x$ superconductors: enhancement of superconducting properties and neutron diffraction studies **162–164**, 889
Pesch, W., see J. Rammer **162–164**, 205
Peter, D., D. Mayou and M. Cyrot, Stability of antiferromagnetism in high T_c superconductors **162–164**, 199
Peter, M., see D. Shaltiel **157**, 240; **158**, 424; **161**, 13
Peters, C.R., see R.E. Soltis **162–164**, 649
Peters, D.S. and B.J. Alder, Criterion for the superfluid/superconducting phase transition in two dimensions **162–164**, 1461
Peterson, D.E., see M.E. McHenry **162–164**, 689
Peterson, G.G., see L. Lynds **159**, 61
Peterson, R.L. and J.W. Ekin, Airy pattern, weak-link modeling of critical currents in high-T_c superconductors **157**, 325
Petitgrand, D., B. Gillon, A. Delapalme, G. Collin and P. Schweiss, A new way of investigation of magnetic field penetration in RBaCuO superconductors by polarised neutron diffraction on rare earth **162–164**, 1271
Petitgrand, D., see B. Gillon **162–164**, 1275
Petrenko, O.V., see V.V. Moshchalkov **162–164**, 1611, 1633
Petricek, V., see Y. Gao **160**, 431
Petroff, Y., Energy gap measurement on high T_c superconductors using high resolution photoemission spectroscopy **162–164**, 845
Petrov, I., see T.I. Selinder **162–164**, 599
Petrov, K., see P. Vassilev **162–164**, 917
Petrov, K., see D. Kovacheva **162–164**, 1227
Petrov, M.I., see K.S. Aleksandrov **161**, 493
Petrov, O., see M.D. Mateev **162–164**, 993
Petrov, O., see I.Z. Kostadinov **162–164**, 995
Petrovskaya, T.P., see I.V. Vodolazskaya **162–164**, 1213
Petrusevich, Yu.M., see A.A. Gippius **162–164**, 255
Peuckert, M., W. Becker, J. Bock, B. Hettich, H.-W. Neumüller and M. Schwarz, Melt processing and oxygen doping of bismuth superconductors **162–164**, 893
Phaizullov, T.P., see N.V. Anshuokova **162–164**, 1657
Phatak, G.M., see P.K. Pujari **159**, 75
Phatak, G.M., see R.M. Iyer **160**, 155
Phatak, G.M., see M.D. Sastry **162–164**, 1589
Phillips, J.M., see A.M. Cucolo **161**, 351
Phillips, N.E., R.A. Fisher, S. Kim, B.F. Woodfield, L. Taillefer, K. Hasselbach, J. Flouquet, A.L. Giorgi and J.L. Smith, Evidence for unconventional superconductivity in UPt_3: splitting of the specific heat anomaly at T_c **162–164**, 413
Phillips, N.E., see J.E. Gordon **162–164**, 484
Phillips, N.E., see S. Kim **162–164**, 494
Phillips, N.E., see R.A. Fisher **162–164**, 502
Phillips, N.E., R.A. Fisher, J.E. Gordon and S. Kim, Origin of the "linear" term in the specific heat of $YBa_2Cu_3O_7$ **162–164**, 1651
Phillips, T.E., see M. Hennion **159**, 124
Phillips, T.E., see B.F. Kim **161**, 76
Picard, C., see P. Gerdanian **157**, 180
Pichler, T., see M. Matus **162–164**, 967
Pichler, T., see H. Kuzmany **162–164**, 1219
Pickett, W.E., H. Krakauer, R.E. Cohen and D. Singh,

Electronic structure of the copper oxides: band picture versus correlated behavior **162–164**, 1419
Pickett, W.E., see D. Singh **162–164**, 1431
Pickett, W.E., D. Singh, D.A. Papaconstantopoulos, H. Krakauer, M. Cyrot and F. Cyrot-Lackmann, Theoretical studies of Sr_2VO_4, a charge conjugate analog of La_2CuO_4 **162–164**, 1433
Picone, P.J., see N.W. Preyer **162–164**, 1003
Picone, P.J., see C.Y. Chen **162–164**, 1031
Picone, P.J., see T. Thio **162–164**, 1301
Piel, H., see M. Hein **162–164**, 111
Piel, H., see D.W. Cooke **162–164**, 1537
Piel, H., see A.M. Portis **162–164**, 1547
Piel, H., see N. Klein **162–164**, 1549
Pinkowski, A., J. Doneit, K. Jüttner, W.J. Lorenz, G. Saemann-Ischenko, T. Zetterer and M. Breiter, Possible quantumelectrochemical effects on high T_c superconductors **162–164**, 1039
Pint, W., E. Langmann and E. Schachinger, The critical temperature of superconductors with a cylinder symmetrical Fermi surface **157**, 415
Pint, W. and E. Schachinger, Superconducting alloys with paramagnetic impurities I: theory of the upper critical field **159**, 33
Pint, W., E. Langmann and E. Schachinger, The critical temperature of superconductors with a cylindersymmetric Fermi surface. Physica C 157, 415. Erratum **161**, 441
Pint, W., see B. Vlcek **162–164**, 403
Pint, W., M. Prohammer and E. Schachinger, Critical temperature and upper critical field of superconductors for different Fermi surface models **162–164**, 801
Pintschovius, L., see W. Reichardt **162–164**, 464
Pintschovius, L., see H. Rietschel **162–164**, 1705
Pirogov, A.V., see V.G. Grebinnik **162–164**, 145
Pissas, M. and D. Niarchos, Preparation of the 110 K high T_c superconductor $Bi_2Sr_2Ca_2Cu_3O_y$ by Pb and Sb substitution **159**, 643
Plakida, N.M., V.Yu. Yushankhai and I.V. Stasyuk, On the role of kinematic and exchange interactions in superconducting pairing of electrons in the Hubbard model **160**, 80
Plakida, N.M., V.Yu. Yushankhai and I.V. Stasyuk, On d-wave pairing in one band Hubbard model **162–164**, 787
Plakida, N.M., Lattice instability and strong electron-phonon coupling for high-T_c superconductivity **162–164**, 1341
Platonov, V.V., see A.I. Pavlovskii **162–164**, 1659
Plecenik, A., see S. Takács **162–164**, 1049
Plecháček, V., see F. Gömöry **160**, 1
Pleiner, H., see M.M. Doria **159**, 46
Pleiner, H., see H.R. Brand **162–164**, 251
Poddar, A., P. Mandal, K. Ghosh Ray, A.N. Das, B. Ghosh, P. Choudhury and S.K. Lahiri, Electrical resistance, magnetoresistance, magnetisation and ^{205}Tl NMR studies in the Tl–Ca–Ba–Cu–O system **159**, 226
Poddar, A., P. Mandal, A.N. Das, B. Ghosh and P. Choudhury, Excess conductivity in $Tl_1Ca_3Ba_1Cu_3O_x$ and $Bi_1Ca_1Sr_1Cu_2O_x$ systems due to thermodynamic fluctuations **159**, 231
Poddar, A., P. Mandal, A.N. Das, B. Ghosh and P. Choudhury, Electrical resistivity, magnetoresistance, magnetisation, Hall coefficient and excess conductivity in Pb-doped Bi–Sr–Ca–Cu oxides **161**, 567
Podobedov, V.B., see I.V. Aleksandrov **162–164**, 1057
Podurets, A.M., see I.P. Dudoladov **162–164**, 937
Pohl, H.C., see J. Talvacchio **162–164**, 659
Poilblanc, D., see P. Lederer **162–164**, 587
Pokrovsky, V.L. and G.V. Uimin, On properties of localized holes in weakly doped high-T_c superconductors $La_{2-x}Sr_xCuO_4$ **160**, 323
Polichetti, B., see F. Celani **162–164**, 903
Polisskii, A.V., see V.F. Gantmakher **162–164**, 1539
Pollert, E., see N. Nevřiva **157**, 334
Pollert, E., see J. Novák **157**, 346
Pollini, A., see A.C. Mota **162–164**, 695, 1152
Polushkin, V.N. and B.V. Vasiliev, The investigation of rf-squids at liquid nitrogen temperatures **162–164**, 397
Polvi, V.M. and K.J. Niemi, BiCaSrCuO superconductors: powder synthesis, wire fabrication and hot extrusion experiments **162–164**, 379
Polyanskii, A.A., see L.V. Gasparov **160**, 147
Pomjakushin, V.Yu., see V.G. Grebinnik **162–164**, 145
Pompa, M., see A. Bianconi **162–164**, 209
Ponomarev, Ya.G., see B.A. Aminov **160**, 505
Ponorarev, A.N., see V.G. Grebinnik **162–164**, 145
Ponto, L., see M. Hein **162–164**, 111
Ponyatovskii, E.G., see I. Natkaniec **162–164**, 1369
Poon, S.J., see M.K. Crawford **162–164**, 755
Popov, A.G., see V.S. Melnikov **162–164**, 534
Poppe, U., see R. Gross **162–164**, 1603
Portis, A.M., see K.W. Blazey **157**, 16
Portis, A.M., see W.-F. Yau **162–164**, 21, 1047
Portis, A.M., D.W. Cooke and H. Piel, Microwave surface impedance of granular superconductors **162–164**, 1547
Post, J.E., see D.E. Morris **159**, 287; **162–164**, 955
Potapova, V.G., see A.B. Blank **162–164**, 1225
Potel, M., see E. Vincent **159**, 863
Potel, M., see M.-O. Ruault **162–164**, 77
Potel, M., see M. Guillot **162–164**, 361
Potel, M., see O. Laborde **162–164**, 1619
Potoczky, L., see Á. Cziráki **162–164**, 560
Potrepka, D.M., see L. Lynds **159**, 61
Potrepka, D.M., see B.R. Weinberger **161**, 91
Prade, J., see W. Kress **162–164**, 1345
Pradhan, A.K., Vibrational spectra of $Bi_{2.2}Sr_{1.7}Ca_{1.1}Cu_2O_{8+y}$ superconductors **159**, 277
Prakash, S., see P.K. Pujari **159**, 75
Pramanik, P., see B.K. Roul **160**, 439
Prandl, W., see R. Sonntag **159**, 141
Prandl, W., see J. Waliszewski **160**, 189
Prasad, R., see C.V. Tomy **162–164**, 925
Prasad, R. and S. Srinivas, Momentum density and Fermi surface of $YBa_2Cu_3O_7$ **162–164**, 1335
Prasanna, T.R.S., see R. Chatterjee **158**, 485
Prassides, K., see M.J. Rosseinsky **161**, 21; **162–164**, 522
Prejean, J.J., see H. Renevier **162–164**, 51

Prejean, J.J., see P. Bordet **162–164**, 524
Presland, M.R., see J.L. Tallon **158**, 247
Pressl, K., see W. Markowitsch **162–164**, 1235
Pressl, M., see P. Knoll **162–164**, 1097
Preyer, N.W., R.J. Birgeneau, A. Cassanho, C.Y. Chen, D.R. Gabbe, H.P. Jenssen, M.A. Kastner, P.J. Picone, T. Thio, Y. Hidaka and T. Murakami, Weak localization effects in conductance measurements of $La_{2-x}Sr_xCuO_{4-y}$ **162–164**, 1003
Preyer, N.W., see C.Y. Chen **162–164**, 1031
Preyer, N.W., see T. Thio **162–164**, 1301
Price, R.D., see J.T. Markert **158**, 178
Prieto, P., see B. Kabius **162–164**, 635
Priftis, G., see R. Suryanarayanan **162–164**, 971
Priftis, G., A.M. Ghorayeb, O. Gorochov, R. Suryanarayanan, H. Pankowska and M. Rateau, Hall effect studies of $YBa_2Cu_{3-x}Fe_xO_{7+y}$ **162–164**, 1201
Priftis, G., see J.L. Dormann **162–164**, 570, 1371
Prikhna, T.A., see S.K. Tolpygo **162–164**, 941
Prince, E., see J.B. Parise **159**, 239
Prohammer, M., Effective mass model-superconductors with anisotropic electron–phonon interaction **157**, 4
Prohammer, M., see W. Pint **162–164**, 801
Prokopenko, V.M., see I.P. Dudoladov **162–164**, 937
Protogenov, A., Topological excitations and phase transition hierarchy in strongly correlated electronic sytems **162–164**, 791
Provost, J., see C. Martin **157**, 460
Provost, J., see T. Rouillon **159**, 201
Pryadun, V.V., see F.G. Aliev **162–164**, 572
Pshentsova, N.P., see V.S. Melnikov **162–164**, 534
Pshentsova, N.P., see S.K. Tolpygo **162–164**, 941
Pujari, P.K., T. Datta, S. Prakash, S.B. Manohar, I.K. Gopalakrishnan, G.M. Phatak, J.V. Yakhmi, P.V.P.S.S. Sastry and R.M. Iyer, Nature of the superconducting transition in high T_c Tl–Ca–Ba–Cu–O compounds: positron annihilation studies **159**, 75
Pulyayeva, I.V., see A.B. Blank **162–164**, 1225
Pümpin, B., H. Keller, W. Kündig, W. Odermatt, I.M. Savić, J.W. Schneider, H. Simmler, P. Zimmermann, J.G. Bednorz, Y. Maeno, K.A. Müller, C. Rossel, E. Kaldis, S. Rusiecki, W. Assmus and J. Kowalewski, Measurement of the London penetration depths in $YBa_2Cu_3O_x$ by means of muon spin rotation (μSR) experiments **162–164**, 151
Putnis, A., see F.J. Blunt **162–164**, 1605
Putti, M., see V. Calzona **157**, 425; **162–164**, 369
Putti, M., see F. Celani **162–164**, 903
Putz, R., see J. Wagner **162–164**, 811
Puzikov, V.M., A.V. Semyonov, D.I. Zosim, V.L. Dubonosov, L.S. Zolotovitskaya and R.F. Ramakayeva, Low-temperature method for thin superconducting film preparation **162–164**, 629
Puźntak, R., Y. Zhang, K.V. Rao and S. Tyagi, Anomalous field-dependence of Meissner fraction in bulk and successively pulverized Y–Ba–Cu–O **162–164**, 717
Puzzer, T., Z.T. Zheng, S. Bosi, G.J. Russell and K.N.R. Taylor, Thin films of "123" on silicon substrates **162–164**, 603
Puzzer, T., see S. Bosi **162–164**, 895
Pyka, N., see W. Reichardt **162–164**, 464

Qadri, S.B., see T.P. Thorpe **162–164**, 645
Qadri, S.B., see A.W. Webb **162–164**, 899
Qian, L.-X., see L.-Q. Wang **162–164**, 1617
Qian, Y., see J. Xia **162–164**, 1221
Qian, Y.J., see K.Y. Chen **157**, 164; **159**, 131
Qiao, G.W., J.S. Zhang, J.G. Huang, M. Jiang, Y.L. Ge, Y.Z. Wang and Z.Q. Hu, An investigation of melt-textured high T_c superconductor wires made by laser heated pedestal growth technique **162–164**, 907
Qiu, L., see S.Y. Ding **162–164**, 675
Qiu, S.L., see C.L. Lin **162–164**, 1325
Queyroux, F., see U. Dai **162–164**, 699
Quinn, C.J., see M.G. Alexander **162–164**, 919
Quintanar, C., see R.W. Gomez **162–164**, 989

Rabalais, W., see P.H. Hor **159**, 629
Rabinowitz, M., Generalized Bose-gas condensation model for T_c in multi-dimensional superconductivity **162–164**, 249
Radcliffe, W.J., see J.C. Gallop **162–164**, 1545
Radhakrishnamurty, C., A.K. Grover, P.K. Mishra, P. Chaddah and G.V. Subbarao, AC magnetic hysteresis and T_c measurements in high J_c superconductors **162–164**, 333
Radhakrishnan, T.S., see R. Baskaran **158**, 406
Radhakrishnan, T.S., see Y. Hariharan **162–164**, 887
Radousky, H.B., see J.L. Peng **162–164**, 89
Radousky, H.B., see T.J. Folkerts **162–164**, 550
Radousky, H.B., P.A. Hahn, J.L. Peng and R.N. Shelton, Magnetic pair breaking in $Y_{1-x}Pr_xBa_2Cu_3O_7$ **162–164**, 1363
Radousky, H.B., see R.H. Howell **162–164**, 1377
Rae, A.I.M., see C. Mee **162–164**, 1187
Raffy, H., S. Labdi, A. Vaures, J. Arabski, S. Megtert and J. Perriere, Elaboration and characterization of superconducting Bi–Sr–Ca–Cu–O and Bi(Pb)–Sr–Ca–Cu–O thin films made by DC single target sputtering **162–164**, 613
Rai, R., Evidence of peroxotonic model of superconductivity from ESR results **160**, 259
Rainer, D., see W. Lee **159**, 535
Rainer, D., see J. Herath **161**, 209
Rainer, D., see M.M. Doria **162–164**, 1521
Raistrick, I.D., see D.W. Cooke **162–164**, 1537
Rajagopal, A.K., W. Jin and S.D. Mahanti, Neutron scattering from fermion and boson superconductors **162–164**, 247
Rajagopal, H., see A. Sequeira **157**, 515; **159**, 87
Rajagopal, H., see I.K. Gopalakrishnan **159**, 811
Rajarajan, A.K., L.C. Gupta, R. Vijayaraghavan and N.C. Misra, Nuclear quadrupole resonance studies in Ga-doped $YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$ ($\delta=0.05$) **162–164**, 163
Rajora, O., see S. Gygax **162–164**, 1551
Ramakayeva, R.F., see V.M. Puzikov **162–164**, 629
Ramakrishna, B.L., J.C. Barry, Z. Iqbal, E.W. Ong, A. Bose and H. Eckhardt, Synthesis, properties and microstructure of the

~110 K Bi(Pb)–Sr–Ca–Cu oxide superconductor **158**, 203
Ramakrishna, B.L., see Z. Iqbal **162–164**, 29, 885
Ramakrishnan, T.V., see K.B.R. Varma **162–164**, 891
Ramakumar, R., see K.P. Jain **162–164**, 793
Ramesh, R., see W.-F. Yau **162–164**, 21
Ramesh, R., see J.-M. Tarascon **162–164**, 285
Ramesh, R., see L.H. Greene **162–164**, 1069
Ramesh, R., see L.A. Farrow **162–164**, 1257
Ramírez, J., see J. Bartolomé **162–164**, 863
Ramirez, M.L., see R. Beyers **162–164**, 548
Rammer, J., see H.W. Weber **161**, 272, 287; **162–164**, 401
Rammer, J., see E. Seidl **161**, 294
Rammer, J. and W. Pesch, Strong-coupling effects on $\kappa_2(T)$ for high-T_c superconductors? **162–164**, 205
Ramos, M.A. and S. Vietra, Tunneling spectroscopy at 4.2 K and 56 K on $Bi_4Ca_3Cu_4O_{16+\delta}$ **162–164**, 1045
Ran, Q., see R. Jin **158**, 255
Randeria, M., J.-M. Duan and L.-Y. Shieh, Cooper pairs and composite bosons in two dimensions **162–164**, 1457
Ranganathan, R., see N. Chatterjee **161**, 589
Ranninger, J., see A.S. Alexandrov **159**, 367
Rao, C.N.R., see R. Nagarajan **158**, 453
Rao, C.N.R., see A. Sequeira **159**, 87
Rao, C.N.R., see A.K. Ganguli **162–164**, 867
Rao, C.N.R., see K.B.R. Varma **162–164**, 891
Rao, C.N.R., see S.V. Bhat **162–164**, 1571
Rao, C.V.N., see A.G. Vedeshwar **158**, 385
Rao, K.V., see Y. Zhang **157**, 108
Rao, K.V., see R. Puźntak **162–164**, 717
Rao, K.V., see Z. Iqbal **162–164**, 885
Rapp, Ö., see M. Andersson **160**, 65; **162–164**, 725
Raptis, C., R.L. McGreevy, P.W. Haycock, C. Chen and B.M. Wanklyn, Raman probing of thermally induced effects on $La_{2-x}Sr_xCuO_4$ single crystals **161**, 83
Rashkeev, S.N., see I.I. Mazin **162–164**, 1347
Rasines, I., see J.A. Campa **162–164**, 1223
Rateau, M., see R. Suryanarayanan **162–164**, 971
Rateau, M., R. Suryanarayanan, O. Gorochov and H. Pankowska, Hole density variation in the Bi(M)–Sr–Ca(M)–Cu–O system **162–164**, 1199
Rateau, M., see G. Priftis **162–164**, 1201
Rauer, M., see H. Glückler **162–164**, 149
Rauer, M., see C. Niedermayer **162–164**, 159
Raveau, B., see C. Martin **157**, 460
Raveau, B., see D. Bourgault **158**, 511
Raveau, B., see T. Rouillon **159**, 201
Raveau, B., see F. Studer **159**, 609
Raveau, B., see G. Roth **162–164**, 518
Raven, M.S., see R.M. Bowley **159**, 51
Ravikumar, G., see P. Chaddah **159**, 570; **162–164**, 347
Ravikumar, G., see A.K. Grover **162–164**, 337
Ravi Sekhar, Y., see D. Shaltiel **157**, 240; **158**, 424
Ray, D.K., see B.K. Chakrabarti **162–164**, 271
Raychaudhuri, A.K., see N. Chatterjee **161**, 589
Rayne, R., L.E. Toth and B. Bender, Machining superconducting BSCCO devices **162–164**, 879
Rayner, S., see A.L. Wachs **162–164**, 1375
Rebelsky, L., J.M. Tranquada, G. Shirane, Y. Nakazawa and M. Ishikawa, Antiferro-magnetism and oxygen ordering in $YBa_2Cu_3O_{6+x}$ **160**, 197
Recknagel, E., see H. Glückler **162–164**, 149
Recknagel, E., see C. Niedermayer **162–164**, 159
Rector, J.H., see A.J. Vermeer **162–164**, 409
Redac, R., see Gh. Ilonca **162–164**, 831
Redac, R., see S. Simon **162–164**, 1289
Reedyk, M., see T. Timusk **162–164**, 841
Reedyk, M., R. Hughes, D.A. Bonn, J.D. Garrett, J.E. Greedan, C.V. Stager, T. Timusk, K. Kamarás, D.B. Tanner, S.L. Cooper, G.A. Thomas and J.J. Yeh, Far-infrared ab plane reflectance and transmission of $Bi_2Sr_2CaCu_2O_8$ **162–164**, 1083
Reeves, M.E., see D.M. Ginsberg **162–164**, 486
Regnault, L.P., see J. Rossat-Mignod **162–164**, 1269
Regnier, P., see N. Bontemps **162–164**, 1113
Reichardt, W., N. Pyka, L. Pintschovius, B. Hennion and G. Collin, Phonons in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 464
Reichardt, W., see A. Junod **162–164**, 478
Reichardt, W., see M. Aïn **162–164**, 1279
Reichardt, W., see H. Rietschel **162–164**, 1705
Reichert, W., see J. Hauck **158**, 197
Reid, A., see C. Bourbonnais **162–164**, 805
Reidinger, F., see Z. Iqbal **162–164**, 29, 885
Reissner, M., W. Steiner, K. Remschnig, P. Rogl and E. Gratz, Magnetic and superconducting properties of Fe-substituted $(La, Sr)_2CuO_{4-\delta}$ **162–164**, 31
Reissner, M., see H. Kuzmany **162–164**, 1219
Reith, W., see C. Allgeier **157**, 293; **162–164**, 741
Reith, W., C. Allgeier, K. Andres, J. Heise, R. Hoben, A.-K. Klehe, R. Kleiner, C. Kowal, A. Moise, P. Müller and J.S. Schilling, Preparation of thallium superconductors by solid state and "sol–gel" methods and their characterization **162–164**, 109
Reller, A., see T. Williams **161**, 331
Remeika, J.M., see T. Claeson **162–164**, 544
Remova, A.A. and B.Ya. Shapiro, Anisotropic polarons and high temperature superconductivity of copper oxides **160**, 202
Remova, A.A. and B.Ya. Shapiro, Anisotropic polarons and high temperature superconductivity of copper oxides, Physica C 160, 202. Erratum **160**, 584
Remschnig, K., P. Rogl, E. Gratz, H. Müller and P. Fischer, Neutron and low temperature X-ray powder diffraction and thermal expansion measurements on $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ **158**, 458
Remschnig, K., see M. Reissner **162–164**, 31
Ren, J., D. Jung, M.-H. Whangbo, J.-M. Tarascon, Y. le Page, W.R. McKinnon and C.C. Torardi, Electronic structure study of the formal oxidation state of bismuth in copper-oxide superconductors containing Bi–O double layers **158**, 501
Ren, J., D. Jung, M.-H. Whangbo, J.-M. Tarascon, Y. le Page, W.R. McKinnon and C.C. Torardi, Electronic structure study of the formal oxidation state of bismuth in copper-

oxide superconductors containing Bi–O double layers, Physica C 158, 501. Erratum **159**, 151
Ren, Y., see W. Tang **161**, 181
Renevier, H., J.L. Hodeau, P. Bordet, J.J. Capponi, M. Marezio, F. Baudelet, H. Tolentino, G. Tourillon, E. Dartige, A. Fontaine, J.C. Martinez and J.J. Prejean, Cobalt clusters in substituted $YBa_2(Cu_{1-y}Co_y)_3O_{6+x}$ **162–164**, 51
Renk, K.F., see J. Betz **162–164**, 133
Renk, K.F., see W. Ose **162–164**, 1081
Renk, K.F., J. Schützmann, W. Ose, M. Franz, J. Keller, U. Hofmann, H. Eschrig, B. Roas, B. Hensel and G. Saemann-Ischenko, Infrared reflectivity and conductivity of $YBa_2Cu_3O_{7-\delta}$ thin films **162–164**, 1085
Renk, K.F., see J.P. Ströbel **162–164**, 1209
Renk, K.F., see T. Zetterer **162–164**, 514, 1075
Renker, B., F. Gompf, E. Gering and D. Ewert, Observation of phonon shifts in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$ and related high temperature superconductors **162–164**, 462
Renker, B., see G. Roth **162–164**, 518
Renn, S.R., see J.F. Annett **162–164**, 377
Renner, Ch., see A.D. Kent **162–164**, 1035
Rensch, D.B., see D.W. Cooke **162–164**, 1537
Retoux, R., see F. Studer **159**, 609
Revcolevschi, A., see D. Shaltiel **161**, 13
Revcolevschi, A., see A.L. Wachs **162–164**, 1375
Revenaz, S., J. Dumas, R. Buder, P.L. Reydet, J. Marcus and C. Schlenker, Field modulated microwave absorption in $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 1585
Revokatov, O.P., see A.A. Gippius **162–164**, 255
Reydet, P.L., see H. Guyot **162–164**, 1305
Reydet, P.L., see S. Revenaz **162–164**, 1585
Reydet, P.L., see C.J. Liu **162–164**, 1609
Reyes-Gasga, J., see R. Herrera **158**, 490
Reyes-Gasga, J., T. Krekels, G. Van Tendeloo, J. Van Landuyt, S. Amelinckx, W.H.M. Bruggink and H. Verweij, 3-D vacancy ordered superstructures in "homogeneous" $YBa_2Cu_3O_{7-\delta}$ **159**, 831
Reyes-Gasga, J., see G. Van Tendeloo **162–164**, 945
Rhyne, J.J., see P.F. Miceli **162–164**, 1267
Rhyner, J., see G. Blatter **162–164**, 355
Ribault, M., see F. Keller-Berest **161**, 150
Ricca, A.M., see S. Zannella **162–164**, 1179
Rice, C.E., see P.L. Gammel **162–164**, 1565
Rice, J.P., see F. Slakey **162–164**, 1095
Rice, M.J. and Y.R. Wang, Interpretation of $Ba_{1-x}K_xBiO_3$ as a doped Peierls insulator **157**, 192
Rice, T.M., see F. Mila **157**, 561
Rice, T.M., see P. Lederer **162–164**, 587, 819
Richards, D.R., see J.F. Zasadzinski **158**, 519; **162–164**, 1053
Richards, D.R., see B. Dabrowski **160**, 281; **162–164**, 91, 99
Richards, D.R., see C.W. Kimball **162–164**, 95
Richards, D.R., see S. Pei **162–164**, 556
Richards, D.R., see D.G. Hinks **162–164**, 1405
Richards, L.E., see H.A. Hoff **162–164**, 1115
Richert, B.A., E. Schachinger and R.E. Allen, The Little mechanism: a consistent interpretation of high-temperature superconductivity **162–164**, 1443
Richter, C., see I.B. Ferreira **162–164**, 1579
Richter, F., see J. Appel **162–164**, 1499
Ricketts, B.W., see K.-H. Müller **162–164**, 1177
Ries, G., see H.W. Neumüller **160**, 471; **162–164**, 363
Rietschel, H., see G. Roth **162–164**, 518
Rietschel, H., L. Pintschovius and W. Reichardt, Selected aspects of the lattice dynamics in high-T_c oxide superconductors **162–164**, 1705
Rillo, C., see M. Carrera **162–164**, 41
Rillo, C., see F. Lera **162–164**, 325
Rillo, C., see J. Bartolomé **162–164**, 863
Ríos-Jara, D., see M.E. López-Morales **162–164**, 61
Ríos-Jara, D., see R.W. Gomez **162–164**, 989
Ripamonti, G., see S. Zannella **162–164**, 1179
Riseman, T.M., see J.H. Brewer **162–164**, 33, 157
Riseman, T.M., see B.J. Sternlieb **162–164**, 679
Riseman, T.M., see G.M. Luke **162–164**, 825
Riseman, T.M., see Y.J. Uemura **162–164**, 857
Riseman, T.M., see E.J. Ansaldo **162–164**, 147, 259
Riseman, T.M., J.H. Brewer, B.R. Cyca, J.F. Carolan, W.N. Hardy, R.F. Kiefl, M. Celio, W.J. Kossler, Y.J. Uemura, G.M. Luke, B.J. Sternlieb, H. Hart, K.W. Lay, H. Kojima, I. Tanaka and K. Kakurai, μ^+SR lineshape of oriented and unoriented high T_c superconductors **162–164**, 1555
Ristovski, Lj.M., B.S. Tošić and G.S. Davidović, The similarities between thin sputtered films and high-T_c superconductive ceramics **160**, 548
Ritter, G., see J. Dengler **162–164**, 1297
Rivera, J.-P., see H. Schmid **157**, 555; **159**, 150
Rizzoli, C., see G. Calestani **158**, 217; **161**, 598
Roas, B., B. Hensel, G. Endres, L. Schultz, S. Klaumünzer and G. Saemann-Ischenko, Superconducting properties and irradiation induced effects of epitaxial YBaCuO thin films **162–164**, 135
Roas, B., see K.F. Renk **162–164**, 1085
Roas, B., see J. Dengler **162–164**, 1297
Roas, B., see N. Klein **162–164**, 1549
Robledo, A. and C. Varea, Magnetic vortex–antivortex pairing mechanism for doped La_2CuO_4 **162–164**, 1517
Roche, K.P., see R. Beyers **162–164**, 548
Rochet, F., A. Balzarotti, M. De Crescenzi, N. Motta, M. Sastry, F. Patella, J. Perrière, F. Kerhervé, G. Hauchecorne and M. Froment, Electronic properties of laser-deposited $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films by X-ray photoemission and X-ray Auger spectroscopies **159**, 447
Roden, B., see F. Seidler **157**, 375
Roden, B., see E. Braun **162–164**, 496
Rodrígues-Carvajal, J., see X. Batlle **162–164**, 1273
Rodríguez, E., see H. Safar **162–164**, 665
Rodriguez, J., see M. Carrera **162–164**, 41
Rodriguez, J., see M.T. Caldes **162–164**, 865
Rodriguez-Carvajal, J., see A. Fuertes **157**, 525
Roeland, L.W., see P.H. Kes **162–164**, 1621
Rogalla, H., see D.H.A. Blank **162–164**, 125

Roggen, J., see J. Fransaer **162–164**, 881
Rogl, P., see K. Remschnig **158**, 458
Rogl, P., see M. Reissner **162–164**, 31
Rohrer, N.J., see M.A. Stan **162–164**, 365
Rojek, A., see K. Fischer **160**, 466
Rokudo, K., see K. Mori **162–164**, 923
Rollett, A.D., see D.W. Cooke **162–164**, 1537
Romberg, H., see J. Fink **162–164**, 1415
Roobeek, J., see J. Lensink **162–164**, 663
Roos, J., see H. Schiefer **162–164**, 171
Roos, J., see K. Müller **162–164**, 173
Rosa Nunes, M., see A. Correia dos Santos **162–164**, 977
Rose, R.A., see S.B. Ota **157**, 520; **158**, 298
Rosen, H.J., see M.C. Krantz **162–164**, 1089
Rosen, H.J., see R.M. MacFarlane **162–164**, 1091
Rosenberg, M., see R. Job **162–164**, 43
Rosenberg, M., see R. Michalak **162–164**, 267
Rosenberg, M., W. Chojetzki, M. Mittag, R. Job, R. Wernhardt, H. Bach and P. Stauche, A magnetic and specific heat study of $Bi_{2-x}Pb_xSr_2Ca_2Cu_4O_{11-x/2+y}$ high-T_c superconductors **162–164**, 729
Roshko, A., J.S. Moodera and Y.-M. Chiang, S–N–S behavior of grain boundaries in polycrystalline $La_{1.85}Sr_{0.15}CuO_{4-y}$ **162–164**, 1625
Rossat-Mignod, J., see C. Perrin **162–164**, 889
Rossat-Mignod, J., L.P. Regnault, M.J. Jurgens, C. Vettier, P. Burlet, J.Y. Henry and G. Lapertot, Inelastic neutron scattering study of $YBa_2Cu_3O_{6+x}$ **162–164**, 1269
Rossat-Mignod, J., see J.X. Boucherle **162–164**, 1285
Rosseinsky, M.J., K. Prassides and P. Day, Structural phase relations in the $La_{2-x-y}Ln_xSr_yCuO_{4-\delta}$, the $Ln_{2-x}Ce_xCuO_{4-\delta}$ and the $Ln_{2-y}Sr_yCuO_{4-\delta}$ systems: a powder neutron diffraction study **161**, 21
Rosseinsky, M.J. and K. Prassides, Magnetic aspects of the T′ phase in the $Nd_{2-x}Ce_xCuO_{4-\delta}$ system **162–164**, 522
Rossel, C., see B. Pümpin **162–164**, 151
Rosta, L., see B.A. Aminov **160**, 505
Roth, G., P. Adelmann, R. Ahrens, B. Blank, H. Bürkle, F. Gompf, G. Heger, M. Hervieu, M. Nindel, B. Obst, J. Pannetier, B. Raveau, B. Renker, H. Rietschel, B. Rudolf and H. Wühl, Crystal structure and specific heat of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ ($x=0.01 \ldots 0.1$, $\delta=0.9$) **162–164**, 518
Roucau, C., see M.J. Casanove **159**, 461
Rouillon, T., J. Provost, M. Hervieu, D. Groult, C. Michel and B. Raveau, Superconductivity up to 100 K in lead cuprates: a new superconductor $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$ **159**, 201
Roul, B.K., P. Pramanik and K.L. Chopra, Structure of high-T_c superconducting Bi–Sr–Ca–Cu–O films prepared by spray pyrolysis **160**, 439
Rowell, J.M., see L.H. Greene **162–164**, 1069
Roys, W.B., see R.M. Bowley **159**, 51
Roze, D., see P. Bernstein **162–164**, 611
Ruan, Y., see H. Liu **159**, 665
Ruani, G., see R. Zamboni **162–164**, 1103
Ruani, G., see X. Wei **162–164**, 1109
Ruault, M.-O., M. Barrachin, J. Lesueur, L. Dumoulin, H. Bernas, M. Gasgnier, J.C. Levet, H. Noel, P. Gougeon and M. Potel, Structural change induced in Kr irradiated RBaCuO ceramics (R=Gd, Ho) **162–164**, 77
Ruault, M.-O., see R. Suryanarayanan **162–164**, 971
Rubinstein, M., see H.A. Hoff **162–164**, 1115
Ruckenstein, E., see N.-L. Wu **161**, 302
Rudman, D.A., see W. Gao **161**, 71
Rudman, D.A., see J.T. Kucera **162–164**, 671
Rudman, D.A., see D.W. Face **162–164**, 709
Rudner, S., see T.I. Selinder **162–164**, 599
Rudolf, B., see G. Roth **162–164**, 518
Ruf, T., see C. Thomsen **162–164**, 1079
Rullier-Albenque, F., see H. Vichery **159**, 697; **162–164**, 749, 1583
Rullier-Albenque, F., see M. Konczykowski **162–164**, 357, 747
Rupp, B., see P. Allenspach **161**, 671
Rupp, B., P. Allenspach, P. Fischer and A. Furrer, On the correlation of secondary structural effects, superconductivity and crystal field interaction in $ErBa_2Cu_3O_x$ – new evidence for a charge transfer mechanism? **162–164**, 538
Rupp, B., see H. Lütgemeier **162–164**, 1367
Ruppel, S., see W. Schnelle **161**, 123
Ruppel, S., see E. Braun **162–164**, 496
Rupp Jr., L.W., see R.J. Cava **159**, 372
Rupp Jr., L.W., see E.J. Ansaldo **162–164**, 259
Rupp Jr., L.W., see B. Batlogg **162–164**, 1393
Rusakov, A.P., see N.V. Anshuokova **162–164**, 1657
Rusiecki, S., see E. Kaldis **159**, 668
Rusiecki, S., see H. Zimmermann **159**, 681
Rusiecki, S., see J. Karpinski **160**, 449; **161**, 618
Rusiecki, S., see L. Degiorgi **161**, 239
Rusiecki, S., see B. Pümpin **162–164**, 151
Rusiecki, S., see H. Schiefer **162–164**, 171
Rusiecki, S., see P. Bordet **162–164**, 524
Rusnak, B., see D.W. Cooke **162–164**, 1537
Russell, G.J., see B.A. Hunter **161**, 594
Russell, G.J., K.N.R. Taylor, D.N. Matthews, A. Bailey and R.A. Vaile, Effect of intergranular flux pinning on the magnetic properties of $YBa_2Cu_3O_{7-\delta}$ and $(Bi_{0.9}Pb_{0.1})Sr_1Ca_1Cu_{1.8}O_x$ **162–164**, 327
Russell, G.J., see T. Puzzer **162–164**, 603
Russell, G.J., see S. Bosi **162–164**, 895
Russell, G.J., see G. Alvarez **162–164**, 1043
Russell, G.J., see K.N.R. Taylor **162–164**, 1543
Russell , G.J., see A. Bailey **161**, 347
Ryan, E.A., see M.A. Kirk **162–164**, 532
Rybachuk, V.A., see V.V. Moshchalkov **162–164**, 1611
Rylyakov, A.V., see G.I. Leviev **162–164**, 1595
Ryu, S., see C.-B. Eom **162–164**, 605

Sabharwal, S.C., see S.C. Gadkari **160**, 167
Sacedon, J.L., see J.A. Campa **162–164**, 1223
Sadovskii, M.V., see B.N. Goshchitskii **162–164**, 1019
Sadowski, W., see D. Shaltiel **158**, 424; **161**, 13
Sadowski, W., E. Walker and G. Triscone, Growth of

$YBa_2Cu_3O_{7-x}$ single crystals from Al_2O_3 crucibles **162–164**, 897
Saemann-Ischenko, G., see B. Roas **162–164**, 135
Saemann-Ischenko, G., see A. Pinkowski **162–164**, 1039
Saemann-Ischenko, G., see K.F. Renk **162–164**, 1085
Saemann-Ischenko, G., see J.P. Ströbel **162–164**, 1209
Saemann-Ischenko, G., see J. Dengler **162–164**, 1297
Saemann-Ischenko, G., see A. Grassmann **162–164**, 1383
Safar, H., C. Durán, J. Guimpel, L. Civale, J. Luzuriaga, E. Rodríguez, F. de la Cruz, C. Fainstein, L.F. Schneemeyer and J.V. Waszczak, Logarithmic to nonlogarithmic flux creep transition and magnetic flux hardening in BiSrCaCuO superconducting ceramics **162–164**, 665
Sagdahl, L.T., see S. Gjølmesli **162–164**, 339
Saggese, A., see F. Celani **162–164**, 903
Saif, A.G., Pinning of two phases of high temperature superconductors **162–164**, 243
Saito, G., see K. Kanoda **162–164**, 405
Saito, G., An overview of anorganic superconductor: κ-(BEDT-TTF)$_2$Cu(NCS)$_2$ **162–164**, 577
Saito, Y., T. Komazaki and H. Nagasawa, Sensitive detection of phase transitions by microwave cavity perturbation method: application to high-T_c superconductor Bi–Sr–Ca–Cu–O system **161**, 683
Saito, Y., see R. Yoshizaki **162–164**, 67
Saito, Y., see T. Atake **162–164**, 488
Sakai, K., see R. Aoki **162–164**, 921
Sakudo, T., see H. Uwe **162–164**, 743
Sakudo, T., see Y. Motoi **162–164**, 929
Sakurai, T., T. Yamashita, H. Yamauchi and S. Tanaka, $T^* \rightarrow T'$ phase change in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ **161**, 6
Sakuyama, K., see T. Maeda **159**, 784
Salcido, A., see E. Yepez **162–164**, 1495, 1497
Salem, J., see W.Y. Lee **160**, 511
Salem, J.R., see W.Y. Lee **162–164**, 639
Salem, J.R., see D.C. Bullock **162–164**, 643
Salje, E., see F.J. Blunt **162–164**, 1605
Salomons, E., see C.W. Hagen **157**, 199
Salomons, G.J., see J.P. Franck **162–164**, 753
Samarin, N.A., see M.V. Elashkin **162–164**, 1173
Samoggia, G., see F. Parmigiani **162–164**, 1385
Samoilov, A.V., see N.V. Zavaritsky **162–164**, 562
Samokhvalov, A.A., see S.A. Davydov **161**, 549
Samokhvalov, A.A., see B.N. Goshchitskii **162–164**, 1023
Sampathkumaran, E.V., M.D. Sastry and R.M. Kadam, Superconductivity in the Bi–Sr–Ca(Y, Gd)–Cu–O system: DC magnetic susceptibility and microwave absorption investigations **159**, 267
Samwer, K., see M. Moske **162–164**, 609
Sánchez, A., see J. Costa-Quintana **162–164**, 757
Sánchez, A., see F. López-Aguilar **162–164**, 759
Sanchez, J.P., see J.A. Hodges **160**, 49
Sandalov, I.S., see S.G. Oychinnikov **161**, 607
Sandler, A.G., see V.I. Dediu **162–164**, 425
Sandstrom, R.L., see W.Y. Lee **160**, 511
Sang, L., see W. Tang **161**, 181
Sankaranarayanan, V., see R. Srinivasan **159**, 797
Sannabhadti, R.S., see B.K. Basu **159**, 379
Santaniello, A., see P. Kuiper **157**, 260
Santoro, A., see R.J. Cava **157**, 272
Santos, I.C., see A.P. Gonçalves **159**, 273
Sarker, S., see H.R. Krishnamurthy **162–164**, 1447
Sarkissian, B.V.B., A.K. Grover, G. Balakrishnan, P.L. Paulose and R. Vijayaraghavan, Comparative study of magnetization in conventional and high T_c superconductors **162–164**, 335
Sarma, B.K., see K.J. Sun **162–164**, 446
Sasakawa, M., see K. Mori **162–164**, 512
Sasaki, M., see H. Matsumoto **162–164**, 221
Sasaki, T., see T. Sasaki **162–164**, 504
Sasaki, Y., see R. Nishitani **162–164**, 1255
Sasakura, H., see T. Takabatake **157**, 263
Sashin, I.L., see I. Natkaniec **162–164**, 1359, 1369
Sastry, G.V.S., see R. Wördenweber **162–164**, 1601
Sastry, M., see F. Rochet **159**, 447
Sastry, M.D., see E.V. Sampathkumaran **159**, 267
Sastry, M.D., V. Natarajan, A.G.I. Dalvi and R.M. Iyer, Alpha irradiation effects on the superconductivity of $YBa_2Cu_3O_{7-x}$: microwave absorption investigations **160**, 69
Sastry, M.D., see R.M. Iyer **160**, 155
Sastry, M.D., R.M. Kadam, A.G.I. Dalvi, G.M. Phatak and R.M. Iyer, On the origin of low field microwave absorption in the high T_c superconductors **162–164**, 1589
Sastry, P.V.P.S.S, see I.K. Gopalakrishnan **159**, 811
Sastry, P.V.P.S.S., I.K. Gopalakrishnan, J.V. Yakhmi and R.M. Iyer, Zero resistance at 120 K in Bi(Pb)–Ca–Sr–Cu oxide **157**, 491
Sastry, P.V.P.S.S., see P.K. Pujari **159**, 75
Sastry, P.V.P.S.S., see R. Srinivasan **159**, 797
Sastry, P.V.P.S.S., see R.M. Iyer **160**, 155
Sastry, P.V.P.S.S., J.V. Yakhmi and R.M. Iyer, Towards the synthesis of the single-phase Bi-2223 superconductor from stoichiometric $(Bi,Pb)_2Ca_2Sr_2Cu_3O_y$ compositions **161**, 656
Sastry, V.S., see Y. Hariharan **162–164**, 887
Satchell, J.S., R.G. Humphreys, P. Sidhu, N.G. Chew, S.W. Goodyear and J.A. Edwards, Electrical properties of $YBa_2Cu_3O_7$ thin films **162–164**, 625
Sato, H., S. Tajima, H. Takagi and S. Uchida, Optical and transport studies of metal–insulator transition on $(Ba,K)BiO_3$ thin films **162–164**, 1121
Sato, K., see K. Mori **162–164**, 512, 923
Sato, M., see S. Kondoh **157**, 469
Sato, S., see H. Matsuyama **160**, 567
Satoh, T., see Y. Shimakawa **157**, 279
Satoh, T., see T. Manako **158**, 143
Satoh, T., see Y. Kubo **162–164**, 991
Sauer, Ch., see H. Lütgemeier **162–164**, 1367
Sauerzopf, F.M., see H.W. Weber **161**, 272; **162–164**, 401
Sauerzopf, F.M., H.P. Wiesinger, H.W. Weber, G.W. Crabtree and J.Z. Liu, Magnetization of neutron irradiated $YBa_2Cu_3O_{7-\delta}$ single crystals **162–164**, 751
Savić, I.M., see B. Pümpin **162–164**, 151

Savoy, R., see W.Y. Lee **160**, 511; **162–164**, 639
Savoy, R., see D.C. Bullock **162–164**, 643
Savrasov, D.Yu., see O.V. Dolgov **162–164**, 1529
Savvides, N., see H.K. Liu **157**, 93
Savvides, N., see D.M. Eagles **158**, 258
Savvides, N., see S.X. Dou **160**, 533
Sawa, H., see F. Izumi **158**, 440; **160**, 235
Sawano, K., see M. Morita **162–164**, 1217
Sawatzky, G.A., see P. Kuiper **157**, 260
Sawatzky, G.A., see H. Eskes **160**, 424
Sayagués, M.J., see X. Batlle **162–164**, 1273
Sayer, M., see X. Yu **159**, 496
Saylor, J., see C. Hohenemser **162–164**, 1283
Sayouri, S., see J.L. Dormann **162–164**, 570, 1371
Scafuro, R., see F. Celani **162–164**, 903
Scalettar, R.T., Magnetic and pairing correlations in a three band Hubbard model **162–164**, 313
Schabes-Retchkiman, P., see R. Herrera **158**, 490
Schachinger, E., see W. Pint **157**, 415; **159**, 33; **161**, 441; **162–164**, 801
Schachinger, E., see E. Seidl **161**, 294
Schachinger, E., see B. Vlcek **162–164**, 403
Schachinger, E., see B.A. Richert **162–164**, 1443
Schäfer, W., see R. Sonntag **159**, 141
Schaffarich, P., see H. Kuzmany **162–164**, 1219
Schaffarich, P., see W. Markowitsch **162–164**, 1235
Schaffarich, P., see W. Lang **162–164**, 1639
Schalk, R.M., see H.W. Weber **161**, 272
Scheel, H.J., see D. Shaltiel **158**, 424
Scheerer, B., see J. Fink **162–164**, 1415
Schegolev, I.F., see V.N. Kopylov **162–164**, 1143
Schellenberg, L., see M. Kuboth **162–164**, 407
Schenck, A., see P. Birrer **158**, 230; **162–164**, 153
Schiefer, H., M. Mali, J. Roos, H. Zimmermann, D. Brinkmann, S. Rusiecki and E. Kaldis, Linewidth of Cu NQR signals in $YBa_2Cu_3O_{7-\delta}$ and oxygen defect distribution **162–164**, 171
Schilling, A., H.R. Ott and F. Hulliger, The influence of the oxygen concentration on T_c of $TlBa_2Ca_2Cu_3O_x$ **157**, 144
Schilling, A., H.R. Ott and F. Hulliger, Measurement of the specific-heat anomaly at T_c in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **161**, 626
Schilling, J.S., see C. Allgeier **157**, 293; **162–164**, 741
Schilling, J.S., see W. Reith **162–164**, 109
Schillinger, A., H.R. Ott and F. Hulliger, The influence of the oxygen concentration on T_c of $Tl_2Ba_2Ca_2Cu_3O_x$, Physica C 157, 144. Erratum **158**, 524
Schindler, J.W., see T.E. Jones **162–164**, 25
Schirber, J.E., B. Morosin and D.S. Ginley, Effect of pressure on the superconducting transition temperature of $Ba_{1-x}K_xBiO_3$ **157**, 237
Schirber, J.E., see C. Chaillout **158**, 183; **162–164**, 57
Schirber, J.E., D.L. Overmyer, E.L. Venturini, H.H. Wang, D. Carlson, W.K. Kwok, S. Kleinjan and J.M. Williams, Anomalous pressure dependence of the superconducting transition temperature of $(ET)_4Hg_{2.89}Br_8$ **161**, 412
Schirber, J.E., see E.J. Ansaldo **162–164**, 147
Schirber, J.E., E.L. Venturini, B. Morosin and D.S. Ginley, Pressure dependence of T_c in $Nd_{1.85}Ce_{0.15}CuO_4$ **162–164**, 745
Schirber, J.E., see Z. Fisk **162–164**, 1681
Schleger, P.W., see R.F. Kiefl **162–164**, 161
Schleger, P.W., see J.H. Brewer **162–164**, 33, 157
Schleger, P.W., see B.J. Sternlieb **162–164**, 679
Schlenker, C., see C. Escribe-Filippini **162–164**, 427
Schlenker, C., see S. Revenaz **162–164**, 1585
Schlenker, C., see C.J. Liu **162–164**, 1609
Schlesinger, Z., R.T. Collins, N.C. Yeh, W.Y. Lee and S.S.P. Parkin, Infrared measurement of a $Tl_2Ba_2CaCu_2O_{8-x}$ film **162–164**, 1111
Schlichenmaier, M., see R. Sonntag **159**, 141
Schlötterer, J., see A. Grassmann **162–164**, 1383
Schluter, M. and M.S. Hybertsen, The electronic structure of La_2CuO_4: renormalization from density functional theory to strong coupling models **162–164**, 583
Schmall, W., see F.J. Blunt **162–164**, 1605
Schmid, H., see B.N. Sun **157**, 189
Schmid, H., E. Burkhardt, B.N. Sun and J.-P. Rivera, Uniaxial stress induced ferroelastic detwinning of $YBa_2Cu_3O_{7-\delta}$ **157**, 555
Schmid, H., E. Burkhardt, B.N. Sun and J.-P. Rivera, Uniaxial stress induced ferroelastic detwinning of $YBa_2Cu_3O_{7-\delta}$, Physica C 157, 555. Erratum **159**, 150
Schmidt, H., see F. Seidler **157**, 375
Schmidt, H., see P. Baumgart **162–164**, 1073
Schmidt, L., see H. Guyot **162–164**, 1305
Schmidt, M.T., see Q.Y. Ma **162–164**, 637
Schneemeyer, L.F., see C.H. Chen **160**, 375
Schneemeyer, L.F., see D.J. Werder **160**, 411
Schneemeyer, L.F., see H. Safar **162–164**, 665
Schneemeyer, L.F., see K.A. Delin **162–164**, 719
Schneemeyer, L.F., see T. Timusk **162–164**, 841
Schneemeyer, L.F., see M. Gurvitch **162–164**, 1067
Schneemeyer, L.F., see A.T. Fiory **162–164**, 1195
Schneemeyer, L.F., see D.S. Dessau **162–164**, 1373
Schneider, J.W., see B. Pümpin **162–164**, 151
Schnelle, W., see F. Seidler **157**, 375
Schnelle, W., E. Braun, H. Broicher, H. Weiss, H. Geus, S. Ruppel, M. Galffy, W. Braunisch, A. Waldorf, F. Seidler and D. Wohlleben, Superconducting fluctuations in $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123
Schnelle, W., see E. Braun **162–164**, 496
Schöllhorn, R., see H. Glückler **162–164**, 149
Schöllhorn, R., see C. Niedermayer **162–164**, 159
Scholten, D., see B. Dam **162–164**, 705
Scholten, D., see M.A.M. Gijs **162–164**, 1615
Scholtz, J.J., see E.N. van Enige **162–164**, 737
Schooley, J.F., see G.A. Candela **162–164**, 421
Schriefer, J.R., X.G. Wen and S.C. Zhang, Spin fluctuations, spin bags and the high T_c superconductivity **162–164**, 300
Schröder, U., see W. Kress **162–164**, 1345
Schubert, J., see R. Gross **162–164**, 1603
Schuberth, E., G. Hofmann, F. Gross and K. Andres, UPt_3 at

very low temperatures: specific heat in high magnetic fields **162–164**, 415
Schuhl, A., R. Cabanel, S. Koch, J. Siejka, M. Touzeau, J.P. Hirtz and G. Creuzet, As deposited epitaxial $Dy_1Ba_2Cu_3O$ thin films by M.B.E. **162–164**, 627
Schuller, I.K., see Y. Bruynseraede **162–164**, 23
Schultz, A.J., C.-K. Loong, J.Z. Liu, W.-K. Kwok, G.W. Crabtree and D.J. Lam, Single-crystal neutron studies of $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ and $La_{1.7}Sr_{0.3}CuO_4$ **157**, 301
Schultz, L., see B. Roas **162–164**, 135
Schultz, L., see J. Dengler **162–164**, 1297
Schultz, L., see N. Klein **162–164**, 1549
Schulze, K., see M. Weller **162–164**, 953
Schüttler, H.-B., see C.-X. Chen **162–164**, 207
Schüttler, H.-B., C.-X. Chen and A.J. Fedro, Single- vs. multi-orbital theories of the cuprate superconductors: exact results on finite lattices **162–164**, 1337
Schützmann, J., see W. Ose **162–164**, 1081
Schützmann, J., see K.F. Renk **162–164**, 1085
Schwartzkopf, L.A., J.E. Ostenson, K.S. Athreya and D.K. Finnemore, Fibers of $YBa_2Cu_3O_7$ by pendant drop melt extraction **162–164**, 383
Schwarz, K., see C. Ambrosch-Draxl **162–164**, 1353
Schwarz, M., see M. Peuckert **162–164**, 893
Schwarz, R.B., see S.-W. Cheong **159**, 407
Schwarz, R.B., see Z. Fisk **162–164**, 1681
Schweiss, P., see D. Petitgrand **162–164**, 1271
Schweiss, P., see B. Gillon **162–164**, 1275
Schweizer, J., see J.X. Boucherle **162–164**, 1285
Scott, J.S., see D.E. Morris **162–164**, 955
Seaman, C.L., see J.T. Markert **158**, 178; **162–164**, 957
Seaman, C.L., N.Y. Ayoub, T. Bjørnholm, E.A. Early, S. Ghamaty, B.W. Lee, J.T. Markert, J.J. Neumeier, P.K. Tsai and M.B. Maple, Magnetic and superconducting properties of the electron-doped compounds $Ln_{2-z}M_xCuO_{4-y}$ (Ln=Pr, Nd, Sm, Eu, Gd; **M=Ce, Th**) **159**, 391
Seaman, C.L., see S. Ghamaty **160**, 217
Seaman, C.L., see R.F. Kiefl **162–164**, 161
Seaman, C.L., see M.B. Maple **162–164**, 296
Seaman, C.L., see G.M. Luke **162–164**, 825
Seaman, C.L., see S.T. Weir **162–164**, 1263
Seehra, M.S., see J. Zhao **159**, 639
Segmüller, A., see A. Gupta **162–164**, 127
Segmüller, A., see D.C. Bullock **162–164**, 643
Segmüller, A., see G. Koren **162–164**, 1021
Ségransan, P., see M. Horvatić **159**, 689; **162–164**, 265
Ségransan, P., see Y. Kitaoka **162–164**, 195
Segre, C., see B.D. Dunlap **158**, 397
Seidel, A., see H.J. Bornemann **159**, 173
Seidl, E., see H.W. Weber **161**, 272, 287; **162–164**, 401
Seidl, E., C. Laa, H.P. Wiesinger, H.W. Weber, J. Rammer and E. Schachinger, Magnetization of low-κ superconductors III. The generalized Ginzburg–Landau parameters κ_1 and κ_2 **161**, 294
Seidler, F., P. Böhm, H. Geus, W. Braunisch, E. Braun, W. Schnelle, Z. Drzazga, N. Wild, B. Roden, H. Schmidt, D. Wohlleben, I. Felner and Y. Wolfus, Nature of the specific heat anomaly in the Bi and Tl high temperature superconductors **157**, 375
Seidler, F., see W. Schnelle **161**, 123
Seidler, F., see E. Braun **162–164**, 496
Sekine, R., M. Kawai and H. Adachi, Electronic states of the CuO_x (x=4, 5,6) model clusters. I. Effect of hole density and Cu–O bond lengths **159**, 161
Sekizawa, K., Y. Takano and T. Inaba, Interaction between rare earth ion layer and Cu–O layers in $RBa_2Cu_3O_y$ (R=magnetic rare earth ions) **162–164**, 1277
Sekula, S.T., see D.K. Christen **162–164**, 653
Sekula, S.T., see H.R. Kerchner **162–164**, 1557
Selinder, T.I., G. Larsson, U. Helmersson, S. Rudner and I. Petrov, The DC magnetron sputter deposition process of $YBa_2Cu_3O_x$ thin films **162–164**, 599
Seminozhenko, V.P., see D.O. Livdan **161**, 517
Seminozhenko, V.P., see A.B. Blank **162–164**, 1225
Semyonov, A.V., see V.M. Puzikov **162–164**, 629
Señaris-Rodriguez, M.A., F. García-Alvarado, E. Morán, M.A. Alario-Franco, M.A. González, J.L. Vicent and J. Ibáñez, The effect of lead additon to the Bi–Cu HTSC: phase separation **162–164**, 85
Senateur, J.P., see M. Langlet **162–164**, 137
Senet, E., see M. Langlet **162–164**, 137
Senning, B., M. Warden, D. Abukay, D. Berlowitz, K.-P. Dinse, O. Dobbert, A. Dulčić, P. Erhart and F. Waldner, Nonlinear microwave response of superconductors **162–164**, 1597
Senoh, K., see Y. Ochiai **161**, 447; **162–164**, 1033
Senoh, K., see F. Nakamura **162–164**, 1287
Senoussi, S., see L. Fruchter **160**, 185
Sequeira, A., H. Rajagopal and J.V. Yakhmi, On the coordination of bismuth in $Bi_2CaSr_2Cu_2O_8$ – A2aa/Amaa structures revisited **157**, 515
Sequeira, A., H. Rajagopal, R. Nagarajan and C.N.R. Rao, Neutron diffraction evidence for oxygen dimers in Bi–Ca–Sr–Cu–O superconductors **159**, 87
Sequeira, A., see I.K. Gopalakrishnan **159**, 811
Sera, M., see S. Kondoh **157**, 469
Sergeenkov, S.A., Diamagnetic correlations of the superconductive glass model **159**, 43
Sergeenkov, S.A., see V.I. Aksenov **162–164**, 229
Sergent, M., see O. Peña **159**, 443; **162–164**, 1215
Sergent, M., see A. Perrin **162–164**, 707
Sergent, M., see C. Perrin **162–164**, 889
Sermet, T., see K. Bernhardt **161**, 468
Setsune, K., see K. Hirochi **160**, 273
Setsune, K., see A. Enokihara **161**, 431
Shabanova, N.P., see E.V. Ekimov **162–164**, 833
Shabatin, V.P., see M.V. Elashkin **162–164**, 1173
Shabatin, V.P., see A.A. Zhukov **162–164**, 1623
Shafer, M.W., see T. Penney **162–164**, 63
Shahbuddin, Md., see A.G. Vedeshwar **158**, 385
Shaltiel, D., H. Bill, M. Decroux, H. Hagemann, A. Junod, M. Peter, Y. Ravi Sekhar, G. Triscone, E. Walker, Y.F. Yan and Z.X. Zhao, Observation of ESR in the Bi high-T_c superconductors **157**, 240

Shaltiel, D., H. Bill, P. Fischer, M. François, H. Hagemann, M. Peter, Y. Ravi Sekhar, W. Sadowski, H.J. Scheel, G. Triscone, E. Walker and K. Yvon, Single crystal ESR studies on tetragonal $YBa_2Cu_3O_{6+x}$ **158**, 424
Shaltiel, D., S.E. Barnes, H. Bill, M. François, H. Hagemann, J. Jegondaz, D. Lovy, P. Monod, M. Peter, A. Revcolevschi, W. Sadowski and E. Walker, Unusual behavior of the Gd ESR in single crystals of $Gd_yY_{1-y}Ba_2Cu_3O_{6+x}$ with $x=0.1$–0.8 and $y=0.03$–0.06: evidence for a magnetic interaction in the superconductors **161**, 13
Shapiro, A.J., see C.K. Chiang **162–164**, 901
Shapiro, A.J., see I.V. Aleksandrov **162–164**, 1057
Shapiro, B.Ya., see A.A. Remova **160**, 202, 584
Sharifi, F., J. Giapintzakis, D.M. Ginsberg and D.J. Van Harlingen, Effect of inhomogeneities on the fluctuation-induced cusp in the specific heat of high temperature superconductors **161**, 555
Sharma, R., see Z. Iqbal **162–164**, 885
Shaw, G., S.D. Murphy and S.M. Bhagat, Low field investigations of single crystal Bi(2212) – DC magnetization **162–164**, 341
Shchegolev, I.F., see N.N. Kolesnikov **162–164**, 1663
Shelankov, A.L., see W. Weber **162–164**, 307
Shelehov, A.L., A.I. Golovashkin, A.F. Goncharov and K.V. Kraiskaya, Optical reflectivity and electronic structure of high-T_c superconductors **162–164**, 1229
Shelomov, D.V., see A.A. Zhukov **162–164**, 1623
Shelton, R.N., see J.L. Peng **162–164**, 89
Shelton, R.N., see D.C. Bullock **162–164**, 331
Shelton, R.N., see T.J. Folkerts **162–164**, 550
Shelton, R.N., see H.B. Radousky **162–164**, 1363
Shelton, R.N., see R.H. Howell **162–164**, 1377
Shelton, R.N., see Y. Xu **162–164**, 1627
Shen, H.-M., see Y.-N. Wang **162–164**, 454, 456
Shen, Z.-X., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Shen, Z.-X., P.A.P. Lindberg, C.K. Shih, W.E. Spicer and I. Lindau, Angle-resolved photoemission study of NiO and CoO **162–164**, 1311
Shen, Z.-X., see D.S. Dessau **162–164**, 1373
Sheng, D. and C. Gong, Strong 2D spin correlation induced O-pair superconductivity in the low temperature region **159**, 577
Sheng, L., see J.H. Wang **158**, 507
Sheng, L., see C. Dong **161**, 257
Sheng, Y.J., see S.X. Dou **158**, 97
Sheng, Z.Z., see J.H. Wang **158**, 507
Sheng, Z.Z., see J. Stankowski **160**, 170
Sheng, Z.Z., see J.W. Ekin **160**, 489
Sheng, Z.Z., see C. Dong **161**, 257
Shete, S.Y., see B.K. Basu **159**, 379
Shevtsov, N.I., see A.B. Blank **162–164**, 1225
Shi, D., M. Xu, M.S. Boley and U. Welp, Temperature dependence of flux pinning in $YBa_2Cu_3O_x$ **160**, 417
Shi, D., M. Boley, J. Chen, U. Welp and K.G. Vandervoort, Superconducting properties and flux pinning in Bi–Sr–Ca–Cu–O system **162–164**, 927
Shi, F., see R. Jin **158**, 255
Shi, H., see B.W. Veal **162–164**, 97
Shi, J.B., M.J. Shieh, T.Y. Lin and H.C. Ku, Superconductivity enhancement in the (Tl,Pb)(A,R)$_2$CuO$_5$ system (A=Sr, Ba; **R=La, Pr, Nd**) **162–164**, 721
Shi, K.X., see S.Y. Ding **162–164**, 675
Shi, N., see R. Jin **158**, 255
Shi, T., see Y. Zhao **160**, 361
Shi, Z., see R. Jin **158**, 255
Shiba, H., see M. Ogata **158**, 355
Shibaeva, P.R.P., see N.N. Kolesnikov **162–164**, 1663
Shieh, F.J., see J.J. Chu **162–164**, 117
Shieh, L.-Y., see M. Randeria **162–164**, 1457
Shieh, M.J., see J.B. Shi **162–164**, 721
Shields, T.C., F. Wellhofer, J.S. Abell, K.N.R. Taylor and D. Holland, High critical currents in thick films of YBCO showing spherulitic growth habits **162–164**, 1265
Shih, C.K., see Z.-X. Shen **162–164**, 1311
Shikichi, K., see M. Nakao **162–164**, 677
Shilov, S.N., see V.G. Grebinnik **162–164**, 145
Shimada, M., see Y. Takeda **157**, 358
Shimakawa, Y., Y. Kubo, T. Manako, T. Satoh, S. Iijima, T. Ichihashi and H. Igarashi, Variation in T_c structure and oxygen content in $Tl_2Ba_2CuO_6$ and their correlations **157**, 279
Shimakawa, Y., see I. Takeuchi **158**, 83
Shimakawa, Y., see T. Manako **158**, 143
Shimakawa, Y., see Y. Kubo **162–164**, 991
Shimakawa, Y., see J.S. Tsai **162–164**, 1133
Shimizu, H., see J. Arai **161**, 475; **162–164**, 1295
Shimizu, H., J. Arai and M. Mita, Magnetic properties and superconductivity of $GdBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ **162–164**, 1293
Shimizu, K., see H. Maeda **157**, 483
Shimizu, M., see J. Tanaka **162–164**, 1117
Shimizu, T., see T. Imai **162–164**, 169
Shimomura, S., see Y. Ikeda **159**, 93
Shimomura, T., see R. Sugise **157**, 131
Shindo, D., see M. Kikuchi **158**, 79
Shindo, D., see S. Nakajima **158**, 471
Shindo, D., K. Hiraga, S. Nakajima, M. Kikuchi, Y. Syono, N. Kobayashi, K. Hojou, T. Soga, S. Furono and H. Otsu, Oxygen K-edge fine structure of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ studied by electron energy loss spectroscopy **159**, 794
Shinjo, T., T. Mizutani, N. Hosoito, T. Kusuda, T. Takabatake, K. Matsukuma and H. Fujii, Spin fluctuations in $La_{1.85}Sr_{0.15}CuO_4$ studied from ^{119}Sn Mössbauer spectroscopy **159**, 869
Shinjo, T., T. Mizutani, N. Hosoito, T. Kusuda, T. Takabatake, K. Matsukuma and H. Fujii, Spin fluctuations in $La_{1.85}Sr_{0.15}CuO_4$ studied from ^{119}Sn Mössbauer spectroscopy. Physica C 159, 869. Erratum **161**, 442
Shinozaki, S., see R.E. Soltis **162–164**, 649
Shiramine, K., see M. Taniwaki **162–164**, 568
Shirane, G., see L. Rebelsky **160**, 197
Shirane, G., see J.M. Tranquada **162–164**, 849
Shishido, T., see T. Sasaki **162–164**, 504
Short, K.T., see J. Kwo **162–164**, 623

Shtitel'man, Z.V., see A.B. Blank **162–164**, 1225
Shulga, S.V., see O.V. Dolgov **162–164**, 1233
Shull, R.D., see C.K. Chiang **162–164**, 901
Shustov, L.D., see N.A. Babushkina **162–164**, 877
Si, Q., see J.P. Lu **162–164**, 1465
Si, Q., J.P. Lu and K. Levin, Magnetic interactions in the metallic phase of the copper oxides **162–164**, 1467
Sid, R.L., see D.E. Morris **159**, 287; **162–164**, 955
Sidhu, P., see J.S. Satchell **162–164**, 625
Sidorenko, A.S., see V.I. Dediu **162–164**, 425
Sidorenko, A.S., see M.P. Boiko **162–164**, 506
Sidorov, N.S., see Yu.A. Osipyan **159**, 137
Sidorov, N.S., see V.T. Dolgopolov **162–164**, 458
Sidorov, N.S., see I.P. Dudoladov **162–164**, 937
Sidorov, N.S., see V.F. Gantmakher **162–164**, 1539
Sieburger, R., see C. Allgeier **162–164**, 741
Siejka, J., see G. Garry **162–164**, 441
Siejka, J., see A. Schuhl **162–164**, 627
Sigmund, E., see V. Hizhnyakov **160**, 119; **161**, 435
Sigov, A.S., see A.A. Zhukov **162–164**, 1631
Sil, S., see A.N. Das **161**, 325
Silver, R.M., see A.B. Berezin **162–164**, 657
Šimánek, E., Phase-slip mechanism in ultrasmall Josephson junctions with fluctuating coupling **158**, 345
Simmler, H., see B. Pümpin **162–164**, 151
Simon, A., see F. Hentsch **158**, 137
Simon, A., see A. Bussmann-Holder **162–164**, 779
Simon, R., see H. Glückler **162–164**, 149
Simon, R., see C. Niedermayer **162–164**, 159
Simon, S., see Gh. Ilonca **162–164**, 831
Simon, S., Gh. Ilonca, I. Barbur, I. Ardelean and R. Redac, EPR on Y-ceramics and Bi-vitroceramics doped with S state paramagnetic ions **162–164**, 1289
Simonov, V.I., see L.A. Muradyan **162–164**, 536
Simonov, V.I., see N.N. Kolesnikov **162–164**, 1663
Simons, B.D., see J.M.F. Gunn **162–164**, 1479, 1481
Singh, A.K., see K.J. Sun **162–164**, 446
Singh, D., see W.E. Pickett **162–164**, 1419, 1433
Singh, D., W.E. Pickett and H. Krakauer, Electronic structure of $CaCuO_2$, parent of the high-T_c superconductors **162–164**, 1431
Singh, R.R.P., Magnetic excitations in La_2CuO_4 **162–164**, 829
Sinha, S.K., see S. Pei **162–164**, 556
Sinicyn, V.V., see I. Natkaniec **162–164**, 1369
Siri, A.S., see V. Calzona **157**, 425; **162–164**, 369
Skanthakumar, S., H. Zhang, T.W. Clinton, W.-H. Li, J.W. Lynn, Z. Fisk and S.-W. Cheong, Magnetic phase transitions and structural distortion in Nd_2CuO_4 **160**, 124
Skelton, E.F., see T.P. Thorpe **162–164**, 645
Skelton, E.F., see A.W. Webb **162–164**, 899
Skibowski, M., see R. Manzke **162–164**, 1381
Skjeltorp, A.T., see Z.J. Yang **160**, 461; **162–164**, 1587
Skumriev, V., see I.Z. Kostadinov **162–164**, 995
Skumryev, V., see Y. Zhang **157**, 108
Sladeczek, P., see O. Strebel **162–164**, 1331
Slakey, F., see D.M. Ginsberg **162–164**, 486
Slakey, F., M.V. Klein, E.D. Bukowski, J.P. Rice and D.M. Ginsberg, Raman scattering studies of the oxygen deficient phases of the Y–Ba–Cu–O superconductor **162–164**, 1095
Slaski, M., T. Laegreid, O.-M. Nes, S. Gjølmesli, P. Tuset, K. Fossheim and Z. Bukowski, The effect of oxygen stoichiometry on the superconducting properties of $YBa_2Cu_3O_{7-\delta}$ near the transition temperature **162–164**, 103
Slaski, M., see T. Laegreid **162–164**, 490
Slaski, M., T. Laegreid, O.-M. Nes, S. Gjølmesli, P. Tuset, K. Fossheim and A. Pajaczkowska, Specific heat, ac susceptibility, and dc conductivity in the $Bi_{0.7}Pb_{0.3}Ca_1Sr_1Cu_{1.8}O_x$ superconductor **162–164**, 492
Slater, P.R., see C. Greaves **161**, 245
Sleight, A.W., see C.C. Torardi **157**, 115; **158**, 465
Sleight, A.W., see M.A. Subramanian **157**, 124
Sleight, A.W., see J.B. Parise **159**, 239, 245
Sleight, A.W., see T. Egami **162–164**, 93
Sleight, A.W., Crystal chemistry of oxide superconductors **162–164**, 3
Sleight, A.W., see B.H. Toby **162–164**, 101
Sleight, A.W., see T. Claeson **162–164**, 544
Sleight, A.W., see B.J. Sternlieb **162–164**, 679
Sleight, A.W., see G.M. Luke **162–164**, 825
Slisenko, V.I., see V.G. Bar'yakhtar **162–164**, 466
Smallman, R.E., see Y. Feng **162–164**, 943
Smirnova, I.S., see S.V. Meshkov **161**, 497
Smith, G.B., J.M. Bell, S.W. Filipczuk and C. Andrikidis, Temperature, field and grain size dependence of flux pinning in high-T_c superconductors **160**, 333
Smith, J.L., see N.E. Phillips **162–164**, 413
Smith, J.L., see E. Felder **162–164**, 429
Smith, M.E., see G. Balakrishnan **161**, 9
Smith, T.F., see J.R. Fraser **159**, 70
Smith Jr., V.H., see B. Szpunar **161**, 503
Smits, A., see W.T. Fu **162–164**, 979
Snegirev, V.V., see A.M. Kadomtseva **162–164**, 1361
Snoeck, E., see M.J. Casanove **159**, 461
Snortland, H.J., see S.M. Anlage **162–164**, 1645
Snow, D.B., see B.R. Weinberger **161**, 91
Sobolev, V.L., see D.O. Livdan **161**, 517
Sobolewski, R., see A.M. Kadin **162–164**, 387
Sobolewski, R., P. Gierłowski, W. Kula, G. Jung, S. Zarembiński, M. Berkowski, A. Dabkowski and A. Pajaczkowska, Fabrication and properties of high-T_c films deposited on $LaGaO_3$ and $LaAlO_3$ substrates **162–164**, 631
Sobolewski, R., see J. Konopka **162–164**, 1041
Sobolewski, R., see J.C. Gallop **162–164**, 1545
Soda, K., T. Mori, T. Ishii, K.T. Park, K. Terakura, T. Takabatake and M. Ishikawa, Photoelectron spectra of $YBa_2Cu_3O_x$ ($x=6.9$ and 6.0) **161**, 219
Soderholm, L., G.L. Goodman, U. Welp, C.W. Williams and J. Bolender, The synthesis and characterization of $CmBa_2Cu_3O_7$ **161**, 252
Soga, T., see D. Shindo **159**, 794

Sokalski, K., Superfluid model of high temperature superconductivity **161**, 233
Sokol, A.V., see L.P. Gor'kov **159**, 329
Soltis, R.E., W.T. Donlon, S. Shinozaki, R.M. Ager, C.R. Peters, E.M. Logothetis, M. Aslam, L.E. Wenger, J.T. Chen and R. Nelson, Properties of BiSrCaCuO films prepared by rf triode sputtering **162–164**, 649
Sompolinsky, H., see E.R. Yacoby **162–164**, 697
Son, J.K., see K.J. Kwon **159**, 659
Song, K.H., see S.X. Dou **160**, 533
Soni, N.C., see C.V. Tomy **162–164**, 925
Sonntag, R., D. Hohlwein, A. Hoser, W. Prandl, W. Schäfer, R. Kiemel, S. Kemmler-Sack, S. Lösch, M. Schlichenmaier and A.W. Hewat, Structural changes of the superconductor $YBa_2Cu_3O_7$ by cobalt substitution. A high-resolution neutron powder diffraction study **159**, 141
Sorella, S., see A. Parola **162–164**, 771
Sorrell, C.C., see H.K. Liu **157**, 93
Sorrell, C.C., see S.X. Dou **158**, 93; **160**, 533
Soulen, R.J., see A.W. Webb **162–164**, 899
Soulen Jr., R.J., see G.A. Candela **162–164**, 421
Soulen Jr., R.J., see H.A. Hoff **162–164**, 1115
Souletie, B., see O. Laborde **162–164**, 827
Sovak, P., see Á. Cziráki **162–164**, 560
Spałek, J., see B. Szpunar **161**, 503
Sparn, G., M. Baenitz, S. Horn, F. Steglich, W. Assmus, T. Wolf, A. Kapitulnik and Z.-X. Zhao, Evidence for an intrinsic linear term in the T-dependence of the thermal conductivity of superconducting $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ single crystals **162–164**, 508
Spellmeyer, B., see H.-E. Mahnke **162–164**, 345
Spicer, W.E., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Spicer, W.E., see Z.-X. Shen **162–164**, 1311
Spicer, W.E., see D.S. Dessau **162–164**, 1373
Spille, H., see H. Adrian **162–164**, 329
Spille, H., see M. Lang **162–164**, 1037
Splittgerber, P., see P. Baumgart **162–164**, 1073
Sproule, I., see J.P. Franck **162–164**, 753
Srinivas, S., see R. Prasad **162–164**, 1335
Srinivasan, R., H. Krishnan, V. Sankaranarayanan, I.K. Gopalakrishnan, P.V.P.S.S. Sastry, J.V. Yakhmi and R.M. Iyer, Fluctuation induced excess conductivity in $Tl_2CaBa_2Cu_2O_8$ **159**, 797
Srinivasu, V.V., see S.V. Bhat **162–164**, 1571
Srivastava, P.K., see Ph. Flueckiger **162–164**, 1563
Stadlober, B., see P. Knoll **162–164**, 1097
Stager, C.V., see T. Timusk **162–164**, 841
Stager, C.V., see M. Reedyk **162–164**, 1083
Stan, M.A., S.A. Alterovitz, D. Ignjatovic, K.B. Bhasin, G.C. Valco and N.J. Rohrer, Transport measurements on granular Y–Ba–Cu–O films **162–164**, 365
Stankowski, J., B. Czyzak, M. Krupski, J. Baszynski, T. Datta, C. Almasan, Z.Z. Sheng and A.M. Hermann, Pressure study of T_c and Josephson absorption in $YBa_2Cu_3O_{7-\delta}$ and Tl–Ca–Ba–Cu–O superconductors **160**, 170
Stanley, H.E., see A. Coniglio **161**, 88
Stasyuk, I.V., see N.M. Plakida **160**, 80; **162–164**, 787
Statt, B.W., see Y.P. Lin **158**, 241
Stauche, P., see M. Rosenberg **162–164**, 729
Stechel, E.B. and D.R. Jennison, Pairing in CuO_2 driven by exchange interactions between carriers and localized Cu spins **162–164**, 765
Steel, D.G., see J.T. Kucera **162–164**, 671
Steel, D.G., see D.W. Face **162–164**, 709
Steeman, R.A., see D.M. de Leeuw **158**, 391
Steeman, R.A., D.M. de Leeuw, G.P.J. Geelen and E. Frikkee, Crystal structures of $La_{1.1}Sr_{1.9}Cu_2O_{5.83}$ and related compounds **162–164**, 542
Steglich, F., see H. Adrian **162–164**, 329
Steglich, F., see R. Caspary **162–164**, 474
Steglich, F., see G. Sparn **162–164**, 508
Steglich, F., see M. Lang **162–164**, 1037
Steiner, W., see M. Reissner **162–164**, 31
Steiner, W., see H. Kuzmany **162–164**, 1219
Stenzel, Ch., see H.-E. Mahnke **162–164**, 345
Stepankin, V., see M. Borik **162–164**, 727
Stepanov, V.A., see S.I. Vedeneev **162–164**, 1131
Stephan, W.H., see P. Horsch **162–164**, 783
Steren, L.B., see A. Butera **160**, 341
Stern, R., see E. Lippmaa **162–164**, 263
Sterne, P.A. and L.T. Wille, Oxygen vacancy ordering in $YBa_2Cu_3O_{7-y}$ **162–164**, 223
Sternlieb, B.J., see J.H. Brewer **162–164**, 33
Sternlieb, B.J., see E.J. Ansaldo **162–164**, 147
Sternlieb, B.J., see R.F. Kiefl **162–164**, 161
Sternlieb, B.J., L.P. Le, G.M. Luke, Y.J. Uemura, J.H. Brewer, J.F. Carolan, P. Dosanjh, W.N. Hardy, R. Kadono, R.F. Kiefl, S.R. Kreitzman, T.M. Riseman, P.W. Schleger, M.R. Davis, C.E. Stronach, Y. Hidaka, T. Murakami, J. Gopalakrishnan, A.W. Sleight and A.R. Strzelecki, μ^+SR studies of lux mobility in the mixed state of $Bi_2Sr_2CaCu_2O_8$ **162–164**, 679
Sternlieb, B.J., see G.M. Luke **162–164**, 825
Sternlieb, B.J., see Y.J. Uemura **162–164**, 857
Sternlieb, B.J., see T.M. Riseman **162–164**, 1555
Stishov, S.M., see I.V. Aleksandrov **162–164**, 1057
Stizza, S., see B. Kusz **160**, 25
Stollman, G.M., see J.W.C. de Vries **157**, 406
Stollman, G.M., B. Dam, J.H.P.M. Emmen and J. Pankert, Critical current density and pinning energy of an epitaxial $YBa_2Cu_3O_{7-\delta}$ film **159**, 854
Stollman, G.M., B. Dam, J.H.P.M. Emmen and J. Pankert, Critical current density and pinning energy of an epitaxial $YBa_2Cu_3O_{7-\delta}$-film. Physica C 159, 854. Erratum **161**, 444
Stollman, G.M., see P. Berghuis **162–164**, 1169
Stollman, G.M., B. Dam, J.H.P.M. Emmen and J. Pankert, Thermally activated flux motion in high-T_c superconductors **162–164**, 1191
Stollman, G.M., see Ph. Flueckiger **162–164**, 1563
Stolt, L., see P. Norling **162–164**, 107
Stolt, L., see H. Ohlsén **162–164**, 621
Stotz, S., see G. Marbach **161**, 111
Stotz, S., see J.W.C. de Vries **161**, 661
Strebel, O., P. Sladeczek, M. Asensio, C. Laubschat,

A. Kolodzieczyk, R. Miranda and G. Kaindl, Valency and covalency in high-T_c-superconductors from X-ray absorption **162–164**, 1331
Streszewski, M., see C. Jedrzejek **162–164**, 1523
Strinati, G., see E. Arrigoni **162–164**, 785
Stritzker, B., see J. Fröhlingsdorf **159**, 513; **162–164**, 123
Ströbel, J.P., M. Klauda, M. Lippert, B. Hensel, G. Saemann-Ischenko, W. Gerhäuser, H.-W. Neumüller, W. Ose and K.F. Renk, Superconducting and normal-state properties of electron-doped cuprates: $Ln_{2-x}Ce_xCuO_{4-\delta}$ and $Nd_2CuO_{4-x-\delta}F_x$ **162–164**, 1209
Ströbel, J.P., see A. Grassmann **162–164**, 1383
Strobel, P., W. Korczak, J.-L. Hodeau and J.-L. Tholence, Effect of oxygen partial pressure on superconductivity in $Bi_2Sr_{1.5}Ca_{1.9}Cu_{3.4}O_x$ and synthesis of single crystals of undoped $Bi_2Sr_2Ca_2Cu_3O_x$ ($T_c \approx 108$ K) **161**, 155
Strobel, P., W. Korczak and T. Fournier, A thermal analysis study of the system Bi–Sr–Ca–Cu–O at variable oxygen pressure **161**, 167
Strobel, P., see M. Marezio **162–164**, 281
Stronach, C.E., see B.J. Sternlieb **162–164**, 679
Strongin, M., see C.L. Lin **162–164**, 1325
Stroud, D., see C. Ebner **162–164**, 1469
Stroud, D., see K.H. Lee **162–164**, 1593
Strzelecki, A.R., see B.J. Sternlieb **162–164**, 679
Stucky, G., see C.M. Foster **162–164**, 1107
Studer, F., D. Bourgault, C. Martin, R. Retoux, C. Michel, B. Raveau, E. Dartyge and A. Fontaine, Valence states of lead, thallium and copper in superconducting cuprates by XANES **159**, 609
Stupp, S.E. and D.M. Ginsberg, A review of the linear term in the low temperature specific heat of $YBa_2Cu_3O_{7-\delta}$ **158**, 299
Stupp, S.E., see D.M. Ginsberg **162–164**, 486
Su, M.-Y., C.E. Elsbernd and T.O. Mason, n-type vs. p-type semiconduction at high temperatures in oxide superconductors **160**, 114
Su, Z., see H. Chen **162–164**, 761
Su, Z., Y. Li, W. Lai and L. Yu, Wave function, spectrum and effective mass of holes in 2D quantum antiferromagnet **162–164**, 773
Subbanna, G.N., see K.B.R. Varma **162–164**, 891
Subbarao, G.V., see C. Radhakrishnamurty **162–164**, 333
Subotowicz, M., see A. Bombik **157**, 251
Subramanian, M.A., see C.C. Torardi **157**, 115; **158**, 465
Subramanian, M.A., J. Gopalakrishnan, C.C. Torardi, P.L. Gai, E.D. Boyes, T.R. Askew, R.B. Flippen, W.E. Farneth and A.W. Sleight, Superconductivity near liquid nitrogen temperature in the Pb–Sr–R–Ca–Cu–O system (R = Y or rare earth) **157**, 124
Subramanian, M.A., see J.B. Parise **159**, 239, 245
Subramanian, M.A., see P.L. Gai **159**, 801
Subramanian, M.A., see T. Egami **162–164**, 93
Subramanian, M.A., see B.H. Toby **162–164**, 101
Subramanian, M.A., see G.M. Luke **162–164**, 825
Sudakova, M.V., see B.A. Aminov **160**, 505
Suenaga, M., see Y. Xu **162–164**, 1627
Suetin, V.A., see V.G. Grebinnik **162–164**, 145
Sugise, R., M. Hirabayashi, N. Terada, M. Jo, T. Shimomura and H. Ihara, The formation process of a new high-T_c superconductor, $TlBa_2Ca_4Cu_5O_y$, with five Cu–O layers **157**, 131
Sullivan, N.S., see D. Zhou **162–164**, 813
Sulpice, A., see J. Beille **157**, 446
Sumetsberger, B., see M. Matus **162–164**, 967
Sun, B.N., R. Boutellier and H. Schmid, Growth spirals on single crystals of $YBa_2Cu_3O_{7-x}$ **157**, 189
Sun, B.N., see H. Schmid **157**, 555; **159**, 150
Sun, J.Z., see C.-B. Eom **162–164**, 605
Sun, J.Z., C.-B. Eom, B. Lairson, J.C. Bravman, T.H. Geballe and A. Kapitulnik, Vortex motion and time dependent magnetic responses in high T_c superconductors **162–164**, 687
Sun, K.J., W.P. Winfree, M.-F. Xu, M. Levy, B.K. Sarma, A.K. Singh, M.S. Osofsky and V.M. LeTourneau, Ultrasonic attenuation anomaly of Tl–Ca–Ba–Cu–O at superconducting transition **162–164**, 446
Sun, L.-H., see Y.-N. Wang **162–164**, 456
Sun, S.F., see J.S. Xia **158**, 477
Sun, Y.Y., see Y.Y. Xue **158**, 211
Sun, Y.Y., see P.H. Hor **159**, 629
Sun, Y.Y., see J. Wosik **162–164**, 641
Sundar, C.S., see R.H. Howell **162–164**, 1377
Sundar, C.S., A. Bharathi, Y.C. Jean, D.G. Hinks, B. Dabrowski, Y. Zheng, A.W. Mitchell, J.C. Ho, R.H. Howell, A.L. Wachs, P.E.A. Turchi, M.J. Fluss, R.L. Meng, P.H. Hor, Z.J. Huang and C.W. Chu, The electronic properties of high-T_c superconductors probed by positron annihilation **162–164**, 1379
Sung, H.H., see S.M. Fu **162–164**, 617
Sunshine, S.A., see A.T. Fiory **162–164**, 1195
Suryanarayanan, R., A.M. Bouanani, G. Brun, G.T. Bhandage and O. Gorochov, Transport and magnetic properties of plasma sprayed YBaCuO and BiSrCaCuO **162–164**, 139
Suryanarayanan, R., G. Priftis, H. Pankowska, M. Gasgnier, M.-O. Ruault, P. Tremblay, G.T. Bhandage, M. Rateau and O. Gorochov, Structural and superconducting properties of $Pb_2Sr_2Ln_{1-x}Ca_xCu_3O_y$ (Ln = Y, Yb) **162–164**, 971
Suryanarayanan, R., see M. Rateau **162–164**, 1199
Suryanarayanan, R., see G. Priftis **162–164**, 1201
Suryanarayanan, R., see J.L. Dormann **162–164**, 570, 1371
Sushkov, O.P., see V.V. Flambaum **159**, 586, 595
Sutton, S.D., see J.S. Abell **162–164**, 909
Suzuki, K., see K. Kishio **162–164**, 55
Suzuki, M., see Y. Tajima **158**, 237
Suzuki, S., see T. Takahashi **162–164**, 1323
Suzuki, T. and T. Fujita, Structural phase transition in $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **159**, 111
Suzuki, T., see S. Nakajima **160**, 458
Suzuki, T., M. Tagawa and T. Fujita, Low-temperature crystalline structure of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **162–164**, 983
Suzuki, T., see Y. Fukuda **162–164**, 1315
Suzuki, T., M. Nagoshi, Y. Fukuda, S. Nakajima, M. Kikuchi, Y. Syono and M. Tachiki, Core level X-ray photoelectron

spectroscopy of Tl–Ba–Ca–Cu–O superconductor **162–164**, 1387
Svedlindh, P., see P. Norling **162–164**, 107
Svedlindh, P., see M. Kakihana **162–164**, 931
Svedlindh, P., K. Niskanen, P. Norling, P. Nordblad, L. Lundgren, B. Lönnberg and T. Lundström, Anti-Meissner effect in the BiSrCaCuO-system **162–164**, 1365
Svedlindh, P., see K. Niskanen **162–164**, 1637
Svistunov, V.M., see S. Takács **162–164**, 1049
Swihart, J.C., see P. Hertel **162–164**, 817
Switz, N., see S.M. Anlage **162–164**, 1645
Synko, O.G., see R. Durny **162–164**, 1065
Syono, Y., see M. Kikuchi **158**, 79
Syono, Y., see S. Nakajima **158**, 471; **160**, 458
Syono, Y., see H. Iwasaki **159**, 301
Syono, Y., see D. Shindo **159**, 794
Syono, Y., see T. Oashi **161**, 367
Syono, Y., see A. Tokiwa **161**, 459
Syono, Y., see T. Kajitani **161**, 483
Syono, Y., see N. Kobayashi **162–164**, 27
Syono, Y., see Y. Fukuda **162–164**, 1315
Syono, Y., see T. Suzuki **162–164**, 1387
Sypavina, L.V., see Yu.A. Osipyan **159**, 137
Szász, A., W. Krasser, J. Hajdu and J. Kojnok, The thermal investigations on $Y_1Ba_2Cu_xO_y$ ($1.5 \leq x \leq 9$) ceramics **162–164**, 973
Sze, H., see S.M. Anlage **162–164**, 1645
Szeto, K.Y., Mean field theory of superconductivity in frustrated 2D-XY magnets **161**, 527
Szotek, Z., see G.Y. Guo **162–164**, 1351
Szpunar, B., V.H. Smith Jr. and J. Spałek, Electronic structure of antiferromagnetic La_2NiO_4 and $La_{1.5}Sr_{0.5}NiO_4$ systems **161**, 503
Szücs, I.S., see J. Dengler **162–164**, 1297
Szymczak, H., see A.M. Balagurov **158**, 265

Taber, R., see S.M. Anlage **162–164**, 1645
Tachiki, M., see H. Matsumoto **162–164**, 221
Tachiki, M. and S. Takahashi, Intrinsic flux pinning in high T_c oxide superconductors **162–164**, 241
Tachiki, M., see Y. Fukuda **162–164**, 1315
Tachiki, M., see T. Suzuki **162–164**, 1387
Tachiki, M., see T. Koyama **162–164**, 1509
Tachiki, M., see S. Takahashi **162–164**, 1511
Tada, K., see H. Itozaki **162–164**, 367
Taftø, J., see Z.J. Yang **162–164**, 1587
Tagawa, M., see T. Suzuki **162–164**, 983
Tahara, S., see D.K. Fork **162–164**, 121
Tahara, S., S.M. Anlage, C.-B. Eom, D.K. Fork, T.H. Geballe and M.R. Beasley, Critical current behavior in narrow $YBa_2Cu_3O_{7-\delta}$ thin films **162–164**, 1175
Tahara, S., see S.M. Anlage **162–164**, 1645
Taillefer, L., see N.E. Phillips **162–164**, 413
Tainsh, R.J., see D.M. Eagles **157**, 48
Tajima, S., see H. Sato **162–164**, 1121
Tajima, Y., M. Hikita, M. Suzuki and Y. Hidaka, Pressure-effect study on high-T_c superconducting single crystal of 84 K Bi–Sr–Ca–Cu–O system **158**, 237
Tajima, Y., see K. Yamaya **162–164**, 1009
Takabatake, T., W. Ye, S. Orimo, H. Kawanaka, H. Fujii, H. Sasakura and S. Minamigawa, Enhancement of superconductivity in $Bi_2Sr_2CaCu_2O_{8+\delta}$ by hydrogen intercalation **157**, 263
Takabatake, T., see K. Morimoto **159**, 849
Takabatake, T., see T. Shinjo **159**, 869; **161**, 442
Takabatake, T., see K. Soda **161**, 219
Takabatake, T., W. Ye, S. Orimo, T. Tamegai and H. Fujii, Hydrogen intercalation in some superconducting copper oxides **162–164**, 65
Takács, S., see F. Gömöry **160**, 1
Takács, S. and F. Gömöry, Study of flux flow in high T_c superconductors **162–164**, 681
Takács, S., Š. Beňačka, A. Pleceník and V.M. Svistunov, Localized normal excitations and resonance anomalies above the gap in tunneling current of high T_c superconductors **162–164**, 1049
Takada, J., see H. Kitaguchi **157**, 267
Takagi, H., see F. Izumi **158**, 433
Takagi, H., see R.F. Kiefl **162–164**, 161
Takagi, H., see G.M. Luke **162–164**, 825
Takagi, H., Y. Tokura and S. Uchida, Similarity and dissimilarity in transport properties of electron- and hole-doped high-T_c cuprates **162–164**, 1001
Takagi, H., see H. Sato **162–164**, 1121
Takagi, H., see Y. Tokura **162–164**, 1231
Takagi, H., see H. Matsuyama **162–164**, 1319
Takagi, H., see S. Uchida **162–164**, 1677
Takagi, S., see T. Kawai **161**, 561
Takahashi, K., S. Meguro, K. Uyeda, K. Kaiho and M. Umeda, Preliminary study of oxide superconductors for wire fabrication **162–164**, 381
Takahashi, S., see M. Tachiki **162–164**, 241
Takahashi, S., S. Ishihara and M. Tachiki, Properties of the superconductivity caused by the interaction mediated by charge fluctuations **162–164**, 1511
Takahashi, T., see M. Horvatić **159**, 689
Takahashi, T., see H. Matsuyama **160**, 567; **162–164**, 1319
Takahashi, T., see Y. Kitaoka **162–164**, 195
Takahashi, T., see K. Kanoda **162–164**, 405
Takahashi, T., see T. Ishida **162–164**, 1005
Takahashi, T., see R. Nishitani **162–164**, 1255
Takahashi, T., H. Ohta, K. Murata, S. Suzuki, Y. Okabe and H. Katayama-Yoshida, Comparative inverse photoemission study of high-T_c superconductors **162–164**, 1323
Takai, H., see H. Nagata **161**, 66
Takano, M., see H. Adachi **157**, 169
Takano, M., see H. Kitaguchi **157**, 267
Takano, M., see Y. Takeda **157**, 358; **159**, 789
Takano, M., see Z. Hiroi **158**, 269
Takano, M., see Y. Ikeda **159**, 93
Takano, M., Y. Takeda, H. Okada, M. Miyamoto and T. Kusaka, $ACuO_2$ (a: alkaline earth) crystallizing in a layered structure **159**, 375

Takano, S., N. Hayashi, S. Okuda and H. Hitotsuyanagi, $Y_1Ba_2Cu_3O_{7-\delta}$ thin films grown by RF magnetron sputtering **162–164**, 1535
Takano, Y., see K. Sekizawa **162–164**, 1277
Takata, T., see T. Miyatake **160**, 541
Takayama-Muromachi, E., see F. Izumi **157**, 89; **158**, 440
Takayama-Muromachi, E., see H. Maeda **157**, 483
Takayama-Muromachi, E., Y. Uchida, M. Kobayashi and K. Kato, Oxygen deficiency and crystal chemistry of T″–$AA'CuO_4$ oxides **158**, 449
Takayama-Muromachi, E., F. Izumi, Y. Uchida, K. Kato and H. Asano, Oxygen deficiency in the electron-doped superconductor $Nd_{2-x}Ce_xCuO_{4-y}$ **159**, 634
Takebayashi, S., see A. Maeda **160**, 443; **162–164**, 1203, 1205
Takebayashi, S., see K. Uchinokura **162–164**, 981
Takeda, Y., R. Kanno, O. Yamamoto, M. Takano, Z. Hiroi, Y. Bando, M. Shimada, H. Akinaga and K. Takita, Structure and properties of $YBaSrCu_3O_y$ ($y=6.2$–7.3) **157**, 358
Takeda, Y., see Z. Hiroi **158**, 269
Takeda, Y., see M. Takano **159**, 375
Takeda, Y., R. Kanno, F. Tanigawa, O. Yamamoto, Y. Ikeda and M. Takano, Annealing effects on the Pb-doped 2223 phase under various temperatures and oxygen pressures **159**, 789
Takekawa, S., see K. Yamaya **162–164**, 1009
Takeno, S., see N. Fukishima **159**, 777
Takeuchi, I., see J.S. Tsai **157**, 537; **162–164**, 1133
Takeuchi, I., J.S. Tsai, Y. Shimakawa, T. Manako and Y. Kubo, Energy gap of Tl–Ba–Ca–Cu–O compounds by tunneling **158**, 83
Takigawa, M., P.C. Hammel, R.H. Heffner, Z. Fisk, J.D. Thompson and M.P. Maley, Anomalous temperature dependence of Cu NMR line width and magnetization in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 175
Takigawa, M., see P.C. Hammel **162–164**, 177
Takigawa, M., P.C. Hammel, R.H. Heffner, Z. Fisk, K.C. Ott and J.D. Thompson, ^{17}O NMR study of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 853
Takita, K., see Y. Takeda **157**, 358
Takita, K., see H. Akinaga **161**, 581
Taldenkov, A.N., see N.A. Babushkina **162–164**, 877
Taliani, C., see R. Zamboni **162–164**, 1103
Taliani, C., see X. Wei **162–164**, 1109
Tallon, J.L., R.G. Buckley, P.W. Gilberd and M.R. Presland, Single-phase Pb-substituted $Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$, $n=2$ and 3: structure, T_c and effects of oxygen stoichiometry **158**, 247
Tallon, J.L., R.S. Liu, K.L. Wu, F.J. Blunt and P.T. Wu, Absence of oxygen stoichiometry effects on T_c in a Tl-1122 superconductor **161**, 523
Talvacchio, J., see M.G. Forrester **162–164**, 391
Talvacchio, J., G.R. Wagner and H.C. Pohl, $YBa_2Cu_3O_7$ films grown on epitaxial MgO buffer layers on sapphire **162–164**, 659
Talvacchio, J., see J.R. Gavaler **162–164**, 1051
Tamaki, T., M. Nishizawa, A. Ito and T. Fujita, New method for accurate analysis of Mössbauer spectra of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 987
Tamazyan, R.A., see L.A. Muradyan **162–164**, 536
Tamazyan, R.A., see N.N. Kolesnikov **162–164**, 1663
Tamegai, T. and Y. Iye, Transport properties of non-superconducting La-cuprates **159**, 181
Tamegai, T., see Y. Iye **159**, 433, 616
Tamegai, T., see T. Takabatake **162–164**, 65
Tamura, T., see Y. Ochiai **161**, 447; **162–164**, 1033
Tamura, T., see F. Nakamura **162–164**, 1287
Tan, N.X., see H.K. Liu **157**, 93
Tan, N.X., see S.X. Dou **158**, 93, 97
Tan, Z., J.I. Budnick, B.L. Chamberland and G. Tourillon, Phase decomposition in nominal La_xCuO_4 ($x \leq 2.00$) determined by extended X-ray absorption fine structure **160**, 571
Tan, Z., see B.R. Weinberger **161**, 91
Tanaka, C., see J. Tanaka **161**, 451; **162–164**, 1117
Tanaka, I., see S. Kambe **160**, 35, 243
Tanaka, I., see K. Kitazawa **162–164**, 1017
Tanaka, I., see T.M. Riseman **162–164**, 1555
Tanaka, J., K. Kamiya and C. Tanaka, Electronic structure of the CuO_2-plane of cuprate superconductors **161**, 451
Tanaka, J., K. Kamiya, M. Shimizu, C. Tanaka, H. Ozeki and S. Miyamoto, Optical spectra and electronic structure of high T_c oxide superconductors **162–164**, 1117
Tanaka, K., see H. Matsuyama **160**, 567
Tanaka, S., see H. Obara **157**, 37
Tanaka, S., see T. Maeda **159**, 784
Tanaka, S., see T. Miyatake **160**, 541
Tanaka, S., see T. Sakurai **161**, 6
Tanaka, S., see H. Itozaki **162–164**, 367
Tang, S.B., see B. Zhu **157**, 370
Tang, W., M. Lin, X. Meng, Z. Lin, Q. Tu, L. Sang, Y. Ren, S. Zhou, Y. Li and Z. Liu, Influence of Mn on the superconductivity of the TlBaCaCuO system **161**, 181
Tang, X.X., A. Manthiram and J.B. Goodenough, Role of internal electric field on suppression of superconductivity by Pr in copper oxides **161**, 574
Tang, Z.M., see K.Y. Chen **157**, 164
Tani, B., see M. Tetenbaum **158**, 377
Tanigawa, F., see Y. Takeda **159**, 789
Taniwaki, M., T. Muraki and K. Shiramine, Anisotropy of lattice vibration in uniaxially aligned high temperature superconductor $Ba_2EuCu_3O_7$ observed by Mössbauer spectroscopy **162–164**, 568
Tanner, D.B., see T. Timusk **162–164**, 841
Tanner, D.B., see M. Reedyk **162–164**, 1083
Tao, H., Y. Chen, S. Zhao, Y. Yan and Q. Yang, Electron tunneling study of single crystal BCSCO superconductors **162–164**, 1127
Tao, Y.C., see P.H. Hor **159**, 629
Tarascon, J.-M., see J. Ren **158**, 501; **159**, 151
Tarascon, J.-M., E. Wang, L.H. Greene, R. Ramesh, B.G. Bagley, G.W. Hull, P.F. Miceli, Z.Z. Wang, D.A. Brawner and N.P. Ong, On the crystal growth and

chemistry of the new electron-type superconducting oxides **162–164**, 285
Tarascon, J.-M., see F. Bridges **162–164**, 969
Tarascon, J.-M., see Z.Z. Wang **162–164**, 1013
Tarascon, J.-M., see L.H. Greene **162–164**, 1069
Tarascon, J.-M., see M.K. Kelly **162–164**, 1123
Tarascon, J.-M., see L.A. Farrow **162–164**, 1257
Tarascon, J.-M., see P.F. Miceli **162–164**, 1267
Tartakovskii, I.I., see A.A. Maksimov **160**, 249; **162–164**, 1243
Tartakovskii, I.I., see V.B. Timofeev **162–164**, 1409
Tasset, F., see J.X. Boucherle **162–164**, 1285
Tatarskii, V.V., see S.V. Meshkov **161**, 497
Tate, J., see M. Obry **162–164**, 389
Tatsenko, O.M., see A.I. Pavlovskii **162–164**, 1659
Taylor, K.N.R., see R.M. Bowley **159**, 51
Taylor, K.N.R. and A. Nouruzi-Khorasani, Absence of twinning in the 60 K superconducting phase of $YBa_2Cu_3O_{7-\delta}$ **159**, 707
Taylor, K.N.R., see A. Bailey **161**, 347
Taylor, K.N.R., see B.A. Hunter **161**, 594
Taylor, K.N.R., see G.J. Russell **162–164**, 327
Taylor, K.N.R., A. Nouruzi-Khorosani and S. Bosi, The relation between twins and optical domains in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 520
Taylor, K.N.R., see T. Puzzer **162–164**, 603
Taylor, K.N.R., see S. Bosi **162–164**, 895
Taylor, K.N.R., see G. Alvarez **162–164**, 1043
Taylor, K.N.R., see T.C. Shields **162–164**, 1265
Taylor, K.N.R., G.J. Russell and D.N. Matthews, Shielding effectiveness of $YBa_2Cu_3O_y$ and the influence of intergranular flux pinning **162–164**, 1543
Taylor, P.C., see R. Durny **162–164**, 1065
Tedeschi, R., see R. De Renzi **162–164**, 155
Tedeschi, R., see G. Guidi **162–164**, 189
Teh, A., see C. Hohenemser **162–164**, 1283
Tejada, J., see E. Agostinelli **162–164**, 319
Temmerman, W.M., see G.Y. Guo **162–164**, 1351
Terada, N., see R. Sugise **157**, 131
Terakura, K., see K. Soda **161**, 219
Terashima, K., see Y. Fukuda **162–164**, 1315
Terashima, T., see J.S. Tsai **157**, 537
Terashima, T., see K. Kamigaki **159**, 505
Terashima, T., see Y. Ochiai **161**, 447; **162–164**, 1033
Terashima, T., Y. Bando, K. Iijima, K. Yamamoto, K. Hirata, K. Kamigaki and H. Terauchi, Initial stage of epitaxial growth of $YBa_2Cu_3O_{7-x}$ thin films **162–164**, 615
Terashima, T., see H. Mazaki **162–164**, 1641
Terashima, T., see K. Yamamoto **162–164**, 1643
Terauchi, H., see K. Kamigaki **159**, 505
Terauchi, H., see T. Terashima **162–164**, 615
Tessler, L.R., see U. Dai **162–164**, 699
Testa, A.M., see E. Agostinelli **162–164**, 319
Tetenbaum, M., B. Tani, B. Czech and M. Blander, Experimental evidence of a miscibility gap in the $YBa_2Cu_3O_x$ system **158**, 377
Tewari, S.P. and P.K. Gumbar, Effect of crystal anisotropy on superconductivity in zinc **160**, 545
Thadhani, N., see Z. Iqbal **162–164**, 885
Theuss, H., see N. Moser **159**, 117
Thibado, P.M., see T.E. Jones **162–164**, 25
Thierfeldt, S., see K. Fischer **160**, 466
Thierfeldt, S., see B. Kabius **162–164**, 635
Thio, T., see N.W. Preyer **162–164**, 1003
Thio, T., see C.Y. Chen **162–164**, 1031
Thio, T., R.J. Birgeneau, C.Y. Chen, B.S. Freer, D.R. Gabbe, H.P. Jenssen, M.A. Kastner, P.J. Picone and N.W. Preyer, Magnetoresistance and the spin flop transition in pure single-crystal La_2CuO_{4+y} **162–164**, 1301
Thiry, P., see P. Kuiper **157**, 260
Tholence, J.-L., see P. Strobel **161**, 155
Tholence, J.L., see E.A. Hewat **157**, 509
Tholence, J.L., see M. Guillot **162–164**, 361
Tholence, J.L., see O. Laborde **162–164**, 827
Tholence, J.L., see C. Chaillout **162–164**, 935
Thomas, G., see W.-F. Yau **162–164**, 21
Thomas, G.A., see T. Timusk **162–164**, 841
Thomas, G.A., see M. Reedyk **162–164**, 1083
Thomas, O., see M. Langlet **162–164**, 137
Thompson, J.D., see M.F. Hundley **158**, 102
Thompson, J.D., see S.-W. Cheong **158**, 109; **159**, 407
Thompson, J.D., see H. Ledbetter **162–164**, 460
Thompson, J.D., see M.E. McHenry **162–164**, 689
Thompson, J.D., see Z. Fisk **162–164**, 1681
Thompson, J.D., see M. Takigawa **162–164**, 175, 853
Thompson, J.G., see A.E. Bocquet **160**, 252
Thompson, J.R., see D.K. Christen **162–164**, 653
Thompson, J.R., see H.R. Kerchner **162–164**, 1557
Thompson, L.J., see M.A. Kirk **162–164**, 532
Thompson, R.S., see K. Maki **162–164**, 275, 1441
Thomsen, C., M. Cardona, R. Liu, T. Ruf, B. Gegenheimer and E.T. Heyen, A light-scattering study of electron–phonon interaction in the oxide superconductor $YBa_2Cu_3O_{7-\delta}$ and $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 1079
Thomson, J.O., see H.R. Kerchner **162–164**, 1557
Thorpe, T.P., M.S. Osofsky, E.F. Skelton, S.B. Qadri and C.R. Gossett, "In-situ" sputter deposition of superconducting Bi–Sr–Ca–Cu–O thin films **162–164**, 645
Thuy, N.M., see B.A. Aminov **160**, 505
Tien, C., see S.T. Lin **159**, 188
Tihov, J., see M.D. Mateev **162–164**, 993
Tihov, J., see I.Z. Kostadinov **162–164**, 995
Tikhonov, A.N., see A.A. Gippius **162–164**, 253
Timofeev, V.B., see L.V. Gasparov **157**, 341; **160**, 147
Timofeev, V.B., see A.A. Maksimov **160**, 249; **162–164**, 1243
Timofeev, V.B., see A.V. Bazhenov **162–164**, 1247
Timofeev, V.B., see O.V. Misochko **162–164**, 1249
Timofeev, V.B., A.A. Maksimov, O.V. Misochko and I.I. Tartakovskii, Light scattering spectroscopy of Tl-based superconductors: phonon and electronic excitations **162–164**, 1409
Timoschchenko, N.E., see Yu.M. Gerbstein **162–164**, 961
Timpf, J., see J.F. Zasadzinski **162–164**, 1053

Timusk, T., M. Reedyk, R. Hughes, D.A. Bonn, J.D. Garrett, J.E. Greedan, C.V. Stager, D.B. Tanner, F. Gao, S.L. Herr, K. Kamarás, G.A. Thomas, S.L. Cooper, J. Orenstein, L.F. Schneemeyer and A.J. Millis, Infrared studies of high T_c superconductors **162–164**, 841
Timusk, T., see M. Reedyk **162–164**, 1083
Ting, W., T. Laegreid, K. Fossheim, J.D. Axe and Y. Hidaka, Structural phase transition in single crystal $La_{2-x}Sr_xCuO_{4-y}$ superconductor studied by ultrasound **162–164**, 448
Titov, Yu.V., see A.A. Zhukov **162–164**, 1631
Tittonen, I., J. Hietaniemi, J. Huttunen, M. Karppinen, T. Katila, J. Lindén, L. Niinistö and K. Ullakko, Growth of ^{57}Fe-doped $YBa_2Cu_3O_{7-\delta}$ single crystals for Mössbauer and susceptibility measurements **162–164**, 1259
Tkachuk, M.N., see V.G. Fleisher **162–164**, 1119
Toby, B.H., see T. Egami **162–164**, 93
Toby, B.H., W. Dmowski, T. Egami, J.D. Jorgensen, M.A. Subramanian, J. Gopalakrishnan, A.W. Sleight and J.B. Parise, Ordering in $Tl_2CaBa_2Cu_2O_8$ and $Tl_2Ba_2CuO_6$ studied by pair distribution function and Rietveld analysis **162–164**, 101
Togano, K., see J.W. Ekin **160**, 489
Togano, K., see R.A. Fisher **162–164**, 502
Togano, K., see H. Kumakura **162–164**, 685
Togonidze, T.G., see V.G. Grebinnik **162–164**, 145
Togonidze, T.G., see V.N. Kopylov **162–164**, 1143
Tohyama, T., Y. Ohta and S. Maekawa, Cluster analyses of electronic states in electron-doped copper oxide superconductors **158**, 525
Tokar', O.I., see D.O. Livdan **161**, 517
Tokar', O.I., see D.V. Fil' **162–164**, 201, 795, 797
Tokiwa, A., T. Oku, M. Nagoshi, M. Kikuchi, K. Hiraga and Y. Syono, Crystal structure and phase transition of $PbBaSrYCu_3O_y$ ($y=7\sim8.4$) **161**, 459
Toko, K., see K. Yamafuji **159**, 743
Tokura, Y., see F. Izumi **158**, 433
Tokura, Y., see G.M. Luke **162–164**, 825
Tokura, Y., see H. Takagi **162–164**, 1001
Tokura, Y., H. Takagi, T. Arima, S. Koshihara, T. Ido, S. Ishibashi and S. Uchida, Optical excitations in CuO_2-sheets doped and undoped with electrons **162–164**, 1231
Tokura, Y., see S. Uchida **162–164**, 1677
Tolentino, H., see H. Renevier **162–164**, 51
Tolmacheva, N.S., see N.A. Babushkina **162–164**, 877
Tolpygo, S.K., V.S. Melnikov, I.G. Mikhailov, V.Ye. Moshchil, V.M. Pan, T.A. Prikhna, N.P. Pshentsova, M.G. Vasilenko-Sheremetiev and A.V. Zhalko-Titarenko, Structure and properties of superstoichiometric $YBa_2Cu_3O_{7+x}$ compounds **162–164**, 941
Tolpygo, S.K., I.G. Mikhailov, A.E. Morozovsky and S.K. Yushchenko, Electrical and magnetic properties of La_2CuO_4 with different acceptor or donor doping **162–164**, 959
Tomii, Y., see H. Kitaguchi **157**, 267
Tomita, T., see T. Oashi **157**, 315
Tomita, T., see K.i. Kumagai **162–164**, 183
Tomita, T., see T. Fujita **162–164**, 985
Tomlins, G., see B.W. Veal **162–164**, 97
Tomy, C.V., R. Prasad, N.C. Soni, K. Adhikary, A. Gulnar and S.K. Malik, Investigations on the superconducting behaviour of Bi–Pb–Sb–Sr–Ca–Cu–O oxide system **162–164**, 925
Tong, H.W., see S.Y. Ding **162–164**, 675
Tonge, L.M., see J. Zhao **159**, 710
Torardi, C.C., J.B. Parise, M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, Oxygen nonstoichiometry in copper–oxide based superconductors and related systems: structure of nonsuperconducting $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ ($x\sim0.6$–1.0) **157**, 115
Torardi, C.C., see M.A. Subramanian **157**, 124
Torardi, C.C., M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, Alkali-metal substituted La_2CuO_4: structures of $La_{2-x}M_xCuO_4$ (M=Na, K; $x\sim0.2$) **158**, 465
Torardi, C.C., see J. Ren **158**, 501; **159**, 151
Torardi, C.C., see J.B. Parise **159**, 239
Torardi, C.C., see D. Jung **160**, 381
Torell, L.M., see M. Kakihana **162–164**, 1245
Torii, Y., see N. Murayama **162–164**, 1261
Torikachvili, M.S., see M.A. Lopez de la Torre **162–164**, 1653
Tornau, E.E., see V.E. Zubkus **159**, 501
Torrance, J.B., see T.C. Huang **158**, 148; **159**, 625
Torrance, J.B., see E. Moran **160**, 30
Torrance, J.B., A. Bezinge, A.I. Nazzal and S.S.P. Parkin, Disappearance of high temperature superconductivity induced by high carrier concentrations **162–164**, 291
Torrance, J.B., see U. Amador **162–164**, 873
Torron, C., see J. Maza **162–164**, 373
Torron, C., see J.A. Veira **162–164**, 375
Tosatti, E., see A. Parola **162–164**, 771
Tošić, B.S., see Lj.M. Ristovski **160**, 548
Toth, L.E., see R. Rayne **162–164**, 879
Toth, L.E., see H.A. Hoff **162–164**, 1115
Tourillon, G., see Z. Tan **160**, 571
Tourillon, G., see H. Renevier **162–164**, 51
Tournier, R., see J. Beille **157**, 446
Touzeau, M., see A. Schuhl **162–164**, 627
Tovar, M., see A. Butera **160**, 341
Town, S., see S. Bosi **162–164**, 895
Town, S.L., see A. Bailey **161**, 347
Town, S.L., see B.A. Hunter **161**, 594
Tralshawala, N., see J.F. Zasadzinski **158**, 519; **162–164**, 1053
Tranquada, J.M., see L. Rebelsky **160**, 197
Tranquada, J.M. and G. Shirane, Neutron scattering studies of magnetic correlations in the layered cuprates **162–164**, 849
Tranquada, J.M., see C.L. Lin **162–164**, 1325
Trefilov, A.V., see V.Yu. Irkhin **160**, 397
Tremblay, A.-M.S., see C. Bourbonnais **162–164**, 805
Tremblay, P., see R. Suryanarayanan **162–164**, 971
Tretiakov, Yu.D., see B.A. Aminov **160**, 505
Trevor, D.J., see J. Kwo **162–164**, 623
Triscone, G., see D. Shaltiel **157**, 240; **158**, 424
Triscone, G., see A. Junod **159**, 215; **162–164**, 476, 478, 480, 482, 1401
Triscone, G., A. Junod and J. Muller, Magnetic determination

of the specific heat jump at T_c in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 470
Triscone, G., see W. Sadowski **162–164**, 897
Triscone, J.-M., M.G. Karkut, O. Brunner, L. Antognazza, M. Decroux and Ø. Fischer, In situ thin films of $YBa_2Cu_3O_7$ prepared by single target DC-magnetron sputtering **158**, 293
Triscone, J.-M., see L. Antognazza **162–164**, 411
Triscone, J.-M., see O. Brunner **162–164**, 647
Triscone, J.-M., see A.D. Kent **162–164**, 1035
Triscone, T.M., see A.J. Vermeer **162–164**, 409
Tříska, A., see N. Nevřiva **157**, 334
Tříska, A., see J. Novák **157**, 346
Trivedi, N. and D.M. Ceperley, Numerical study of ground state and low lying excitations of quantum antiferromagnets **162–164**, 1455
Trivedi, N., see S. Liang **162–164**, 1459
Trofimova, V.A., see V.R. Galakhov **160**, 267
Truhan, V.N., see R.I. Antonov **162–164**, 437
Trunin, M.R., see I.P. Dudoladov **162–164**, 937
Trunin, M.R., see V.F. Gantmakher **162–164**, 1539
Trunin, M.R., see G.I. Leviev **162–164**, 1595
Trunin, R.F., see I.P. Dudoladov **162–164**, 937
Tsai, J.S., I. Takeuchi, J. Fujita, S. Miura, T. Terashima, Y. Bando, K. Iijima and K. Yamamoto, Tunneling study of clean and oriented Y–Ba–Cu–O and Bi–Sr–Ca–Cu–O surfaces **157**, 537
Tsai, J.S., see I. Takeuchi **158**, 83
Tsai, J.S., I. Takeuchi, Y. Shimakawa, T. Manako and Y. Kubo, Comparison of the energy gaps in various high-T_c oxide superconductors **162–164**, 1133
Tsai, M.-H., see R.V. Kawoski **162–164**, 1349
Tsai, P.K., see C.L. Seaman **159**, 391
Tsai, P.K., see J.T. Markert **162–164**, 957
Tsakin, E., see I.Z. Kostadinov **162–164**, 995
Tseng, M.R., see J.J. Chu **162–164**, 117
Tsuei, C.C., A. Gupta and G. Koren, Quadratic temperature dependence of the in-plane resistivity in superconducting $Nd_{1.85}Ce_{0.15}CuO_4$ – evidence for Fermi-liquid normal state **161**, 415
Tsuei, C.C., see Y. Yeshurun **162–164**, 1148
Tsuei, C.C., see R. Gross **162–164**, 1603
Tsukada, I., see Y. Nakayama **162–164**, 711
Tsuneto, T., see R. Ikeda **162–164**, 1693
Tu, Q., see W. Tang **161**, 181
Tulina, N.A., Determination of the energy gap in a thin $YBa_2Cu_3O_{7-x}$ film by Andreev reflection and by tunneling. Physica C 152 (1988) 105. Comment. **161**, 262
Turchi, P.E.A., see A.L. Wachs **162–164**, 1375
Turchi, P.E.A., see R.H. Howell **162–164**, 1377
Turchi, P.E.A., see C.S. Sundar **162–164**, 1379
Tuset, P., see T. Laegreid **162–164**, 490
Tuset, P., see M. Slaski **162–164**, 103, 492
Tuszyński, J.A. and J.M. Dixon, Non-linear aspects of the Landau–Ginzburg model with applications to new high temperature superconductors **161**, 687
Tyagi, S., see R. Puźntak **162–164**, 717
Tyagi, S., A. Gould, S.M. Bhagat and M.A. Manheimer, Field induced microwave absorption in single crystal Bi (2212): evidence for a superconductive glass state **162–164**, 1569

Uchida, S., see F. Izumi **158**, 433
Uchida, S., see R.F. Kiefl **162–164**, 161
Uchida, S., see G.M. Luke **162–164**, 825
Uchida, S., see H. Takagi **162–164**, 1001
Uchida, S., see H. Sato **162–164**, 1121
Uchida, S., see Y. Tokura **162–164**, 1231
Uchida, S., see H. Matsuyama **162–164**, 1319
Uchida, S., H. Takagi and Y. Tokura, Doping effect on the transport and optical properties of P-type and N-type cuprate superconductors **162–164**, 1677
Uchida, Y., see E. Takayama-Muromachi **158**, 449; **159**, 634
Uchinokura, K., see H. Obara **157**, 37
Uchinokura, K., see A. Maeda **160**, 443; **162–164**, 1203, 1205
Uchinokura, K., see Y. Nakayama **162–164**, 711
Uchinokura, K., T. Yabe, S. Takebayashi, M. Hase and A. Maeda, Effect of substitution of 3d metals for Cu in $Bi_2(Sr_{0.6}Ca_{0.4})_3Cu_2O_y$ **162–164**, 981
Ueda, Y., see M. Itoh **157**, 65
Ueda, Y., see T. Imai **162–164**, 169
Uemura, Y.J., see J.H. Brewer **162–164**, 33
Uemura, Y.J., see R.F. Kiefl **162–164**, 161
Uemura, Y.J., see B.J. Sternlieb **162–164**, 679
Uemura, Y.J., see G.M. Luke **162–164**, 825
Uemura, Y.J., L.P. Le, G.M. Luke, B.J. Sternlieb, J.H. Brewer, R. Kadono, R.F. Kiefl, S.R. Kreitzman and T.M. Riseman, Probing magnetism and superconductivity of high-T_c systems with positive muons **162–164**, 857
Uemura, Y.J., see T.M. Riseman **162–164**, 1555
Uimin, G.V., see V.L. Pokrovsky **160**, 323
Ullakko, K., see I. Tittonen **162–164**, 1259
Ullmann, B., see K. Heinemann **162–164**, 433
Ullmann, B., see R. Wördenweber **162–164**, 965
Umeda, M., see K. Takahashi **162–164**, 381
Umezawa, A., G.W. Crabtree, K.G. Vandervoort, U. Welp, W.K. Kwok and J.Z. Liu, Temperature dependence of the lower critical field of single crystal $YBa_2Cu_3O_{7-\delta}$ **162–164**, 733
Umezawa, A., see G.W. Crabtree **162–164**, 1299
Umezawa, H., see O. Wong **158**, 32
Unternährer, P., see P. Allenspach **157**, 58
Uusimäki, A., see J. Hagberg **160**, 369
Uwe, H., T. Osada, A. Iyo, K. Murata and T. Sakudo, Pressure effect on superconducting $Ba_{1-x}K_xBiO_3$ and $BaPb_{1-x}Bi_xO_3$ **162–164**, 743
Uwe, H., see Y. Motoi **162–164**, 929
Uyeda, K., see K. Takahashi **162–164**, 381

V.d. Steen, C., see J.H.P.M. Emmen **162–164**, 1613
Vaccarezza, C., see V. Boffa **162–164**, 913
Vaccarone, R., see V. Calzona **162–164**, 369
Vaglio, R., see M. Cannavacciuolo **162–164**, 1063
Vaile, R.A., see G.J. Russell **162–164**, 327
Vaknin, D., see S. Pei **162–164**, 556

Valco, G.C., see M.A. Stan **162–164**, 365
Valenti, A., see G. Calestani **158**, 217; **162–164**, 526
Valenti, A., see E. Buluggiu **162–164**, 1647
Valkealahti, S. and D.O. Welch, Theoretical studies of structural properties of the high-T_c superconductor $Y_1Ba_2Cu_3O_{7-x}$ **162–164**, 540
Valles, J.M., see M. Gurvitch **162–164**, 1067
Valles Jr., J.M., see A.M. Cucolo **161**, 351
Vallet, M., see M. Carrera **157**, 285; **162–164**, 41, 723
Vallet, M., see J. Bartolomé **162–164**, 863
Vallet, M., see X. Batlle **162–164**, 1273
Vallet-Regi, M., see A. Fuertes **157**, 525
Vallet-Regi, M., see R. Villar **162–164**, 566
Vallet-Regi, M., see M.T. Caldes **162–164**, 865
Vanacken, J., see Y. Bruynseraede **162–164**, 23
Vanacken, J., see J. Fransaer **162–164**, 881
Van Bentum, P.J.M., G. Martinez and P. Lejay, Raman measurements of energy gap and spin pair excitations in single crystal $YBa_2Cu_3O_7$ **162–164**, 1237
Van den Berg, J., see J.C. Jol **162–164**, 191
Van den Berg, J., C.J. van der Beek, P. Koorevaar, P.H. Kes, J.A. Mydosh, M.J.V. Menken and A.A. Menovsky, Thermally activated flux flow effects in single crystalline $Bi_2Sr_2CaCu_2O_8$, observed via magnetic measurements **162–164**, 1189
Vanderah, T.A., see H.A. Hoff **162–164**, 1115
Van der Beek, C., see S. Olivier **157**, 531
Van der Beek, C.J., see J. van den Berg **162–164**, 1189
Van der Biest, O., see J. Fransaer **162–164**, 881
Vander Sande, J.B., see T. Kogure **157**, 159, 351
Vander Sande, J.B., see A.J. Otto **159**, 357
Vander Sande, J.B., see A. Otto **160**, 352
Vander Sande, J.B., see W. Gao **161**, 71
Van der Slot, A.L.F., see P. Berghuis **162–164**, 1169
Vandervoort, K., see B.W. Veal **158**, 276
Vandervoort, K., see R.S. List **159**, 439
Vandervoort, K.G., see B.W. Veal **162–164**, 97
Vandervoort, K.G., see W.K. Kwok **162–164**, 669
Vandervoort, K.G., see A. Umezawa **162–164**, 733
Vandervoort, K.G., see U. Welp **162–164**, 735
Vandervoort, K.G., see D. Shi **162–164**, 927
Vandervoort, K.G., see G.W. Crabtree **162–164**, 1299
Van Dover, R.B., see K.A. Delin **162–164**, 719
Van Enige, E.N., R.J. Wijngaarden, H. Hemmes, J.J. Scholtz, J.J. de Kleuver and R. Griessen, Electrical properties and T_c of $Bi_2CaSr_2Cu_2O_8$ up to pressures of 15 GPA **162–164**, 737
Vanfleet, H.B., see B. Dabrowski **162–164**, 99
Van Haesendonck, C., see Y. Bruynseraede **162–164**, 23
Van Haesendonck, C., see J. Fransaer **162–164**, 881
Van Harlingen, D.J., see F. Sharifi **161**, 555
Van Ingen, R.P., see G.N.A. van Veen **157**, 99
Van Landuyt, J., see J. Reyes-Gasga **159**, 831
Van Landuyt, J., see G. Van Tendeloo **162–164**, 945
Van Leuken, H., see A.J. Vermeer **162–164**, 409
Van Minnigerode, G., see M. Moske **162–164**, 609
Van Rooy, Th., see M.A.M. Gijs **162–164**, 1615
Van Ruitenbeek, J.M., see H.W. Zandbergen **159**, 81
Van Ruitenbeek, J.M., see W.T. Fu **162–164**, 979
Van Schevicoven, H.J. and A.Th. De Waele, Tunneling characteristics of point contacts with high-T_c material **162–164**, 1055
Van Szczepanski, K., see P. Horsch **162–164**, 783
Van Tendeloo, G., see H.W. Zandbergen **158**, 155; **159**, 81; **161**, 390; **162–164**, 951
Van Tendeloo, G., see J. Reyes-Gasga **159**, 831
Van Tendeloo, G., T. Krekels, J. Reyes-Gasga, J. Van Landuyt, S. Amelinckx, W.H.M. Bruggink and H. Verweij, 3D oxygen vacancy ordered superstructures in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 945
Van Tendeloo, G., M. Verwerft and S. Amelinckx, Long period mixed layer polytypes in the $Tl_2Ba_2Ca_nCu_{1+n}O_{6+n}$ superconductors **162–164**, 947
Van Uitert, L.G., see M. Eibschutz **162–164**, 530
Van Veen, G.N.A., R.P. van Ingen, T.S. Baller, J. Aarts, S.-Q. Guo, C.F.J. Flipse, J.G. Lensink, C.W. Hagen and R. Griessen, Properties of Bi–Sr–Ca–Cu oxide films produced by laser ablation deposition **157**, 99
Vardeny, Z.V., see X. Wei **162–164**, 1109
Varea, C., see A. Robledo **162–164**, 1517
Varma, C.M., Normal state anomalies and superconductive instability of Cu–O compounds **162–164**, 303
Varma, K.B.R., G.N. Subbanna, T.V. Ramakrishnan and C.N.R. Rao, Novel dielectric properties of glasses prepared by quenching melts of Bi–Ca–Sr–Cu–O cuprates **162–164**, 891
Vasilenko-Sheremetiev, M.G., see S.K. Tolpygo **162–164**, 941
Vasiliev, B.V., see V.N. Polushkin **162–164**, 397
Vasil'kevich, A.S., see V.G. Bar'yakhtar **162–164**, 466
Vasilyev, A.D., see K.S. Aleksandrov **161**, 493
Vassilev, P., V. Kovachev and M.D. Mateev, Power dissipation and thermal relaxation in high temperature superconductors **162–164**, 510
Vassilev, P., M.D. Mateev, M. Mikhov, D. Kovacheva, K. Petrov and V. Kovachev, Sintering conditions and properties of the superconducting compound $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 917
Vasumathi, D., see Y. Hariharan **162–164**, 887
Vasumathi, D., see A. Bharathi **162–164**, 1309
Vaures, A., see H. Raffy **162–164**, 613
Vavrek, A., see M. Georgiev **162–164**, 1519
Vazquez, J.E., see R. Beyers **162–164**, 548
Veal, B.W., J.Z. Liu, A.P. Paulikas, K. Vandervoort, H. Claus, J.C. Campuzano, C. Olson, A.-B. Yang, R. Liu, C. Gu, R.S. List, A.J. Arko and R. Bartlett, Photoelectron spectroscopy study of $YBa_2Cu_3O_x$ with varied oxygen stoichiometry: possible evidence for strong coupling superconductivity **158**, 276
Veal, B.W., see R.S. List **159**, 439
Veal, B.W., A.P. Paulikas, J.W. Downey, H. Claus, K.G. Vandervoort, G. Tomlins, H. Shi, M. Jensen and L. Morss, Varied oxygen stoichiometry in $RBa_2Cu_3O_{7-x}$ **162–164**, 97
Veal, B.W., see C.G. Olson **162–164**, 1697
Vedeneev, S.I. and V.A. Stepanov, Electron tunneling

spectroscopy of the high-T_c superconducting single crystals of Bi–Sr–Ca–Cu–O **162–164**, 1131
Vedeshwar, A.G., Md. Shahbuddin, P. Chand, H.D. Bist, S.K. Agarwal, V.N. Moorthy, C.V.N. Rao and A.V. Narlikar, EPR and low magnetic field microwave absorption in hafnium doped $YBa_2Cu_3O_y$ **158**, 385
Vedeshwar, A.G., H.D. Bist, S.K. Agarwal and A.V. Narlikar, The microwave power dependence of low field microwave loss and flux trapping in Hf doped $YBa_2Cu_3O_7$ **162–164**, 1573
Vedeshwar, A.G., H.D. Bist, S.K. Agarwal and A.V. Narlikar, Temperature dependence of the low field microwave loss in hafnium doped YBaCuO superconductor **162–164**, 1575
Vedeshwar, A.G., see H.D. Bist **162–164**, 1577
Vega, A.J., M.K. Crawford, E.M. McCarron and W.E. Farneth, Cu NQR of $(Y_{1-y}Ca_y)Ba_2Cu_3O_6$ **162–164**, 165
Vegas, A., see U. Amador **162–164**, 873
Veira, J.A. and F. Vidal, Paraconductivity of ceramic $YBa_2Cu_3O_{7-\delta}$ in the mean-field-like region **159**, 468
Veira, J.A., G. Domarco, J. Maza, F. Miguelez, C. Torron and F. Vidal, A phenomenological model for the rounding of the electrical conductivity above T_{co}^{π} in polycrystalline copper oxide superconductors **162–164**, 375
Venturini, E.L., see K.F. McCarty **159**, 603
Venturini, E.L., see D.S. Ginley **160**, 42
Venturini, E.L., see J.E. Schirber **161**, 412; **162–164**, 745
Venturini, E.L., see E.J. Ansaldo **162–164**, 147
Venturini, E.L., J.F. Kwak, D.S. Ginley, R.J. Baughman and B. Morosin, Diagmagnetic shielding and flux creep in a Tl–Ba–Ca–Cu–O thin film **162–164**, 673
Vera, A., see G. Calestani **158**, 217; **162–164**, 526
Vera, A., see E. Buluggiu **162–164**, 1647
Verheijen, A.A., see W.T. Fu **162–164**, 979
Vermeer, A.J., C.W. Hagen, D.G. de Groot, N.J. Koeman, J.H. Rector, H. van Leuken, R. Griessen, M.G. Karkut, T.M. Triscone and Ø. Fischer, Magnetic moments and critical currents of superconducting Mo/V and Nb/Pd-multilayers **162–164**, 409
Verweij, H., see J. Reyes-Gasga **159**, 831
Verweij, H. and L.F. Feiner, Oxidation thermodynamics and the presence of localized oxygen p-holes in $YBa_2Cu_3O_{6+y}$ **162–164**, 439
Verweij, H., see G. Van Tendeloo **162–164**, 945
Verwerft, M., see G. Van Tendeloo **162–164**, 947
Veselago, V., see M. Borik **162–164**, 727
Vetter, G., see U. Dai **162–164**, 699
Vettier, C., see J. Rossat-Mignod **162–164**, 1269
Viano, A.M., see D.B. Fenner **162–164**, 141
Vicent, J.L., see M.A. Señaris-Rodriguez **162–164**, 85
Vichery, H., F. Rullier-Albenque, H. Pascard, M. Konczykowski, R. Kormann, D. Favrot and G. Collin, Effects of low temperature electron irradiation on single crystal and sintered $YBa_2Cu_3O_{7-\delta}$ **159**, 697
Vichery, H., F. Beuneu and P. Lejay, Microwave absorption in a single crystal of YBaCuO at low magnetic field **159**, 823
Vichery, H., see M. Konczykowski **162–164**, 357
Vichery, H., F. Rullier-Albenque, M. Konczykowski, H. Pascard, R. Kormann, G. Collin and D. Favrot, Low temperature electron irradiation of $YBa_2Cu_3O_7$ **162–164**, 749
Vichery, H., F. Rullier-Albenque, F. Beuneu and P. Lejay, Microwave absorption in a single crystal of $YBa_2Cu_3O_7$ **162–164**, 1583
Vidal, F., see J.A. Veira **159**, 468; **162–164**, 375
Vidal, F., see J. Maza **162–164**, 373
Vieira, J.M., see A.P. Gonçalves **159**, 273
Vieira, S., see R. Villar **162–164**, 566
Vieira, S., see M.A. Lopez de la Torre **162–164**, 1653
Vietra, S., see M.A. Ramos **162–164**, 1045
Vigeland, B.E. and S. Julsrud, On the orthorhombic to tetragonal phase transition in $YBa_2Cu_3O_{7-x}$ **162–164**, 546
Vignale, G. and M.R. Hedayati, Properties of doped holes in the antiferromagnetic state of the two dimensional Hubbard model **162–164**, 1503
Vignali, C., see G. Guidi **162–164**, 189
Vija, S., see E. Lippmaa **162–164**, 263
Vijayaraghavan, R., see R. Nagarajan **158**, 453
Vijayaraghavan, R., see A.K. Rajarajan **162–164**, 163
Vijayaraghavan, R., see B.V.B. Sarkissian **162–164**, 335
Vijayaraghavan, R., see A.K. Ganguli **162–164**, 867
Villar, R., S. Bourgeal, S. Vieira, J.M. González-Calbet and M. Vallet-Regi, Thermal expansion and heat capacity of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ at low temperatures **162–164**, 566
Villar, R., see M.A. Lopez de la Torre **162–164**, 1653
Vilminot, S., R. Kuentzler, Y. Dossmann, A. Derory and M. Drillon, Superconductivity, magnetism and low temperature specific heat in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ with $\delta \simeq 0$ and $\delta \simeq 1$ **160**, 575
Vilminot, S., see R. Kuentzler **162–164**, 564
Vincent, E., J. Hammann, J.A. Hodges, H. Noel, M. Potel, J.C. Levet and P. Gougeon, Magnetic properties of $GdBa_2Cu_3O_{7-\delta}$ single crystals **159**, 863
Vincent, E., see A. Bertomptto **160**, 227
Vinen, W.F., see C. Mee **162–164**, 1187
Vinokur, V., see V. Geshkenbein **162–164**, 239
Violet, C.E., see N.W. Winter **162–164**, 261
Violet, C.E., see H. Ledbetter **162–164**, 460
Violet, C.E., R.G. Bedford, P.A. Hahn, N.W. Winter and Z. Mei, Local oxygen configurations relative to Fe-probe ions in $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7-x}$ **162–164**, 1291
Visani, P., see A.C. Mota **162–164**, 695, 1152
Vlakhov, E., K. Nenkov, Y. Dimitriev and V. Kovachev, Influence of Ag additions on superconducting transition of $RBa_2Cu_3O_{7-x}$ (R = Y, Eu) ceramics in magnetic field **162–164**, 975
Vlcek, B., H.W. Weber, W. Pint and E. Schachinger, Magnetization and upper critical fields of $LaAl_2$ with dilute Gd impurities **162–164**, 403
Vodolazskaya, I.V., see V.I. Voronkova **162–164**, 1211
Vodolazskaya, I.V., V.I. Voronkova, R.S. Gvozdover, A.A. Gippius, I.N. Leont'eva, V.V. Moshchalkov, T.P. Petrovskaya and V.K. Yanovskii, Crystal growth and properties of the high-temperature superconductors of the $RBa_2Cu_3O_{7-y}$ and La_2CuO_4-types and behaviour of these

compounds at high temperatures **162–164**, 1213
Voinova, S.E., see N.A. Babushkina **162–164**, 877
Volodin, A.P., see I.V. Aleksandrov **162–164**, 1057
Volovik, G.E., Unconventional superconductivity in heavy fermionic and high-T_c superconductors **162–164**, 269
Volterra, V., see M. Dayan **159**, 519
Von der Linden, W., see P. Horsch **162–164**, 783
Voronin, V.I., see B.N. Goshchitskii **162–164**, 1019, 1023
Voronkova, V.I., see K.K. Bourdelle **162–164**, 949
Voronkova, V.I., see V.V. Moshchalkov **162–164**, 1193, 1611, 1633
Voronkova, V.I., I.V. Vodolazskaya and V.K. Yanovskii, Single-domain crystals of $YBa_2Cu_3O_{7-y}$ and $TmBa_2Cu_3O_{7-y}$ **162–164**, 1211
Voronkova, V.I., see I.V. Vodolazskaya **162–164**, 1213
Vuyichit, B.U., see A.I. Buzdin **162–164**, 1561
Vyhlídka, P., see J. Novák **157**, 346

Wacenovsky, M., H.W. Weber, O.B. Hyun, D.K. Finnemore and K. Mereiter, Magnetization and susceptibility of grain-aligned $HoBa_2Cu_3O_{7-\delta}$ superconductors **160**, 55
Wacenovsky, M., H.W. Weber, O.B. Hyun and D.K. Finnemore, Magnetization of grain-aligned $HoBa_2Cu_3O_{7-\delta}$ **162–164**, 1629
Wachs, A.L., P.E.A. Turchi, R.H. Howell, Y.C. Jean, M.J. Fluss, R.N. West, J.H. Kaiser, S. Rayner, H. Haghighi, K.L. Merkle, A. Revcolevschi and Z.Z. Wang, Electron–positron momentum distribution measurements of high-T_c superconductors and related systems **162–164**, 1375
Wachs, A.L., see R.H. Howell **162–164**, 1377
Wachs, A.L., see C.S. Sundar **162–164**, 1379
Wachter, P., see B. Bucher **157**, 478
Wachter, P., see L. Degiorgi **161**, 239
Wada, N., H. Muro-Oka, Y. Nakamura and K. Kumagai, Observation of static magnetic moment on the copper site in superconducting $La_{2-x}Sr_xCuO_4$: the nuclear heat capacity measurement **157**, 453
Wada, N., Y. Nakamura and K.i. Kumagai, Nuclear heat capacity due to the static Cu-magnetic moments in the superconducting $La_{2-x}Sr_xCuO_4$ **162–164**, 472
Wagner, G.R., see J. Talvacchio **162–164**, 659
Wagner, J., R. Putz, B. Ehlers, L. Lilly, A. Muramatsu and W. Hanke, Weak- and strong-coupling expansions for the multi-band Hubbard model **162–164**, 811
Wahlbeck, P.G., D.L. Myers and J.C. Ho, Thermal decomposition and chemical interactions observed by mass spectrometry of Y–Ba–Cu–O superconductors **161**, 175
Waldner, F., see B. Senning **162–164**, 1597
Waldorf, A., see W. Schnelle **161**, 123
Waliszewski, J., N.H. Andersen, L. Dobrzyński, J. Ihringer, B. Lebech, W. Prandl and A. Wisniewski, X-ray, neutron and magnetization studies of $YBa_2Cu_3O_{7-x}$ irradiated by fast neutrons **160**, 189
Walker, E., see D. Shaltiel **157**, 240; **158**, 424; **161**, 13
Walker, E., see W. Sadowski **162–164**, 897
Walstedt, R.E., see W.W. Warren Jr. **162–164**, 179
Wang, E., see J.-M. Tarascon **162–164**, 285
Wang, E., see Z.Z. Wang **162–164**, 1013
Wang, H., see Y. He **161**, 226
Wang, H., see Y.S. He **162–164**, 450
Wang, H.H., see J.E. Schirber **161**, 412
Wang, J.H., Z.Z. Sheng, C. Dong, X. Fei, L. Sheng, A.M. Hermann and Z.X. Zhao, 90 K bulk superconductivity in the Tl–Ba–Ce–Cu–O system **158**, 507
Wang, J.H., see C. Dong **161**, 257
Wang, L.-Q., L.-X. Qian, L.E. Wenger, J.T. Chen and E.M. Logothetis, Electrical and magnetic properties on different phases of YBaCuO single crystals **162–164**, 1617
Wang, M. and B. Cu, The influence of many-body interaction on the oxygen ordering of the Cu–O plane in Y–Ba–Cu–O superconductors **162–164**, 528
Wang, M.-L., see B.-L. Gu **162–164**, 1515
Wang, P.W., see T.C. Huang **159**, 625
Wang, Q., see B.-L. Gu **162–164**, 1515
Wang, R.-L., see J. Geerk **162–164**, 837
Wang, S., see Q. Zhang **162–164**, 963, 999, 1197
Wang, S.H., B.P. Clayman and S. Gygax, Temperature dependence of the far-infrared properties of sputtered thin films of Pb-doped Bi–Sr–Ca–Cu–O on MgO **162–164**, 1077
Wang, W., see B. Zhu **157**, 370
Wang, W.N., see Y.T. Huang **162–164**, 39
Wang, W.N., see N. Yang **162–164**, 71
Wang, W.N., H.S. Koo, R.S. Liu and P.T. Wu, Characterization of Bi–Pb–Sb–Ca–Sr–Cu–O superconductor sintered in controlled atmosphere **162–164**, 911
Wang, W.N., see R.S. Liu **162–164**, 113, 869
Wang, X.K., see J.M. Chabala **162–164**, 75
Wang, Y.-N., J. Wu, J.-S. Zhu, H.-M. Shen, Y.-F. Yang and Z.-X. Zhao, Ultrasonic study on structural instability of $Bi_2Sr_2Ca_1Cu_2O_8$ single crystal **162–164**, 454
Wang, Y.-N., X.-H. Chen, H.-M. Shen and L.-H. Sun, Relationship between lattice instability and superconductivity in high T_c oxide superconductors **162–164**, 456
Wang, Y.L., see J.M. Chabala **162–164**, 75
Wang, Y.R., see M.J. Rice **157**, 192
Wang, Y.Z., see G.W. Qiao **162–164**, 907
Wang, Z., see Y.P. Lin **158**, 241
Wang, Z.Z., see J.-M. Tarascon **162–164**, 285
Wang, Z.Z., see T.R. Chien **162–164**, 343
Wang, Z.Z., D.A. Brawner, T.R. Chien, N.P. Ong, J.-M. Tarascon and E. Wang, Temperature dependent Hall effect in $Nd_{2-x}Ce_xCuO_4$ and "60 K" $YBa_2Cu_3O_y$ single crystals **162–164**, 1013
Wang, Z.Z., see W.-F. Yau **162–164**, 1047
Wang, Z.Z., see T.W. Jing **162–164**, 1061
Wang, Z.Z., see A.L. Wachs **162–164**, 1375
Wanklyn, B., see A. Mackenzie **162–164**, 1029
Wanklyn, B.M., see C. Raptis **161**, 83
Wanklyn, B.M., see M. Aïn **162–164**, 1279
Warden, M., see B. Senning **162–164**, 1597
Warren Jr., W.W., R.E. Walstedt, G.F. Brennert, R.F. Bell, G.P. Espinosa and R.J. Cava, Nuclear relaxation and Cu

spin dynamics in $YBa_2Cu_3O_{6+x}$ **162–164**, 179
Wasa, K., see K. Hirochi **160**, 273
Wasa, K., see A. Enokihara **161**, 431
Waszczak, J.V., see D.J. Werder **160**, 411
Waszczak, J.V., see H. Safar **162–164**, 665
Waszczak, J.V., see K.A. Delin **162–164**, 719
Waszczak, J.V., see A.T. Fiory **162–164**, 1195
Waszczak, J.V., see D.S. Dessau **162–164**, 1373
Watanabe, K., see N. Kobayashi **159**, 295; **162–164**, 683
Watanabe, K., see Y. Muto **162–164**, 105
Webb, A.W., E.F. Skelton, S.B. Qadri, E.R. Carpenter Jr., M.S. Osofsky, R.J. Soulen and V.M. LeTourneau, High pressure–high temperature synthesis of new Cu-based oxides **162–164**, 899
Weber, E.R., see W.-F. Yau **162–164**, 21, 1047
Weber, H.W., see M. Wacenovsky **160**, 55; **162–164**, 1629
Weber, H.W., E. Seidl, M. Botlo, C. Laa, E. Mayerhofer, F.M. Sauerzopf, R.M. Schalk, H.P. Wiesinger and J. Rammer, Magnetization of low-κ superconductors. The phase transition at H_{c1} **161**, 272
Weber, H.W., E. Seidl, M. Botlo, C. Laa, H.P. Wiesinger and J. Rammer, Magnetization of low-κ superconductors II. The lower critical field H_{c1} **161**, 287
Weber, H.W., see E. Seidl **161**, 294
Weber, H.W., E. Seidl, F.M. Sauerzopf, M. Botlo, C. Laa, E. Mayerhofer, H.P. Wiesinger and J. Rammer, Investigation of the phase transition at H_{c1} in low-κ superconductors **162–164**, 401
Weber, H.W., see B. Vlcek **162–164**, 403
Weber, H.W., see M.A. Kirk **162–164**, 532
Weber, H.W., see F.M. Sauerzopf **162–164**, 751
Weber, M., see P. Birrer **158**, 230; **162–164**, 153
Weber, W., A.L. Shelankov and X. Zotos, The Cu d–d excitation model: studies of the insulating limit **162–164**, 307
Weger, M., see R. Englman **162–164**, 1339
Wei, J.Y.T., see D.E. Morris **159**, 287; **162–164**, 955
Wei, X., L. Chen, Z.V. Vardeny, C. Taliani, R. Zamboni, A.J. Pal and G. Ruani, Transient photomodulation spectroscopy of $YBa_2Cu_3O_{6+x}$ and La_2CuO_4 **162–164**, 1109
Weidinger, A., see H. Glückler **162–164**, 149
Weidinger, A., see C. Niedermayer **162–164**, 159
Weidinger, A., see H.-E. Mahnke **162–164**, 345
Weinberger, B.R., see L. Lynds **159**, 61
Weinberger, B.R., L. Lynds, D.M. Potrepka, D.B. Snow, C.T. Burila, H.E. Eaton Jr., R. Cipolli, Z. Tan and J.I. Budnick, Y–Ba–Cu–O/silver composites: an experimental study of microstructure and superconductivity **161**, 91
Weir, S.T., W.J. Nellis, E.A. Early, C.L. Seaman and M.B. Maple, Effects of shock-induced defects on flux pinning in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1263
Weiss, F., see M. Langlet **162–164**, 137
Weiss, H., see W. Schnelle **161**, 123
Welch, D.O., see H. Bakker **157**, 25
Welch, D.O., see S. Valkealahti **162–164**, 540
Weller, M., H. Jaeger, G. Kaiser and K. Schulze, Internal friction measurements on polycrystalline $YBa_2Cu_3O_{7-x}$ **162–164**, 953
Weller, M.T., see B. Jayaram **160**, 17
Wellhofer, F., see Y. Feng **162–164**, 943
Wellhofer, F., see T.C. Shields **162–164**, 1265
Wells, B.O., see P.A.P. Lindberg **159**, 649; **162–164**, 1313
Wells, B.O., see D.S. Dessau **162–164**, 1373
Welp, U., see D. Shi **160**, 417; **162–164**, 927
Welp, U., M. Grimsditch, H. You, W.K. Kwok, M.M. Fang, G.W. Crabtree and J.Z. Liu, The upper critical field of untwinned $YBa_2Cu_3O_{7-\delta}$ crystals **161**, 1
Welp, U., see L. Soderholm **161**, 252
Welp, U., R. Bhadra, J.Z. Liu and M. Grimsditch, Elastic anisotropy in the a–b plane of untwinned $YBa_2Cu_3O_{7-\delta}$ **161**, 345
Welp, U., see W.K. Kwok **162–164**, 669
Welp, U., see A. Umezawa **162–164**, 733
Welp, U., W.K. Kwok, G.W. Crabtree, K.G. Vandervoort and J.Z. Liu, The temperature and angular dependence of the upper critical field of $YBa_2Cu_3O_{7-\delta}$ crystals **162–164**, 735
Welp, U., see G.W. Crabtree **162–164**, 1299
Wen, J.G., see C.Y. Yang **160**, 161
Wen, T.L., see R. Kuentzler **162–164**, 564
Wen, X.G., see J.R. Schriefer **162–164**, 300
Wendin, G. and Z. Crljen, Photoionization cross sections of high-T_c superconductors **162–164**, 1327
Wenger, L.E., see R.E. Soltis **162–164**, 649
Wenger, L.E., see K. Chang **162–164**, 1591
Wenger, L.E., see L.-Q. Wang **162–164**, 1617
Wentzcovitch, R., see J.H. Kim **162–164**, 1463
Wenzel, W., see H.R. Krishnamurthy **162–164**, 1447
Wenzl, H., see P. Meuffels **161**, 539
Werder, D.J., see C.H. Chen **160**, 375
Werder, D.J., C.H. Chen, M. Gurvitch, B. Miller, L.F. Schneemeyer and J.V. Waszczak, $Ba_2YCu_3O_{7-\delta}$ crystal surface layers: orthorhombic splitting, dislocations, and chemical etching **160**, 411
Wernhardt, R., see M. Rosenberg **162–164**, 729
Wernick, J.H., see L.H. Greene **162–164**, 1069
Weschke, E., see C. Laubschat **162–164**, 1317
Wessels, B.W., see J. Zhao **159**, 710
West, R.N., see A.L. Wachs **162–164**, 1375
Westerveld, J.P.A., see H. Bakker **157**, 25
Whangbo, M.-H. and D.B. Kang, Correlations between the superconducting transition temperatures and the in-plane copper–oxygen bond lengths in the copper-oxide superconductors **158**, 371
Whangbo, M.-H., see J. Ren **158**, 501; **159**, 151
Whangbo, M.-H., see D. Jung **160**, 381
White, A.E., see J. Kwo **162–164**, 623
White, T.J., see P. Goodman **158**, 173
Whitehead, J.P., see O. Wong **158**, 32
Whitehead, J.P., see B.J. Yuan **160**, 287
Wiesinger, H.P., see H.W. Weber **161**, 272, 287; **162–164**, 401
Wiesinger, H.P., see E. Seidl **161**, 294
Wiesinger, H.P., see F.M. Sauerzopf **162–164**, 751

Wijngaarden, R.J., see E.N. van Enige **162–164**, 737
Wild, N., see F. Seidler **157**, 375
Wilkens, B.J., see L.H. Greene **162–164**, 1069
Wille, L.T., see P.A. Sterne **162–164**, 223
Wille, L.T., see C.P. Burmester **162–164**, 225
Wille, L.T., see N.C. Bartelt **162–164**, 871
Williams, C.W., see L. Soderholm **161**, 252
Williams, D., see E.J. Ansaldo **162–164**, 259
Williams, D., see J.H. Brewer **162–164**, 33, 157
Williams, J., see J. Wosik **162–164**, 641
Williams, J.M., see J.E. Schirber **161**, 412
Williams, P.J., see F. Marsiglio **162–164**, 1493
Williams, T., Y. Maeno, I. Mangelschots, A. Reller and G. Bednorz, Oxygen vacancy ordering in superconducting $Nd_{2-x}Ce_xCuO_{4-y}$ **161**, 331
Willis, J.O., see M.E. McHenry **162–164**, 689
Willis, J.O., see M.P. Maley **162–164**, 701
Winfree, W.P., see K.J. Sun **162–164**, 446
Winkelmann, M., see R. Caspary **162–164**, 474
Winter, N.W. and C.E. Violet, Calculation of the nuclear quadrupole resonance spectra of $YBa_2Cu_3O_{7-x}$ **162–164**, 261
Winter, N.W., see C.E. Violet **162–164**, 1291
Winzek, N., see F. Hentsch **158**, 137
Winzer, K., see F. Faupel **162–164**, 905
Wisniewski, A., see J. Waliszewski **160**, 189
Wittig, J., see B.A. Aminov **160**, 505
Wittig, J., see U. Koch **162–164**, 739
Wohlleben, D., see F. Seidler **157**, 375
Wohlleben, D., see W. Schnelle **161**, 123
Wohlleben, D., see E. Braun **162–164**, 496
Wolf, S.A., see V.Z. Kresin **158**, 76
Wolf, S.A. and V.Z. Kresin, A unified approach to the description of high T_c oxides: major normal and superconducting parameters **162–164**, 217
Wolf, S.A., see H.A. Hoff **162–164**, 1115
Wolf, T., see G. Sparn **162–164**, 508
Wolfe, J.C., see J. Wosik **162–164**, 641
Wolfus, Y., see F. Seidler **157**, 375
Wolfus, Y., see E.R. Yacoby **162–164**, 697
Wolfus, Y., see Y. Yeshurun **162–164**, 1148
Wong, K.W. and W.Y. Ching, The theory of simultaneous excitonic-superconductivity condensation **158**, 1
Wong, K.W. and W.Y. Ching, Theory of simultaneous excitonic-superconductivity condensation II **158**, 15
Wong, O., H. Umezawa and J.P. Whitehead, An analysis of the metamagnetic character of the mixed state in bct $ErRh_4B_4$ **158**, 32
Wong, S.-Y., see N.-L. Wu **161**, 302
Wong-Ng, W., see C.K. Chiang **162–164**, 901
Woo, K.C., K.E. Gray, R.T. Kampwirth and J.H. Kang, Hall effect measurements in thin films of $Tl_2Ba_2CaCu_2O_x$ **162–164**, 1011
Woodfield, B.F., see N.E. Phillips **162–164**, 413
Wördenweber, R., see K. Heinemann **162–164**, 433
Wördenweber, R., B. Ullmann, K. Heinemann and H.C. Freyhardt, Interaction of magnetic ions and superconductivity in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 965
Wördenweber, R., K. Heinemann, G.V.S. Sastry and H.C. Freyhardt, Intragranular flux pinning mechanism in Fe and Ni doped $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1601
Wosik, J., M.F. Davis, J.C. Wolfe, R. Krtanenburg, J. Williams, Y.Y. Sun and P.H. Hor, Effect of Pb doping on 110 K phase formation in BiSrCaCuO thin films **162–164**, 641
Wróbel, P. and L. Jacak, Coexistence of superconductivity and antiferromagnetism in the Hubbard model: a phase diagram for finite temperature **157**, 221
Wróbel, P., see T.K. Kopeć **162–164**, 227
Wróbel, P., Interplay of superconductivity and antiferromagnetism in the Hubbard model: a functional–integral study of the slave boson formulation **162–164**, 1501
Wu, C.Y., see Y.Y. Xue **158**, 211
Wu, J., see Y.-N. Wang **162–164**, 454
Wu, K.L., see J.L. Tallon **161**, 523
Wu, M., see Y. Zhao **160**, 361
Wu, N.-L., Y.D. Yao, S.-N. Lee, S.-Y. Wong and E. Ruckenstein, Synthesis of $Tl_2Ca_nBa_2Cu_{n+1}O_{6+2n}$ ($n=1$, 2) from stoichiometric reactant mixtures **161**, 302
Wu, P.T., see R.S. Liu **159**, 385; **162–164**, 113, 869
Wu, P.T., see J.L. Tallon **161**, 523
Wu, P.T., see R.J. Lin **162–164**, 35
Wu, P.T., see Y.T. Huang **162–164**, 39
Wu, P.T., see N. Yang **162–164**, 71
Wu, P.T., see J.J. Chu **162–164**, 117
Wu, P.T., see W.H. Lee **162–164**, 323
Wu, P.T., see W.N. Wang **162–164**, 911
Wu, S.F., see R.S. Liu **159**, 385; **162–164**, 869
Wu, X., see Q.Y. Ma **162–164**, 637
Wu, Y., see R.A. Fisher **162–164**, 502
Wu, Z., M.J. Mehler, T.S.M. Maclean, M.J. Lancaster and C.E. Gough, High T_c superconducting small loop antenna **162–164**, 385
Wühl, H., see G. Roth **162–164**, 518
Wuyts, B., see Y. Bruynseraede **162–164**, 23
Wuyts, B., see J. Fransaer **162–164**, 881
Wysokiński, K.I., see A. Bombik **157**, 251

Xi, X.X., see Ch. Neumann **162–164**, 321
Xi, X.X., see J. Geerk **162–164**, 837
Xia, J., Q. Zhang, Z. Chen, M. Fang, L. Cao and Y. Qian, Preparation and superconductivity of $Bi_3PbCa_3Sr_3Cu_4O_y$ **162–164**, 1221
Xia, J., see Q. Zhang **162–164**, 963, 999, 1197
Xia, J.S., S.F. Sun, T. Zhang, L.Z. Cao, Q.R. Zhang, J. Chen and Z.Y. Chen, The phenomena of negative magnetoresistance and hysteresis in $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ systems **158**, 477
Xia, T.-K., see K.H. Lee **162–164**, 1593
Xiang, J., see Y. He **161**, 226
Xiang, J., see J. Hu **162–164**, 444
Xiang, J., see Y.S. He **162–164**, 450
Xie, L., see J. Chen **159**, 317
Xie, L., see Y. Zhao **160**, 361

Xing, W., see S. Gygax **162–164**, 1551
Xiong, S., Secondary retarded pairing of carriers **161**, 105
Xu, M., see D. Shi **160**, 417
Xu, M.-F., see K.J. Sun **162–164**, 446
Xu, Q., see W.T. Fu **162–164**, 979
Xu, Y., M. Suenaga, A.R. Moodenbaugh, J.L. Peng and R.N. Shelton, Critical magnetic fields (H_{c2}, H_{c1}) and κ in $YBa_2(Cu_{0.98}M_{0.02})_3O_{7+\delta}$, M = Ni, Al, and Cu **162–164**, 1627
Xue, Y.Y., P.H. Hor, Y.Y. Sun, Z.J. Huang, L. Gao, R.L. Meng, C.W. Chu, J.C. Ho and C.Y. Wu, The study and formation of the antiferromagnetic insulators $Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_\delta$ **158**, 211
Xue, Y.Y., see P.H. Hor **159**, 629

Yabe, T., see K. Uchinokura **162–164**, 981
Yacamán, M.J., see R. Herrera **158**, 490
Yacoby, E.R., Y. Wolfus, Y. Yeshurun, I. Felner and H. Sompolinsky, Scaling of the irreversible magnetization curves of YBaCuO **162–164**, 697
Yacoby, E.R., see Y. Yeshurun **162–164**, 1148
Yagishita, A., see H. Matsuyama **160**, 567
Yahmi, J.V., see I.K. Gopalakrishnan **159**, 811
Yakhmi, J.V., see P.V.P.S.S. Sastry **157**, 491; **161**, 656
Yakhmi, J.V., see A. Sequeira **157**, 515
Yakhmi, J.V., see P.K. Pujari **159**, 75
Yakhmi, J.V., see R. Srinivasan **159**, 797
Yakhmi, J.V., see R.M. Iyer **160**, 155
Yamada, T., see T. Ishii **159**, 483
Yamada, T., see A. Matsuda **162–164**, 371
Yamafuji, K., T. Fujiyoshi, K. Toko and T. Matsushita, A theory of thermally activated flux creep in nonideal type II superconductors **159**, 743
Yamaguchi, K., see T. Miyatake **160**, 541
Yamaguchi, K., H. Namimoto, T. Fueno, S. Yamamoto and K. Nasu, *N*-band Hubbard models for doped transition metal oxides. Cooperation of charge and spin fluctuations for the high-T_c superconductivity **162–164**, 1333
Yamamoto, K., see J.S. Tsai **157**, 537
Yamamoto, K., see K. Kamigaki **159**, 505
Yamamoto, K., see Y. Ochiai **161**, 447; **162–164**, 1033
Yamamoto, K., see C.-B. Eom **162–164**, 605
Yamamoto, K., see T. Terashima **162–164**, 615
Yamamoto, K., see H. Mazaki **162–164**, 1641
Yamamoto, K., K. Hirata, H. Mazaki, H. Yasuoka, K. Iijima, T. Terashima and Y. Bando, AC susceptibility in single crystal $YBa_2Cu_3O_{7-x}$ II **162–164**, 1643
Yamamoto, O., see Y. Takeda **157**, 358; **159**, 789
Yamamoto, S., see K. Yamaguchi **162–164**, 1333
Yamamoto, T., see T. Fukami **160**, 391
Yamanaka, A., F. Minami and K. Inoue, Electronic Raman scattering in $Bi_2Sr_2CaCu_2O_8$ **162–164**, 1099
Yamane, H., see N. Kobayashi **159**, 295; **162–164**, 683
Yamane, H., see Y. Muto **162–164**, 105
Yamashita, T., see T. Sakurai **161**, 6
Yamauchi, H., see T. Maeda **159**, 784
Yamauchi, H., see T. Sakurai **161**, 6
Yamaya, K., T. Haga, T. Honma, Y. Abe, F. Minami, S. Takekawa, Y. Tajima and Y. Hidaka, Transport properties and ion channeling in single crystals of high-T_c oxides **162–164**, 1009
Yamazaki, H., see H. Maeda **157**, 483
Yamazaki, H., see H. Maruyama **160**, 524
Yan, J.L., see S.Y. Ding **162–164**, 675
Yan, M., see H. Liu **159**, 665
Yan, Y., see H. Tao **162–164**, 1127
Yan, Y.F., see D. Shaltiel **157**, 240
Yan, Y.F., see C.Y. Yang **160**, 161
Yanagisawa, E., see H. Kumakura **162–164**, 685
Yang, A.-B., see B.W. Veal **158**, 276
Yang, A.-B., see R.S. List **159**, 439
Yang, B.X., see R.F. Kiefl **162–164**, 161
Yang, B.X., see J.H. Brewer **162–164**, 33, 157
Yang, C.Y., J.G. Wen, Y.F. Yan and K.K. Fung, An electron microscopy study of Pb-doped $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10}$ **160**, 161
Yang, E.S., see Q.Y. Ma **162–164**, 637
Yang, H.C., see H.E. Horng **158**, 480; **162–164**, 1025
Yang, H.C., see J.C. Jao **162–164**, 915
Yang, H.C., see S.M. Fu **162–164**, 617, 619
Yang, N., R.S. Liu, W.N. Wang, Y.H. Chao, H.C. Lin and P.T. Wu, Formation of YBa_2BiO_6 and its effect on the superconductivity in Bi replaced $YBa_2Cu_3O_y$ **162–164**, 71
Yang, Q., see H. Tao **162–164**, 1127
Yang, Y.-F., see Y.-N. Wang **162–164**, 454
Yang, Z.J., T.H. Johansen, H. Bratsberg, G. Helgesen and A.T. Skjeltorp, Vibrations of a magnet levitated over a flat superconductor **160**, 461
Yang, Z.J., H. Bratsberg, T.H. Johansen, N. Norman, J. Taftø, G. Helgesen, I. Lorentzen and A.T. Skjeltorp, The effect of Pb-doping in Bi–Sr–Ca–Cu–O and Sb-doping in Bi–Pb–Sr–Ca–Cu–O superconductors **162–164**, 1587
Yanovskii, V.K., see V.I. Voronkova **162–164**, 1211
Yanovskii, V.K., see I.V. Vodolazskaya **162–164**, 1213
Yao, B.C., see H.E. Horng **158**, 480
Yao, Y.D., see N.-L. Wu **161**, 302
Yao, Y.S., R.P. Guertin, D.W. Capone II and D.G. Hinks, Upper critical field of the pressure induced superconductor $BaMo_6S_8$ **157**, 247
Yarmoshenko, Yu.M., see V.R. Galakhov **160**, 267
Yaron, U., see E.R. Bauminger **162–164**, 1281
Yaron, U., see I. Felner **162–164**, 1635
Yasuoka, H., see M. Itoh **157**, 65
Yasuoka, H., see T. Imai **162–164**, 169
Yasuoka, H., see H. Mazaki **162–164**, 1641
Yasuoka, H., see K. Yamamoto **162–164**, 1643
Yau, W.-F., R. Ramesh, A.M. Portis, E.R. Weber, G. Thomas, S.M. Green and H.L. Luo, Field-modulated microwave absorption study of Pb-modified Bi–Ca–Sr–Cu–O **162–164**, 21
Yau, W.-F., A.M. Portis, E.R. Weber, Z.Z. Wang and N.P. Ong, Complex microwave susceptibility of natural SQUID structures **162–164**, 1047
Yazu, S., see H. Itozaki **162–164**, 367

Ye, J., see Y. Gao **160**, 431
Ye, W., see T. Takabatake **157**, 263; **162–164**, 65
Ye, W., see K. Morimoto **159**, 849
Yee, G.T., J.P. Collman and W.A. Little, Experimental evidence for singlet s-wave pairing in $YBa_2Cu_3O_7$ **161**, 195
Yee, G.T., see M.J. Holcomb **162–164**, 1071
Yeh, J.J., see M. Reedyk **162–164**, 1083
Yeh, N.C., see Z. Schlesinger **162–164**, 1111
Yepez, E., A. Calles, J.J. Castro, A. Cabrera and A. Salcido, A theoretical phonon calculation in the $Bi_2Sr_2CaCu_2O_8$ superconductor **162–164**, 1495
Yepez, E., A. Calles, A. Cabrera, J.J. Castro and A. Salcido, Superconducting properties of a gas of fermions in 2 and 3 dimensions **162–164**, 1497
Yeshurun, Y., see E.R. Yacoby **162–164**, 697
Yeshurun, Y., A.P. Malozemoff, Y. Wolfus, E.R. Yacoby, I. Felner and C.C. Tsuei, Flux creep and related phenomena in high temperature superconductors **162–164**, 1148
Yeshurun, Y., see I. Felner **162–164**, 1635
Yoshida, N., see R. Nishitani **162–164**, 1255
Yoshida, T., see H. Kaga **159**, 727
Yoshikawa, Y., see H. Maruyama **160**, 524
Yoshimura, K., see T. Imai **162–164**, 169
Yoshizaki, R., H. Ikeda, Y. Saito and Y. Abe, Superconducting properties and phonon spectra of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_y$ **162–164**, 67
You, H., see U. Welp **161**, 1
Youssef, A.A.A., see T. Fukami **159**, 422, 427; **161**, 34
Yu, C.J., see M.G. Alexander **162–164**, 919
Yu, L., see H. Chen **162–164**, 761
Yu, L., see Z. Su **162–164**, 773
Yu, M.K., J.P. Franck, M.A.-K. Mohamed, W.A. Miner, J. Jung and S. Gygax, Specific heat measurements on multiphase Bi–Sr–Ca–Cu oxide and Bi–Pb–Sr–Ca–Cu oxide superconductors **162–164**, 468
Yu, X. and M. Sayer, Annealing effects on the critical currents in $YBa_2Cu_3O_{7-\delta}$ ceramics **159**, 496
Yu, X.H., see R.F. Kiefl **162–164**, 161
Yu, Z., see S.Y. Ding **162–164**, 675
Yuan, B.J. and J.P. Whitehead, The transition temperature of a self-similar multilamellar superconductor **160**, 287
Yuan, S.L., see B. Zhu **157**, 370
Yurek, G.J., see W. Gao **161**, 71
Yurgens, A.A., see N.V. Zavaritsky **162–164**, 562
Yushankhai, V.Yu., see N.M. Plakida **160**, 80; **162–164**, 787
Yushchenko, S.K., see S.K. Tolpygo **162–164**, 959
Yvon, K., see D. Shaltiel **158**, 424

Zaanen, J., see L.F. Feiner **162–164**, 777
Zaanen, J. and O. Gunnarsson, Local spin screening in the high T_c superconductors **162–164**, 821
Zacher, R.A., see J.C. Jol **162–164**, 191
Zahurak, S., see C.H. Chen **160**, 375
Zaitsev, R.O., see V.A. Ivanov **162–164**, 763
Zakharchenya, B.P., see V.G. Fleisher **162–164**, 1119
Zamboni, R., A.J. Pal, G. Ruani and C. Taliani, FT-Raman scattering at 1.16 eV in the $YBa_2Cu_3O_{7-x}$ superconducting system **162–164**, 1103
Zamboni, R., see X. Wei **162–164**, 1109
Zandbergen, H.W., see S. Olivier **157**, 531
Zandbergen, H.W., K. Kadowaki, M.J.V. Menken, A.A. Menovsky, G. van Tendeloo and S. Amelinckx, Electron microscopy on $Pb_2Sr_2Ca_{0.5}Y_{0.5}Cu_3O_{8+\delta}$ **158**, 155
Zandbergen, H.W., see D.M. de Leeuw **158**, 391
Zandbergen, H.W., W.T. Fu, J.M. van Ruitenbeek, L.J. de Jongh, G. van Tendeloo and S. Amelinckx, Superconductivity in $(Pb,Bi)_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **159**, 81
Zandbergen, H.W., see W.T. Fu **159**, 210; **162–164**, 979
Zandbergen, H.W., W.T. Fu, K. Kadowaki and G. van Tendeloo, High resolution electron microscopy on grain boundaries in $Pb_2Sr_{2-x}La_xCu_2O_{6+\partial}$, $Pb_2(Sr,La)_2SrCu_3O_{8+\partial}$ and $Pb_2Sr_2(Ca,Y)Cu_3O_{8+\partial}$ **161**, 390
Zandbergen, H.W., see K. Kadowaki **162–164**, 516
Zandbergen, H.W. and G. Van Tendeloo, Electron microscopy of $Pb_2Sr_2(Ca–Y)Cu_3O_{8+\delta}$ **162–164**, 951
Zander, W., see J. Fröhlingsdorf **159**, 513; **162–164**, 123
Zannella, S., L. Martini, V. Ottoboni, F. Parmigiani, A.M. Ricca and G. Ripamonti, Comparative study between the electric and magnetic properties and the grain boundary structure of $YBa_2Cu_3O_{7-x}$–Ag_2O superconductors **162–164**, 1179
Zarembiński, S., see R. Sobolewski **162–164**, 631
Zasadzinski, J.F., N. Tralshawala, D.G. Hinks, B. Dabrowski, A.W. Mitchell and D.R. Richards, Tunneling spectroscopy in superconducting $Ba_{1-x}K_xBiO_3$: direct evidence for phonon-mediated coupling **158**, 519
Zasadzinski, J.F., see Q. Huang **161**, 141
Zasadzinski, J.F., N. Tralshawala, J. Timpf, D.G. Hinks, B. Dabrowski, A.W. Mitchell and D.R. Richards, Tunneling spectroscopy in $Ba_{1-x}K_xBiO_3$ **162–164**, 1053
Zasadzinski, J.F., see D.G. Hinks **162–164**, 1405
Zavaritsky, N.V. and V.N. Zavaritsky, $Y_1Ba_2Cu_3O_7$ crystal and ceramic low field magnetic properties measured by high-T_c SQUID at nitrogen temperatures **162–164**, 423
Zavaritsky, N.V. and V.N. Zavaritsky, Magnetic penetration depth δ_o and critical current density in Y–Ba–Cu–O crystals **162–164**, 443
Zavaritsky, N.V., A.V. Samoilov, A.A. Yurgens, V.S. Klochko and V.I. Makarov, Phonon transport phenomena in high-T_c superconductors **162–164**, 562
Zavaritsky, V.N., see N.V. Zavaritsky **162–164**, 423, 443
Zeldov, E., N.M. Amer and G. Koren, Enhanced flux creep and nonequilibrium optical response in YBaCuO epitaxial films **162–164**, 1599
Zemanová, D., see N. Nevřiva **157**, 334
Zemanová, D., see J. Novák **157**, 346
Zett, A., see M.F. Crommie **162–164**, 1397
Zetterer, T., H.H. Otto, K. Meidenbauer and K.F. Renk, Crystal chemistry of high-T_c superconductors of the Tl–Ba–Ca–Cu–O and Tl–Pb–Sr–Ca–Cu–O systems **162–164**, 514
Zetterer, T., see A. Pinkowski **162–164**, 1039
Zetterer, T., W. Ose, M. Franz, H.H. Otto and K.F. Renk, Far-

infrared reflectivity of a $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O7$ ceramic in the normal and superconducting state **162–164**, 1075
Zeyher, R. and G. Zwicknagl, Superconductivity-induced phonon shifts in high-T_c superconductors **162–164**, 1709
Zhalko-Titarenko, A.V., see S.K. Tolpygo **162–164**, 941
Zhang, B., see S. Feng **162–164**, 1649
Zhang, H., see S. Skanthakumar **160**, 124
Zhang, H., see Y. Zhao **162–164**, 47
Zhang, H., see Q. Zhang **162–164**, 963
Zhang, H., see S. Feng **162–164**, 1649
Zhang, J., see Y. He **161**, 226
Zhang, J., see S. Feng **162–164**, 1649
Zhang, J.C., see Y.S. He **162–164**, 450
Zhang, J.S., see G.W. Qiao **162–164**, 907
Zhang, L., see J. Hu **162–164**, 444
Zhang, Q., see J. Hu **162–164**, 444
Zhang, Q., see Y. Zhao **162–164**, 47, 693
Zhang, Q., Z. He, H. Zhang, J. Xia, S. Wang and M. Fang, An influence of Fermi level on superconductivity in orhtorhombic single phase $Y_{1-x}Pr_xBa_2Cu_3O_y$ **162–164**, 963
Zhang, Q., J. Xia, M. Fang, Z. He, S. Wang and Z. Chen, Anomaly of Hall effect in (Bi,Pb)CaSrCuO system **162–164**, 999
Zhang, Q., J. Xia, Z. He, M. Fang, S. Wang and Z. Chen, Transport properties in superconducting oxides $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$ system **162–164**, 1197
Zhang, Q., see J. Xia **162–164**, 1221
Zhang, Q.R., see J.S. Xia **158**, 477
Zhang, S., see J. Hu **162–164**, 444
Zhang, S.C., see J.R. Schriefer **162–164**, 300
Zhang, T., see J.S. Xia **158**, 477
Zhang, W., see H. Liu **159**, 665
Zhang, X.-W., see B.-L. Gu **162–164**, 1515
Zhang, Y., Z. Fang, M. Muhammed, K.V. Rao, V. Skumryev, H. Medelius and J.L. Costa, The synthesis of superconducting bismuth compounds via oxalate coprecipitation **157**, 108
Zhang, Y., see H. Liu **159**, 665
Zhang, Y., X. Mao, L. Chen and X. Cao, The magnetic properties of superconducting Tl–Ba–Ca–Cu–O system **162–164**, 691
Zhang, Y., see R. Puźntak **162–164**, 717
Zhang, Y., X. Mao, H. Liu and L. Chen, Upper critical field of Bi–Pb–Sr–Ca–Cu–O system **162–164**, 731
Zhao, J. and M.S. Seehra, Dependence of T_c of $Bi_2Sr_2CaCu_2O_{8+x}$ on high temperature cycling and oxygen stoichiometry **159**, 639
Zhao, J., H.O. Marcy, L.M. Tonge, B.W. Wessels, T.J. Marks and C.R. Kannewurf, Rapid thermal annealing of $YBa_2Cu_3O_{7-\delta}$ films prepared by OMCVD using a highly volatile fluorocarbon-based precursor **159**, 710
Zhao, S., see H. Tao **162–164**, 1127
Zhao, Y., see J. Chen **159**, 317
Zhao, Y., L. Xie, E. Zhou, T. Shi, M. Wu and S. Hu, Effect of hydrogen treatment on some properties of $BiSrCaCu_2O_x$ **160**, 361
Zhao, Y., H. Zhang and Q. Zhang, Effects of substitution in different atomic sites in superconducting $YBa_2Cu_3O_7$ **162–164**, 47
Zhao, Y. and Q. Zhang, Microstructure and superconductive glassy state in high-T_c superconducting ceramics **162–164**, 693
Zhao, Z.-X., see Y.-N. Wang **162–164**, 454
Zhao, Z.-X., see A. Junod **162–164**, 480
Zhao, Z.-X., see G. Sparn **162–164**, 508
Zhao, Z.X., see D. Shaltiel **157**, 240
Zhao, Z.X., see J.H. Wang **158**, 507
Zharikov, O.V., see Yu.A. Osipyan **159**, 137
Zharikov, O.V., see Yu.A. Ossipyan **162–164**, 79
Zheng, D.J., see R. Durny **162–164**, 1065
Zheng, G.G., see B. Zhu **157**, 370
Zheng, J.Q., see B. Zhu **157**, 370
Zheng, J.Q., see N. Cao **159**, 195
Zheng, Y., see S. Pei **162–164**, 556
Zheng, Y., see C.S. Sundar **162–164**, 1379
Zheng, Z.T., see T. Puzzer **162–164**, 603
Zhou, D. and N.S. Sullivan, Collective quantum tunneling model of high-T_c superconductors **162–164**, 813
Zhou, E., see Y. Zhao **160**, 361
Zhou, H., see R.F. Kiefl **162–164**, 161
Zhou, J.P., see H.K. Liu **157**, 93
Zhou, L., see H. Liu **159**, 665
Zhou, S., see R. Jin **158**, 255
Zhou, S., see W. Tang **161**, 181
Zhu, B., L. Lei, S.L. Yuan, S.B. Tang, W. Wang, G.G. Zheng, W.Y. Guan and J.Q. Zheng, Superconductivity of Bi–Pb–Sr–Ca–Cu–O compounds **157**, 370
Zhu, J.-S., see Y.-N. Wang **162–164**, 454
Zhu, X., see S. Feng **162–164**, 1649
Zhuchkov, V.E., see E.V. Ekimov **162–164**, 833
Zhukov, A.A., V.Yu. Kokosinsky, D.A. Komarkov, M.I. Lasyer and V.V. Moshchalkov, The dielectrization of the $YBa_2Cu_3O_{7-\delta}$ ceramic surface layer by electric voltage pulse **162–164**, 435
Zhukov, A.A., see R.I. Antonov **162–164**, 437
Zhukov, A.A., see M.V. Elashkin **162–164**, 1173
Zhukov, A.A., see V.V. Moshchalkov **162–164**, 1193, 1611
Zhukov, A.A., V.V. Moshchalkov, D.A. Komarkov, V.P. Shabatin, A.A. Bush, S.N. Gordeev and D.V. Shelomov, Magnetic field dependence of the critical current density in $YBa_2Cu_3O_x$ ceramics **162–164**, 1623
Zhukov, A.A., V.V. Moshchalkov, A.A. Bush, I.V. Gladyshev, S.N. Gordeyev, S.E. Mrost, A.S. Sigov and Yu.V. Titov, Studies of single crystals in the Bi–Sr–Ca–Cu–O system by the diamagnetic shielding method **162–164**, 1631
Zhukov, V.A., see V.G. Grebinnik **162–164**, 145
Zibrov, I.P., see I.V. Aleksandrov **162–164**, 1057
Ziegler, M., see P. Horsch **162–164**, 783
Ziemann, P., see Ch. Neumann **162–164**, 321
Zimmermann, H., M. Mali, D. Brinkmann, J. Karpinski, E. Kaldis and S. Rusiecki, Copper NQR and NMR in the superconductor $YBa_2Cu_4O_{8+x}$ **159**, 681
Zimmermann, H., see H. Schiefer **162–164**, 171

Zimmermann, P., see B. Pümpin **162–164**, 151
Zimmermann, W., see W. Lee **159**, 535
Zinn, W., see H. Lütgemeier **162–164**, 1367
Zolotovitskaya, L.S., see V.M. Puzikov **162–164**, 629
Zolotovitskaya, L.S., see A.B. Blank **162–164**, 1225
Zosim, D.I., see V.M. Puzikov **162–164**, 629
Zotos, X., see W. Weber **162–164**, 307
Zou, Z., On the fractional statistics of excitations in doped spin liquid states **162–164**, 1525
Zoubkova, Y., see A.A. Gippius **162–164**, 253
Zubkus, V.E., S. Lapinskas and E.E. Tornau, On oxygen ordering in $YBa_2Cu_3O_{7-x}$ **159**, 501
Zubov, I.V., A.S. Ilyushin, R.N. Kuz'min, V.S. Moisa, A.A. Novakova and A.A. Bush, Effect of oxygen annealing on single crystals of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ Mössbauer spectroscopy **162–164**, 37
Zvezdin, A.K., see A.M. Kadomtseva **162–164**, 1361
Zwegintsev, S.A., see K.S. Aleksandrov **161**, 493
Zwicknagl, G., see R. Zeyher **162–164**, 1709
Zysler, R., see A. Butera **160**, 341

Physica C, Subject Index Vols. 157–164 (1989) 77–100
North-Holland

Analytic Subject Index

$1/f$ noise
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal **160**, 443
$1/N$ approximation **162–164**, 1463

2D and 3D fermion gas systems **162–164**, 1497
2D-angular correlation of positron annihilation (ACAR)
– in La_2CuO_4 **162–164**, 1375
– in NiO **162–164**, 1375
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1375
2D-antiferromagnetic Heisenberg model (square lattice) **162–164**, 207
2D Fermi gas with attractive interactions **162–164**, 1457
2D Hubbard model **162–164**, 1503

3-band Hubbard model **162–164**, 807

A15 compound
– in Nb–Al (film) **162–164**, 433
A15 compounds
– of Nb_3Sn,V_3Si **162–164**, 431
Absence of twinnings
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 707
Absorption spectra
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ thin film **160**, 273
AC magnetization measurements **160**, 1
Acoustic resonance
– of $EuBa_2Cu_3O_{7-\delta}$ **162–164**, 458
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 458
AC susceptibility
– of $(BEDT\text{-}TTF)_2Cu(NCS)_2$ **162–164**, 405
– of $(Bi_{0.9}Pb_{0.1})SrCaCu_{1.8}O_{10+\delta}$ **162–164**, 327
– of $Bi_{1-x}Pb_xSrCaCu_{1.8}O_x$ **162–164**, 1639
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **161**, 111
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1613
– of Bi compounds **161**, 589
– of $BiSrCaCu_2O_{6-\delta}$ **157**, 108
– of Bi–Sr–Ca–Cu–O **162–164**, 1587
– of Bi–Tl compounds **161**, 257
– of granular Y–Ba–Cu–O **162–164**, 1177
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 319; **162–164**, 327, 339, 421, 1665
– of $YBa_2Cu_3O_{7-\delta}$ (film) (magnetron sputtering) **162–164**, 321
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1617, 1643
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal thin film) **162–164**, 1641
AC susceptibility in a critical state model **159**, 717
Activation energy
– of Bi–Sr–Ca–Cu–O (textured tape) **162–164**, 685
– of $Ca_2Ba_2Cu_3O_x$ (thin film) **162–164**, 677
– of $Tl_2CaBa_2Cu_2O_x$ (single crystal) **162–164**, 677
– of $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) **162–164**, 689
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 683
– of $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) **162–164**, 1191
Activation energy of flux motion **162–164**, 661
Actual fluorination
– of $YBa_2Cu_3O_x$ **162–164**, 889
Airy pattern **157**, 325
Amorphous thin film
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 441
Analysis of chemical bonding **159**, 545
Analytical control of stoichiometry **162–164**, 1225
Anderson Hamiltonian **162–164**, 809, 1467
Anderson lattice model **162–164**, 1533
Anderson model **162–164**, 1483
Andreev reflection
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 262
– in $YBa_2Cu_3O_{7-\delta}$-Au junctions **162–164**, 1061
Angular resolved photoemission spectroscopy
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1381
– in $Bi_2(Sr,Ca,La)_3Cu_2O_{8+\delta}$ (single crystal) **162–164**, 1313
– in CoO **162–164**, 1311
– in NiO **162–164**, 1311
Anharmonic electron–phonon and electron–electron interaction **162–164**, 779
Anharmonicity **157**, 72
– of $REBa_2Cu_3O_{7-\delta}$ **161**, 48
Anharmonic lattice vibration
– in $La_2CuO_{4-\delta}$ (single crystal) **162–164**, 1705
Anisotropic band structure **157**, 415
Anisotropic conductivity
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 647
Anisotropic critical current (transport)
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 653
Anisotropic flux penetration
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1553
Anisotropic flux trap
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1635
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1635
Anisotropic Ginzburg–Landau theory **162–164**, 1137
Anisotropic lattice vibration
– in $EuBa_2Cu_3O_{7-\delta}$ **162–164**, 568
Anisotropic resistivity
– of $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ **162–164**, 1195
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1649
– of $(TlO)_2Ba_2Ca_2Cu_3O_8$ (single crystal) **162–164**, 1619
– of $(TlO)Ba_2Ca_2Cu_3O_8$ **162–164**, 1619
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1023
Anisotropic stress dependence of T_c
– in $YBa_2Cu_3O_{6.9}$ (single crystal) **162–164**, 739
Anisotropic superconductors **157**, 4; **161**, 272, 287, 294, 313
Anisotropic superconductors (theory) **162–164**, 203
Anisotropy, elastic
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 345
Anisotropy gap in Y–Ba–Cu–O **157**, 537
Anisotropy of H_{c1} **159**, 483
Anisotropy of H_{c2}
– in $TlBa_2CaCu_2O_9$ (single crystal) **159**, 301

Anisotropy resistivity
– of $La_{2-x}Sr_xCuO_{4-\delta}$ single crystal **160**, 35
Anistropic superconducting properties **159**, 301
Annealing conditions
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ **160**, 511
Annealing effect
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **161**, 373
– of $YBa_2Cu_3O_{7-\delta}$ by ozone **162–164**, 903
– on $Tl_2CaBa_2Cu_2O_{8-\delta}$ **159**, 811
Annealing effect on T_c
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 929
Annealing effects
– of $Bi_{1.73}Pb_{0.35}Sr_{1.89}Ca_{1.86}Cu_3O_x$ **159**, 789
Anomalous Hall effect
– in Bi–Pb–Sr–Ca–Cu–O **162–164**, 999
Anomalous NMR line width
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 175
Antiferromagnetic correlation length
– in $La_2CuO_{4-\delta}$ **162–164**, 849
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 849
Antiferromagnetic fluctuations **157**, 315
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ **161**, 13
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 9
Antiferromagnetic order
– in 2D-XY model **161**, 527
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 155
– in $CmBa_2Cu_3O_7$ **161**, 252
– in CuO **162–164**, 478, 1349
– in $GdBa_2Cu_3O_{7-\delta}$ **159**, 863
– in $GdBa_2Cu_3O_x$ **161**, 447
– in $La_{2-x}Sr_xCuO_4$ **161**, 265
– in La_2CuO_4 **161**, 59
– in $La_2CuO_{4-\delta}$ **162–164**, 1349
– in La_2NiO_4 **161**, 503
– in $NdBa_2Cu_3O_{7-\delta}$ **162–164**, 1367
– in $YBa_2(Cu_{0.97}Ni_{0.03})_3O_6$ **162–164**, 1367
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1367
– in $YBa_2Cu_{3-x}M_xO_{6+\delta}$ (M=Co,Ni,Al) **162–164**, 1267
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 157
– in $YBa_2Cu_3O_yH_x$ **162–164**, 149
Antiferromagnetic order of Cu
– in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ **162–164**, 183
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 181
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 185
– in $YBa_2Cu_3O_{7-\delta}$ ($0.44<\delta<1$) **162–164**, 161
Antiferromagnetic to ferromagnetic transition **162–164**, 1517
Antiferromagnetisation
– of $YBa_2Cu_3O_{6+\delta}$ **160**, 197
Antiferromagnetism
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 985
– in CuO **162–164**, 1279
– in $La_{2-x}Sr_xNiO_{4-\delta}$ **162–164**, 1273
– in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **162–164**, 1281
Antiferromagnetism in heavy fermion systems **162–164**, 1673
Antimagnetic order
– in $Bi_2Sr_2YCu_2O_{8.37}$ **160**, 136
Anti-Meissner effect
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1365
Anti-phase boundary
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **158**, 490
Anyons **162–164**, 791
Atomic ordering
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1515
Atomic pair correlation function
– of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 101
– of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 101
Atomic pair distribution function (PDF) analysis
– of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 93
Auger
– of $La_{1.85}Sr_{0.15}CuO_4$ **159**, 404
Auger depth profile
– of $Bi_2Sr_2CuO_{6+\delta}$ (single crystal) **162–164**, 1223
– of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 637
Auger electron spectroscopy
– in $La_{1.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ **162–164**, 1329
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1389
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1305
Auger spectroscopy
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **159**, 447
Auxiliary-boson coupling **161**, 677

Band calculation
– of $Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$ **160**, 381
– of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ **160**, 381
Band structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1697
– of $Bi_2Sr_2CuO_6$ **161**, 497
– of Cu–O planes **161**, 451
– of $La_{1.5}Sr_{0.5}NiO_4$ **161**, 503
– of $La_{2-x}Sr_xCuO_4$ **161**, 607
– of La_2CuO_4 **161**, 59
– of La_2NiO_4 **161**, 503
– of Nd_2CuO_4 **157**, 571
– of NiO **161**, 59
– of $Tl_2Ba_2CuO_6$ **161**, 497
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 607
Band structure (LMTO calculation) **162–164**, 1529
Band structure of CU–O complex **159**, 545
Band structure of the copper oxides **162–164**, 1419
BCS Eliashberg theory **162–164**, 801
BCS model **161**, 88, 185
BCS model, applicability
– to $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **161**, 239
BCS model, experimental test **161**, 209
BCS theory
– for $YBa_2Cu_3O_{7-\delta}$ **158**, 299
BCS theory for high T_c **157**, 415
BCS theory of Hall superconductivity **162–164**, 1451
Bean's model **162–164**, 361, 697
$Bi_{2+x}Sr_{2-x}CuO_{6\pm y}$ (single crystal) **162–164**, 1029
Bi–O chains **157**, 115
Bi–O layers **157**, 257
Bi–O planes **157**, 515, 525, 531
Bi oxides
– synthesis **157**, 108
Bipolaron electron–phonon interaction **162–164**, 245
Bipolaronic superconductivity **161**, 325, 631; **162–164**, 799
Bipolaron mechanism **157**, 478
Bipolaron model **162–164**, 197, 799, 803, 1199
Bipolarons **162–164**, 227
BIS
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1323
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1323
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1323
Bismuth coordination **157**, 515
Bi–Sr–Ca–Cu–O
– Pb substituted **157**, 93
Bi–Sr–Ca–Cu–O film
– prepared from metal trifluoroacetate precursors **158**, 225
Bi–Sr–Ca–Cu–O thin film
– prepared by spray analysis **160**, 439
Bond charge repulsion **158**, 326
Bose condensation
– in $2+\epsilon$ dimensional model **161**, 233
Bose gas **157**, 48
Bose gas condensation model **162–164**, 249
Boson method for superconductors **158**, 32
Breakdown of the Migdal theorem **162–164**, 777
Brillouin scattering
– in $Bi_2Sr_2CaCu_2O_x$ (single crystal) **162–164**, 1073

- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1073
Broadening of the resistive transition
- in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **162–164**, 1017
- in $YBa_2Cu_3O_{7-\delta}$ single crystal **162–164**, 669
- of $(La,Sr)_2CuO_{4-\delta}$ **160**, 243
Broadening phenomena of the resistive transition **162–164**, 1693
Broken time reversal invariance in t-J model **162–164**, 1459
Bulk modulus
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 452, 540

Calculation of NQR spectra
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 261
Carrier concentration dependence on T_c
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 291
CDW **162–164**, 12
Characterization
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 905
- of $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 321
Charge density wave instability **162–164**, 817
Charged vortices **162–164**, 777
Charge fluctuations **158**, 65; **162–164**, 1511
Charge redistribution
- in $REBa_2Cu_3O_x$ **161**, 671
Charge redistribution in CuO_2 planes **157**, 58
Charge transfer **161**, 483; **162–164**, 281, 313, 538
Charge transfer gap **159**, 545
Chemical vapor deposition
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 105
Citrate pyrolysis method **162–164**, 903
Cluster model
- of $CuO_x (x=4,5,6)$ **159**, 161
Cluster model in electron-doped superconductors **158**, 525
Cluster variation method (CVM) **162–164**, 225
Coatings
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 139
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 139
Cobalt clusters
- in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **162–164**, 51
Coevaporation
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 107
Coexistence of antiferromagnetism and RVB states
- in $GdBa_2Cu_3O_{7-\delta}$ **162–164**, 1293
Coexistence of paramagnetism and superconductivity
- in $(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$ **162–164**, 323Coexistence of superconductivity and magnetism
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 157
Coexistence of superconductivity and antiferromagnetism **157**, 53, 221, 446
Coexistence of superconductivity and magnetic order **157**, 307
Coherence length **162–164**, 735
Collective pinning **162–164**, 239
Collective quantum tunneling model **162–164**, 813
Colloidal sol–gel precursor technique **162–164**, 931
Combined phonon and high energy boson mechanism **162–164**, 1491
Commensulate flux phase (CFP) approach **162–164**, 819
Competition between magnetic and Fermi liquid phases **162–164**, 1465
Composite bosons **162–164**, 1457
Composites **161**, 71, 91
Contact resistance
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 437
Conversion electron Mössbauer spectroscopy
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1297
Coprecipitation method of synthesizing
- of Bi–Pb–Sr–Ca–Cu–O **160**, 369
Coqblin-Schrieffer model **159**, 727
Correlation between hole concentration and T_c
- in $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 991
Correlation between T_c and Cu–O bond **158**, 371
Correlation of T_c and electronegativity **158**, 65
Correlation of T_c with density of states peaks **162–164**, 1655
Correlation of T_c with structure in the DOS **160**, 497
Coulomb correlation effects
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 757
Coulomb interactions **161**, 185, 233
Covalency in Cu–O bond **157**, 169
Critical current
- in $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 917
- in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{16+\delta}$ (bulk) **162–164**, 1171
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1148
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) **162–164**, 363, 893
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 361, 1189
- in Bi–Pb–Sr–Ca–Cu–O **162–164**, 1165, 1261
- in Bi–Sr–Ca–Cu–O (film) (RF magnetron sputtering) **162–164**, 367
- in Bi–Sr–Ca–Cu–O glass **162–164**, 927
- in Bi–Sr–Ca–Cu–O thin film **162–164**, 649
- in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 663
- in $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) **160**, 55
- in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1271
- in Nb/NbTi superlattice **162–164**, 411
- in Nb–Al (film) **162–164**, 433
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **162–164**, 957
- in $Pb_{0.3}Bi_{0.7}SrCaCu_{1.8}O_x$ **160**, 489
- in $REBa_2Cu_3O_{7-\delta}$ (single crystal) (RE=Y,Gd,Er,Ho) **162–164**, 361
- in $Tl_2Ba_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 361
- in $Tl_2Ca_2Ba_2Cu_3O_{10}$ **160**, 489
- in $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ thin film **160**, 42
- in $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 393
- in Tl–Ba–Ca–Cu–O (film) (RF magnetron sputtering) **162–164**, 367
- in $Y_{0.7}Yb_{0.3}Ba_2Cu_3O_x$ **162–164**, 693
- in $Y_{0.9}Yb_{0.1}Ba_2Cu_3O_x$ **162–164**, 693
- in $Yb_2Ba_4Cu_7O_{14-\delta}$ **160**, 352
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co,Zn) **162–164**, 1605
- in $YBa_2Cu_2O_{8+\delta}$ (thin film) **162–164**, 1169
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1171, 1187, 1217, 1623
- in $YBa_2Cu_3O_{7-\delta}$–Ag **162–164**, 351
- in $YBa_2Cu_3O_{7-\delta}$–Ag_2O **162–164**, 1179
- in $YBa_2Cu_3O_{7-\delta}$–Ag–Pb (thin film) **162–164**, 1615
- in $YBa_2Cu_3O_{7-\delta}$ (epitaxial, $SrTiO_3$) **162–164**, 625
- in $YBa_2Cu_3O_{7-\delta}$ (granular film) **162–164**, 365
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1621
- in $YBa_2Cu_3O_{7-\delta}$ (thick film, screen printed) **162–164**, 1265
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 687, 1535, 1603
- in $YBa_2Cu_3O_{7-\delta}$ (thin film, laser ablation, MgO, ZrO_2, $SrTiO_3$) **162–164**, 1175
- in $YBa_2Cu_3O_{7-\delta}$ **159**, 131, 496, 513; **160**, 489
- in $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) **162–164**, 1557
- in $(YBa_2Cu_3O_x)_{0.7}Ag_{0.3}$ **162–164**, 693
Critical current density **162–164**, 369
- calculation **161**, 233

- effect of grain boundaries **161**, 390
- in $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$ **161**, 656
- in Bi compounds **161**, 71
- in Bi–Sr–Ca–Cu oxide films **157**, 99
- in Y–Ba–Cu–O thick films **161**, 347
- measurement technique **161**, 468
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ film **159**, 854
- theory **161**, 687
- thin films **157**, 406

Critical current fibers
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 383

Critical current in granular superconductor **157**, 325

Critical current in superconductivity glass **162–164**, 233

Critical current (magnetic)
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 319
- in Bi–Sr–Ca–Cu–O (textured tape) **162–164**, 685
- in $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) **162–164**, 1629
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 333, 357
- in $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) ($SrTiO_3$) **162–164**, 331
- in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) **162–164**, 689
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 751

Critical current (magnetization)
- of $YBa_2Cu_3O_{7-\delta}$ (thick films) **162–164**, 131

Critical current of grain boundaries **162–164**, 273

Critical current (theory) **162–164**, 347, 353

Critical current (transport)
- in $Bi_2Sr_2Ca_2Cu_2Cu_{4.5}O_x$ thin film **162–164**, 669
- in $Bi_2Sr_2CaCu_2Cu_2O_x$ **162–164**, 669
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 359
- in Bi–Sr–Ca–Cu–O **162–164**, 359
- in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1625
- in $YBa_2Cu_3O_{7-\delta}$ film (CVD) **162–164**, 105
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 653

Critical field
- of Nb/NbTi superlattice **162–164**, 411

Critical fluctuations
- in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ **157**, 285

Critical phenomena **161**, 567

Critical temperature (calculation) **162–164**, 801

Critical temperature (theory) **162–164**, 1507

Crystal **160**, 185

Crystal anisotropy effect
- on superconductivity in Zn **160**, 545

Crystal chemistry **162–164**, 3

Crystal field
- in $ErBa_2Cu_3O_{7-\delta}$ **162–164**, 538
- in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ **161**, 13

Crystal-field effects
- in $ErBa_2Cu_3O_x$ **161**, 671

Crystal fields
- in $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd, M=Ce,Th) **162–164**, 296

Crystal-field splitting
- in $HoBa_2Cu_3O_x$ **157**, 58

Crystal structure
- of $Ba_{1-x}Tl_xCuO_{2+\delta}$ **162–164**, 29
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **161**, 373
- of κ-(BEDT-TTF)$_2$Cu(NCS)$_2$ **162–164**, 577
- of $La_{1.1}Sr_{1.9}Cu_2O_{5.83}$ **162–164**, 542
- of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **162–164**, 983
- of $La_2CuO_{4.032}$ **158**, 183
- of $La_2CuO_{4.032}$ single crystal **162–164**, 57
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 534
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0,0.5) **162–164**, 875
- of $Tl_{2.70}Ba_{1.25}LnCu_2O_8$ **158**, 511
- of Tl–Ba–Ca–Cu–O **162–164**, 514
- of Tl–Pb–Sr–Ca–Cu–O **162–164**, 514
- of $YBa_4Cu_3O_{8.5+\delta}$ **158**, 391

Crystal structure of T^*-phase **162–164**, 1681

Crystal surface layers
- of $Yba_2Cu_3O_{7-\delta}$ single crystal **160**, 411

Cu K edge **159**, 609

Cu–O bounds **157**, 495

Cu–O chain ordering **157**, 358

Cu–O chains
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 205
- in $YBa_2Cu_3O_x$ **161**, 219

Cu–O hybridization **157**, 561

Cu–O layers
- in Tl oxides **157**, 131, 135

Cu–O planes
- cluster calculation **157**, 169
- hybridized orbitals **161**, 497
- in $La_{2-x}Sr_xCuO_4$ **161**, 88
- in $YBa_2Cu_3O_x$ **161**, 219

Current–voltage characteristics
- at $T \lesssim T_c$ **157**, 164, 199
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1617

Cu-valence fluctuations **157**, 13

DC Josephson effect
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 393
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 393

DC magnetron sputtering **162–164**, 607

DC sputtering **162–164**, 707

DC SQUID
- of Bi–Sr–Ca–Cu–O thin film **162–164**, 709
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 393
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 393

DC susceptibility
- pressure dependence **157**, 293

Debye temperature
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1401

Decay of magnetization (calculation) **162–164**, 347

Defects **162–164**, 3

Defect structures
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **161**, 331

Density of states
- Nd_2CuO_4 **157**, 571
- of Cu–O clusters **157**, 169
- of Hubbard model **157**, 209

Density of states (DOS)
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1015, 1357

Detector **162–164**, 391

Developer **162–164**, 601

Diamagnetic correlations **159**, 43

Diamagnetic screening **157**, 1

Diamagnetic shielding
- in Tl–Ba–Ca–Cu–O (thin film) **162–164**, 673
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1185

Diamagnetism
- fluctuation-induced **157**, 37

Dielectric constant
- of $La_2CuO_{4-\delta}$ **162–164**, 1031

Dielectric response in high T_c superconductors **162–164**, 759

Diffusion coefficient of oxygen
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 143

Diffusion grown superconducting thick films
- of Bi(Pb)–Sr–Ca–Cu–O **158**, 93

Diffusion in 1,2,3 oxides **157**, 25

Dip coating
- of Bi–Pb–Sr–Ca–Cu–O films **160**, 517

Disorder effect **162–164**, 1019

Doping
- of $Tl_2Ba_2CuO_6$ **160**, 458

Doping by Pb and Sb
- of $Bi_2Sr_2Ca_2Cu_3O_7$ **160**, 466

Doping effects **162–164**, 1677

Doping into $La_2CuO_{4-\delta}$ **162–164**, 959

DTA analysis
- of Bi compounds **161**, 167
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 905

DV–Xα calculation **159**, 161

D-wave superconductivity **162–164**, 1673
Dynamical critical fields
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 816
Dynamic Jahn–Teller effect **162–164**, 1475
Dyons **162–164**, 791

EDX
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (2223) **158**, 241
– of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ **158**, 155
EELS
– of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ **159**, 794
Effective Hamiltonian for high T_c oxides **162–164**, 775
Effective mass
– in $Bi_{1-x}Pb_xCaSrCu_{1.8}O_y$ **162–164**, 1235
Effect of electron irradiation
– on $YBa_2Cu_3O_{7-\delta}$ (single crystal) **159**, 697
Effect of H_2O
– on $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 611
Effect of halogen vapor (Cl,Br,I) on T_c
– in $YBa_2Cu_3O_6$ **162–164**, 79
Effect of hydrogen
– in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 65
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 65
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 65
Effect of Mg on T_c
– in $Bi_2Sr_2Ca_2Cu_3O_x$ **162–164**, 35
Effect of Pb
– on $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 85
Effect of Pb layer
– on Bi–Sr–Ca–Cu–O film **162–164**, 617
Effect of substitution (3d elements)
– in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ ($n=2$, 3) **162–164**, 25
Effect of twins on critical current
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co,Zn) **162–164**, 1605
Effect of wet O_2 **162–164**, 621
Effects of annealing
– in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1215
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1215
Effects of Sb doping
– on Bi–Pb–Sr–Ca–Cu–O system **159**, 784
Elastic compliance
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 313
Elastic constants
– of $Bi_2Sr_2CaCu_2O_x$ (single crystal) **162–164**, 1073
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 460
– of $La_2CuO_{4-\delta}$ **162–164**, 460
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 345
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1073
Elastic modules of flux line lattice **160**, 328
Elastic properties
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 540
Electrical resistance
– modulated **161**, 76
– of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ **161**, 567
– of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ **161**, 567
Electrical resistivity
– of $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$ **161**, 656
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **161**, 111
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1397
– of Bi compounds **161**, 589
– of Bi–Tl compounds **161**, 257
– of $Nd_{1.85}Ce_{0.15}CuO_4$ **161**, 415
– of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **161**, 475
– of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) **162–164**, 719
– of $YBa_2Cu_3O_{7-\delta}$/Ag **161**, 91
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial growth film) **162–164**, 127
– of $YBa_4Cu_3O_{8.5+\delta}$ **158**, 391
Electrical resistivity, anisotropic
– of irradiated $YBa_2Cu_3O_{7-\delta}$ **161**, 549
Electric change Bose condensation **162–164**, 791
Electric field effect
– on $YBa_2Cu_3O_{7-\delta}$ **162–164**, 435
Electric field gradient
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 689
Electric field gradient calculations
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1353
Electro chemistry
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1039
Electron diffraction
– of $Ba_{1-x}K_xBiO_{3-\delta}$ **157**, 228
– of $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ **157**, 115
– of $Bi_{2.1}Sr_{1.9}CuO_x$ **159**, 93
– of $Bi_{2.375}Sr_{1.625}CuO_x$ **159**, 93
– of $Bi_4Sr_8Cu_5O_x$ **159**, 93
– of $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ **158**, 433
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **160**, 375
– of $Nd_2CuO_{4-x}F_x$ **160**, 375
– of $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$ **159**, 201
Electron doped compounds **159**, 391
Electron doped superconductor **162–164**, 825
– $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ **158**, 433
Electronegativity **158**, 65
Electron energy loss spectra (EELS)
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 1415
– in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1415
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1415
Electron–hole symmetry **161**, 423
Electronic band structure
– of $Ba_{1-x}K_xBiO_3$ **162–164**, 1435
– of $BaPb_{1-x}Bi_xO_3$ **162–164**, 1435
– of $KCuF_4$ **162–164**, 1439
– of La_2CuO_4 **162–164**, 1439
– of La_2NiO_4 **162–164**, 1439
– of $TlBa_2Ca_{n-1}Cu_3O_{2n+3}$ ($n=1,2,3,4$) **162–164**, 1355
Electronic band structure (T and T^*)
– of $RE_2CuO_{4-\delta}$ **162–164**, 1351
Electronic instability **162–164**, 1513
Electronic state of strongly correlated electrons **159**, 875
Electronic structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1321
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 1315
– of Bi-based superconductors **158**, 501
– of $CaCuO_2$ **162–164**, 1431
– of CuO_2 plane **159**, 586, 595
– of $La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ **162–164**, 1329
– of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1321
– of La_2CuO_4 **162–164**, 583
– of $Nd_2CuO_{4-\delta}$ **160**, 129
– of $Pb_2Sr_2PrCu_3O_{8+\delta}$ **162–164**, 1373
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 223, 1321
Electronic structure of Bi compounds **159**, 150
Electronic structure of high T_c superconductors **162–164**, 1437
Electronic structure of the copper oxides **162–164**, 1419
Electronic structure (theory) **162–164**, 1513
Electron irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 357
Electron irradiation effect of T_c
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 749
Electron localisation **157**, 439
Electron microscopy
– of $Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$ **159**, 461
– of $Bi_4Sr_8Cu_5O_{19+\delta}$ **162–164**, 865
– of Bi–Pb–Sr–Ca–Cu–O wires **162–164**, 943
– of $Pb_2Sr_2(Ca_y)Cu_3O_{8+\delta}$ **162–164**, 951
– of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ **158**, 155
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 53
– of $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) **162–164**, 77
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 548
– of $YBa_2Cu_3O_x$ **158**, 269
Electron–phonon coupling **161**, 325
Electron–phonon coupling with excitons **162–164**, 1527
Electron–phonon interaction

- in $Ba_{1-x}K_xBiO_3$ **157**, 192; **162–164**, 1053, 1435
- in $BaPb_{1-x}Bi_xO_3$ **162–164**, 1435

Electron–phonon interaction (calculation) **162–164**, 1463

Electron spin resonance
- in $Bi_{2-x}Gd_xSr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1289
- in $GdBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1293
- in $GdBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ni,Co) **162–164**, 1287
- in $GdBa_2Cu_3O_{7-\delta}$ **162–164**, 1287
- in $Y_{1-x}Gd_xBa_2Cu_3O_{7-\delta}$ **162–164**, 1289

Electron superconductivity **162–164**, 591

Electron type superconductivity
- in $TlCa_{1-x}Ln_xSr_2Cu_2O_{7+\delta}$ (Ln=rare earths) **162–164**, 865

Electron type superconductors **162–164**, 285

Electrophoretic deposition
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 111

Eliashberg equations **157**, 395; **161**, 626

Eliashberg theory **162–164**, 1493

Eliashberg theory of superconductivity **159**, 535; **160**, 305

Emery model **162–164**, 783

Energy band calculation
- in CuO **162–164**, 1349
- in $La_2CuO_{4-\delta}$ **162–164**, 1349

Energy band calculations
- of La_2CuO_4 **159**, 412

Energy gap
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **161**, 239
- in semiconductors (calculation) **161**, 59
- in $Tl_2Ba_2CaCu_2O_x$ **161**, 141
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 262

Energy gap of Bose gas condensed superconductors **162–164**, 249

Entanglement of the flux line **162–164**, 1156

Entanglement of the flux line lattice **162–164**, 231

Epitaxial CuCl on Si **162–164**, 554

Epitaxial growth
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation, MgO) **162–164**, 659
- of $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 135
- of $YBa_2Cu_3O_{7-\delta}$ (film) ($SrTiO_3$) **162–164**, 127

Epitaxial thin film
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 643, 655

ESR
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1005, 1647
- in $Bi_2Sr_2Ca_{0.5}Gd_{0.5}Cu_2O_x$ **159**, 267
- in Bi compounds **157**, 240
- in Bi–Pb–Sr–Ca–Cu–O **158**, 217
- in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ **161**, 13
- in κ-(BEDT-TTF-h_8)$_2$Cu(NCS)$_2$ **162–164**, 577
- in $Ln_2Cu_2O_5$ (Ln=Y,Tb,Lu) (single crystal) **162–164**, 253
- in $YBa_2Cu_3O_{6+\delta}$ **158**, 424
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1589
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **160**, 411; **162–164**, 1583, 1597
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1585
- in $YBa_2Cu_3O_x$:Hf **158**, 385

Etching

Evaluation of electron–phonon coupling strength **158**, 76

EXAFS
- in $La_2CuO_{4-\delta}$ **160**, 571
- in $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ **157**, 483
- in $YBa_2Cu_3O_{7-\delta}$/Ag **161**, 91

EXAFS spectrum
- of $YBa_2Cu_3O_{7-\delta}$ **160**, 524

Excess conductivity **157**, 285
- of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ **161**, 567
- of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ **161**, 567
- of $BiSrCaCu_2O_x$ **159**, 231
- of $TlCa_3BaCu_3O_x$ **159**, 231

Excess Cu–O layers in 1,2,3 compounds **157**, 159

Exchange-mediated pairing **161**, 88

Excitonic enhancement model **158**, 1, 15

Excitonic mechanism **161**, 195

Excitonic superconductivity **158**, 1, 15; **162–164**, 1443

Excitonic superconductors **162–164**, 307

Extended Hubbard Hamiltonian **162–164**, 1467

Extended Hubbard model **162–164**, 767

Extended Hubbard model (Emery–Hirsch model) **162–164**, 763

Factors influencing T_c
- in $La_{1-x}Sr_xBa_{2-2y}Sr_{2y-z}La_zCu_3O_{6+\delta}$ **159**, 760
- in $LaBa_{2-2x}Ca_{2x}Cu_3O_{6+\delta}$ **159**, 760
- in $LaBa_{2-2x}Sr_{2x}Cu_3OO+\delta$ **159**, 760
- in $Y_{1-x}Ca_xBa_{2-2y}La_{2y}Cu_3O_{6+\delta}$ **159**, 760
- in $Yba_{2-2x}Sr_{2x}Cu_3O_{6+\delta}$ **159**, 760

Far-infrared conductivity **159**, 535

Far-infrared spectra
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **161**, 239
- of Nd_2CuO_4 **161**, 239

Far-infrared spectroscopy
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1083
- of Bi–Pb–Sr–Ca–Cu–O (thin film, MgO) **162–164**, 1077
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (single crystal) **162–164**, 1079
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1079
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, MgO) **162–164**, 1081

Fast neutron irradiation **162–164**, 1019

Fast neutron irradiation effect
- on $YBa_2Cu_3O_{7-\delta}$ **160**, 189

Fermi edge
- in $BaPb_{1-x}Bi_xO_3$ (single crystal) **162–164**, 1319
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 439; **162–164**, 1323
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1381
- in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 1315
- in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1323
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1323

Fermi edge in XPS spectra
- of $YBa_2Cu_3O_x$ **161**, 219

Fermi liquid state, experimental evidence
- in $Nd_{1.85}Ce_{0.15}CuO_4$ **161**, 415

Fermi surface
- in κ-(BEDT-TTF)$_2$Cu(NCS)$_2$ **162–164**, 577
- in $Nd_{2-x}Ce_xCuO_4$ **157**, 571

Fermi surface geometry **162–164**, 769

Fermi surface topology **162–164**, 1503

Ferroelastic coupling **157**, 555

Ferroelectricity
- of Bi–Sr–Ca–Cu–O **162–164**, 891

Fibers
- of $YBa_2Cu_3O_{7-\delta}$ (pendant drop melt extraction) **162–164**, 383

Filament
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 558

Films **162–164**, 629

Fine grained
- of $YBa_2Cu_3O_x$ **162–164**, 933

FIR reflectance
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 551

Fluctuating flux lines **162–164**, 239

Fluctuation conductivity
- of $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ **162–164**, 723
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 490

Fluctuation effect on conductivity **159**, 231

Fluctuation effects **162–164**, 1693
- in $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123

Fluctuation effects in specific heats **162–164**, 1469

Fluctuation effects of the vortex positons **162–164**, 1167

Fluctuation effects on the flux flow resistivity **162–164**, 275
Fluctuation induced excess conductivity
– in $Tl_2CaBa_2Cu_2O_8$ **159**, 797
Fluctuation induced pair breaking **162–164**, 1441
Fluctuation noise
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1203
Fluctuations above T_c **157**, 37
Fluorination
– of $Bi_2SrCaCu_2O_x$ **159**, 443
Flux creep **157**, 406
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 422; **162–164**, 1148
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) **162–164**, 363
– in $Bi_2(Sr,Ca)_3Cu_2O_x$ (film) **159**, 295
– in Bi–Sr–Ca–Cu–O **162–164**, 665
– in Bi–Sr–Ca–Cu–O (textured tape) **162–164**, 685
– in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 663
– in granular Y–Ba–Cu–O **162–164**, 1177
– in Tl–Ba–Ca–Cu–O **162–164**, 691
– in Tl–Ba–Ca–Cu–O (thin film) **162–164**, 673
– in $TmBa_2Cu_3O_{7-\delta}$ (untwinned single crystal) **162–164**, 1193
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1183
– in $YBa_2Cu_3O_7$ **161**, 313
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 231, 699, 701, 1148, 1185, 1187
– in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) **162–164**, 689
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1181
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 683, 1175, 1599
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) **162–164**, 1191
– in $YBa_2Cu_3O_x$ (film) **159**, 295
Flux depinning **157**, 215
Flux dynamics **157**, 215
Flux flow
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1185
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 669, 1181
Flux flow (calculation) **162–164**, 681
Flux lattice melting
– of $Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_x$ **162–164**, 667
– of $Bi_{2.5}Pb_{0.5}Sr_{2.5}Ca_{1.5}Cu_2O_x$ **162–164**, 667
Flux lattice structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 679
Flux line lattice melting
– in Bi–Sr–Ca–Cu–O **162–164**, 665
Flux line lattice (theory) **162–164**, 1689
Flux motion
– due to Lorentz force **162–164**, 605
– in $REBa_2Cu_3O_{7-\delta}$ **161**, 403
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1152
– thermally activated **157**, 199
Fluxon nucleation **157**, 16
Flux phase **162–164**, 12, 819
Flux pinning **157**, 267
– in $Bi_2Sr_2CaCu_2O_8$ **160**, 471
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 857
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) **162–164**, 363
– in $Ca_2Ba_2Cu_3O_x$ (thin film) **162–164**, 677
– in granular superconductors **162–164**, 1177
– in Nb–Al (film) **162–164**, 433
– in $REBa_2Cu_3O_{7-\delta}$ **161**, 403
– in $Tl_2CaBa_2Cu_2O_x$ (single crystal) **162–164**, 677
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe,Ni) **162–164**, 1601
– in $YBa_2Cu_3O_{7-\delta}$ **159**, 816
– in $YBa_2Cu_3O_{7-\delta}$ **160**, 417; **162–164**, 339, 1169, 1263
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 751, 1181, 1621
– in $YBa_2Cu_3O_{8+\delta}$ (thin film) **162–164**, 1169
Flux pinning force
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 675
Flux pinning in high T_c superconductors **160**, 333
Flux pinning potential
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1189
Flux state **162–164**, 587
Formal valence **161**, 512
Formation
– of $Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_7$ **158**, 211
Formation of a narrow band with hole doping **162–164**, 1509
Fourier transform interferometry (FT-Raman)
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1103
Fractional statistics approach **162–164**, 819, 1525
Frequency dependent susceptibility
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 281
Frustration **161**, 527

Gapless superconductivity
– in $Ba_{1-x}K_xBiO_3$ **158**, 519
Gaussian fluctuations
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 490
Generalized energy gap in narrow s-band **162–164**, 793
Generalized Ginzburg–Landau theory **162–164**, 251
Generalized t-J model **162–164**, 773, 1525
Gibbs free energy **157**, 180
Ginzburg–Landau theory **162–164**, 273, 1521, 1689, 1693
– generalization **161**, 294
– second-quantized form **161**, 687
Glass crystallization
– of Bi–Ca–Sr–Cu–O **159**, 273
Glass state
– of Bi–Sr–Ca–Cu–O **162–164**, 891
Glass state by quenching
– of Bi–Pb–Sr–Ca–Cu–O **162–164**, 901
Glassy state
– of $YBa_2Cu_3O_7$ **161**, 39
Glassy superconductor **157**, 251, 431
Grain boundaries
– in Bi–Sr–Ca–Cu–O **162–164**, 21
– in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1625
– in $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **161**, 390
– in $Pb_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$ **161**, 390
– in $Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$ **161**, 390
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 558, 1093
– in $YBa_2Cu_3O_{7-\delta}$–Ag_2O **162–164**, 1179
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1603
Grain-boundary phases
– in $YBa_4Cu_7O_x$ **157**, 351
Grain-boundary pinning **157**, 215
Grain growth
– in $YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$ **159**, 306
Granular superconductivity **161**, 76, 354
– in $BaPb_{1-x}Bi_xO_3$ **162–164**, 727
– in $(Bi_{0.9}Pb_{0.1})SrCaCu_{1.8}O_{10+\delta}$ **162–164**, 327
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1613
– in Bi–Sr–Ca–Cu–O **162–164**, 21
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 327, 717, 1543
Granular superconductors **157**, 16, 406, 425, 431; **162–164**, 999, 1547
Green function Monte Carlo (GFMC) numerical calculations **162–164**, 1455
Ground state of 2-D CuO_2 planes **158**, 355
Growth spirals
– on $YBa_2Cu_3O_{7-\delta}$ **157**, 189
Grüneisen parameter
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 488
G-values
– of $GdBa_2Cu_3O_{7-\delta}$ **162–164**, 1287

^1H NMR

- in $YBa_2Cu_3O_{6.9}H_x$ **159**, 849
- of $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ **159**, 849

Hall coefficient
- in La-doped $YBa_2Cu_3O_x$ **157**, 83

Hall concentration
- of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}H_x$ **162–164**, 65
- of $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ **162–164**, 65
- of $Nd_{1+x-y}Ca_yBa_{2-x}Cu_3O_{7-\delta}$ **162–164**, 63
- of $Nd_{1+x}Ba_{2-x}Cu_{3-z}Zn_zO_{7-\delta}$ **162–164**, 63
- of $YBa_2Cu_3O_{7-\delta}H_x$ **162–164**, 65

Hall concentration dependence of T_c
- in $Bi_{2-z}Pb_z(Sr_{1.5}Ca_{0.5})$-$Ca_{1-z}Y_zCu_2O_{8+\delta}$ **162–164**, 69
- in $Bi_2(Sr_{1.5}Ca_{0.5})$ $Ca_{1-z}Y_zCu_2O_{8+\delta}$ **162–164**, 69
- in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 67
- in $Y_{1-x}Ca_xBa_{z-2y}La_{2y}Cu_3O_{7-\delta}$ **162–164**, 69

Hall effect
- in $(Ba,K)BiO_3$ **157**, 469
- in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ **161**, 567
- in $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ **161**, 567
- in $Bi_{1-x}Pb_xSrCaCu_{1.8}O_x$ **162–164**, 1639
- in $Bi_{2-x}M_xSr_2Ca_{n-y}M_yCu_mO_2$ ($n=1,2$; $m=2,3,4,5$) **162–164**, 1199
- in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{8+\delta}$ **162–164**, 1197
- in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1009
- in $Bi_2Sr_2CaCu_2O_{8-\delta}$ **159**, 616
- in $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1005
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1397
- in $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ ($n=1,2,3$) **162–164**, 1205
- in Bi–Pb–Sr–Ca–Cu–O **162–164**, 999
- in $ErBa_2Cu_3O_{7-\delta}$ **159**, 616
- in $GdBa_2Cu_3O_{7-\delta}$ ($0.45<\delta<1$) **162–164**, 1033
- in $GdBa_2Cu_3O_x$ **161**, 447
- in $La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ **161**, 581
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1677
- in $Ln_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1209
- in $Nd_{1.85}Ce_{0.15}CuO_{3.98}$ **159**, 391
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1677
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) **162–164**, 1013
- in $Nd_2CuO_{4-x-\delta}F_x$ (Ln=Nd, Pr, Sm) **162–164**, 1209
- in $Tl_2Ba_2CaCu_2O_x$ (thin film) **162–164**, 1011
- in $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 991
- in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **162–164**, 1007
- in $YBa_2Cu_{3-x}Fe_xO_{7+y}$ **162–164**, 1201
- in $YBa_2Cu_3O_{6.5}$ (single crystal) **162–164**, 1013
- in $YBa_2Cu_3O_7$ **162–164**, 997
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 213, 1661
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1009
- in $YBaSrCu_3O_x$ **157**, 358

He^+ ion channeling
- in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1009
- in $PrBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 949
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1009

Heat capacity
- of $HoBa_2Cu_3O_{7-\delta}$ **159**, 379

Heat treatment in inert gases
- of $YBa_2Cu_3O_x$ **161**, 66

Heavy fermion compounds
- of $U_{0.981}Th_{0.019}Be_{12.97}B_{0.03}$ **162–164**, 429
- of $U_{1-x}Th_xBe_{13}$ **162–164**, 429
- of $U_{1-x}Th_xBe_{13}$ and UPt_3 **162–164**, 1669
- theory **161**, 677

Heavy fermion compound UPt_3 **162–164**, 413

Heavy fermion lattice **159**, 727

Heavy fermions **157**, 53
- in UPt_3 (single crystal) **162–164**, 415

Heavy fermion superconductors UBe_{13}, UPt_3 **162–164**, 419

Heisenberg model **162–164**, 1479

High frequency resistivity
- of $La_2CuO_{4-\delta}$ **162–164**, 1031

High pressure
- effect on T_c **161**, 412

High pressure NQR
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 173

High pressure resistivity
- of $Bi_2CaSr_2Cu_2O_{8+\delta}$ **162–164**, 737

High pressure structure
- of $YBa_2Cu_4O_8$ **159**, 668

High pressure synthesis
- of $La_{1-x}M_xCuO_3$ **162–164**, 899
- of $YBa_2Cu_{3.7}O_{7.5}$ single crystal **160**, 449
- of $YBa_2Cu_4O_8$ single crystal **160**, 449

High resolution angular resolved photoemission
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1697

High resolution Auger electron spectroscopy
- in $La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ **162–164**, 1329

High resolution electron microscopy (HREM)
- of $Bi_{1.5}Pb_{0.8}Sb_{0.1}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ **162–164**, 635
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 560

High resolution photoemission spectroscopy
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 845

High resolution scanning ion microprobe
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 75

High resolution transmission electrom microscopy
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 527

High resolution transmission electronmicroscopy
- of Bi–Sr–Ca–Cu–O **162–164**, 21

High resolution X-ray powder diffraction
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 530

High-T_c superconductive ceramics **160**, 548

Hole concentration dependence of T_c **159**, 105

Hole concentration, effect on T_c
- in $La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ **161**, 581

Hole doped high T_c superconductors
- $Eu_{1.85}Ce_{0.15}CuO_{4-\delta}$ **158**, 178
- $Nd_{2-x}Ce_xCuO_{4-\delta}$ **158**, 178
- $Pr_{1.85}Th_{0.15}CuO_{4-\delta}$ **158**, 178

Hole quasiparticle in antiferromagnets **162–164**, 1481

Holes at Fermi level **157**, 260

Hole superconductivity **158**, 326; **161**, 185; **162–164**, 591

Holons **162–164**, 797

Holstein effect **159**, 535

Holstein Hamiltonian **162–164**, 1453

Hopfield factor **162–164**, 1347

Hopper growth
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 897

Hot extrusion
- of Bi–Sr–Ca–Cu–O **162–164**, 379

HREM
- of $Ba_{1-x}K_xBiO_{3-\delta}$ **157**, 228
- of $Bi_2Sr_2CaCu_2O_{8.2}$ **157**, 502
- of $Bi_4Sr_8Cu_5O_x$ **159**, 93
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **158**, 203
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **161**, 331
- of $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_2O_{7-\delta}$ **159**, 201
- of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **159**, 81; **161**, 390
- of $Pb_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$ **161**, 390
- of $Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$ **161**, 390
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ **157**, 509
- of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ **158**, 155
- of $PbBaSrYCu_3O_x$ **161**, 459

- of Pb–Sr–Ca–Y–Cu–O system **158**, 173
- of $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ **157**, 460
- of $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$ **159**, 255
- of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ **159**, 245
- of $(Tl,Pb)Sr_2CaCu_2O_7$ **159**, 245
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 831

HREM of Tl 2212 **158**, 511
Hubbard cluster **162–164**, 1523
Hubbard Hamiltonian **161**, 325, 423, 517; **162–164**, 779
- for Cu_2O_7 cluster **160**, 424
- for Cu_2O_8 cluster **160**, 424

Hubbard model **157**, 209, 221; **160**, 80; **162–164**, 12, 199, 211, 245, 300, 307, 587, 763, 775, 823, 1445, 1459, 1463, 1471, 1473, 1485, 1487, 1489, 1501, 1525
Hubbard model (2D) **162–164**, 771
Hubbard model (half-filled) **162–164**, 227
Hubbard model in square and triangular lattices **162–164**, 1447
Hubbard model in strong coupling limits **162–164**, 1337
Hybridized states **161**, 574
Hydrogen treated $BiSrCaCu_2O_x$ **160**, 361
Hyperfine interaction
- in $EuBa_2Cu_3O_{7-\delta}$ **162–164**, 568
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ $(0.01 \leqslant x \leqslant 0.15)$ **162–164**, 1371

Hysteresis
- in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ **161**, 34
- in $YBa_2Cu_3O_{6+\delta}$ **161**, 198

Hysteresis loop of a thin film ring
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 625

Hysteresis loss
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 319

Idiometric titration technique **160**, 30
Impurity effect
- in $LaAl_2$:Gd **162–164**, 403

Impurity effect on Andreev reflection **161**, 209
Incommensulate magnetic phases **162–164**, 823
Incommensulate modulation
- of $Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$ **159**, 461

Incommensurate modulation
- in $Bi_2Sr_{2-x}Cu_xCuO_6$ **160**, 431

Inductivity coupled plasma atomic emission spectrometry (ICPAES) **162–164**, 617
Inelastic light scattering **162–164**, 829
Inelastic neutron scattering
- in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **162–164**, 462
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1359
- in $HoBa_2Cu_3O_x$ **157**, 58
- in $H_xYBa_2Cu_3O_{7-\delta}$ **162–164**, 1369
- in $La_2CuO_{4-\delta}$ (single crystal) **162–164**, 1705
- in $Y_{0.5}Pr_{0.5}Ba_2Cu_3O_{7-\delta}$ **162–164**, 462
- in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **162–164**, 462
- in $YBa_2Cu_3O_6$ **162–164**, 464
- in $YBa_2Cu_3O_{6+\delta}$ (single crystal) **162–164**, 1269
- in $YBa_2Cu_3O_7$ **162–164**, 464
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 462, 466, 1705

Inelastic neutron scattering from fermions and bosons **162–164**, 247
Infrared absorption
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 841
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 841

Infrared absorption (theory) **162–164**, 203
Infrared reflection
- in $Pb_2Sr_2YCu_3O_{8+\delta}$ **162–164**, 1345
- in $REBa_2Cu_3O_{7-\delta}$ (RE = rare earths) **162–164**, 1343
- in $TlBa_2Ca_{n-1}Cu_nO_{3+2n}$ **162–164**, 1343

Infrared reflection spectra
- of $Bi_{1-x}Pb_xCaSrCu_{1.8}O_y$ **162–164**, 1235

Infrared reflectivity
- in $Ba_{1-x}K_xBiO_3$ **162–164**, 1405

Infrared spectra
- of La_2CuO_4 **159**, 1
- of $YBa_2Cu_2O_7$ **159**, 1
- of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ **159**, 317

Infrared spectroscopy
- of Bi compounds **161**, 226
- of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 67
- of La_2CuO_4 **162–164**, 1107
- of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ **162–164**, 1075
- of $Tl_2Ba_2Ca_{1-x}Gd_xCu_2O_{8+\delta}$ **162–164**, 1107
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ (thin film) **162–164**, 1111
- of $YBa_2Cu_3O_{6+\delta}$ **162–164**, 1113
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 346; **162–164**, 1107
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) **162–164**, 1085
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1247
- theory **161**, 451

Inhomogeneous superconductivity
- of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **162–164**, 41

In situ epitaxial growth
- of $YBa_2Cu_3O_{7-\delta}$ thin film (DC magnetron sputtering, $SrTiO_3$) **162–164**, 647

In situ growth
- of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) **162–164**, 645
- of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) **162–164**, 623
- of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 657
- of $YBa_2Cu_3O_{7-\delta}$ thin film (RF magnetron sputtering, MgO) **162–164**, 651

In situ growth condition
- of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 703

Interacting hole spin model **162–164**, 1505
Interaction distances
- in $La_{1.9}Ca_{1.1}Cu_2O_6$ **157**, 89

Interaction with Ag
- of Bi–Pb–Sr–Ca–Cu–O **160**, 533

Interatomic distances
- in Pb–Sr–RE–Ca–Cu oxides **157**, 124

Interband conductivity (calculation) **162–164**, 817
Interfacial superconductivity
- in CuCl:Si **162–164**, 554

Intergranular flux pinning
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe,Ni) **162–164**, 1601

Intergranular phase **157**, 425
Interlayer coupling (theory) **162–164**, 353
Interlayer Josephson pair tunneling **162–164**, 1445
Interlayer pairing via plane-chain charge transfer **162–164**, 767
Internal friction
- in $ErBa_2Cu_3O_x$ **158**, 497
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 953

Internal friction measurements
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$ **160**, 25

Interstitial oxygen **157**, 502
Intrinsic flux pinning mechanism **162–164**, 241
Ion-channeling analysis
- of $YBa_2Cu_3O_x$ thin film **160**, 480

Ion channeling (He^+)
- in $PrBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 949

Ionic radius of Ce
- in $Nd_{2-x}Ce_xCuO_4$ **159**, 625

Ion irradiation effect
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 532

Irradiation effect

- in $ErBa_2Cu_3O_{7-\delta}$ **161**, 431
- of $YBa_2Cu_3O_{7-\delta}$ (film) on T_c **162–164**, 135
- on $YBa_2Cu_3O_{7-\delta}$ **161**, 549

Irradiation effect of α-particles
- on $YBa_2Cu_3O_{7-\delta}$ **160**, 69

Irradiation effect of the resistive transition
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 749

Irradiation effect on the resistive transition
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 747

Irradiation effects on structure
- of $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) **162–164**, 77

Irreversible magnetization measurements
- of $YBa_2Cu_3O_{7-\delta}$ single **160**, 69

Isochoric equilibrium condition
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 905

Isotope effect **159**, 25; **160**, 314
- in $Ba_{1-x}K_xBiO_3$ **157**, 192; **162–164**, 1405
- in (Ba,K)BiO_3 **157**, 469
- in Tl–Ca–Ba–Cu–O **162–164**, 877

Isotope effect of oxygen
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 755
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 753

Isotope effect of RVB model **162–164**, 201

I–V characteristics
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{16+\delta}$ (bulk) **162–164**, 1171
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1043, 1171
- of $YBa_2Cu_3O_{7-\delta}$ (granular film) **162–164**, 365

Jahn–Teller effect **157**, 72; **161**, 105; **162–164**, 307

Jonker plot **160**, 114

Josephson coupling **162–164**, 353

Josephson effect **161**, 354
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1567

Josephson junction **159**, 337
- in $Bi_2Sr_2CaCu_2O_8$ **160**, 505
- in $YBa_2Cu_3O_7$ **160**, 505
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1063

Josephson sandwich **160**, 317

Josephson vortices **158**, 69

Kinetic inductance **161**, 354

Kinetic mechanism **162–164**, 1485

Knight shift
- in $Ba_2Sc_2O_5$ **162–164**, 255
- in $Ba_2ScCuO_{4.5}$ **162–164**, 255
- in $Ba_3Sc_4Cu_3O_{12}$ **162–164**, 255
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 195
- in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 195
- in $YBa_2Cu_3O_7$ **157**, 561
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 179, 195, 853

Knudsen effusion
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 175

Kondo bosons **162–164**, 1463

Kondo effect
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 89

Kondo–Heisenberg Hamiltonian **162–164**, 1337

Korringa relation
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 853

Kosterlitz–Thouless transition **161**, 136; **162–164**, 496, 1517

Langevin method **162–164**, 1489

Large bipolaron **162–164**, 799

Large scale applications **162–164**, 381

Laser ablation
- of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 119
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 119
- of $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ (film) **162–164**, 133
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 119, 131
- of $YBa_2Cu_3O_{7-\delta}$ (film) on $SrTiO_3$, ZrO_2 **162–164**, 123
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) on MgO,ZrO_2,$SrTiO_3$ **162–164**, 125

Laser ablation deposition **157**, 99

Laser critical field
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 733

Laser deposition
- of $YBa_2Cu_3O_{7-\delta}$ (film) on Zr_2O_3, Al_2O_3 **162–164**, 121

Laser heated pedestal growth (LHPG) **162–164**, 907

Lattice dynamics
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1495
- of $Pb_2Sr_2YCu_3O_{8+\delta}$ **162–164**, 1345
- of $REBa_2Cu_3O_{7-\delta}$ (RE=rare earths) **162–164**, 1343
- of $TlBa_2Ca_{n-1}Cu_nO_{3+2n}$ **162–164**, 1343
- of $YBa_2Cu_3O_6$ **162–164**, 1429
- of $YBa_2Cu_3O_7$ **162–164**, 1429
- of $YBa_2Cu_3O_{7-\delta}$ **161**, 345

Lattice-gas model **161**, 631

Lattice instability
- in $La_2CuO_{4-\delta}$ **162–164**, 1037

Lattice instability in high T_c superconductors **162–164**, 456

Lattice vibrations **159**, 1

Layered superconductivity **162–164**, 1559, 1561

Layered superconductor V/Cu **162–164**, 425

LCAO **159**, 545

LEED
- of $La_{1.85}Sr_{0.15}CuO_4$ **159**, 404

Levitation **157**, 149, 267

Lindemann criterion **162–164**, 235

Linear coefficient
- in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **161**, 626

Linear muffin-tin orbitals (LMTO) method **162–164**, 1439

Lipolarons **162–164**, 1519

Lithographic method **162–164**, 601

LMTD Green function method **159**, 412

LMTO-ASA method **162–164**, 1351

Local critical current **159**, 357

Local density approximation (LDA) **162–164**, 583, 1327

Local electron pair superconductivity **162–164**, 245

Localization
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 993
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1021

Localized oxygen p-holes
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 439

Local potential distribution
- of $YBa_2Cu_3O_{6.9}$ (thin film) **162–164**, 1035

Local spin density approximation (LSDA)
- in $CaCuO_2$ **162–164**, 1431
- in Sr_2VO_4 **162–164**, 1433

Local spin screening **162–164**, 821

Lone pair of Tl **158**, 511

Long period polytypes
- in $Tl_2Ba_2Ca_nCu_{1+n}O_{6+2n}$ (n=3,4) **162–164**, 947

Loop antenna fabricated by a superconductor **162–164**, 385

Low energy interlayer plasmons **162–164**, 1427

Low energy optical excitation **162–164**, 1239

Lower critical field
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **162–164**, 27
- of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ **162–164**, 27
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1553
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1551
- of Bi–Sr–Ca–Cu–O (single crystal) **162–164**, 1631
- of Bi–Sr–Ca–Cu oxide **157**, 251
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **162–164**, 1209
- of $Tl_2Ba_2CaCu_2O_x$ (single crystal) **162–164**, 1143
- of $TmBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1611, 1633
- of $YBa_2(Cu_{0.98}M_{0.02})O_{7+\delta}$ (M=Ni,Al) **162–164**, 1627
- of $YBa_2Cu_3O_{7-\delta}$:Hf **162–164**, 1573

- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 329
Lower critical field H_{c1}
- of $LaAl_2$ **161**, 272, 287, 294
- of Nb **161**, 272, 287, 294
- of Nb,Ta,V,$CaAl_2$ **162–164**, 401
- of Ta **161**, 272, 287, 294
- of V **161**, 272, 287, 294
Low field magnetization
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1551
Low resistance contacts
- on $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1061
Low temperature X-ray diffraction
- of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ **158**, 458

Machinability of superconductivity
- of Bi–Sr–Ca–Cu–O **162–164**, 879
Magnesium relaxation **157**, 199
Magnetic correlations
- in $La_2CuO_{4-\delta}$ **162–164**, 849
- in $YBa_2Cu_3O_{6.6}$ (superconducting) **162–164**, 159
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 849
Magnetic excitations
- in CuO **162–164**, 1279
- in $La_2CuO_{4-\delta}$ **162–164**, 829
- in $TlYBa_2Cu_2O_7$ **159**, 603
Magnetic field density of vortex lattice **162–164**, 257
Magnetic field distribution
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1183
Magnetic field penetration
- in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1271
Magnetic hyperfine shift
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 689
Magnetic hysteresis
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 335
Magnetic hysteresis (AC)
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 333
Magnetic interactions
- in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Gd,Dy,Er) **162–164**, 1277
Magnetic interactions mediated by holes **157**, 209
Magnetic mechanism of superconductivity **162–164**, 263
Magnetic moment relaxation
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 423
Magnetic order
- in $YBa_2Cu_3O_{6+\delta}$ (single crystal) **162–164**, 1269
Magnetic order of Er^{3+}
- in $ErBa_2Cu_3O_{7-\delta}$ **162–164**, 153
Magnetic pair breaking
- in $RE_5Os_4Si_{15}$ (RE=Y,Tb,Er) **162–164**, 407
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **162–164**, 1363
Magnetic phase diagram
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 167
Magnetic phase diagram (theory) **162–164**, 763
Magnetic properties
- of $GdBa_2Cu_3O_{7-\delta}$ **159**, 863
Magnetic relaxation
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 319
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1183
Magnetic structure
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 522
- of $Nd_2CuO_{4-\delta}$ **160**, 124
Magnetic-superconducting phase diagram
- of $(La,Sr)_2Cu_{1-x}Fe_xO_{4-\delta}$ **162–164**, 31
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 33, 157
Magnetic superconductors **161**, 403
Magnetic susceptibility
- of $Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1401
- of $Bi_{1.75}Pb_{0.25}Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1401
- of $Bi_2Sr_2CaCu_2O_8$ **162–164**, 1401
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1005
- of $Bi_4Sr_8Cu_5O_{19+\delta}$ **162–164**, 865
- of $CmBa_2Cu_3O_7$ **161**, 252
- of $GdBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1293
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1401
- of Nd_2CuO_4 **158**, 102
- of Pr_2CuO_4 **158**, 102
- of $Y_{1-x}Dy_xBa_2Cu_3O_{7-\delta}$ **162–164**, 831
- of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Dy,Er) **162–164**, 43
- of $YBa_2(Cu_{1-x-y}Fe_yM_x)_3O_{7-\delta}$ **162–164**, 1295
- of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **161**, 475
- of $YBa_2Cu_{3-x}Ni_xO_{7-\delta}$ **162–164**, 831
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 741, 1401
- of $YBa_2Cu_3O_{7-\delta}$/Ag **161**, 91
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1637
- of $YBa_2Cu_4O_8$ **162–164**, 1401
- of $YBa_{3-x}Cu_3O_{7-\delta}$ **162–164**, 831
Magnetic vortex–antivortex pairing
- in $La_2CuO_{4-\delta}$ **162–164**, 1517
Magnetism
- of La_2CuO_4 **158**, 192
- of $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd, M=Ce,Th) **162–164**, 296
Magnetization
- of $BaPb_{1-x}Bi_xO_3$ **162–164**, 727
- of $Bi_{1.6}Pb_{0.3}Sb_{0.1}Sr_2Ca_2Cu_3O_x$ **162–164**, 729
- of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_4O_x$ **162–164**, 729
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **157**, 520
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) **162–164**, 363
- of $(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$ **162–164**, 323
- of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 349
- of $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) **162–164**, 1629
- of $La_{2-x}Sr_xNiO_{4-\delta}$ **162–164**, 1273
- of $La_2CuO_{4-\delta}$ (single crystal) **162–164**, 1299, 1301
- of $LaAl_2$:Gd **162–164**, 403
- of Mo/V and Nb/Pd multilayer **162–164**, 409
- of Nb powder **162–164**, 337
- of Nb,Ta,V,$CaAl_2$ **162–164**, 401
- of $Tl_2Ba_2CaCu_2O_x$ (single crystal) **162–164**, 1143
- of Tl–Ba–Ca–Cu–O (thin film) **162–164**, 673
- of $TmBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1633
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe,Ni) **162–164**, 1601
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 425; **162–164**, 175, 335, 337, 470, 675, 697, 933
- of $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ **162–164**, 827
- of $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 107
- of $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) **162–164**, 689
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal **162–164**, 1637
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1609
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) **162–164**, 1557
Magnetization curves
- of $REBa_2Cu_3O_{7-\delta}$ **161**, 403
Magnetization (DC)
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 329
Magnetization (high field)
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1659
Magnetization (low field)
- of $(Bi_{0.9}Pb_{0.1})Sr_1Ca_1Cu_{1.8}O_{10+\delta}$ **162–164**, 327
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 341
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 327
Magnetization measurements
- of $(La,Sr)_2Cu_{1-x}Fe_xO_{4-\delta}$ **162–164**, 31
Magnetization relaxation

- in $(BEDT\text{-}TTF)_2Cu(SCN)_2$ (single crystal) **162–164**, 695
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 661
- in Bi–Sr–Ca–Cu–O (textured tape) **162–164**, 685
- in $Ca_2Ba_2Cu_3O_x$ (thin film) **162–164**, 677
- in $CeCu_2Si_2$ (single crystal) **162–164**, 695
- in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 663
- in $Tl_2CaBa_2Cu_2O_x$ (single crystal) **162–164**, 677
- in Tl–Ba–Ca–Cu–O **162–164**, 691
- in $TmBa_2Cu_3O_{7-\delta}$ (untwinned single crystal) **162–164**, 1193
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1185, 1263
- in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) **162–164**, 689
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 695, 1152
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 661, 687
- in $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) **162–164**, 1191

Magneto optical Faraday effect
- of $YBa_3Cu_2O_{7-\delta}$ (single crystal) **159**, 117

Magnetoresistance
- of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ **161**, 567
- of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ **158**, 477
- of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ **161**, 567
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **160**, 167
- of $GdBa_2Cu_3O_x$ **161**, 447
- of $La_2CuO_{4-\delta}$ (single crystal) **162–164**, 1301
- of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Pr, Ho, Gd, Eu) **162–164**, 371

Magnetorosistance
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 131

Magnetostriction
- of $HoBa_2Cu_3O_{7-\delta}$ **162–164**, 1361
- of $REBa_2Cu_3O_{7-\delta}$ **161**, 48
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1361

Magnetron sputtering
- of Bi–Pb–Sr–Ca–Cu–O film **162–164**, 117

Magnon dispersion
- of CuO **162–164**, 1279

Many body band formation in high T_c superconductors **162–164**, 221

Mechanism of crystallization of amorphous thin film
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 441

Mechanism of high T_c superconductivity **162–164**, 12

Mechanism of microwave absorption **162–164**, 1577

Mechanism of the orthrombic-tetragonal transition
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 527

Meissner effect
- in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ **161**, 567
- in $Bi_{1.5}Pb_{0.8}Sb_{0.1}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ **162–164**, 635
- in $(Bi_{1.66}Pb_{0.34})Ca_2Sr_2Cu_3O_{10+\delta}$ **162–164**, 502
- in $Bi_{1.6}Pb_{0.2}Sb_{0.2}Sr_2Ca_2Cu_3O_x$ **162–164**, 863
- in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}=+H_x$ **157**, 263
- in $Bi_{1.6}Pb_{0.8}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ **162–164**, 635
- in $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ **161**, 567
- in $Bi_{2.2}Sr_{1.8}CaCu_{1.2}Li_{0.8}O_x$ **161**, 561
- in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **157**, 370
- in $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1365
- in $Bi_2Sr_2CaCu_2O_{8+\delta}=+H_x$ **157**, 263
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 341
- in $BiPb_{0.3}SrCaCu_2O_{5.8}$ **157**, 375
- in Bi, Pb–Sr–Ca–Cu oxide **157**, 267
- in multiphase Bi compounds **161**, 661
- in Nb powder **162–164**, 337
- in Pb-substituted Bi oxydes **157**, 93
- in $REBa_2Cu_3O_{6.9}$ **157**, 375
- in $REBa_2Cu_3O_{7-\delta}$ **161**, 403
- in $Sn_2Ba_2Sr_{0.5}Y_{0.5}O_x$ **161**, 493
- in $Tl_2Ba_2Cu_2O_8$ **157**, 375
- in $Tl_2Ca_2Ba_2Cu_3O_{10}$ **161**, 302
- in $Tl_2CaBa_2Cu_2O_8$ **161**, 302
- in $(Tl,Bi)Sr_2CaCu_2O_y$ **157**, 365
- in UPt_3 (single crystal) **162–164**, 415
- in $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$ **161**, 150
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Cr,Zn) **162–164**, 494
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 325, 337, 717
- in $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) ($SrTiO_3$) **162–164**, 331

Melted flux liquid **162–164**, 1156

Melting of the flux lattice **162–164**, 231, 235

Melting of the vortex lattice **162–164**, 1167

Melt processing
- of $Bi_2Sr_{2-x}Ca_{n+x}Cu_{n+1}O_y$ **162–164**, 893

Melt-textured $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 907

Metal–insulator transition **162–164**, 221
- of $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ **157**, 301

Metamagnetic character of bct $ErRh_4B_4$ **158**, 32

Microbridge
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1043
- of $YBa_2Cu_3O_{7-\delta}$ film **162–164**, 389

Microstructure
- in $Tl_2Ba_2Ca_3Cu_4O_{12}$ **159**, 801
- in $TlBa_2Ca_4Cu_5O_{13}$ **159**, 801
- in $(Tl,Pb)Sr_2Ca_{n-1}Cu_nO_{2n+3}$ (n=2,3) **159**, 801
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 885
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 885
- of $YBa_2Cu_3O_7$ **162–164**, 885

Microstructure of screen printed thick film
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1265

Microstructures
- of $YBa_2Cu_3O_x$ **158**, 269

Microwave absorption
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1647
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1569
- in Bi compounds **157**, 251
- in Bi–Sr–Ca(Y,Gd)–Cu–O **159**, 267
- in Bi–Sr–Ca–Cu–O **162–164**, 21, 891
- in Bi–Sr–Ca–Cu–O thin film **162–164**, 641
- in $YBa_2Cu_3O_7$ **161**, 39
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1539, 1541, 1571, 1577, 1579, 1581, 1589
- in $YBa_2Cu_3O_{7-\delta}$:Hf **162–164**, 1573, 1575
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1047, 1583, 1597
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1537, 1549, 1585, 1591
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 823; **160**, 69
- in $YBa_2Cu_3O_{7-\delta}$ single crystal **160**, 223
- in $YBa_2Cu_3O_x$:Hf **158**, 385

Microwave absorption (calculation) **162–164**, 1593

Microwave absorption in granular superconductors **162–164**, 1547

Microwave absorption under high pressure **160**, 170

Microwave cavity perturbation **161**, 683

Microwave emission
- of Bi–Sr–Ca–Cu–O **162–164**, 1041
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1041
- of $YBa_2Cu_3O_{7-\delta}$ (film, magnetron sputtering) **162–164**, 1567

Microwave induced voltage
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1063

Microwave response
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **162–164**, 1545
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1545

Midinfrared band **162–164**, 841

Migdal–Eliashberg theory **162–164**, 1453
Minus-sign problem **162–164**, 1489
Miscibility gap
– of $YBa_2Cu_3O_x$ **158**, 377
Mixed valence
– of $RE_{2-x}Ce_yCuO_{4-\delta}$ **162–164**, 3
Mixed valence of Tl 2212 **158**, 511
Modulated structure
– in $Ba_{1-x}K_xBiO_{3-\delta}$ **157**, 228
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **157**, 315
– in $Bi_2Sr_{3-x}Ca_xCu_2O_8$ **161**, 598
Momentum distribution
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1335
Monte Carlo simulation **162–164**, 225
Morphology
– of $YBa_2Cu_3O_{7-\delta}$ film (CVD) **162–164**, 105
Mössbauer effect
– in $Bi_2Sr_2Ca(Cu_{1-x}Fe_x)_2O_{8+\delta}$ **162–164**, 45
– in $ErBa_2Cu_3O_{7-\delta}$ **160**, 49
– in $EuBa_2Cu_3O_{7-\delta}$ **162–164**, 568
– in $GdBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **159**, 188
– in $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7-\delta}$ **162–164**, 1291
– in $K_{0.4}Ba_{0.6}Bi_{1-x}Sb_xO_3$ **162–164**, 91
– in $Pb_{0.3}Bi_{1.8-x}Sb_xSr_{1.9}Ca_2Cu_3O_{10+\delta}$ **162–164**, 95
– in $Y_{1-x}Pr_xBa_2Cu_{2.7}Fe_{0.3}O_{7-\delta}$ **162–164**, 1281
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{4-\delta}$ single crystal **162–164**, 37
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 45, 987, 989, 1259, 1367
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ $(0.01 \leqslant x \leqslant 0.15)$ **162–164**, 1371
– in $YBa_2(Cu_{1-x}Sn_x)_3O_{7-\delta}$ **162–164**, 47
– in $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **162–164**, 570
Mössbauer measurements
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ **158**, 397
Mössbauer spectra
– of $Pb_{0.3}Bi_{1.8-x}Sb_xCa_2Cu_3O_{7+\delta}$ **160**, 281
Mössbauer spectroscopy
– of ^{119}Sn in $La_{1.85}Sr_{0.15}CuO_4$ **159**, 869
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 137; **161**, 205
Mott–Hubbart insulator **157**, 209
Mott insulator **157**, 478
Mott transitions
– in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 215
μ-SR
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 679, 857
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 155
– in Bi–Sr–Ca–Cu–O **162–164**, 259
– in $ErBa_2Cu_3O_{7-\delta}$ **162–164**, 153
– in $La_{1.8}Sr_{0.15}CuO_4$ **162–164**, 161
– in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 145, 857
– in $La_2CuO_{4+\delta}$ **162–164**, 147
– in $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln = Nd, Sm, Pr) **162–164**, 825
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 857
– in $YBa_2Cu_3O_{6.6}$ **162–164**, 159
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 33, 151, 157, 161, 857
– in $YBa_2Cu_3O_yH_x$ **162–164**, 149
Multiband extended Hubbard model **162–164**, 765
Multiband Hubbard model **162–164**, 757, 759, 785, 811
Multicomponent order parameter **162–164**, 269
Multilayers **157**, 37
– of Mo/V and Nb/Pd **162–164**, 409
Muon spin resonance
– of $Bi_2(Sr,Ca)_2CuO_{8-\delta}$ **158**, 230

Nagaoka limit **162–164**, 1487
Narrow band
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1015
N-band Hubbard model **162–164**, 1333
Negative magnetoresistance
– of $Bi_2Sr_2Ca_2Cu_3O_x$ **162–164**, 693
Negative-*U* Hubbard model **162–164**, 777
Nesting **157**, 571
Neutron diffraction
– of $Bi_2CaSr_2Cu_2O_8$ **157**, 515
– of $Bi_2Ca_{1.5}Y_{0.5}SrCu_2O_{8+\delta}$ **159**, 87
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 87
– of $Bi_2SrCa_2Cu_2O_{8+\delta}$ **159**, 87
– of $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ **157**, 301
– of $La_{1.7}Sr_{0.3}CuO_4$ **157**, 301
– of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ **158**, 458
– of $La_{1.9}Ca_{1.1}Cu_2O_6$ **157**, 89
– of $La_2CuO_{4-\delta}$ and related compounds **161**, 21
– of $La_{2-x}M_xCuO_4$ **158**, 465
– of $La_2CuO_{4.032}$ **158**, 183
– of $La_2CuO_{4.032}$ single crystal **162–164**, 57
– of $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ **158**, 433
– of $Nd_2CuO_{4-\delta}$ **160**, 124
– of $Pb_2Ba_2YCu_3O_{8+\delta}$ **159**, 210
– of $Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$ **159**, 255
– of $Tl_2Ba_2CuO_{6+\delta}$ **159**, 239
– of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ **159**, 245
– of $(Tl,Pb)Sr_2CaCu_2O_7$ **159**, 245
– of Y_2BaCuO_5 **161**, 594
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$ **158**, 265
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{9-\delta}$ **159**, 124
– of $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ **157**, 483
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ **158**, 397
– of $YBa_2Cu_{3-x}M_xO_{6+\delta}$ (M = Co,Ni,Al) **162–164**, 1267
– of $YBa_2Cu_3O_{6+\delta}$ **160**, 197
– of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ **162–164**, 73
Neutron irradiation
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1023
Neutron irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 751
Neutron powder diffraction
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **159**, 634
– of $YBa_2Cu_4O_8$ **159**, 668
Neutron scattering
– in $Ba_{1-x}K_xBiO_3$ **162–164**, 1405
– in $ErBa_2Cu_3O_x$ **161**, 671
– in $La_2CuO_{4-\delta}$ **162–164**, 849
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 849
Neutron scattering from fermions and bosons **162–164**, 247
NMR
– of ^7Li in $Li_{1+x}Ti_{2-x}O_4$ **157**, 65
– of $Ba_2Sc_2O_5$ **162–164**, 255
– of $Ba_2ScCuO_{4.5}$ **162–164**, 255
– of $Ba_3Sc_4Cu_3O_{12}$ **162–164**, 255
– of $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ **162–164**, 183
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 195
– of Bi–Pb–Sr–Ca–Cu–O **162–164**, 267
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 195
– of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 169
– of $LaBa_2Cu_3O_{7-\delta}$ **162–164**, 169
– of $Nd_{2-x}Ce_xCu_{4-\delta}$ $(0 \leq x \leq 0.2)$ **160**, 8
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 181
– of $Tl_2Ba_2CaCu_2O_8$ (2212) **158**, 137
– of $TlCa_3BaCu_3O_x$ **159**, 226
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 185
– of $YBa_2Cu_3O_7$ **157**, 561
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 9; **162–164**, 169, 175, 193, 195, 263, 853
– of $YBa_2Cu_3O_{7-\delta}$ $(0 \leqslant \delta \leqslant 0.6)$ **162–164**, 191
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) $(0 \leqslant \delta \leqslant 0.45)$ **162–164**, 265
NMR in superconductivity glass **162–164**, 233
NMR of ^{17}O
– in $YBa_2Cu_3O_{7-\delta}$ **159**, 689
NMR of Cu
– in $YBa_2Cu_4O_{8+\delta}$ **159**, 681
NMR relaxation rate (calculation) **162–164**, 1529
NMR relaxations time (theory) **162–164**, 1505
Noise due to thermal fluctuation **162–164**, 391
Noise in SQUID

- of $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ **162–164**, 395
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 395

Noise of RF-SQUID
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 397

Noise performance
- of $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ **162–164**, 395
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 395

Noise spectral density
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1203

Noncrossing approximation (NCA) **162–164**, 821

Nonequilibrium hot electron
- in $YBa_2Cu_3O_{7-\delta}$ film **162–164**, 387

Nonequilibrium optical response
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1599

Non-Gaussian fluctuation theory **162–164**, 1693

Nonlinear diamagnetization
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 325

Nonlinear magnetic flux response
- of $YBa_2Cu_3O_{7-\delta}$ **158**, 366

Nonlinear microwave response
- in $YBa_2Cu_3O_7$ **159**, 769
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1597

Nonlogarithmic flux creep
- in Bi–Sr–Ca–Cu–O **162–164**, 665

Nonmagnetic impurity in magnetic superconductors **162–164**, 1531

Normal state anomalies in high T_c superconductors **162–164**, 303

Normal-state properties
- of $Tl_2Ba_2CaCu_2O_x$ **161**, 141

NQR
- in $(Bi_{1.6}Pb_{0.4})Sr_2Ca_2Cu_3O_{10}$ **161**, 367
- in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ **162–164**, 183
- in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ $(n=2,3)$ **162–164**, 189
- in Bi–Pb–Sr–Ca–Cu–O **162–164**, 267
- in $La_{2-x}Sr_xCuO_4$ **157**, 307; **161**, 265
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 187
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ $(0\leq x\leq 0.2)$ **160**, 8
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 181
- in $REBa_2Cu_3O_{7-\delta}$ (RE=Nd,Gd,Y) **162–164**, 1367
- in $Tl_2Ba_2Ca_2Cu_3O_{10}$ **161**, 367
- in $Y_{1-x}Ca_xBa_2Cu_3O_6$ **162–164**, 165
- in $YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$ **162–164**, 163
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 167, 171, 173, 179, 261

NQR of Cu
- in $REBa_2Cu_3O_{7-\delta}$ (RE=Nd, Sm, Eu, Gd, Ho, Er, Yb) **160**, 177
- in $YBa_2Cu_4O_{8+\delta}$ **159**, 681

Nuclear quadrupole interaction
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 474
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 474
- of $YBa_2Cu_3O_{6.87}$ **162–164**, 474

Nuclear relaxation
- in $Li_{1+x}Ti_{2-x}O_4$ **157**, 65
- theory **157**, 561

Nuclear Schottky anomaly
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 472

Nuclear spin lattice relaxation time
- of $Ba_2Sc_2O_5$ **162–164**, 255
- of $Ba_2ScCuO_{4.5}$ **162–164**, 255
- of $Ba_3Sc_4Cu_3O_{12}$ **162–164**, 255
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 187
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 185
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 173, 177, 179, 263, 853
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) $(0\leqslant\delta\leqslant 0.45)$ **162–164**, 265

Nuclear spin relaxation
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 169
- of $LaBa_2Cu_3O_{7-\delta}$ **162–164**, 169
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 169

Numerical calculations in 2D Hubbard model **162–164**, 771

Numerical function expansion technique **162–164**, 207

Odd-parity superconducting state in UPt_3 **157**, 53

OMCVD **159**, 710

One-band Hubbard model **162–164**, 787, 793

One-dimensional Hubbard model **162–164**, 805

O–O separation
- in $Bi_2CaSr_2Cu_2O_8$ **157**, 515

O-pair superconductivity **159**, 577

Optical emission
- of Tl–Ca–Ba–Cu–O thin film **162–164**, 639

Optical excitations
- in $La_2CuO_{4-\delta}$ **162–164**, 1231
- in $Nd_2CuO_{4-\delta}$ (single crystal) **162–164**, 1231

Optical magnetrometry
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1119

Optical reflectivity
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1677
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1677

Optical reflectivity in high T_c superconductors **162–164**, 1115

Optical spectra of single crystals
- of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ **162–164**, 1117
- of $La_{0.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 1117
- of $Tl_2Ca_2Ba_2Cu_3O_x$ **162–164**, 1117
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1117

Optical spectroscopy
- of $Ba_{1-x}K_xBiO_3$ (single crystal) **162–164**, 1121
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1123, 1229
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1071, 1229

Optoelectronic response
- in $YBa_2Cu_3O_{7-\delta}$ film **162–164**, 387

Organic solvent **162–164**, 601

Organic superconductor **161**, 412
- of $(BEDT\text{-}TTF)_2Cu(NCS)_2$ **162–164**, 405
- of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ **162–164**, 577

Orthorhombic–tetragonal transition
- in $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ **157**, 301
- in $La_{1.7}Sr_{0.3}CuO_4$ **157**, 301
- in $YBa_2Cu_3O_x$ **157**, 180

Oxalate coprecipitation **157**, 108

Oxidation activity
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 346

Oxidation thermodynamics
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 439

Oxygen chemistry
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 281
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 281

Oxygen concentration
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 929

Oxygen content
- of $BaCuO_{2-\delta}$ **162–164**, 59
- of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1215
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 417; **162–164**, 1215
- of $Gd_{2-x}(Th\text{ or }Ce)_xCuO_{4+\delta}$ **160**, 30
- of $Nd_{2-x}(Th\text{ or }Ce)_xCuO_{4+\delta}$ **160**, 30
- of $PrBa_2Cu_3O_{7-\delta}$ **162–164**, 61
- of $YBa_{2-x}La_xCu_3O_{7-\delta}$ **162–164**, 49
- of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ **162–164**, 73

Oxygen coordination **157**, 83

Oxygen defect structure
- of $La_2CuO_{4+\delta}$ **162–164**, 99
- of $La_2NiO_{4+\delta}$ **162–164**, 99

Oxygen deficiency **157**, 89
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **159**, 634
- of $(La,Ln,Sr)_2CuO_{4-\delta}$ **158**, 449

Oxygen desorption
- of $YBa_2Cu_3O_{7-\delta}$ **161**, 175

Oxygen diffusion
- in $La_{2-x}Sr_xCuO_4$ **161**, 83
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 55, 143

Oxygen dimers **159**, 87

Oxygen distribution
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 23

Oxygen hole pairing **162–164**, 789
Oxygen K-edge fine structure
– of $TlBa_2Ca_{1-x}Y_xCu_2O_7$ **159**, 794
Oxygen kinetics
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 23
Oxygen nonstoichiometry in Bi compounds **157**, 115
Oxygen ordering **157**, 25
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 225, 528, 548, 945
– of $YBa_2Cu_3O_4$ **158**, 381
– of $YBa_2Cu_3O_{6+\delta}$ **160**, 197
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 501
Oxygen stiochiometry
– in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ **161**, 6
– of $YBa_2Cu_3O_{7-\delta}$ **160**, 73
Oxygen stoichiometry
– in $Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$ **158**, 247
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 639
– in Bi compounds **161**, 155, 167
– in $ErBa_2Cu_3O_{7-\delta}$ **162–164**, 538
– in $La_{2-x}Sr_xNiO_{4-\delta}$ **162–164**, 1273
– in $LnBa_2Cu_3O_{7-\delta}$ **158**, 453
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **161**, 331; **162–164**, 285
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 53
– in $PbBaSrYCu_3O_x$ **161**, 459
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Gd,Na) **162–164**, 97
– in $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ **161**, 523
– in $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 991
– in $Y_2Ba_4Cu_7O_{15\pm\delta}$ **161**, 618
– in $YBa_2Cu_3O_4$ **158**, 381
– in $YBa_2Cu_3O_{6+\delta}$ **161**, 539
– in $YBa_2Cu_3O_{7-\delta}$ **157**, 346; **162–164**, 83, 548, 741, 871, 883, 961
– in $YBa_2Cu_3O_{7-\delta}$ ($\delta>0.5$) **162–164**, 1207
– in $YBa_2Cu_3O_{7-\delta}$ ($\delta=0.11,0.14,0.17$) **162–164**, 103
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1057
Oxygen vacancies
– in $TlBa_2Ca_2Cu_3O_x$ **157**, 144
– in $YBa_2Cu_3O_x$ **157**, 320
Oxygen vacancy
– in $ErBa_2Cu_3O_{7-\delta}$ **161**, 431
Oxygen vacancy ordering
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 223

Pair breaking effect **162–164**, 817
Pairing above T_c **157**, 48, 240
Paraconductivity
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 461
Partial enthalpy of O_2
– in $YBa_2Cu_3O_x$ **157**, 180
Partial melting
– in Bi compounds **161**, 155
Patterning
– of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 601
Patterning of thin film **162–164**, 605
Pb LIII edge **159**, 609
Pb–O layers **157**, 124, 272
Peierls insulator **157**, 192
Penetration depth
– in $(BEDT\text{-}TTF)_2Cu(NCS)_2$ **162–164**, 405
– in $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ **162–164**, 1195
– in $Bi_2(Sr,Ca)_2CuO_{8-\delta}$ **158**, 230
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 857
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1551
– in Bi–Sr–Ca–Cu–O **162–164**, 259
– in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 145, 857
– in $La_2CuO_{4+\delta}$ **162–164**, 147
– in $Li_{1+x}Ti_{2-x}O_4$ **157**, 65
– in UBe_{13} and UPt_3 (single crystal) **162–164**, 419
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 151, 377, 857, 1571
– in $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 1645
– in $YBa_2Cu_3O_{7-\delta}$ (film, electron beam, $SrTiO_3$ single crystal) **162–164**, 1563
– in $YBa_2Cu_3O_{7-\delta}$ (film, $SrTiO_3$ single crystal) **162–164**, 1565
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 443
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) **162–164**, 1549
Penetration depth of layered superconductors **162–164**, 1561
Percolation induced conductivity **160**, 119
Percolation superconductivity
– in $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ **158**, 485
Periodic Anderson model **162–164**, 1509
Peroxitonic model **160**, 259
Persistent current **161**, 195
Perturbed angular distribution (PAD)
– in CuO **162–164**, 345
– in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 345
– in $La_2CuO_{4-\delta}$ **162–164**, 1283
Phase analysis of 123, 124 and 247 compounds **159**, 287
Phase diagram
– of $Ba_{1-x}K_xBiO_3$ **162–164**, 556
– of Bi–Sr–Cu–O **159**, 93
– of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **159**, 111
– of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1677
– of $La_2CuO_{4-\delta}$ **162–164**, 1037
– of $La_2CuO_{4+\delta}$ **162–164**, 99
– of $La_2NiO_{4+\delta}$ **162–164**, 99
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1677
– of organic Hg compounds **161**, 412
– of $YBa_2Cu_3O_{6+2x}$ **160**, 345
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 883
Phase diagram of the oxygen ordering
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 871
Phase diagram of Y–Ba–Cu–O **157**, 334
Phase diagrams
– of Gd_2O_3–BaO–CuO **158**, 485
– of $YBa_2Cu_{3.7}O_{7.5}$ single crystal **160**, 449
– of $YBa_2Cu_4O_8$ single crystal **160**, 449
Phase diagram (theory) **162–164**, 227
Phase formation
– of Bi–Pb–Sr–Ca–Cu–O **162–164**, 1227
Phase relations
– of $La_4BaCu_5O_x$ **158**, 197
– of $La_4Ba_ySr_{1-y}Cu_5O_x$ **158**, 197

– of $(La,Sr)_8Cu_8O_{20}$ **158**, 197
Phase stability
– of Bi oxides **157**, 93
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 887
Phase study
– of $Tm_2Ba_2O_5$ **158**, 127
– of $Tm_2Ba_4O_7$ **158**, 127
– of Tm_2BaCuO_5 **158**, 127
– of $TmBa_2Cu_3O_{7-\delta}$ **158**, 127
Phase transition
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 516
Phase transition detection **161**, 683
Phenomenological theory of high T_c superconductivity **162–164**, 1137
Phonon density of states
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **162–164**, 462
– in $H_xYBa_2Cu_3O_{7-\delta}$ **162–164**, 1369
– in $Y_{0.5}Pr_{0.5}Ba_2Cu_3O_{7-\delta}$ **162–164**, 462
– in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **162–164**, 462
– in $YBa_2Cu_3O_6$ **162–164**, 464
– in $YBa_2Cu_3O_7$ **162–164**, 464
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 462, 466
Phonon detectors **162–164**, 389
Phonon dispersion curves
– in $La_2CuO_{4-\delta}$ (single crystal) **162–164**, 1705
Phonon mechanism
– in RVB state **161**, 517
Phonon-mediated superconductivity
– in $Ba_{1-x}K_xBiO_3$ **162–164**, 1405
Phonon mode calculation
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1495
Phonon–plasmon mechanism **162–164**, 1471
Phonons
– in $Ba_{0.6}K_{0.4}BiO_3$ **158**, 153

- in $YBa_2Cu_3O_6$ **162–164**, 1429
- in $YBa_2Cu_3O_7$ **162–164**, 1429

Phonon shifts induced by superconductivity **162–164**, 1709

Phonon spectrum
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1359
- of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 67
- of $CaBi_2Sr_2Cu_2O_8$ **157**, 257

Phonon spectrum of the copper oxides **162–164**, 1419

Photoelectron spectroscopy
- of $YBa_2Cu_3O_x$ **158**, 276

Photoemission
- in $BaPb_{1-x}Bi_xO_3$ (single crystal) **162–164**, 1319
- in $Bi_5Sr_3Ca_2Cu_4O_y$ **162–164**, 1317
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 439
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **159**, 447

Photoemission spectra (calculation) **162–164**, 783

Photoemission spectroscopy
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1383
- in $Nd_2CuO_{4-y}F_y$ **162–164**, 1383
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1385

Photoionization cross section **162–164**, 1327

Photon detection **162–164**, 391

Photoresistance **162–164**, 601

Photoresponse
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1599

Pinning
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 319
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1609

Pinning energy
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ film **159**, 854

Pinning force
- in granular Y–Ba–Cu–O **162–164**, 1177
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 319

Pinning mechanism **162–164**, 237

Pinning of two phase superconductivity **162–164**, 243

Pinning properties
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 427

Plasma sprayed
- $Bi_2Sr_2CaCu_2O_{8+\delta}$ (film) **162–164**, 139
- $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 139

Plasmon spectrum **162–164**, 1239

Point-contact spectroscopy
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 262
- of $Tl_2Ba_2CaCu_2O_x$ **161**, 141

Poisson ratio
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 452

Polarizability model **162–164**, 779

Polarized neutron diffraction
- in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1271
- in $YBa_2Cu_3O_{6.5}$ (single crystal) **162–164**, 1275

Polarized neutron scattering
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1285

Polarons **160**, 197; **162–164**, 1519

Polarons spectroscopy
- in La_2CuO_4 **162–164**, 1107
- in $Tl_2Ba_2Ca_{1-x}Gd_xCu_2O_{8+\delta}$ **162–164**, 1107
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1107

Polaron theory
- of high T_c superconductors **158**, 337

Polytypoid structures **162–164**, 635

Position annihilation spectroscopy **162–164**, 1307

Positive-U Hubbard model **162–164**, 313

Positron annihilation **159**, 75
- in $Ba_{0.6}K_{0.4}BiO_3$ **162–164**, 1377
- in Ba–K–Bi–O **162–164**, 1379
- in La_2CuO_4 **162–164**, 1375
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **162–164**, 1377
- in NiO **162–164**, 1375
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1375

Positron annihilation spectroscopy
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1309

Powder neutron diffraction
- of $ErBa_2Cu_3O_{7-\delta}$ **162–164**, 538
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 522
- of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **162–164**, 518

Power dissipation
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 510

Preparation
- of $Ba_{1-x}K_xBiO_3$ **162–164**, 550
- of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ (laser ablation, Si) **162–164**, 119
- of $Bi_2Sr_2Ca_2Cu_3O_x$ Pb and Sb **159**, 643
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (laser ablation, Si) **162–164**, 119
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ ($n=1,2,3$) **162–164**, 1205
- of $Bi_3PbSr_3Ca_3Cu_4O_y$ **162–164**, 1221
- of Bi–Pb–Sb–Sr–Ca–Cu–O thick film **162–164**, 635
- of Bi–Pb–Sr–Ca–Cu–O **162–164**, 1227
- of Bi–Pb–Sr–Ca–Cu–O films (magnetron sputtering) **162–164**, 117
- of Bi–Pb–Sr–Ca–Cu–O films (spray pyrolysis) **162–164**, 117
- of Bi–(Pb)–Sr–Ca–Cu–O thin film (DC sputtering, MgO) **162–164**, 613
- of Bi–Pb–Sr–Ca–Cu–O thin film (RF sputtering, MgO) **162–164**, 619
- of Bi–Sr–Ca–Cu–O **162–164**, 1587
- of Bi–Sr–Ca–Cu–O thin film **162–164**, 711
- of Bi–Sr–Ca–Cu–O thin film (electron beam evaporation, MgO) **162–164**, 641
- of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) **162–164**, 617
- of $Bi–Sr–Ca–Cu–O_x$ **162–164**, 923
- of $DyBa_2Cu_3O_{7-\delta}$ thin film (molecular beam epitaxy, $SrTiO_3$) **162–164**, 627
- of $(Rb,Ba)BiO_3$ thin film (molecular beam epitaxy, $SrTiO_3$, MgO) **162–164**, 633
- of $REBa_2Cu_3O_{7-\delta}$ thin film (RE=Y,Ho,Eu,Sm,Lu,Gd) **162–164**, 715
- of $Tl_2Ba_2Ca_2Cu_3O_y$ **162–164**, 113
- of $Tl_2Ba_2Ca_3Cu_4O_{12}$ **158**, 79
- of $Tl_2Ba_2CaCu_2O_y$ **162–164**, 113
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 109
- of $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ (film) **162–164**, 133
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 109
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 631
- of $YBa_2Cu_3O_{7-\delta}$ by sol-gel method **162–164**, 699
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation) **162–164**, 609
- of $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 137
- of $YBa_2Cu_3O_{7-\delta}$ (film) (laser ablation) **162–164**, 123
- of $YBa_2Cu_3O_{7-\delta}$ (film) (laser deposition, Zr_2O_3, Al_2O_3) **162–164**, 121
- of $YBa_2Cu_3O_{7-\delta}$ (films) (pulsed laser deposition, $SrTiO_3$) **162–164**, 129
- of $YBa_2Cu_3O_{7-\delta}$ (laser ablation, Si) **162–164**, 119
- of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) **162–164**, 623
- of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 655, 705, 713
- of $YBa_2Cu_3O_{7-\delta}$ thin film (coevaporation, sapphire, $SrTiO_3$) **162–164**, 621
- of $YBa_2Cu_3O_{7-\delta}$ thin film (DC magnetron sputtering) **162–164**, 599
- of $YBa_2Cu_3O_{7-\delta}$ thin film (electron beam evaporation, MgO) **162–164**, 659
- of $YBa_2Cu_3O_{7-\delta}$ thin film (electron beam, Si, sapphire, $SrTiO_3$) **162–164**, 657

- of $YBa_2Cu_3O_{7-\delta}$ thin film (epitaxial, MgO) **162–164**, 615
- of $YBa_2Cu_3O_{7-\delta}$ thin film (laser ablation, MgO,Si,ZrO_4,$SrTiO_3$) **162–164**, 125
- of $YBa_2Cu_3O_7-\delta$ (thin film) (laser ablation, Si) **162–164**, 141
- of $YBa_2Cu_3O_{7-\delta}$ thin film (RF magnetron sputtering, Si) **162–164**, 603
- of $YBa_2Cu_3O_x$ **162–164**, 933
- of $YBa_2Cu_4O_8$ **160**, 541

Preparation of glass Bi–Pb–Sr–Ca–Cu–O **162–164**, 901
Preparation of glass Bi–Sr–Ca–Cu–O by melt quench **162–164**, 927
Preparation of thick film
- of Bi–Sr–Ca–Cu–O **162–164**, 881

Preparation of thin film
- of $YBa_2Cu_3O_{7-\delta}$ (electron gun, BeO) **162–164**, 611

Preparation of thin film (by chemical spray, DC magnetron sputtering) **162–164**, 1041
Pressure dependence of T_c
- in $Ba_{1-x}K_xBiO_3$ **162–164**, 743
- in $BaPb_{1-x}Bi_xO_3$ **162–164**, 743
- in $Bi_2CaSr_2Cu_2O_{8+\delta}$ **162–164**, 737
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **162–164**, 745
- in $Nd_{1.85}Ce_{0.15}CuO_{7-\delta}$ **159**, 391
- in $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 741
- in $YBa_2Cu_3O_{6.9}$ (single crystal) **162–164**, 739
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 741, 747

Pressure effect
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) **162–164**, 427

Pressure effect of contact resistance
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 437

Pressure effect of T_c
- in $RE_5Os_4Si_{15}$ (RE=Y,Tb,Er) **162–164**, 407
- on $Sm_{1.85}Th_{0.15}CuO_{4-\delta}$ **160**, 320

Pressure effect on T_c
- of κ-(BEDT-TTF-h_8)$_2I_3$ **162–164**, 577

Pressure induced superconductivity
- in $BaMo_6S_8$ **157**, 247

Properties
- of $Ca_2CuO_2Cl_2$ **158**, 109
- of La_2CoO_4 **158**, 109
- of La_2NiO_4 **158**, 109
- of La_2SrCuO_6 **158**, 109
- of $LaCuO_4$ **158**, 109
- of RE_2CuO_4 (RE=La, Pr, Nd, Sm, Eu, Gd) **158**, 109
- of $Sr_2CuO_2Cl_2(Br_2)$ **158**, 109
- of $YCaCrO_4$ **158**, 109

Proximity effect **161**, 195
- in Mo/V and Nb/Pd multilayer **162–164**, 409
- in $YBa_2Cu_3O_{7-\delta}$–Ag–Pb (thin film) **162–164**, 1615
- in $YBa_2Cu_3O_{7-\delta}$–Au junctions **162–164**, 1061
- in $YBa_2Cu_3O_{7-x}$ **158**, 406
- in $YBa_2Cu_3O_7$ metal layered **162–164**, 1069

Proximity effect (theory) **162–164**, 1125
Pseudo spin ferromagnetic model **160**, 397
Pulsed laser ablation **159**, 61
Pulsed laser deposition
- of $YBa_2Cu_3O_{7-\delta}$ (films) **162–164**, 129

Pulsed neutron diffraction
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 101
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 101

Pulsed neutron scattering
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 93

Quantum antiferromagnet (2D) **162–164**, 773
Quantum Monte Carlo **162–164**, 771
Quasiparticle spectral function **162–164**, 783
Quenching
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1005

Quenching melt growth
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1217

Raman effect
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 753

Raman scattering
- in $BaCuO_{2-\delta}$ **162–164**, 1253
- in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1219
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1257
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1097, 1099, 1701
- in $Bi_2Sr_2CuO_{6+\delta}$ **162–164**, 1257
- in Bi–Pb–Sr–Ca–Cu–O **162–164**, 1101
- in Bi–Sr–Ca–Cu–O (thin film, pulsed laser evaporation) **162–164**, 1105
- in Eu_2CuO_4 **160**, 249
- in $Gd_2CuO_{4-\delta}$ **160**, 249
- in $La_2CuO_{4-\delta}$ **160**, 249
- in $La_{2-x}Sr_xCuO_4$ **161**, 83
- in Nb_3Sn,V_3Si **162–164**, 431
- in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (single crystal) **162–164**, 1079
- in $Pb_2Sr_2YCu_3O_{8+\delta}$ **162–164**, 1345
- in (RE)$Ba_2Cu_3O_{7-\delta}$ (RE=Y,Eu,Pr) **162–164**, 1091
- in $Tl_2Ba_2CaCu_2O_{7-\delta}$ **160**, 147
- in $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 1243
- in $TlBa_2CaCuO_{6-\delta}$ single crystal **160**, 147
- in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **162–164**, 1245
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ni,Zn) **162–164**, 1251
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1079, 1093, 1103, 1255
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1095, 1097, 1237, 1241, 1249, 1701
- in $YBa_2Cu_4O_{8+\delta}$ (single crystal) **162–164**, 1089

Raman scattering in CuO **162–164**, 1087
Raman spectra
- of $Ba_{1-x}K_xBiO_3$ **162–164**, 1657
- of $Bi_{2.2}Sr_{1.7}Ca_{1.2}Cu_2O_{8+\delta}$ (singel crystal) **159**, 277
- of La_2CuO_4 **159**, 1
- of $Tl_2Ba_2CaCu_2O_{8-\delta}$ **162–164**, 1409
- of $Tl_2Ba_2CuO_{6-\delta}$ **162–164**, 1409
- of $TlBa_2CaCu_2O_{7-\delta}$ **162–164**, 1409
- of $YBa_2Cu_3O_7$ **159**, 1
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1057

Raman spectroscopy **162–164**, 303
- of Bi compounds **157**, 495
- of $Tl_2Ca_2Ba_2Cu_3O_{10}$ **157**, 135
- of $TlCa_2Ba_2Cu_3O_9$ **157**, 135
- of $TlYBa_2Cu_2O_7$ **159**, 603
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 341, 551

Random pinning forces **162–164**, 257
Reflection high energy electron diffraction (RHEED) **162–164**, 615, 627, 711
Reflection high energy electron diffration (RHEED)
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **159**, 447

Reflectivity
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1229
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) **162–164**, 1205
- of $La_2CuO_{4-\delta}$ **162–164**, 1231
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ thin film **160**, 273
- of $Nd_2CuO_{4-\delta}$ (single crystal) **162–164**, 1231
- of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ **162–164**, 1075
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1229

Remanent magnetization
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1635
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1635

Residual γ-value
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 83

Resistive transition

- in $Bi_2Sr_2CaCu_2O_8$ thin film **160**, 391
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **159**, 433
- of $Bi_2(Sr,Ca)_3Cu_2O_x$ (film) **159**, 295
- of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ **162–164**, 725
- of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) **162–164**, 719
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 373
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 747
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 683
- of $YBa_2Cu_3O_x$ (film) **159**, 295

Resistive transition broadening
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 605

Resistive transition in magnetic field **161**, 313

Resistivity
- normal-state of $YBa_2Cu_3O_x$ **157**, 320
- of $Ba_{1-x}K_xBiO_3$ **162–164**, 550
- of $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ **162–164**, 1195
- of $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1009
- of $Bi_2Sr_2Ca_{1-x}RE_xCu_2O_{8+\delta}$ (RE=Nd,Sm,Gd,Dy) **160**, 17
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1649
- of $Eu_{1.85}Co_{0.15}CuO_{4-\delta}$ **158**, 178
- of $GdBa_2Cu_3O_{7-\delta}$ **158**, 480
- of $GdBa_2Cu_3O_{7-\delta}$ $(0.45<\delta<1)$ **162–164**, 1033
- of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **162–164**, 1003
- of $La_{2-x}Sr_xCuO_{4-\delta}$ single crystal **160**, 35
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **158**, 178
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) **162–164**, 1013
- of $Pr_{1.85}Th_{0.15}CuO_{x-\delta}$ **158**, 178
- of $SrTiO_3$ **157**, 48
- of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **162–164**, 41
- of $YBa_2Cu_3O_4$ **158**, 381
- of $YBa_2Cu_3O_{6.5}$ (single crystal) **162–164**, 1013
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1009
- of $YBa_2Cu_3O_{7-\delta}$ (thick film) **162–164**, 1027
- of $YBa_2Cu_3O_x$:Hf **158**, 385
- temperature dependence of $BaMo_6S_8$ **157**, 247

Resistivity at high frequencies
- of $La_2CuO_{4-\delta}$ **162–164**, 1031

Resistivity at high temperatures
- of Bi–Sr–Ca–Cu–O **162–164**, 1025

Resistivity due to broken bond **162–164**, 219

Resistivity in magnetic fields
- of $Ba_{1-x}K_xBiO_3$ **162–164**, 743
- of $BaPb_{1-x}Bi_xO_3$ **162–164**, 743
- of $(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$ **162–164**, 323

Resistivity under pressure

Resistivity under high pressure
- of Bi–Sr–Ca–Cu–O **158**, 237
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **158**, 178

Resonant photoemission spectroscopy
- in $Pb_2Sr_2PrCu_3O_{8+\delta}$ **162–164**, 1373

Retarded interaction **161**, 105

RF absorption
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1571

RF dissipation
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1665

RF-SQUID
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 397

RF triode sputtering **162–164**, 649

Rigid-Muffin-Tin approximation (RMTA) **162–164**, 1347

RKKY interaction **162–164**, 765, 1465, 1467
- in heavy-fermion systems **161**, 677

Role of Ca-vacancies on T_c **160**, 155

Rutherford back scattering
- in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1009
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1009
- of $YBa_2Cu_3O_x$ thin film **160**, 480

RVB model **161**, 517; **162–164**, 201, 587, 761, 797, 1445

RVB state **157**, 209; **162–164**, 795

RVB superconductivity **160**, 89

RVB theory **162–164**, 12

Sb substitution
- in Bi–Pb–Sr–Ca–Cu–O **158**, 97

Scaling behaviour near T_c **157**, 164

Scaling of the irreversible curve
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 697

Scanning electron microscopy
- of Bi compounds **161**, 71
- of $YBa_2Cu_3O_x$ **161**, 66

Scanning tunneling microscopy
- in $YBa_2Cu_3O_{6.9}$ (thin film) **162–164**, 1035

Scanning tunneling microscopy (STM)
- in $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ **162–164**, 1045

Scanning tunneling spectroscopy
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1129

Screening of electromagnetic fields **162–164**, 1607

Screening of random potential **162–164**, 1483

Screen printed thick film **162–164**, 881

SDW **162–164**, 12, 300

Secondary ion mass spectrometry **162–164**, 75

Second harmonic generation (microwave)
- in $YBa_2Cu_3O_7$ **161**, 39

Self-consistent LMTO band structure calculation
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1335

Self-consistent spin polarized energy band calculations
- in CuO **162–164**, 1349
- in $La_2CuO_{4-\delta}$ **162–164**, 1349

Self-interactions correlation approach (SIC) **159**, 412

SEM
- in $YBa_2Cu_3O_{6+\delta}$ **161**, 198
- of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **160**, 161
- of Bi compounds **161**, 145
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 496

Shielding current
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 552

Shielding effect
- in $BaPb_{1-x}Bi_xO_3$ **162–164**, 727

Shielding effectiveness
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1543

Shock compression
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 937, 1263

Shock compression technique **162–164**, 885

Shubnikov–de Haas oscillations
- in κ-(BEDT-TTF-$h_8)_2Cu(NCS)_2$ **162–164**, 577

Single band Hubbard model **158**, 311

Single crystal
- of $(Ca_{1-x}Ba_xLa)(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Al,Pt) **162–164**, 873

Single crystal growth
- of $Bi_2Sr_2CaCu_2O_8$ **157**, 260
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (KCL) **162–164**, 115
- of $Bi_2Sr_2CuO_{6+\delta}$ **162–164**, 1223
- of Bi compounds **161**, 155
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 285
- of $REBa_2Cu_3O_{7-\delta}$ (RE=Y, La, Pr, Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm, Y **162–164**, 1213
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **161**, 483
- of $TmBa_2Cu_3O_{7-\delta}$ **162–164**, 1211
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **162–164**, 1259
- of $YBa_2Cu_3O_7$ **161**, 313
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 189; **162–164**, 897, 909, 1211
- of $YBa_2Cu_3O_{7-\delta}$ (alkali halides) **162–164**, 895
- under unaxial pressure **161**, 1

Single crystals

- of $(RE)_2CuO_4$ (RE=Pr, Nd, Sm) **158**, 102
- of Sm_2CuO_4 **158**, 102

Single crystal thin film
- of $HoBa_2Cu_3O_{7-\delta}$ **162–164**, 833
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 615, 833

Singlet d-wave pairing **162–164**, 765
Slave-boson approximation **162–164**, 1501
Slave-boson method **162–164**, 785
Small angle neutron scattering (SANS)
- of $YBa_2Cu_3O_7$ (single crystal) **159**, 323

Small particles
- diamagnetic screening **157**, 149

Small polarons **161**, 574
Small spin-polaron **162–164**, 1499
Soft X-ray absorption spectroscopy
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1331
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1331

Sol-gel method
- of $Tl_2Ba_2Ca_2Cu_3O_y$ **162–164**, 113
- of $Tl_2Ba_2CaCu_2O_y$ **162–164**, 113
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 109
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 109

Sound velocity **159**, 367
- in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ **161**, 34
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 454
- of $Bi_2Sr_2CaCu_2O_x$ (single crystal) **162–164**, 1073
- of Bi–(Pb)–Sr–Ca–Cu–O **162–164**, 450
- of $BiSrCaCu_3O_x$ **162–164**, 444
- of $EuBa_2Cu_3O_{7-\delta}$ **162–164**, 458
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 460
- of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **162–164**, 448
- of $La_2CuO_{4-\delta}$ **162–164**, 460
- of Tl–Ca–Ba–Cu–O **162–164**, 446
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 452, 458
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1073

Specific heat
- of $Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$ **162–164**, 492
- of $Bi_{0.8}Pb_{0.2}Sr_{0.8}CaCu_{1.4}O_x$ **162–164**, 468
- of $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 512
- of $(Bi_{1.66}Pb_{0.34})Ca_2Sr_2Cu_3O_{10+\delta}$ **162–164**, 502
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_4O_x$ **162–164**, 729
- of $Bi_{2-y}Pb_ySr_2CaCu_2O_{8+\delta}$ **162–164**, 480
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 474
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 504
- of $Bi_2Sr_2YCu_2O_{8.37}$ **160**, 136
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ **162–164**, 566
- of $BiPb_{0.3}SrCaCu_2O_x$ **162–164**, 496
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **158**, 255
- of $BiSrCaCu_2O_x$ **162–164**, 468
- of CuO **162–164**, 478
- of $DyBa_2Cu_3O_{7-\delta}$ **162–164**, 496
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ **162–164**, 474
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 472, 498
- of Ln_2CuO_4 (Ln=Pr,Nd,Sm,Eu,Gd) **160**, 217
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **158**, 178
- of $Nd_{1.85}M_{0.15}CuO_{4-\delta}$ (M=Ce,Th) **160**, 217
- of Nd_2CuO_4 **158**, 102
- of $Nd_2CuO_{4-\delta}$ **158**, 178
- of Pr_2CuO_4 **158**, 102
- of $Sm_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 296
- of Sm_2CuO_4 **158**, 102
- of $Tl_{1.94}Ba_2Ca_1Cu_2O_{8+\delta}$ **162–164**, 488
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **159**, 215
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 476
- of $Tl_2Ba_2CaCu_2O_8$ **159**, 215
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 476, 496
- of $Tl_2Ba_2CuO_6$ **159**, 215
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 476
- of $U_{0.981}Th_{0.019}Be_{12.97}B_{0.03}$ **162–164**, 429
- of $U_{1-x}Th_xBe_{13}$ **162–164**, 429
- of UPt_3 (single crystal) **162–164**, 413, 415
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **160**, 575
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Cr,Zn) **162–164**, 494
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Ca) **162–164**, 564
- of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ (x=0,0.01,...,0.1) **162–164**, 518
- of $YBa_2Cu_3O_{6.87}$ **162–164**, 474
- of $YBa_2Cu_3O_{7-\delta}$ **158**, 299; **162–164**, 83, 470, 482, 484, 486, 490, 1651
- of $YBa_2Cu_3O_{7-\delta}$ ($0\leqslant\delta\leqslant0.2$) **162–164**, 1401
- of $YBa_2Cu_3O_{7-\delta}$ (δ=0.11,0.14,0.17) **162–164**, 103
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 500
- of $YBa_2Cu_4O_8$ **162–164**, 1401

Specific heat at high T
- in Bi compounds **161**, 226

Specific heat at T_c
- in $BiPb_{0.3}SrCaCu_2O_{5.8}$ **157**, 375
- in $REBa_2Cu_3O_{6.9}$ **157**, 375
- in $Tl_2Ba_2Cu_2O_8$ **157**, 375
- of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **161**, 626
- of $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123
- theory **161**, 555

Specific heat in superconductivity glass **162–164**, 233
Specific heat (theory) **162–164**, 203
Spectral density of T_c **162–164**, 1507
Spin 1/2 antiferromagnet with 2d square lattice **162–164**, 1449
Spin bags model **162–164**, 300
Spin density map
- in $YBa_2Cu_3O_{6.5}$ (single crystal) **162–164**, 1275
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1285

Spin-density waves **157**, 221
Spin dynamics
- in $YBa_2Cu_3O_{7-\delta}$ ($0\leqslant\delta\leqslant0.6$) **162–164**, 191

Spin fluctuation effect in metal–insulator transition **162–164**, 221
Spin fluctuation model **162–164**, 300
Spin fluctuations
- in $La_{1.85}Sr_{0.15}CuO_4$ **159**, 869

Spin-glass **159**, 281
Spin glass state
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 145

Spin–lattice relaxation time $^TT_1$
- in $La_{2-x}Sr_xCuO_4$ **161**, 265
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 9

Spin liquid states **162–164**, 1525
Spinons **161**, 517; **162–164**, 795
Spin-pair excitation
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1237

Spin-polaron mechanism **162–164**, 781
Spin polarons **159**, 329
Spin-polaron theory **162–164**, 1477
Spin–spin relaxation time $^TT_2$
- in $La_{2-x}Sr_xCuO_4$ **161**, 265

Spin wave velocity **162–164**, 829, 1455
Splat quenching **162–164**, 927
Spray pyrolysis method
- for Bi–Pb–Sr–Ca–Cu–O film **162–164**, 117

Sputtering) **162–164**, 715
Square lattice s=1/2 Heisenberg antiferromagnet **162–164**, 829
SQUID made
- of Bi–Sr–Ca–Cu–O **162–164**, 879

Stability
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 601

Stability of the phase **162–164**, 3
Strain effect on T_c
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 373

String polarons **162–164**, 1479
Strong coupling **161**, 185; **162–164**, 217
Strong-coupling BCS theory **157**, 4
Strong coupling effect on $\kappa_2(T)$ **162–164**, 205
Strong coupling in Hubbard model **162–164**, 227

Strong coupling model **162–164**, 583
Strong coupling theory **162–164**, 803, 1709
Strong coupling theory of superconductivity **159**, 519, 535
Strong electron–phonon coupling **162–164**, 1341
Strongly correlated systems **159**, 878
Structural anomalies
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **159**, 629
Structural change
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 53
Structural distortion
– of $Nd_2CuO_{4-\delta}$ **160**, 124
Structural instability
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 516
Structural modulation
– in $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$ **159**, 777
– in $Bi_{2-x}Pb_xSr_2YCu_2O_{8+\delta}$ **159**, 777
Structural phase transition
– in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ **161**, 34
– in Bi compounds **161**, 226
– in Bi–(Pb)–Sr–Ca–Cu–O **162–164**, 450
– in $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **159**, 111
– in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **162–164**, 448
– in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ **161**, 6
– in $YBa_2Cu_3O_{6+\delta}$ **161**, 539
Structural relations **161**, 512
Structural transition
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 546, 1515
Structure
– of $Ba_{1-x}K_xBiO_3$ **162–164**, 556
– of $(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+\delta}$ **160**, 231
– of $BaCu_3O_4$ **160**, 227
– of $BaCuO_{2-\delta}$ **162–164**, 59
– of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ **157**, 491
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}=+H_x$ **157**, 263
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **157**, 370
– of $Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$ **157**, 531
– of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **157**, 531
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **161**, 111
– of $Bi_2Sr_2CaCu_2O_{8.2}$ **157**, 502
– of $Bi_2Sr_2CaCu_2O_{8+\delta}=+H_x$ **157**, 263
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film **162–164**, 707
– of $Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$ **157**, 531
– of $Bi_2Sr_{3-x}Ca_xCu_2O_8$ **161**, 598
– of $Bi_4Sr_8Cu_5O_{19+\delta}$ **157**, 525
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **161**, 373
– of $BiSr_4Ca_2Cu_4O_x$ **161**, 589
– of Bi–Tl compounds **161**, 257
– of $CmBa_2Cu_3O_7$ **161**, 252
– of Cu oxides **161**, 512
– of $La_{1.1}Ba_{1.9}Cu_{2.1}Nb_{0.9}O_8$ **161**, 245
– of $La_{1.1}Ba_{1.9}Cu_{2.1}Ta_{0.9}O_8$ **161**, 245
– of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ **162–164**, 983
– of $La_{2-x}M_xCuO_4$ **158**, 465
– of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 536
– of $La_2CuO_{4-\delta}$ and related compounds **161**, 21
– of $La_2CuO_{4+\delta}$ **162–164**, 99
– of $La_2NiO_{4+\delta}$ **162–164**, 99
– of $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd,Gd) **158**, 148
– of $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ **161**, 6
– of $(Nd,Sr,Ce)_2CuO_{4-y}$ **158**, 440
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **162–164**, 971
– of $Pb_2Sr_2YCu_3O_8$ **157**, 272
– of $PbBaSrYCu_3O_x$ **161**, 459
– of Pb–Sr–RE–Ca–Cu oxides **157**, 124
– of $PrBa_2Cu_3O_{7-\delta}$ **162–164**, 61
– of $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ **161**, 523
– of $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ **157**, 460
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **161**, 483
– of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 530
– of $Tl_2Ba_2CuO_6$ **157**, 279
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ **161**, 302
– of $Tl_2CaBa_2Cu_2O_8$ **161**, 302
– of $TlBa_2(Ca_{0.87}Tl_{0.13})Cu_2O_{7-\delta}$ **162–164**, 1663
– of $TlBa_2Ca_4Cu_5O_x$ **157**, 131
– of $TlBaCa_3Cu_3O_x$ **161**, 181
– of $TlBaCa_3O_x$ **161**, 181
– of $(Tl,Bi)Sr_2CaCu_2O_y$ **157**, 365
– of $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$ **161**, 150
– of $Y_2Ba_4Cu_7O_{15\pm\delta}$ **161**, 618
– of Y_2BaCuO_5 **161**, 594
– of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **162–164**, 51
– of $YBa_2Cu_3O_{7-\delta}$ **160**, 189; **162–164**, 941, 945
– of $YBa_2Cu_3O_{7-\delta}$/Ag **161**, 91
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 536
– of $YBa_2Cu_3O_{7-\delta}$ (theory) **162–164**, 540
– of $YBa_2Cu_3O_x$ **161**, 66
– of $YBa_2Cu_4O_8$ **159**, 668
– of $YBa_2Cu_4O_8$ (single crystal) **162–164**, 524
– of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ **162–164**, 73
– of $YBaSrCu_3O_x$ **157**, 358
Structure of Kr irradiated
– $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) **162–164**, 77
Structure of new satellite phase
– in $YBa_2Cu_3O_{7-\delta}$ **160**, 227
Structure of the epitaxial grown thin film
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 643
Substitution effect of 3d metals M for Cu
– in $Bi_2(Sr_{0.6}Ca_{0.4})_3Cu_2O_{8+\delta}$ (M=Fe,Co,Ni,Zn) **162–164**, 981
Substitution effect of Ag
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Eu) **162–164**, 975
Substitution effect of Cu(I)
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 969
Substitution effect of Ni, Zn, for Cu
– in $REBa_2Cu_3O_{7-\delta}$ **162–164**, 1277
Substitution effect of Sb and Pb
– in Bi–Sr–Ca–Cu–O **162–164**, 863
Substitution effect of Zr for Y
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 977
Substitution effects
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 985
– in $Nd_{1-x}Ba_{2+x}Cu_3O_{7-\delta}$ **162–164**, 47
– in $Y_{1-x}Gd_xBa_2(Cu_{1-y}M_y)_3O_{7-\delta}$ (M=Fe,Ni) **162–164**, 965
– in $Y_{1-x}(Pr_{0.7}Ca_{0.3})_xBa_2Cu_3O_{7-\delta}$ **162–164**, 61
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Al,Zn,Sn) **162–164**, 47
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 49
Substitution effects due to alkaline metals
– in $Bi_2Sr_2CaCu_2O_x$ **161**, 561
Substitution effects due to Ce
– in $La_2CuO_{4-\delta}$ **161**, 21
– in Nd_2CuO_4 **161**, 239
– in $Nd_2CuO_{4-\delta}$ **161**, 21
– in $Pr_2CuO_{4-\delta}$ **161**, 21
Substitution effects due to Ga
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 9
Substitution effects due to Gd
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ **161**, 13
Substitution effects due to La on Ba sites
– in $LaBa_2Cu_3O_{7-\delta}$ **161**, 581
Substitution effects due to Mn
– in $TlBaCa_3Cu_3O_x$ **161**, 181
– in $TlBaCa_3O_x$ **161**, 181
Substitution effects due to Nb
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 245
Substitution effects due to Pb
– in Bi compounds **161**, 661
Substitution effects due to Pr
– theory **161**, 574
Substitution effects due to Sr and Pr
– in $La_2CuO_{4-\delta}$ **161**, 21
Substitution effects due to Ta
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 245
Substitution effects due to Zn
– in $YBa_2Cu_3O_{7-\delta}$ **161**, 9
Substitution effects of Gd
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Sm,Gd,Dy,Ho,Yb) **162–164**, 87
Substitution of 3d elements

- in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n=2, 3) **162–164**, 25
Substitution of Bi
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 71
Substitution of Cd
- in $Tl_2Ba_2CuO_{6+\delta}$ **159**, 255
Substitution of Co
- in $YBa_2Cu_3O_{7-\delta}$ **159**, 141
Substitution of Fe
- in $GdBa_2Cu_3O_y$ **159**, 173
Substitution of I
- in $YBa_2Cu_3O_{7-\delta}$ **159**, 137
Substitution of Zn for Cu
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1007
Substrate interaction **161**, 175
Superconducting energy gap
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 841, 845, 1059, 1133, 1697
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1381
- of $Bi_4Sr_3Ca_3Cu_4O_{16+\delta}$ **162–164**, 1045
- of Bi–Sr–Ca–Cu–O **162–164**, 837
- of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ **162–164**, 1075
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1133
- of $Tl_2Ba_2CaCu_2O_{8-\delta}$ **162–164**, 1409
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 1133, 1243
- of $Tl_2Ba_2CuO_{6-\delta}$ **162–164**, 1409
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 1133
- of $TlBa_2CaCu_2O_{7-\delta}$ **162–164**, 1409
- of $YBa_2Cu_2O_{7-\delta}$ **162–164**, 837
- of $YBa_2Cu_3O_{7/metal}$ film **162–164**, 1069
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 841, 1049, 1051, 1133
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) **162–164**, 1085
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1057, 1237, 1241
Superconducting fluctuation
- of $BiPb_{0.3}SrCaCu_2O_x$ **162–164**, 496
- of $DyBa_2Cu_3O_{7-\delta}$ **162–164**, 496
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 496
- of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Pr, Ho, Gd, Eu) **162–164**, 371
Superconducting fluctuation effects **162–164**, 1017
Superconducting gap
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1127
Superconducting gap equation **162–164**, 1339
Superconducting glass
- in $Bi_2(CaSr)_{n+1}Cu_nO_x$ (n=1,2,3) **162–164**, 917
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1569
Superconducting glass model **159**, 43; **162–164**, 229
Superconducting glassy state **162–164**, 693
Superconducting glassy state induced by twins **162–164**, 233
Superconducting in valence fluctuation system **162–164**, 1533
Superconducting Josephson lattice network **160**, 103
Superconducting loop antenna (calculation) **162–164**, 385
Superconducting-magnetic phase diagram
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **162–164**, 1281
Superconducting phase diagram
- of $U_{1-x}Th_xBe_{13}$ **162–164**, 429, 1669
Superconducting phases of heavy fermion superconductors (theory) **162–164**, 1673
Superconducting wire fabrication **162–164**, 381
Superconductivity
- in $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ **162–164**, 935
- in $Ba_{1-x}K_xBiO_3$ **162–164**, 1405, 1657
- in $Ba_{1-x}Tl_xCuO_{2+\delta}$ **162–164**, 29
- in $Ba(Pb,Sb)O_3$ **162–164**, 1393
- in $Bi_{1.6}Pb_{0.4-x}Sb_xCa_2Sr_2Cu_3O_x$ **162–164**, 911
- in $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 917
- in $Bi_{2-x-y}Pb_xSb_yCa_2Cu_3O_7$ **159**, 665
- in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1219
- in Bi–Pb–Ca–Sr–Cu–O **162–164**, 915
- in Bi–Pb–Sb–Sr–Ca–Cu–O **162–164**, 925
- in Bi–(Pb)–Sr–Ca–Cu–O **162–164**, 526
- in Bi–Sr–Ca–Cu–O **162–164**, 939
- in Bi–Sr–Ca–Cu–O thick film **159**, 659
- in $La_{2-x}CuO_{4-\delta}$ **162–164**, 921
- in $Li_{0.9}Mo_6O_{17}$ (single crystal) **162–164**, 427
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 89
- in $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **162–164**, 979
- in $RE_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Sm,Gd,Hy,Ho,Yb) **162–164**, 87
- in $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd; M=Ce,Th) **162–164**, 957
- in $Tl_{0.75}Pb_{0.20}Sb_{0.05}Ca_2Ba_3Cu_4O_y$ **162–164**, 995
- in $(Tl_{1-x}Bi_x)(Ca_{1-y}Y_y)Sr_2Cu_2O_z$ **162–164**, 39
- in $Tl_2Ba_2Cu_2O_{6.5}$ **158**, 507
- in $Tl_2Ba_2Cu_4O_6$ **158**, 507
- in $Tl_{2.2}Ba_2Ce_xCu_3O_y$ **158**, 507
- in $TlBa_{1+x}La_{1-x}CuO_5$ (1201) **158**, 143
- in $(Tl,Pb)(A,RE)_2CuO_5$ (A=Sr,Ba, RE=La,Pr,Nd) **162–164**, 721
- in $Y_{1-x}Pr_xBa_2(Cu_{0.95}Zn_{0.05})_3O_{7-\delta}$ **162–164**, 61
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **162–164**, 963
- in $YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$ **162–164**, 967
- in $YBa_2Cu_3O_{7-\delta}$–Ag **162–164**, 1173
- in $YBa_2Cu_3O_{7-\delta}$–Ag_2O **162–164**, 1179
Superconductivity in 2D systems **162–164**, 1461
Superconductivity in Hubbard model **160**, 80
Superconductivity in the Hubbard model **159**, 347
Superconductivity of Fermi glasses **162–164**, 271
Superlattice
- of Nb/NbTi **162–164**, 411
Superlattice modulation
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **160**, 375
- of $Nd_2CuO_{4-x}F_x$ **160**, 375
Superstructure
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **158**, 490
Superstructures
- in $YBa_2Cu_3O_{7-\delta}$ **159**, 831
Surface impedance
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 111
Surface magnetic impedance of granular superconductor **162–164**, 399
Surface plasmons **161**, 354
Surface resistance **157**, 1
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1539, 1541
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, $LaGaO_3$) **162–164**, 1537
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) **162–164**, 1549
Surface resistance of granular superconductors **162–164**, 1547
Surface roughness
- of the $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 705
Susceptibility
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) **162–164**, 1205
- of Bi compounds **157**, 240
- of $La_2CuO_{4-\delta}$ **157**, 293
- of $YBa_2Cu_3O_4$ **158**, 381
- of $YBa_2Cu_3O_{7-\delta}$ **159**, 491
Susceptibility measurements
- of $Ln_{2-x}M_xCuO_{4-\delta}$ (Ln=Pr,Nd,Sm,Eu,Gd; M=Ce,Th) **159**, 391

Suspension spinning method **162–164**, 558
S-wave pairing **162–164**, 815
– in $YBa_2Cu_3O_7$ **161**, 195
S-wave superconductivity **159**, 347
Synthesis
– of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ **162–164**, 935
– of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ **157**, 491
– of $Bi_{1.7}Pb_{0.3}Ca_2Sr_2Cu_3O_y$ **161**, 656
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **157**, 370; **162–164**, 27
– of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ **162–164**, 27
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **161**, 111
– of $Bi_2Sr_2CaCu_2O_x$ **161**, 561
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **158**, 203
– of Bi–Sr–Ca–Cu–O **162–164**, 379
– of Bi–Tl compounds **161**, 257
– of $CmBa_2Cu_3O_7$ **161**, 252
– of $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd,Gd) **158**, 148
– of microcomposites **161**, 71
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 285
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **159**, 165
– of $REBa_2Cu_4O_8$ (RE=Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm) **162–164**, 955
– of $Tl_{0.15}Pb_{0.5}$ $(Ca_{1-x}RE_x)$-$Sr_2Cu_2O_y$ **162–164**, 869
– of $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ **161**, 523
– of $Tl_2Ba_2CuO_6$ **157**, 279
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ **161**, 302
– of $Tl_2CaBa_2Cu_2O_8$ **161**, 302
– of $TlBa_2Ca_4Cu_5O_x$ **157**, 131
– of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ **158**, 471
– of $(Tl,Bi)Sr_2CaCu_2O_y$ **157**, 365
– of $Yb_3Ba_6Cu_{10}O_x$ **157**, 159
– of $Yb_4Ba_8Cu_{13}O_x$ **157**, 159
– of $YBa_4Cu_7O_x$ **157**, 351
– of Y–Ba–Cu–O **157**, 334
Synthesis of 123, 124 and 247 compounds **159**, 287
Synthesis of high purity $YBa_2Cu_3O_{7-\delta}$ **162–164**, 931
Systematic study of T_c of T* phase **159**, 407

*T**-phase **162–164**, 1681
T_c depression
– due to oxygen deficiency **157**, 144
– due to Zn doping **157**, 483
T_c enhancement
– due to hydrogen absorption **157**, 263
– due to oxygen deficiency **157**, 279
T_c for multilamellar superconductors **160**, 287
T_c pressure dependence
– in $Ba_{1-x}K_xBiO_3$ **157**, 237
– in Cu–O materials **157**, 237
– in $La_2Cu_xO_{4-\delta}$ **157**, 446
– in $YBa_2Cu_3O_{6.92}$ **157**, 293
– in $YBa_2Cu_3O_{8+\delta}$ **157**, 478
T_c suppression by La substitution in **157**, 478
TEM
– in $YBa_4Cu_7O_x$ **157**, 351
Temperature reference point by high T_c superconductors **162–164**, 421
Tetagonal–orthorombic transition
– in $La_{2-x}M_xCuO_4$ **157**, 72
Tetragonal epitaxial film
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 505
Texture
– in $YBa_2Cu_3O_{6+\delta}$ **161**, 198
TGA
– of $GdBa_2Cu_3O_{7-\delta}$ **158**, 480
The little mechanism **162–164**, 1443
Theory of collective pinning **162–164**, 239
Theory of high T_c-superconductivity **162–164**, 217
Theory of multilayer superconductors **158**, 88
Theory of the upper critical field **159**, 561
Thermal conductivity
– of $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 512
– of $Bi_2(Ca_{0.5}Sr_{0.5})_3Cu_2O_x$ **162–164**, 572
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 508
– of $Er_{0.4}Ho_{0.6}Rh_4B_4$ **162–164**, 1653
– of $ErBa_2Cu_3O_x$ (single crystal) **162–164**, 572
– of $Tl_2Ba_2Ca_2Cu_3O_x$ **162–164**, 572
– of URu_2Si_2 **162–164**, 1653
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 562
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 508
Thermal conductivity (theory) **162–164**, 277
Thermal decomposition
– of $YBa_2Cu_3O_{7-\delta}$ **161**, 175
Thermal expansion
– of $Bi_2Sr_2Ca_2Cu_3O_x$ **161**, 123
– of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ **162–164**, 566
– of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ **158**, 458
– of $La_2CuO_{4-\delta}$ **162–164**, 1037
– of $REBa_2Cu_3O_{7-\delta}$ **161**, 48
Thermal expansion coeffcient
– of $YBa_2Cu_3O_{7-\delta}$ **159**, 313
Thermal fluctuation of vortex **162–164**, 257
Thermally activated flux creep **159**, 743
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 701
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 687
Thermally activated flux flow
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1189
Thermally activated flux motion
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 683, 1191
Thermally activated flux motion (TAFM) **162–164**, 677
Thermally assisted flux flow (TAFF)
– of $Bi_{1.5}Pb_{0.5}Sr_{0.2}CaCu_2O_x$ **162–164**, 667
– of $Bi_{2.5}Pb_{0.5}Sr_{2.5}Ca_{1.5}Cu_2O_x$ **162–164**, 667
Thermal modulation spectroscopy
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1071
Thermodynamical critical field **162–164**, 1493
Thermodynamical stability criteria
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 703
Thermodynamic properties
– of $YBa_2Cu_3O_{6+\delta}$ **161**, 539
Thermodynamics of high T_c superconductors **162–164**, 1401
Thermodynamics of the phase transition
– in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 546
Thermoelectric power
– of $(Ba,K)BiO_3$ **157**, 469
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 506
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1397
– of κ-(BEDT-TTF-$h_8)_2Cu(NCS)_2$ **162–164**, 577
– of $TlCa_{1-x}Ln_xSr_2Cu_2O_{7+\delta}$ (Ln=rare earths) **162–164**, 865
– of $YBa_2Cu_3O_{7-\delta}$ ($\delta>0.5$) **162–164**, 1207
– of $YBa_2Cu_3O_x$ **157**, 320
Thermogravimetric relaxation technique **162–164**, 55
Thermopower and electrical resistivity (theory) **162–164**, 1473
Thick film
– of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1265
Thick films **161**, 347
Thin film
– of $Ba_{1-x}K_xBiO_3$ (epitaxially grown) **162–164**, 1121
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 707
– of Bi–(Pb)–Sr–Ca–Cu–O thin film (DC sputtering, MgO) **162–164**, 613
– of Bi–Pb–Sr–Ca–Cu–O thin film (RF sputtering, MgO) **162–164**, 619
– of Bi–Sr–Ca–Cu–O **162–164**, 631, 649
– of Bi–Sr–Ca–Cu–O (electron beam evaporation, MgO) **162–164**, 641
– of Bi–Sr–Ca–Cu–O (magnetron sputtering, MgO) **162–164**, 709

- of Bi–Sr–Ca–Cu–O (RF magnetron sputtering, MgO) **162–164**, 645
- of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) **162–164**, 617
- of $DyBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, $SrTiO_3$) **162–164**, 627
- of $Ho(Y)Ba_2Cu_3O_{7-\delta}$ **162–164**, 833
- of $(Rb,Ba)BiO_3$ (molecular beam epitaxy, $SrTiO_3$, MgO) **162–164**, 633
- of $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Ho,Eu,Sm,Lu,Gd) (magnetron sputtering) **162–164**, 715
- of Tl–Ca–Ba–Cu–O (RF diode sputtering) **162–164**, 639
- of $YBa_2(Cu_{0.97}Fe_{0.03})_3O_{7-\delta}$ (epitaxially grown) **162–164**, 1297
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 601, 607, 631, 705, 713, 1021, 1169, 1645
- of $YBa_2Cu_3O_{7-\delta}$ (coevaporation, sapphire, $SrTiO_3$) **162–164**, 621
- of $YBa_2Cu_3O_{7-\delta}$ (DC magnetron sputtering) **162–164**, 599
- of $YBa_2Cu_3O_{7-\delta}$ (DC magnetron sputtering, $SrTiO_3$) **162–164**, 647
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation, MgO) **162–164**, 659
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporator, Si, sapphire, $SrTiO_3$) **162–164**, 657
- of $YBa_2Cu_3O_{7-\delta}$ (electron gun, BeO) **162–164**, 611
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial coevaporated, $SrTiO_3$ single crystal) **162–164**, 653
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial, DC magnetron sputtering, $SrTiO_3$) **162–164**, 643
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial grown, $SrTiO_3$) **162–164**, 1549
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial grown, $SrTiO_3$ single crystal) **162–164**, 683
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial, $SrTiO_3$) **162–164**, 625
- of $YBa_2Cu_3O_{7-\delta}$ (magnetron sputtering) **162–164**, 1535
- of $YBa_2Cu_3O_{7-\delta}$ (MgO) **162–164**, 605
- of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) **162–164**, 623
- of $YBa_2Cu_3O_{7-\delta}$ (RF magnetron sputtering, MgO) **162–164**, 651
- of $YBa_2Cu_3O_{7-\delta}$ thin film (epitaxial, MgO) **162–164**, 615

Thin film in narrowstrips
- of $YBa_2Cu_3O_{7-\delta}$ (laser ablation, MgO, ZrO_2, $SrTiO_3$) **162–164**, 1175

Thin film preparation
- of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ **162–164**, 81
- of $YBa_2Cu_3O_{7-x}$ **162–164**, 81

Thin films
- of Bi compounds **161**, 661
- of Bi oxides **157**, 99
- of $ErBa_2Cu_3O_{7-\delta}$ **161**, 431

Thin film (single target DC magnetron sputtering)
- of $YBa_2Cu_3O_7$ **158**, 293

Thin films, liquid-etched
- of $YBa_2Cu_3O_7$ **161**, 351

Thin films, single-crystalline
- of $GdBa_2Cu_3O_x$ **161**, 447

Three band Hubbard model **162–164**, 313

Time dependent magnetization
- in V_3Si **159**, 70

Time of flight measurement
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 101
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ **162–164**, 101

T-J model **162–164**, 587, 761, 783, 787, 1337, 1459

Tl LIII edge **159**, 609

Topological excitation **162–164**, 791

Topological frustration **162–164**, 1487

Torque
- of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 349

Torque measurement
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 343

Transient photomodulation spectroscopy
- of $La_2CuO_{4-\delta}$ **162–164**, 1109
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1109

Transmission electron diffraction
- of $Yba_2Cu_3O_{7-\delta}$ single crystal **160**, 411

Transmission electron microscopy
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 532

Transmission electron microscopy (TEM)
- of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **160**, 161
- of Bi–Pb–Sb–Sr–Ca–Cu–O **162–164**, 635

Transport properties
- of La–A–Cu–O (A=Ca,Sr,Ba) **159**, 181
- of $YBa_2Cu_3O_{7-\delta}$ **158**, 287

Transport properties of granular superconductor **159**, 51

Transverse field muon spin rotation (TF μ-SR) **162–164**, 1555

Triangular lattice **162–164**, 1487

Triplet pairing **162–164**, 1531

Triplet p-wave pairing **162–164**, 765

Tripolarons **159**, 367

Tunneling **159**, 157; **161**, 351

Tunneling characteristics
- of $Ba_{1-x}K_xBiO_3$ **162–164**, 1053, 1405
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1059, 1133
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1397
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ **162–164**, 1045
- of Pb junctions **162–164**, 1049
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ **162–164**, 1133
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ **162–164**, 1133
- of $Tl_2Ba_2CuO_{6+\delta}$ **162–164**, 1133
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1133
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1049

Tunneling characteristics of point contacts **162–164**, 1055

Tunneling characteristics (theory) **162–164**, 1233

Tunneling energy gap
- of $Tl_2Ba_2Ca_1Cu_3O_8$ **158**, 83
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **158**, 83

Tunneling junctions
- of Bi–Sr–Ca–Cu–O (single crystal) **162–164**, 1131

Tunneling measurement
- of Bi–Sr–Ca–Cu–O **162–164**, 837
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 837

Tunneling spectroscopy
- in $Ba_{1-x}K_xBiO_3$ **158**, 519
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 1127
- of Bi–Sr–Ca–Cu–O/Nb **162–164**, 1131

Tunnel junction in RVB model **160**, 89

Tunnel junctions **157**, 537
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1051, 1063
- of $YBa_2Cu_3O_7$ metal film **162–164**, 1069
- of $YBa_2Cu_3O_7$ (single crystal) **162–164**, 1067

Twin boundaries
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 345

Twin-free samples of $YBa_2Cu_3O_{7-\delta}$ **157**, 555

Twinning
- in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ **157**, 285

Twins **157**, 555
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 520

Twist boundaries **157**, 509

Two-band model **162–164**, 821
- for $YBa_2Cu_3O_{7-\delta}$ **158**, 258

Two-dimensional Hubbard model **162–164**, 771

Two-dimensional Ising model **162–164**, 225

Two-dimensional magnetism **161**, 527

Type-II superconductors **161**, 272, 287, 294

Ultrasmall Josephson juctions **158**, 345
Ultrasonic attenuation
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **162–164**, 454
- in Bi–(Pb)–Sr–Ca–Cu–O **162–164**, 450
- in $BiSrCaCu_3O_x$ **162–164**, 444
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 562
- in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **162–164**, 448
- in Tl–Ca–Ba–Cu–O **162–164**, 446
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 562

Ultrasonic attenuation in heavy fermion superconductors **162–164**, 417
Ultrasound attenuation
- in Bi compounds **161**, 226

Ultrasound velocity
- in Bi compounds **161**, 226
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 345

Ultra-violet spectra
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1123

Unconventional pairing
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 377

Unconventional superconductivity
- in UPt_3 (single crystal) **162–164**, 413

Unified mechanism of electron and hole symmetry **162–164**, 781
Unit cell cluster calculations
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1357

Universal anomalies in high T_c superconductors **162–164**, 303
Untwinned single crystal
- of $TmBa_2Cu_3O_{7-\delta}$ **162–164**, 1211
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1211

Untwinned single crystals
- of $YBa_2Cu_3O_{7-\delta}$ **161**, 1

Upper critical field **159**, 33, 46
- of $BaMo_6S_8$ **157**, 247
- of Ba(Pb,Sb)O_3 **162–164**, 1393
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **162–164**, 27
- of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ **162–164**, 27
- of Ho(Y)$Ba_2Cu_3O_{7-\delta}$ (single crystal film) **162–164**, 833
- of κ-(BEDT-TTF-$h_8)_2Cu(NCS)_2$ **162–164**, 577
- of $LaAl_2$:Gd **162–164**, 403
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **162–164**, 1209
- of $Nd_2CuO_{4-y}F_y$ **162–164**, 1209
- of $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ **162–164**, 723
- of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ **162–164**, 725
- of $Y_{1-x}Gd_xBa_2(Cu_{1-y}M_y)_3O_{7-\delta}$ (M=Fe,Ni) **162–164**, 965
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **162–164**, 1363
- of $YBa_2(Cu_{0.98}M_{0.02})O_{7+\delta}$ (M=Ni,Al) **162–164**, 1627
- of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) **162–164**, 719
- of $YBa_2Cu_3O_{7-\delta}$ **157**, 164; **162–164**, 1659
- of $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ **162–164**, 827
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 735, 747, 1023
- of $YBa_2Cu_3O_{7-\delta}$ thin film **162–164**, 647

Upper critical field (calculation) **162–164**, 801
Upper critical field H_{c2}
- in $YBa_2Cu_3O_{7-\delta}$ **161**, 1
- theory **161**, 687

Upper critical field of layered superconductors **162–164**, 1559
Upper critical field of V/Cu layer **162–164**, 425
UPS
- of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ **159**, 649
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1321
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1321
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 1321

UPt_3 **162–164**, 377

Vacancy ordering
- in $YBa_2Cu_3O_{7-\delta}$ **159**, 831

Valance state of Ce
- in $Nd_{2-x}Ce_xCuO_4$ **159**, 625

Valence band spectra
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1383
- of $Nd_2CuO_{4-y}F_y$ **162–164**, 1383

Valence-transition mechanism **161**, 423
Van Hore singularity **162–164**, 215
Variable hopping **158**, 391
Variational Monte Carlo method **162–164**, 1459
Végard's law
- in oxide superconductors **157**, 439

Vibrating leed technique **162–164**, 665, 667
Vibrating reed technique **160**, 25
Vibrational frequency
- LO phonons **157**, 192
- temperature dependence **157**, 135

Vibration frequency
- in $YBa_2Cu_3O_{7-\delta}$ **157**, 341

Vibration of a levitated magnet **160**, 461
Vibronic pairing mechanism **162–164**, 1519
Vortex diffusion **157**, 520
Vortex lattice instability **157**, 520
Vortex phase **161**, 136
Vortex states **162–164**, 1469

Weak ferromagnetism
- of Gd_{2-x}(Ce or Th)$_xCuO_{4-\delta}$ **160**, 341

Weak links **157**, 431
- detection **161**, 76
- in $YBa_2Cu_3O_7$ **161**, 39

Weak-link superconductor **157**, 325
Weak localisation **161**, 475
Weak localization effects **162–164**, 1003
Wet chemical etching
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 605

XAES
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1305

XAFS
- of $BaBi_{1-x}Pb_xO_3$ **162–164**, 544

XANES **159**, 609
XAS **158**, 260
- of Bi–Ca–Cu–O **162–164**, 209
- of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **162–164**, 51

XPS
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal **160**, 567
- of $Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$ **159**, 649
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **162–164**, 1321
- of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **162–164**, 1315
- of Bi compounds **161**, 145
- of Bi–Pb–Sr–Ca–Cu–O **162–164**, 1101
- of $ErBa_2Cu_3O_{7-\delta}$ **161**, 431
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **162–164**, 1321
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **159**, 629
- of $Nd_{1-x}Ba_{2+x}Cu_3O_{7-\delta}$ **162–164**, 47
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **162–164**, 1383, 1389
- of $Nd_2CuO_{4-y}F_y$ **162–164**, 1383
- of Tl–Ba–Ca–Cu–O **162–164**, 1387
- of $YBa_2Cu_3O_6$ **161**, 219
- of $YBa_2Cu_3O_{6.9}$ **161**, 219
- of $YBa_2Cu_3O_{7-\delta}$ **158**, 281; **158**, 413; **162–164**, 1385
- of $YBa_2Cu_3O_{7-\delta}$ (film) **162–164**, 141
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **162–164**, 1303
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **162–164**, 1305

XPS spectra
- of $La_{1+x}Sr_xCoO_{3-\delta}$ **160**, 252

XPS spectra (calculation)
- of $YBa_2Cu_3O_{7-\delta}$ **162–164**, 211

X-ray K edge spectra
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ **160**, 267
- of $La_{1.83}Sr_{0.17}CuO_{4-\delta}$ **160**, 267

X-ray L III absorption edges
- of (Tl,Pb)$Sr_2Ca_2Cu_3O_9$ **159**, 245

X-ray spectroscopy
- in $YBa_2Cu_3O_{7-\delta}$ **162–164**, 973

X-ray structural analysis
- of $Tl_2Ba_2CuO_{6+\delta}$ **159**, 239

XY-spiral spin order **162–164**, 1447

$YBa_2Cu_3O_x$ **157**, 83
YBaCuO film **159**, 419

Physica C, Materials Index Vols. 157–164 (1989) 101–115
North-Holland

Materials Index

$Ba_{0.6}K_{0.4}BiO_3$
– phonons **158**, 153
– positron annihilation **162–164**, 1377
$Ba_{0.6}K_{0.4}BiO_{3-\delta}$
– superconductivity **162–164**, 935
– synthesis **162–164**, 935
$Ba_{1-x}K_xBiO_3$
– electronic band structure **162–164**, 1435
– electron phonon interaction **162–164**, 1435
– gap-less superconductivity **158**, 519
– infrared reflectivity **162–164**, 1405
– isotope effect **157**, 192; **162–164**, 1405
– neutron scattering **162–164**, 1405
– optical spectroscopy **162–164**, 1121
– phase diagram **162–164**, 556
– phonon-mediated superconductivity **162–164**, 1405
– preparation **162–164**, 550
– pressure dependence of T_c **162–164**, 743
– Raman spectra **162–164**, 1657
– resistivity **162–164**, 550
– resistivity under pressure **162–164**, 743
– structure **162–164**, 556
– superconductivity **162–164**, 1405, 1657
– T_c pressure dependence **157**, 237
– thin film **162–164**, 1121
– tunneling characteristics **162–164**, 1053, 1405
– tunneling spectroscopy **158**, 519
$Ba_{1-x}K_xBiO_{3-\delta}$
– electron diffraction **157**, 228
– HREM **157**, 228
– modulated structure **157**, 228
$(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+\delta}$
– structure **160**, 235
$Ba_{1-x}Tl_xCuO_{2+\delta}$
– crystal structure **162–164**, 29
– superconductivity **162–164**, 29
$Ba_2Sc_2O_5$
– Knight shift **162–164**, 255
– NMR **162–164**, 255
– nuclear spin lattice relaxation time **162–164**, 255
$Ba_2ScCuO_{4.5}$
– Knight shift **162–164**, 255
– NMR **162–164**, 255
– nuclear spin lattice relaxation time **162–164**, 255
$Ba_3Sc_4Cu_3O_{12}$
– Knight shift **162–164**, 255
– NMR **162–164**, 255
– nuclear spin lattice relaxation time **162–164**, 255
$BaBi_{1-x}Pb_xO_3$
– XAFS **162–164**, 544
$BaCu_3O_4$
– structure **160**, 227
$BaCuO_{2-\delta}$
– oxygen content **162–164**, 59
– Raman scattering **162–164**, 1253
– structure **162–164**, 59
Ba–K–Bi–O
– positron annihilation **162–164**, 1379
$(Ba,K)BiO_3$
– Hall effect **157**, 469
– isotope effect **157**, 469
– thermoelectric power **157**, 469
$BaMo_6S_8$
– pressure induced superconductivity **157**, 247
– resistivity temperature dependence **157**, 247
– upper critical field **157**, 247
$BaPb_{1-x}Bi_xO_3$
– electronic band structure **162–164**, 1435
– electron phonon interaction **162–164**, 1435
– Fermi edge **162–164**, 1319
– granular superconductivity **162–164**, 727
– magnetization **162–164**, 727
– photoemission **162–164**, 1319
– pressure dependence of T_c **162–164**, 743
– resistivity under pressure **162–164**, 743
– shielding effect **162–164**, 727
$Ba(Pb,Sb)O_3$
– superconductivity **162–164**, 1393
– upper critical field **162–164**, 1393
$Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$
– specific heat **162–164**, 492
$(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$
– hysteresis **161**, 34
– sound velocity **161**, 34
– structural phase transition **161**, 34
$Bi_{0.8}Pb_{0.2}Sr_{0.8}CaCu_{1.4}O_x$
– specific heat **162–164**, 468
$(Bi_{0.9}Pb_{0.1})SrCaCu_{1.8}O_{10+\delta}$
– AC susceptibility **162–164**, 327
– granular superconductivity **162–164**, 327
– magnetization (low field) **162–164**, 327
$Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_{10+\delta}$
– specific heat **162–164**, 512
– thermal conductivity **162–164**, 512
$Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$
– electrical resistance **161**, 567
– excess conductivity **161**, 567
– Hall effect **161**, 567
– magnetoresistance **161**, 567
– Meissner effect **161**, 567
$Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_{8+\delta}$
– magnetic susceptibility **162–164**, 1401
$Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_x$
– flux lattice melting **162–164**, 667
– thermally assisted flux flow (TAFF) **162–164**, 667
$Bi_{1.5}Pb_{0.8}Sb_{0.1}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$
– high resolution electron microscopy (HREM) **162–164**, 635
– Meissner effect **162–164**, 635
$(Bi_{1.66}Pb_{0.34})Ca_2Sr_2Cu_3O_{10+\delta}$
– Meissner effect **162–164**, 502
– specific heat **162–164**, 502
$Bi_{1.6}Pb_{0.2}Sb_{0.2}Sr_2Ca_2Cu_3O_x$
– Meissner effect **162–164**, 863
$Bi_{1.6}Pb_{0.3}Sb_{0.1}Sr_2Ca_2Cu_3O_x$
– magnetization **162–164**, 729
$Bi_{1.6}Pb_{0.4-x}Sb_xCa_2Sr_2Cu_3O_x$
– superconductivity **162–164**, 911
$Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$
– magnetoresistance **158**, 477
– structure **157**, 491
– synthesis **157**, 491
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$
– linear coefficient **161**, 626
– NQR **161**, 367
– specific heat at T_c **161**, 626
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$

- effect of hydrogen **162–164**, 65

$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}H_x$
- Meissner effect **157**, 263
- structure **157**, 263

$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_4O_x$
- magnetization **162–164**, 729

$Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$
- noise in SQUID **162–164**, 395
- noise performance **162–164**, 395

$Bi_{1.6}Pb_{0.8}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$
- Meissner effect **162–164**, 635

$Bi_{1.73}Pb_{0.35}Sr_{1.89}Ca_{1.86}Cu_3O_x$
- annealing effects **159**, 789

$Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$
- electrical resistance **161**, 567
- excess conductivity **161**, 567
- Hall effect **161**, 567
- magnetoresistance **161**, 567
- Meissner effect **161**, 567

$Bi_{1.75}Pb_{0.25}Sr_2CaCu_2O_{8+\delta}$
- magnetic susceptibility **162–164**, 1401

$Bi_{1.7}Pb_{0.3}Ca_2Sr_2Cu_3O_y$
- synthesis **161**, 656

$(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$
- critical current **162–164**, 917
- SEM **160**, 161
- superconductivity **162–164**, 917
- Transmission Electron Microscopy (TEM) **160**, 161

$Bi_{1-x}Pb_xCaSrCu_{1.8}O_y$
- effective mass **162–164**, 1235
- infrared reflection spectra **162–164**, 1235

$Bi_{1-x}Pb_xSrCaCu_{1.8}O_x$
- AC susceptibility **162–164**, 1639
- Hall effect **162–164**, 1639

$Bi_{2.0}Sr_{1.8}La_{0.3}Ca_{0.8}Cu_{2.1}O_{8+\delta}$
- UPS **159**, 649
- XPS **159**, 649

$Bi_{2.1}Sr_{1.9}CuO_x$
- electron diffraction **159**, 93

$Bi_{2.2}Sr_{1.7}Ca_{1.2}Cu_2O_{8+\delta}$
- Raman spectra **159**, 277

$Bi_{2.2}Sr_{1.8}CaCu_{1.2}Li_{0.8}O_x$
- Meissner effect **161**, 561

$Bi_{2.375}Sr_{1.625}CuO_x$
- electron diffraction **159**, 93

$Bi_{2.5}Pb_{0.5}Sr_{2.5}Ca_{1.5}Cu_2O_x$
- flux lattice melting **162–164**, 667
- thermally assisted flux flow (TAFF) **162–164**, 667

$Bi_{2-x-y}Pb_xSb_yCa_2Cu_3O_7$
- superconductivity **159**, 665

$Bi_{2-x}Gd_xSr_2Ca_2Cu_3O_{10+\delta}$
- electron spin resonance **162–164**, 1289

$Bi_{2-x}M_xSr_2Ca_{n-y}M_yCu_mO_2$
- Hall effect **162–164**, 1199

$Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$
- critical current density **161**, 656
- electrical resistivity **161**, 656

$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$
- internal friction measurements **160**, 25
- superconductivity **162–164**, 1219

$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{16+\delta}$
- critical current **162–164**, 1171
- I–V characteristics **162–164**, 1171

$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{8+\delta}$
- Hall effect **162–164**, 1197

$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$
- lower critical field **162–164**, 27
- Meissner effect **157**, 370
- structure **157**, 370
- synthesis **157**, 370; **162–164**, 27
- upper critical field **162–164**, 27

$Bi_{2-x}Pb_xSr_2Ca_2Cu_4O_x$
- specific heat **162–164**, 729

$Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$
- structural modulation **159**, 777

$Bi_{2-x}Pb_xSr_2CaCu_2O_y$
- lower critical field **162–164**, 27
- synthesis **162–164**, 27
- upper critical field **162–164**, 27

$Bi_{2-x}Pb_xSr_2YCu_2O_{8+\delta}$
- structural modulation **159**, 777

$Bi_{2-y}Pb_ySr_2CaCu_2O_{8+\delta}$
- specific heat **162–164**, 480

$Bi_{2-z}Pb_z(Sr_{1.5}Ca_{0.5})Ca_{1-z}Y_zCu_2O_{8+\delta}$
- Hall concentration dependence of T_c **162–164**, 69

$Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$
- anisotropic resistivity **162–164**, 1195
- penetration depth **162–164**, 1195
- resistivity **162–164**, 1195

$Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$
- oxygen stoichiometry **158**, 247

$Bi_2(Ca_{0.5}Sr_{0.5})_3Cu_2O_x$
- thermal conductivity **162–164**, 572

$Bi_2Ca_{1.5}Y_{0.5}SrCu_2O_{8+\delta}$
- neutron diffraction **159**, 87

$Bi_2CaSr_2Cu_2O_8$
- neutron diffraction **157**, 515
- O–O separation **157**, 515

$Bi_2CaSr_2Cu_2O_{8+\delta}$
- high pressure resistivity **162–164**, 737
- pressure dependence of T_c **162–164**, 737

$Bi_2(CaSr)_{n+1}Cu_nO_x$
- superconducting glass **162–164**, 917

$Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_7$
- formation **158**, 211

$Bi_2(Sr_{0.6}Ca_{0.4})_3Cu_2O_{8+\delta}$
- substitution effect of 3d metals M for Cu **162–164**, 981

$Bi_2(Sr_{1.5}Ca_{0.5})Ca_{1-z}Y_zCu_2O_{8+\delta}$
- Hall concentration dependence of T_c **162–164**, 69

$Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$
- Hall effect **162–164**, 1009
- He^+ ion channeling **162–164**, 1009
- resistivity **162–164**, 1009
- Rutherford back scattering **162–164**, 1009

$Bi_2Sr_{2-x}Ca_{n+x}Cu_{n+1}O_y$
- melt processing **162–164**, 893

$Bi_2Sr_{2-x}Cu_xCuO_6$
- incommensurate modulation **160**, 431

$Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$
- structure **157**, 531

$Bi_2Sr_2Ca_{0.5}Gd_{0.5}Cu_2O_x$
- ESR **159**, 267

$Bi_2Sr_2Ca_{1-x}RE_xCu_2O_{8+\delta}$
- resistivity **160**, 17

$Bi_2Sr_2Ca_{1-x}Yb_xCu_2O_{8+\delta}$
- electron microscopy **159**, 461
- incommensulate modulation **159**, 461

$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
- antiferromagnetic order of Cu **162–164**, 183
- inelastic neutron scattering **162–164**, 462
- modulated structure **157**, 315
- NMR **162–164**, 183
- NQR **157**, 315; **162–164**, 183
- phonon density of states **162–164**, 462
- structure **157**, 531

$Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$
- thin film preparation **162–164**, 81

$Bi_2Sr_2Ca_2Cu_2Cu_{4.5}O_x$
- critical current (transport) **162–164**, 669

$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$
- AC susceptibility **161**, 111
- effects of annealing **162–164**, 1215
- electrical resistivity **161**, 111
- laser ablation **162–164**, 119
- oxygen content **162–164**, 1215
- preparation **162–164**, 119
- Raman scattering **162–164**, 1219
- structure **161**, 111
- synthesis **161**, 111

$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}H_x$
- Hall concentration **162–164**, 65

$Bi_2Sr_2Ca_2Cu_3O_7$
- doping by Pb and Sb **160**, 466

$Bi_2Sr_2Ca_2Cu_3O_x$
- effect of Mg on T_c **162–164**, 35
- fluctuation effects **161**, 123
- Hall effect **161**, 123
- Meissner effect **161**, 123
- negative magnetoresistance **162–164**, 693
- specific heat at T_c **161**, 123
- thermal expansion **161**, 123

$Bi_2Sr_2Ca_2Cu_3O_x$:Pb

- preparation **159**, 643

$Bi_2Sr_2Ca(Cu_{1-x}Fe_x)_2O_{8+\delta}$
- Mössbauer effect **162–164**, 45

$Bi_2Sr_2CaCu_2Cu_2O_x$
- critical current (transport) **162–164**, 669

$Bi_2Sr_2CaCu_2O_8$
- flux pinning **160**, 471
- Josephson junctions **160**, 505
- magnetic susceptibility **162–164**, 1401
- resistive transition **160**, 391
- single crystal growth **157**, 260
- XAS **157**, 260

$Bi_2Sr_2CaCu_2O_{8.2}$
- HREM **157**, 502
- structure **157**, 502

$Bi_2Sr_2CaCu_2O_{8-\delta}$
- Hall effect **159**, 616

$Bi_2Sr_2CaCu_2O_{8+\delta}$
- $1/f$ noise **160**, 443
- AC susceptibility **162–164**, 1613
- angular resolved photoemission spectroscopy **162–164**, 1381
- anisotropic flux penetration **162–164**, 1553
- anisotropic flux trap **162–164**, 1635
- anisotropic resistivity **162–164**, 1649
- annealing effect on T_c **162–164**, 929
- anti-Meissner effect **162–164**, 1365
- anti-phase boundary **158**, 490
- Auger spectroscopies **159**, 447
- band structure **162–164**, 1697
- BIS **162–164**, 1323
- coatings **162–164**, 139
- critical current **162–164**, 361, 363, 893, 1148, 1189
- critical current (magnetic) **162–164**, 319
- critical current (transport) **162–164**, 359
- effect of hydrogen **162–164**, 65
- effect of Pb **162–164**, 85
- effects of annealing **162–164**, 1215
- electrical resistivity **162–164**, 1397
- electronic structure **162–164**, 1321
- ESR **162–164**, 1005, 1647
- far-infrared spectroscopy **162–164**, 1083
- Fermi edge **159**, 439; **162–164**, 1323, 1381
- fluctuation noise **162–164**, 1203
- flux creep **159**, 422; **162–164**, 363, 1148
- flux lattice structure **162–164**, 679
- flux pinning **162–164**, 363, 857
- flux pinning potential **162–164**, 1189
- granular superconductivity **162–164**, 1613
- Hall effect **162–164**, 1005, 1397
- high resolution angular resolved photoemission **162–164**, 1697
- high resolution photoemission spectroscopy **162–164**, 845
- inelastic neutron scattering **162–164**, 1359
- infrared absorption **162–164**, 841
- Knight shift **162–164**, 195
- laser ablation **162–164**, 119
- lattice dynamics **162–164**, 1495
- lower critical field **162–164**, 1551, 1553
- low field magnetization **162–164**, 1551
- magnetic relaxation **162–164**, 319
- magnetic susceptibility **162–164**, 1005
- magnetization **157**, 520; **162–164**, 363
- magnetization (low field) **162–164**, 341
- magnetization relaxation **162–164**, 661
- magnetoresistance **160**, 167
- Meissner effect **162–164**, 341, 1365
- microstructure **162–164**, 885
- microwave absorption **162–164**, 1569, 1647
- microwave response **162–164**, 1545
- μ-SR **162–164**, 679, 857
- neutron diffraction **159**, 87
- NMR **162–164**, 195
- noise spectral density **162–164**, 1203
- nuclear quadrupole interaction **162–164**, 474
- optical spectroscopy **162–164**, 1123, 1229
- oxygen concentration **162–164**, 929
- oxygen content **159**, 417; **162–164**, 1215
- oxygen stoichiometry **159**, 639
- penetration depth **162–164**, 857, 1551
- phonon mode calculation **162–164**, 1495
- phonon spectrum **162–164**, 1359
- photoemission **159**, 439, 447
- pinning **162–164**, 319
- pinning properties **159**, 427
- plasma sprayed **162–164**, 139
- preparation **162–164**, 119
- quenching **162–164**, 1005
- Raman scattering **162–164**, 1097, 1099, 1257, 1701
- reflection high energy electron diffration (RHEED) **159**, 447
- reflectivity **162–164**, 1229
- remanent magnetization **162–164**, 1635
- resistive transition **159**, 433
- resistivity **162–164**, 1649
- single crystal growth **162–164**, 115
- sound velocity **162–164**, 454
- specific heat **162–164**, 474, 504
- structure **162–164**, 707
- substitution effects **162–164**, 985
- superconducting energy gap **162–164**, 841, 845, 1059, 1133, 1381, 1697
- superconducting gap **162–164**, 1127
- superconducting glass **162–164**, 1569
- superstructure **158**, 490
- thermal conductivity **162–164**, 508
- thermally activated flux flow **162–164**, 1189
- thermoelectric power **162–164**, 506, 1397
- thin film **162–164**, 707
- tunneling characteristics **162–164**, 1059, 1133, 1397
- tunneling spectroscopy **162–164**, 1127
- ultrasonic attenuation **162–164**, 454
- ultra-violet spectra **162–164**, 1123
- UPS **162–164**, 1321
- XPS **160**, 567; **162–164**, 1321

$Bi_2Sr_2CaCu_2O_{8+\delta}H_x$
- ^{1}H NMR **159**, 849
- Hall concentration **162–164**, 65
- Meissner effect **157**, 263
- structure **157**, 263

$Bi_2Sr_2CaCu_2O_x$
- Brillouin scattering **162–164**, 1073
- elastic constants **162–164**, 1073
- sound velocity **162–164**, 1073
- substitution effects due to alkaline metals **161**, 561
- synthesis **161**, 561

$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$
- effect of substitution (3d elements) **162–164**, 25
- substitution of 3d elements **162–164**, 25

$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$
- NQR **162–164**, 189

$Bi_2Sr_2Ca_{n-1}Cu_nO_y$
- Hall effect **162–164**, 1205
- preparation **162–164**, 1205
- reflectivity **162–164**, 1205
- susceptibility **162–164**, 1205

$Bi_2Sr_2CuO_6$
- band structure **161**, 497

$Bi_2Sr_2CuO_{6+\delta}$
- Auger depth profile **162–164**, 1223
- Raman scattering **162–164**, 1257
- single crystal growth **162–164**, 1223

$Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$
- antiferromagnetic order **162–164**, 155
- antiferromagnetism **162–164**, 985
- electron energy loss spectra (EELS) **162–164**, 1415

- electronic structure **162–164**, 1315
- Fermi edge **162–164**, 1315
- Hall concentration dependence of T_c **162–164**, 67
- infrared spectroscopy **162–164**, 67
- μ-SR **162–164**, 155
- phonon spectrum **162–164**, 67
- XPS **162–164**, 1315

$Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$
- structure **157**, 531

$Bi_2Sr_2YCu_2O_{8.37}$
- antimagnetic order **160**, 136
- specific heat **160**, 136

$Bi_2Sr_{3-x}Ca_xCu_2O_8$
- modulated structure **161**, 598
- structure **161**, 598

$Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$
- electron diffraction **157**, 115

$Bi_2SrCa_2Cu_2O_{8+\delta}$
- neutron diffraction **159**, 87

$Bi_2(Sr,Ca)_2CuO_{8-\delta}$
- muon spin resonance **158**, 230
- penetration depth **158**, 230

$Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$-optical spectra of single crystals **162–164**, 1117

$Bi_2(Sr,Ca)_3Cu_2O_x$
- flux creep **159**, 295
- resistive transition **159**, 295

$Bi_2SrCaCu_2O_x$
- fluorination **159**, 443

$Bi_2(Sr,Ca,La)_3Cu_2O_{8+\delta}$
- angular resolved photoemission spectroscopy **162–164**, 1313

$Bi_3PbSr_3Ca_3Cu_4O_y$
- preparation **162–164**, 1221

$Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$
- scanning tunneling microscopy (STM) **162–164**, 1045
- specific heat **162–164**, 566
- thermal expansion **162–164**, 566
- tunneling characteristics **162–164**, 1045
- X-ray K edge spectra **160**, 267

$Bi_4Sr_3Ca_3Cu_4O_{16+\delta}$
- superconducting energy gap **162–164**, 1045

$Bi_4Sr_8Cu_5O_{19+\delta}$
- electron microscopy **162–164**, 865
- magnetic susceptibility **162–164**, 865
- structure **157**, 525

$Bi_4Sr_8Cu_5O_x$
- electron diffraction **159**, 93
- HREM **159**, 93

$Bi_5Sr_3Ca_2Cu_4O_y$
- photoemission **162–164**, 1317

Bi-based superconductors
- electronic structure **158**, 501

Bi–Ca–Cu–O
- XAS **162–164**, 209

Bi–Ca–Sr–Cu–O
- glass crystallization **159**, 273

Bi compounds
- Raman spectroscopy **157**, 495

$BiPb_{0.3}SrCaCu_2O_{5.8}$
- Meissner effect **157**, 375
- specific heat at T_c **157**, 375

$BiPb_{0.3}SrCaCu_2O_x$
- specific heat **162–164**, 496
- superconducting fluctuation **162–164**, 496

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$
- annealing effect **161**, 373
- crystal structure **161**, 373
- structure **161**, 373

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$
- EDX **158**, 241
- HREM **158**, 203
- specific heat **158**, 255
- synthesis **158**, 203

Bi–Pb–Ca–Sr–Cu–O
- superconductivity **162–164**, 915

Bi–Pb–Sb–Sr–Ca–Cu–O
- preparation **162–164**, 635
- superconductivity **162–164**, 925
- transmission electron microscopy (TEM) **162–164**, 635

Bi–(Pb)–Sr–Ca–Cu–O
- anomalous Hall effect **162–164**, 999
- coprecipitation method of synthesizing **160**, 369
- critical current **162–164**, 1165, 1261
- dip coating **160**, 517
- effects of Sb doping **159**, 784
- electron microscopy **162–164**, 943
- ESR **158**, 217
- far-infrared spectroscopy **162–164**, 1077
- glass state by quenching **162–164**, 901
- Hall effect **162–164**, 999
- interaction with Ag **160**, 533
- magnetron sputtering **162–164**, 117
- NMR **162–164**, 267
- NQR **162–164**, 267
- phase formation **162–164**, 1227
- preparation **162–164**, 117, 117, 613, 619, 1227
- Raman scattering **162–164**, 1101
- sound velocity **162–164**, 450
- spray pyrolysis method **162–164**, 117
- structural phase transition **162–164**, 450
- superconductivity **162–164**, 526
- thin film **162–164**, 613, 619
- ultrasonic attenuation **162–164**, 450
- XPS **162–164**, 1101

Bi, Pb–Sr–Ca–Cu oxide
- Meissner effect **157**, 267

$BiSr_4Ca_2Cu_4O_x$
- structure **161**, 589

$BiSrCaCu_2O_{6-\delta}$
- AC susceptibility **157**, 108

$BiSrCaCu_2O_x$
- excess conductivity **159**, 231
- specific heat **162–164**, 468

$BiSrCaCu_3O_x$
- sound velocity **162–164**, 444
- ultrasonic attenuation **162–164**, 444

Bi–Sr–Ca–Cu–O
- AC susceptibility **162–164**, 1587
- activation energy **162–164**, 685
- critical current **162–164**, 367, 649, 927, 1631
- critical current (magnetic) **162–164**, 685
- critical current (transport) **162–164**, 359
- DC-SQUID **162–164**, 709
- effect of Pb layer **162–164**, 617
- ferroelectricity **162–164**, 891
- flux creep **162–164**, 665, 685
- flux line lattice melting **162–164**, 665
- glass state **162–164**, 891
- grain boundaries **162–164**, 21
- granular superconductivity **162–164**, 21
- high resolution transmission electronmicroscopy **162–164**, 21
- hot extrusion **162–164**, 379
- in-situ growth **162–164**, 645
- lower critical field **162–164**, 1631
- machinability of superconductivity **162–164**, 879
- magnetization relaxation **162–164**, 685
- microwave absorption **162–164**, 21, 641, 891
- microwave emission **162–164**, 1041
- μ-SR **162–164**, 259
- nonlogarithmic flux creep **162–164**, 665
- penetration depth **162–164**, 259
- preparation **162–164**, 617, 631, 641, 649, 711, 1587
- preparation of thick film **162–164**, 881
- Raman scattering **162–164**, 1105
- resistivity at high temperatures **162–164**, 1025
- SQUID made **162–164**, 879
- substitution effect of Sb and Pb **162–164**, 863
- superconducting energy gap **162–164**, 837
- superconductivity **159**, 659; **162–164**, 939

- synthesis **162–164**, 379
- thin film **162–164**, 617, 631, 641, 645, 649, 709
- tunneling junctions **162–164**, 1131
- tunneling measurement **162–164**, 837

Bi–Sr–Ca–Cu–O/Nb
- tunneling spectroscopy **162–164**, 1131

Bi–Sr–Ca–Cu–O_x
- preparation **162–164**, 923

Bi–Sr–Ca–Cu oxide
- lower critical field **157**, 251

Bi–Sr–Ca(Y,Gd)–Cu–O
- microwave absorption **159**, 267

Bi–Sr–Cu–O
- phase diagram **159**, 93

$(Ca_{1-x}Ba_xLa)(Cu_{1-x}M_x)_3O_{7-\delta}$
- single crystal **162–164**, 873

$Ca_2Ba_2Cu_3O_x$
- activation energy **162–164**, 677
- flux pinning **162–164**, 677
- magnetization relaxation **162–164**, 677

$Ca_2CuO_2Cl_2$
- properties **158**, 109

$CaBi_2Sr_2Cu_2O_8$
- phonon spectrum **157**, 257

$CaCuO_2$
- electronic structure **162–164**, 1431
- local spin density approximation (LSDA) **162–164**, 1431

$CeCu_2Si_2$
- magnetization relaxation **162–164**, 695

$CmBa_2Cu_3O_7$
- antiferromagnetic order **161**, 252
- magnetic susceptibility **161**, 252
- structure **161**, 252
- synthesis **161**, 252

Cu_2O_7
- Hubbard Hamiltonian **160**, 424

Cu_2O_8
- Hubbard Hamiltonian **160**, 424

CuCl:Si
- interfacial superconductivity **162–164**, 554

Cu–O
- band structure **161**, 451

CuO_2
- electronic structure **159**, 586, 595

$CuO_x (x=4,5,6)$
- cluster model **159**, 161

$DyBa_2Cu_3O_{7-\delta}$
- preparation **162–164**, 627
- specific heat **162–164**, 496
- superconducting fluctuation **162–164**, 496
- thin film **162–164**, 627

$Er_{0.4}Ho_{0.6}Rh_4B_4$
- thermal conductivity **162–164**, 1653

$ErBa_2Cu_3O_{7-\delta}$
- crystal field **162–164**, 538
- Hall effect **159**, 616
- irradiation effect **161**, 431
- magnetic order of Er^{3+} **162–164**, 153
- Mössbauer effect **160**, 49
- μ-SR **162–164**, 153
- oxygen stoichiometry **162–164**, 538
- oxygen vacancy **161**, 431
- powder neutron diffraction **162–164**, 538
- thin films **161**, 431
- XPS **161**, 431

$ErBa_2Cu_3O_x$
- crystal-field effects **161**, 671
- internal friction **158**, 497
- neutron scattering **161**, 671
- thermal conductivity **162–164**, 572

$Eu_{1.85}Co_{0.15}CuO_{4-\delta}$
- resistivity **158**, 178

Eu_2CuO_4
- Raman scattering **160**, 249

$EuBa_2Cu_3O_{7-\delta}$
- acoustic resonance **162–164**, 458
- anisotropic lattice vibration **162–164**, 568
- hyperfine interaction **162–164**, 568
- Mössbauer effect **162–164**, 568
- sound velocity **162–164**, 458

$(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$
- coexistence of paramagnetism and **162–164**, 458

$Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$
- percolation superconductivity **158**, 485

$Gd_{2-x}(Th \text{ or } Ce)_xCuO_{4-\delta}$
- weak ferromagnetism **160**, 341

$Gd_{2-x}(Th \text{ or } Ce)_xCuO_{4+\delta}$
- oxygen content **160**, 30

$Gd_2CuO_{4-\delta}$
- Raman scattering **160**, 249

Gd_2O_3–BaO–CuO
- phase diagrams **158**, 485

$GdBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
- electron spin resonance **162–164**, 1293
- magnetic susceptibility **162–164**, 1293

$GdBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
- electron spin resonance **162–164**, 1287

$GdBa_2Cu_{3-x}Fe_xO_{7-\delta}$-Mössbauer effect **159**, 188

$GdBa_2Cu_3O_{7-\delta}$
- antiferromagnetic order **159**, 863
- coexistence of antiferromagnetism and superconductivity **162–164**, 1293
- electron spin resonance **162–164**, 1287
- g-values **162–164**, 1287
- Hall effect **162–164**, 1033
- magnetic properties **159**, 863
- magnetization **162–164**, 349
- resistivity **158**, 480; **162–164**, 1033
- TGA **158**, 480
- torque **162–164**, 349

$GdBa_2Cu_3O_x$
- antiferromagnetic order **161**, 447
- Hall effect **161**, 447
- magnetoresistance **161**, 447
- thin films, single-crystalline **161**, 447

$GdBa_2Cu_3O_y$
- substitution of Fe **159**, 173

$Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$
- antiferromagnetic fluctuations **161**, 13
- crystal field **161**, 13
- ESR **161**, 13
- substitution effects due to Gd **161**, 13

$HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7-\delta}$
- Mössbauer effect **162–164**, 1291

$HoBa_2Cu_3O_{7-\delta}$
- critical current **160**, 55; **162–164**, 1271
- critical current (magnetic) **162–164**, 1629
- heat capacity **159**, 379
- magnetic field penetration **162–164**, 1271
- magnetization **162–164**, 1629
- magnetostriction **162–164**, 1361
- polarized neutron diffraction **162–164**, 1271
- single crystal thin film **162–164**, 833

$HoBa_2Cu_3O_x$
- crystal-field splitting **157**, 58
- inelastic neutron scattering **157**, 58

$Ho(Y)Ba_2Cu_3O_{7-\delta}$
- thin film **162–164**, 833
- upper critical field **162–164**, 833

$H_xYBa_2Cu_3O_{7-\delta}$
- inelastic neutron scattering **162–164**, 1369
- phonon density of states **162–164**, 1369

$K_{0.4}Ba_{0.6}Bi_{1-x}Sb_xO_3$
- Mössbauer effect **162–164**, 91

κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$
- crystal structure **162–164**, 577
- Fermi surface **162–164**, 577
- organic superconductor **162–164**, 577

κ-$(BEDT\text{-}TTF\text{-}h_8)_2Cu(NCS)_2$
- ESR **162–164**, 577

- Shubnikov–de Haas oscillations **162–164**, 577
- thermoelectric power **162–164**, 577
- upper critical field **162–164**, 577

κ-(BEDT-TTF-h_8)$_2$I$_3$
- pressure effect on T_c **162–164**, 577

$KCuF_4$
- electronic band structure **162–164**, 1439

$La_{0.85}Sr_{0.15}CuO_{4-\delta}$
- optical spectra of single crystals **162–164**, 1117

$La_{1.1}Ba_{1.9}Cu_{2.1}Nb_{0.9}O_8$
- structure **161**, 245

$La_{1.1}Ba_{1.9}Cu_{2.1}Ta_{0.9}O_8$
- structure **161**, 245

$La_{1.1}Sr_{1.9}Cu_2O_{5.83}$
- crystal structure **162–164**, 542

$La_{1.5}Sr_{0.5}NiO_4$
- band structure **161**, 503

$La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$
- metal–insulator transition **157**, 301
- neutron diffraction **157**, 301
- orthorhombic–tetragonal transition **157**, 301

$La_{1.7}Sr_{0.3}CuO_4$
- neutron diffraction **157**, 301
- orthorhombic–tetragonal transition **157**, 301

$La_{1.83}Sr_{0.17}CuO_{4-\delta}$
- X-ray K edge spectra **160**, 267

$La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$
- low temperature X-ray diffraction **158**, 458
- neutron diffraction **158**, 458
- thermal expansion **158**, 458

$La_{1.85}Sr_{0.15}CuO_4$
- Auger **159**, 404
- LEED **159**, 404
- Mössbauer spectroscopy **159**, 869
- spin fluctuations **159**, 869

$La_{1.85}Sr_{0.15}CuO_{4-\delta}$
- BIS **162–164**, 1323
- critical current (transport) **162–164**, 1625
- elastic constants **162–164**, 460
- Fermi edge **162–164**, 1323
- grain boundaries **162–164**, 1625
- Knight shift **162–164**, 195
- magnetic susceptibility **162–164**, 1401
- NMR **162–164**, 195
- nuclear quadrupole interaction **162–164**, 474
- sound velocity **162–164**, 460
- specific heat **162–164**, 474

$La_{1.8}Sr_{0.15}CuO_4$
- μ-SR **162–164**, 161

$La_{1.9}Ca_{1.1}Cu_2O_6$
- interaction distances **157**, 89
- neutron diffraction **157**, 89

$La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$
- Auger electron spectroscopy **162–164**, 1329
- electronic structure **162–164**, 1329
- high resolution Auger electron spectroscopy **162–164**, 1329

$(La_{1-x}Ba_x)_2CuO_{4-\delta}$
- phase diagram **159**, 111
- structural phase transition **159**, 111

$(La_{1-x}Ba_x)_2CuO_{4-\delta}$-crystal structure
- structure **162–164**, 983

$La_{1-x}M_xCuO_3$
- high pressure synthesis **162–164**, 899

$La_{1-x}Sr_xBa_{2-2y}Sr_{2y-z}La_zCu_3O_{6+\delta}$
- factors influencing T_c **159**, 760

$La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$
- Hall effect **161**, 581
- hole concentration, effect on T_c **161**, 581

$La_{1+x}Sr_xCoO_{3-\delta}$
- XPS spectra **160**, 252

$La_{2-x}CuO_{4-\delta}$
- superconductivity **162–164**, 921

$La_{2-x}M_xCuO_4$
- neutron diffraction **158**, 465
- structure **158**, 465
- tetagonal–orthorombic transition **157**, 72

$La_{2-x}Sr_xCuO_4$
- antiferromagnetic order **161**, 265
- band structure **161**, 607
- Cu–O planes **161**, 88
- NQR **157**, 307; **161**, 265
- oxygen diffusion **161**, 83
- Raman scattering **161**, 83
- spin–lattice relaxation time $^{T}_{1}$ **161**, 265
- spin–spin relaxation time $^{T}_{2}$ **161**, 265

$La_{2-x}Sr_xCuO_{4-\delta}$
- anisotropy resistivity **160**, 35
- broadening of the resistive transition **162–164**, 1017
- carrier concentration dependence on T_c **162–164**, 291
- electron energy loss spectra (EELS) **162–164**, 1415
- electronic structure **162–164**, 1321
- Hall effect **162–164**, 1677
- isotope effect of oxygen **162–164**, 755
- Mott transitions **162–164**, 215
- μ-SR **162–164**, 145, 857
- NMR **162–164**, 169
- NQR **162–164**, 187
- nuclear Schottky anomaly **162–164**, 472
- nuclear spin lattice relaxation time **162–164**, 187
- nuclear spin relaxation **162–164**, 169
- optical reflectivity **162–164**, 1677
- penetration depth **162–164**, 145, 857
- perturbed angular distribution (PAD) **162–164**, 345
- phase diagram **162–164**, 1677
- positron annihilation spectroscopy **162–164**, 1309
- resistivity **160**, 35; **162–164**, 1003
- sound velocity **162–164**, 448
- specific heat **162–164**, 472, 498
- spin glass state **162–164**, 145
- structural phase transition **162–164**, 448
- structure **162–164**, 536
- ultrasonic attenuation **162–164**, 448, 562
- UPS **162–164**, 1321
- XPS **162–164**, 1321

$La_{2-x}Sr_xNiO_{4-\delta}$
- antiferromagnetism **162–164**, 1273
- magnetization **162–164**, 1273
- oxygen stoichiometry **162–164**, 1273

La_2CoO_4
- properties **158**, 109

La_2CuO_4
- 2D-angular correlation of positron annihilation (ACAR) **162–164**, 1375
- antiferromagnetic order **161**, 59
- band structure **161**, 59
- electronic band structure **162–164**, 1439
- electronic structure **162–164**, 583
- energy band calculations **159**, 412
- infrared spectra **159**, 1
- infrared spectroscopy **162–164**, 1107
- magnetism **158**, 192
- polarons spectroscopy **162–164**, 1107
- positron annihilation **162–164**, 1375
- Raman spectra **159**, 1

$La_2CuO_{4.032}$
- crystal structure **158**, 183; **162–164**, 57
- neutron diffraction **158**, 183; **162–164**, 57

$La_2CuO_{4-\delta}$
- anharmonic lattice vibration **162–164**, 1705
- antiferromagnetic correlation length **162–164**, 849
- antiferromagnetic order **162–164**, 1349
- dielectric constant **162–164**, 1031
- elastic constants **162–164**, 460
- energy band calculation **162–164**, 1349
- EXAFS **160**, 571

- high frequency resistivity **162–164**, 1031
- inelastic neutron scattering **162–164**, 1705
- lattice instability **162–164**, 1037
- magnetic correlations **162–164**, 849
- magnetic excitations **162–164**, 829
- magnetic vortex–antivortex pairing **162–164**, 1517
- magnetization **162–164**, 1299, 1301
- magnetoresistance **162–164**, 1301
- neutron diffraction **161**, 21
- neutron scattering **162–164**, 849
- optical excitations **162–164**, 1231
- perturbed angular distribution (PAD) **162–164**, 1283
- phase diagram **162–164**, 1037
- phonon dispersion curves **162–164**, 1705
- Raman scattering **160**, 249
- reflectivity **162–164**, 1231
- resistivity at high frequencies **162–164**, 1031
- self-consistent spin polarized energy band calculations **162–164**, 1349
- sound velocity **162–164**, 460
- structure **161**, 21
- substitution effects due to Ce **161**, 21
- substitution effects due to Sr and Pr **161**, 21
- susceptibility **157**, 293
- thermal expansion **162–164**, 1037
- transient photomodulation spectroscopy **162–164**, 1109

$La_2CuO_{4+\delta}$
- μ-SR **162–164**, 147
- oxygen defect structure **162–164**, 99
- penetration depth **162–164**, 147
- phase diagram **162–164**, 99
- structure **162–164**, 99

$La_2Cu_xO_{4-\delta}$
- T_c pressure dependence **157**, 446

La_2NiO_4
- antiferromagnetic order **161**, 503
- band structure **161**, 503
- electronic band structure **162–164**, 1439
- properties **158**, 109

$La_2NiO_{4+\delta}$
- oxygen defect structure **162–164**, 99
- phase diagram **162–164**, 99
- structure **162–164**, 99

La_2SrCuO_6
- properties **158**, 109

$La_4BaCu_5O_x$
- phase relations **158**, 197

$La_4Ba_ySr_{1-y}Cu_5O_x$
- phase relations **158**, 197

La–A–Cu–O
- transport properties **159**, 181

$LaAl_2$
- lower critical field $^{H}_{c1}$ **161**, 272, 287, 294

$LaAl_2$:Gd
- impurity effect **162–164**, 403
- magnetization **162–164**, 403
- upper critical field **162–164**, 403

$LaBa_{2-2x}Ca_{2x}Cu_3O_{6+\delta}$
- factors influencing T_c **159**, 760

$LaBa_{2-2x}Sr_{2x}Cu_3O_{6+\delta}$
- factors influencing T_c **159**, 760

$LaBa_2Cu_3O_{7-\delta}$
- NMR **162–164**, 169
- nuclear spin relaxation **162–164**, 169
- substitution effects due to La on Ba sites **161**, 581

$LaCuO_4$
- properties **158**, 109

La-doped $YBa_2Cu_3O_x$
- Hall coefficient **157**, 83

$(La,Ln,Sr)_2CuO_{4-\delta}$
- oxygen deficiency **158**, 449

$(La,Sr)_2Cu_{1-x}Fe_xO_{4-\delta}$
- magnetic-superconducting phase diagram **162–164**, 31
- magnetization measurements **162–164**, 31

$(La,Sr)_2CuO_{4-\delta}$
- broadening of the resistive transition **160**, 243

$(La,Sr)_8Cu_8O_{20}$
- phase relations **158**, 917

$Li_{0.9}Mo_6O_{17}$
- pressure effect **162–164**, 427
- superconductivity **162–164**, 427

$Li_{1+x}Ti_{2-x}O_4$
- NMR of ^7Li **157**, 65
- nuclear relaxation **157**, 65
- penetration depth **157**, 65

$Ln_{2-x}Ce_xCuO_{4-\delta}$
- Hall effect **162–164**, 1209
- μ-SR **162–164**, 825

$Ln_{2-x}M_xCuO_{4-\delta}$
- susceptibility measurements **159**, 391

$Ln_2Cu_2O_5$
- ESR **162–164**, 253

Ln_2CuO_4
- specific heat **160**, 217

$LnBa_2Cu_3O_{7-\delta}$
- oxygen stoichiometry **158**, 453

$Lu_{2-x}Ce_xCuO_{4-\delta}$ (Lu=Nd, Gd)
- structure **158**, 148
- synthesis **158**, 148

Mo/V
- magnetization **162–164**, 409
- multilayers **162–164**, 409
- proximity effect **162–164**, 409

Nb/NbTi
- critical current **162–164**, 411
- critical field **162–164**, 411
- superlattice **162–164**, 411

Nb_3Sn, V_3Si
- A15 compounds **162–164**, 431
- Raman scattering **162–164**, 431

Nb–Al
- A15 compound **162–164**, 433
- critical current **162–164**, 433
- flux pinning **162–164**, 433

$Nb,Ta,V,CaAl_2$
- lower critical field H_{c1} **162–164**, 401
- magnetization **162–164**, 401

$Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$
- oxygen stiochiometry **161**, 6
- structural phase transition **161**, 6
- structure **161**, 6

$Nd_{1.845}Ce_{0.155}CuO_{4-y}$
- electron diffraction **158**, 433
- electron doped superconductor **158**, 433
- neutron diffraction **158**, 433

$Nd_{1.85}Ce_{0.15}CuO_{3.98}$
- Hc_2 **159**, 391

$Nd_{1.85}Ce_{0.15}CuO_4$
- electrical resistivity **161**, 415
- Fermi liquid state, experimental evidence **161**, 415

$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
- BCS model, applicability **161**, 239
- critical current **162–164**, 957
- energy gap **161**, 239
- far-infrared spectra **161**, 239
- lower critical field **162–164**, 1209
- positron annihilation **162–164**, 1377
- pressure dependence of T_c **162–164**, 745
- resistivity **158**, 178
- specific heat **158**, 178
- upper critical field **162–164**, 1209
- XPS **159**, 629

$Nd_{1.85}Ce_{0.15}CuO_{7-\delta}$
- pressure dependence of T_c **159**, 391

$Nd_{1.85}M_{0.15}CuO_{4-\delta}$
- specific heat **160**, 217

$Nd_{1-x}Ba_{2+x}Cu_3O_{7-\delta}$
- substitution effects **162–164**, 47
- XPS **162–164**, 47

$Nd_{1+x-y}Ca_yBa_{2-x}Cu_3O_{7-\delta}$
- Hall concentration **162–164**, 63

$Nd_{1+x}Ba_{2-x}Cu_{3-z}Zn_zO_{7-\delta}$
- Hall concentration **162–164**, 63

$Nd_{2-x}Ce_xCu_{4-\delta}$
- NMR **160**, 8

- NQR **160**, 8

$Nd_{2-x}Ce_xCuO_4$
- Fermi surface **157**, 571
- ionic radius of Ce **159**, 625
- valance state of Ce **159**, 625

$Nd_{2-x}Ce_xCuO_{4-\delta}$
- absorption spectra **160**, 273
- antiferromagnetic order of Cu **162–164**, 181
- Auger electron spectroscopy **162–164**, 1389
- defect structures **161**, 331
- electron diffraction **160**, 375
- electron energy loss spectra (EELS) **162–164**, 1415
- Hall effect **162–164**, 1013, 1677
- HREM **161**, 331
- Kondo effect **162–164**, 89
- localization **162–164**, 993
- magnetic structure **162–164**, 522
- μ-SR **162–164**, 857
- neutron powder diffraction **159**, 634
- NMR **162–164**, 181
- NQR **162–164**, 181
- optical reflectivity **162–164**, 1677
- oxygen deficiency **159**, 634
- oxygen stoichiometry **161**, 331; **162–164**, 285
- phase diagram **162–164**, 1677
- photoemission spectroscopy **162–164**, 1383
- powder neutron diffraction **162–164**, 522
- reflectivity **160**, 273
- resistivity **162–164**, 1013
- single crystal growth **162–164**, 285
- soft X-ray absorption spectroscopy **162–164**, 1331
- structural anomalies **159**, 629
- superconductivity **162–164**, 89
- superlattice modulation **160**, 375
- synthesis **162–164**, 285
- valence band spectra **162–164**, 1383
- XPS **162–164**, 1383, 1389

$Nd_{2-x}(Th\text{ or }Ce)_xCuO_{4+\delta}$
- oxygen content **160**, 30

Nd_2CuO_4
- bandstructure **157**, 571
- density of states **157**, 571
- far-infrared spectra **161**, 239
- magnetic susceptibility **158**, 102
- specific heat **158**, 102
- substitution effects due to Ce **161**, 239

$Nd_2CuO_{4-\delta}$
- electronic structure **160**, 129
- magnetic structure **160**, 124
- neutron diffraction **160**, 124
- optical excitations **162–164**, 1231
- reflectivity **162–164**, 1231
- specific heat **158**, 178
- structural distortion **160**, 124
- substitution effects due to Ce **161**, 21

$Nd_2CuO_{4-x-\delta}F_x$
- Hall effect **162–164**, 1209

$Nd_2CuO_{4-x}F_x$
- electron diffraction **160**, 375
- superlattice modulation **160**, 375

$Nd_2CuO_{4-y}F_y$
- photoemission spectroscopy **162–164**, 1383
- upper critical field **162–164**, 1209
- valence band spectra **162–164**, 1383
- XPS **162–164**, 1383

$NdBa_2Cu_3O_{7-\delta}$
- antiferromagnetic order **162–164**, 1367

$(Nd,Sr,Ce)_2CuO_{4-y}$
- structure **158**, 440

$Pb_{0.3}Bi_{0.7}SrCaCu_{1.8}O_x$
- critical current **160**, 489

$Pb_{0.3}Bi_{1.8-x}Sb_xCa_2Cu_3O_{7+\delta}$
- Mössbauer spectra **160**, 281

$Pb_{0.3}Bi_{1.8-x}Sb_xSr_{1.9}Ca_2Cu_3O_{10+\delta}$
- Mössbauer effect **162–164**, 95

$Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_{7-\delta}$
- electron diffraction **159**, 201

$Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_2O_{7-\delta}$
- HREM **159**, 201

$Pb_2Ba_2YCu_3O_{8+\delta}$
- neutron diffraction **159**, 210

$Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$
- grain boundaries **161**, 390
- HREM **159**, 81; **161**, 390
- superconductivity **162–164**, 979

$Pb_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$
- grain boundaries **161**, 390
- HREM **161**, 390

$Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$
- grain boundaries **161**, 390
- HREM **161**, 390

$Pb_2Sr_2(Ca_y)Cu_3O_{8+\delta}$
- electron microscopy **162–164**, 951

$Pb_2Sr_2PrCu_3O_{8+\delta}$
- electronic structure **162–164**, 1373
- resonant photoemission spectroscopy **162–164**, 1373

$Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$
- EDX **158**, 155
- electron microscopy **158**, 155
- HREM **158**, 155

$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$
- HREM **157**, 509

$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$
- crystal structure **162–164**, 534, 875
- electron microscopy **162–164**, 53
- far-infrared spectroscopy **162–164**, 1079
- oxygen chemistry **162–164**, 281
- oxygen stoichiometry **162–164**, 53
- phase transition **162–164**, 516
- Raman scattering **162–164**, 1079
- structural change **162–164**, 53
- structural instability **162–164**, 516
- structure **162–164**, 971
- synthesis **159**, 165

$Pb_2Sr_2YCu_3O_8$
- neutron diffraction **157**, 272
- structure **157**, 272

$Pb_2Sr_2YCu_3O_{8+\delta}$
- infrared reflection **162–164**, 1345
- lattice dynamics **162–164**, 1345
- Raman scattering **162–164**, 1345

$PbBaSrYCu_3O_x$
- HREM **161**, 459
- oxygen stoichiometry **161**, 459
- structure **161**, 459

Pb–Sr–RE–Ca–Cu oxides
- interatomic distances **157**, 124
- structure **157**, 124

$Pr_{1.85}Th_{0.15}CuO_{x-\delta}$
- resistivity **158**, 178

Pr_2CuO_4
- magnetic susceptibility **158**, 102
- specific heat **158**, 102

$Pr_2CuO_{4-\delta}$
- substitution effects due to Ce **161**, 21

$PrBa_2Cu_3O_{7-\delta}$
- He^+ ion channeling **162–164**, 949
- ion channeling (He^+) **162–164**, 949
- oxygen content **162–164**, 61
- structure **162–164**, 61

$(Rb,Ba)BiO_3$
- preparation **162–164**, 633
- thin film **162–164**, 633

$RE_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$
- superconductivity **162–164**, 87

$RE_{2-x}Ce_yCuO_{4-\delta}$
- mixed valence **162–164**, 3

$RE_{2-x}M_xCuO_{4-\delta}$
- crystal fields **162–164**, 296
- magnetism **162–164**, 296
- superconductivity **162–164**, 957

$RE_2CuO_{4-\delta}$
- electronic band structure **162–164**, 1351

RE_2CuO_4 (RE = La, Pr, Nd, Sm, Eu, Gd)
- properties **158**, 109

$RE_5Os_4Si_{15}$
- magnetic pair breaking **162–164**, 407
- pressure effect of T_c **162–164**, 407

$REBa_2Cu_3O_{6.9}$
- Meissner effect **157**, 375

- specific heat at T_c **157**, 375

$REBa_2Cu_3O_{7-\delta}$
- anharmonicity **161**, 48
- critical current **162–164**, 361
- electron microscopy **162–164**, 77
- flux motion **161**, 403
- flux pinning **161**, 403
- infrared reflection **162–164**, 1343
- irradiation effects on structure **162–164**, 77
- lattice dynamics **162–164**, 1343
- magnetic interactions **162–164**, 1277
- magnetization curves **161**, 403
- magnetostriction **161**, 48
- Meissner effect **161**, 403
- NQR **162–164**, 1367
- NQR of Cu **160**, 177
- oxygen stoichiometry **162–164**, 97
- preparation **162–164**, 715
- Raman scattering **162–164**, 1091
- single crystal growth **162–164**, 1213
- structure of the Kr irradiated **162–164**, 77
- substitution effect of Ag **162–164**, 975
- substitution effect of Ni, Zn, for Cu **162–164**, 1277
- substitution effects of Gd **162–164**, 87
- thermal expansion **161**, 48
- thin film **162–164**, 715

$REBa_2Cu_3O_x$
- charge redistribution **161**, 671

$REBa_2Cu_4O_8$
- synthesis **162–164**, 955

$Sm_{1.85}Th_{0.15}CuO_{4-\delta}$
- pressure effect of T_c **160**, 320

$Sm_{2-x}Ce_xCuO_{4-\delta}$
- specific heat **162–164**, 296

Sm_2CuO_4
- single crystals **158**, 102
- specific heat **158**, 102

$Sn_2Ba_2Sr_{0.5}Y_{0.5}O_x$
- Meissner effect **161**, 493

$Sr_2CuO_2Cl_2(Br_2)$
- properties **158**, 109

Sr_2VO_4
- local spin density approximation (LSDA) **162–164**, 1433

$SrTiO_3$
- resistivity **157**, 48

Superconductivity
- magnetization **162–164**, 323
- resistivity in magnetic fields **162–164**, 323

$Tl_{0.15}Pb_{0.5}(Ca_{1-x}RE_x)Sr_2Cu_2O_y$
- synthesis **162–164**, 869

$Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$
- infrared spectroscopy **162–164**, 1075
- reflectivity **162–164**, 1075
- superconducting energy gap **162–164**, 1075

$Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$
- oxygen stoichiometry **161**, 523
- structure **161**, 523
- synthesis **161**, 523

$Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$
- HREM **157**, 460
- structure **157**, 460

$Tl_{0.75}Pb_{0.20}Sb_{0.05}Ca_2Ba_3Cu_4O_y$
- superconductivity **162–164**, 995

$Tl_{1.94}Ba_2Ca_1Cu_2O_{8+\delta}$
- specific heat **162–164**, 488

$(Tl_{1-x}Bi_x)(Ca_{1-y}Y_y)Sr_2Cu_2O_z$
- superconductivity **162–164**, 39

$Tl_{2.2}Ba_2Ce_xCu_3O_y$
- superconductivity **158**, 507

$Tl_{2.70}Ba_{1.25}LnCu_2O_8$
- crystal structure **158**, 511

$Tl_{2-x}Cd_xBa_2CuO_{6+\delta}$
- HREM **159**, 255
- neutron diffraction **159**, 255

$Tl_2Ba_2Ca_{1-x}Gd_xCu_2O_{8+\delta}$
- infrared spectroscopy **162–164**, 1107
- polarons spectroscopy **162–164**, 1107

$Tl_2Ba_2Ca_1Cu_3O_8$
- tunneling energy gap **158**, 83

$Tl_2Ba_2Ca_2Cu_3O_{10}$
- NQR **161**, 367
- single-crystal growth **161**, 483
- specific heat **159**, 215
- structure **161**, 483
- tunneling energy gap **158**, 83

$Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$
- specific heat **162–164**, 476
- superconducting energy gap **162–164**, 1133
- tunneling characteristics **162–164**, 1133

$Tl_2Ba_2Ca_2Cu_3O_y$
- preparation **162–164**, 113
- sol-gel method **162–164**, 113
- thermal conductivity **162–164**, 572

$Tl_2Ba_2Ca_3Cu_4O_{12}$
- microstructure **159**, 801
- preparation **158**, 79

$Tl_2Ba_2CaCu_2O_{7-gd}$
- Raman scattering **160**, 147

$Tl_2Ba_2CaCu_2O_8$
- specific heat **159**, 215

$Tl_2Ba_2CaCu_2O_8$ (2212)
- NMR **158**, 137

$Tl_2Ba_2CaCu_2O_{8-\delta}$
- Raman spectra **162–164**, 1409
- superconducting energy gap **162–164**, 1409

$Tl_2Ba_2CaCu_2O_{8+\delta}$
- atomic pair distribution function (PDF) analysis **162–164**, 93
- critical current **162–164**, 361
- high resolution X-ray powder diffraction **162–164**, 530
- infrared spectroscopy **162–164**, 1111
- pulsed neutron scattering **162–164**, 93
- Raman scattering **162–164**, 1243
- specific heat **162–164**, 476, 496
- structure **162–164**, 530
- superconducting energy gap **162–164**, 1133, 1243
- superconducting fluctuation **162–164**, 496
- tunneling characteristics **162–164**, 1133

$Tl_2Ba_2CaCu_2O_x$
- energy gap **161**, 141
- Hall effect **162–164**, 1011
- lower critical field **162–164**, 1143
- magnetization **162–164**, 1143
- normal-state properties **161**, 141
- point-contact spectroscopy **161**, 141

$Tl_2Ba_2CaCu_2O_y$
- preparation **162–164**, 113
- sol-gel method **162–164**, 113

$Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$
- band calculation **160**, 381

$Tl_2Ba_2Ca_nCu_{1+n}O_{6+2n}$
- long period polytypes **162–164**, 947

$Tl_2Ba_2Cu_2O_{6.5}$
- superconductivity **158**, 507

$Tl_2Ba_2Cu_2O_8$
- Meissner effect **157**, 375
- specific heat at T_c **157**, 375

$Tl_2Ba_2Cu_4O_6$
- superconductivity **158**, 507

$Tl_2Ba_2CuO_6$
- band structure **161**, 497
- doping **160**, 458
- specific heat **159**, 215
- structure **157**, 279
- synthesis **157**, 279

$Tl_2Ba_2CuO_{6-\delta}$
- Raman spectra **162–164**, 1409
- superconducting energy gap **162–164**, 1409

$Tl_2Ba_2CuO_{6+\delta}$
- atomic pair correlation function **162–164**, 101
- correlation between hole concentration and T_c **162–164**, 991
- Hall effect **162–164**, 991
- microstructure **162–164**, 885
- neutron diffraction **159**, 239
- oxygen stoichiometry **162–164**, 991
- preparation **162–164**, 109

- pulsed neutron diffraction **162–164**, 101
- sol-gel method **162–164**, 109
- specific heat **162–164**, 476
- substitution of Cd **159**, 255
- superconducting energy gap **162–164**, 1133
- time of flight measurement **162–164**, 101
- tunneling characteristics **162–164**, 1133
- X-ray structural analysis **159**, 239

$Tl_2Ca_2Ba_2Cu_3O_{10}$
- annealing conditions **160**, 511
- critical current **160**, 489
- Meissner effect **161**, 302
- Raman spectroscopy **157**, 135
- structure **161**, 302
- synthesis **161**, 302

$Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$
- critical current **160**, 42
- laser ablation **162–164**, 133
- preparation **162–164**, 133

$Tl_2Ca_2Ba_2Cu_3O_x$
- optical spectra of single crystals **162–164**, 1117

$Tl_2CaBa_2Cu_2O_8$
- fluctuation induced excess conductivity **159**, 797
- Meissner effect **161**, 302
- structure **161**, 302
- synthesis **161**, 302

$Tl_2CaBa_2Cu_2O_{8-\delta}$
- annealing effect **159**, 811

$Tl_2CaBa_2Cu_2O_{8+\delta}$
- atomic pair correlation function **162–164**, 101
- critical current **162–164**, 393
- DC Josephson effect **162–164**, 393
- DC SQUID **162–164**, 393
- preparation **162–164**, 109
- pressure dependence of T_c **162–164**, 741
- pulsed neutron diffraction **162–164**, 101
- sol-gel method **162–164**, 109
- time of flight measurement **162–164**, 101

$Tl_2CaBa_2Cu_2O_x$
- activation energy **162–164**, 677
- flux pinning **162–164**, 677
- magnetization relaxation **162–164**, 677

$TlBa_{1+x}La_{1-x}CuO_5$ (1201)
- superconductivity **158**, 143

$TlBa_2(Ca_{0.87}Tl_{0.13})Cu_2O_{7-\delta}$
- structure **162–164**, 1663

$TlBa_2Ca_{1-x}Y_xCu_2O_7$
- EELS **159**, 794
- oxygen K-edge fine structure **159**, 794

$TlBa_2Ca_2Cu_3O_x$
- oxygen vacancies **157**, 144

$TlBa_2Ca_4Cu_5O_{13}$
- microstructure **159**, 801

$TlBa_2Ca_4Cu_5O_x$
- structure **157**, 131
- synthesis **157**, 131

$TlBa_2CaCu_2O_{7-\delta}$
- Raman spectra **162–164**, 1409
- superconducting energy gap **162–164**, 1409

$TlBa_2CaCu_2O_9$
- anisotropy of H_{c2} **159**, 301

$TlBa_2CaCuO_{6-gd}$
- Raman scattering **160**, 147

$TlBa_2Ca_{n-1}Cu_3O_{2n+3}$-electronic band structure **162–164**, 1355

$TlBa_2Ca_{n-1}Cu_nO_{2n+3}$
- band calculation **160**, 381
- synthesis **158**, 471

$TlBa_2Ca_{n-1}Cu_nO_{3+2n}$-infrared reflection
- lattice dynamics **162–164**, 1343

$TlBaCa_3Cu_3O_x$
- structure **161**, 181
- substitution effects due to Mn **161**, 181

$TlBaCa_3O_x$
- structure **161**, 181
- substitution effects due to Mn **161**, 181

Tl–Ba–Ca–Cu–O
- critical current **162–164**, 367
- crystal structure **162–164**, 514
- diamagnetic shielding **162–164**, 673
- flux creep **162–164**, 673, 691
- magnetization **162–164**, 673
- magnetization relaxation **162–164**, 691
- XPS **162–164**, 1387

$(Tl,Bi)Sr_2CaCu_2O_y$
- Meissner effect **157**, 365
- structure **157**, 365
- synthesis **157**, 365

$TlCa_{1-x}Ln_xSr_2Cu_2O_{7+\delta}$
- electron type superconductivity **162–164**, 865
- thermoelectric power **162–164**, 865

$TlCa_2Ba_2Cu_3O_9$
- Raman spectroscopy **157**, 135

$TlCa_3BaCu_3O_x$
- excess conductivity **159**, 231
- NMR **159**, 226

Tl–Ca–Ba–Cu–O
- isotope effect **162–164**, 877
- optical emission **162–164**, 639
- sound velocity **162–164**, 446
- thin film **162–164**, 639
- ultrasonic attenuation **162–164**, 446

$(TlO)_2Ba_2Ca_2Cu_3O_8$
- anisotropic resistivity **162–164**, 1619

$(TlO)Ba_2Ca_2Cu_3O_8$
- anisotropic resistivity **162–164**, 1619

$(Tl,Pb)(A,RE)_2CuO_5$
- superconductivity **162–164**, 721

$(Tl,Pb)Sr_2Ca_2Cu_3O_9$
- HREM **159**, 245
- neutron diffraction **159**, 245
- X-ray L III absorption edges **159**, 245

$(Tl,Pb)Sr_2CaCu_2O_7$
- HREM **159**, 245
- neutron diffraction **159**, 245

$(Tl,Pb)Sr_2Ca_{n-1}Cu_nO_{2n+3}$
- microstructure **159**, 801

Tl–Pb–Sr–Ca–Cu–O
- crystal structure **162–164**, 514

$TlYBa_2Cu_2O_7$
- magnetic excitations **159**, 603
- Raman spectroscopy **159**, 603

$Tm_2Ba_2O_5$
- phase study **158**, 127

$Tm_2Ba_4O_7$
- phase study **158**, 127

Tm_2BaCuO_5
- phase study **158**, 127

$TmBa_2Cu_3O_{7-\delta}$
- flux creep **162–164**, 1193
- lower critical field **162–164**, 1611, 1633
- magnetization **162–164**, 1633
- magnetization relaxation **162–164**, 1193
- phase study **158**, 127
- single crystal growth **162–164**, 1211
- untwinned single crystal **162–164**, 1211

$U_{0.981}Th_{0.019}Be_{12.97}B_{0.03}$
- heavy fermion compounds **162–164**, 429
- specific heat **162–164**, 429

$U_{1-x}Th_xBe_{13}$
- heavy fermion compounds **162–164**, 429, 1669
- specific heat **162–164**, 429
- superconducting phase diagram **162–164**, 429, 1669

UBe_{13}
- penetration depth **162–164**, 419

UPt_3
- heavy fermions **162–164**, 415
- Meissner effect **162–164**, 415
- specific heat **162–164**, 413, 415
- unconventional superconductivity **162–164**, 413

URu_2Si_2
- thermal conductivity **162–164**, 1653

V_3Si
- time dependent magnetization **159**, 70

$Y_{0.5}Pr_{0.5}Ba_2Cu_3O_{7-\delta}$
- inelastic neutron scattering **162–164**, 462
- phonon density of states **162–164**, 462

$Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$
- critical fluctuations **157**, 285
- fluctuation conductivity **162–164**, 723
- twinning **157**, 285
- upper critical field **162–164**, 723

$Y_{0.7}Yb_{0.3}Ba_2Cu_3O_x$
- critical current **162–164**, 693

$Y_{0.9}Yb_{0.1}Ba_2Cu_3O_x$
- critical current **162–164**, 693

$Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$
- resistive transition **162–164**, 725
- upper critical field **162–164**, 725

$Y_{1-x}Ca_xBa_{2-2y}La_{2y}Cu_3O_{6+\delta}$
- factors influencing T_c **159**, 760

$Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$
- Meissner effect **161**, 150
- structure **161**, 150

$Y_{1-x}Ca_xBa_2Cu_3O_6$
- NQR **162–164**, 165

$Y_{1-x}Ca_xBa_{z-2y}La_{2y}Cu_3O_{7-\delta}$
- Hall concentration dependence of T_c **162–164**, 69

$Y_{1-x}Dy_xBa_2Cu_3O_{7-\delta}$
- magnetic susceptibility **162–164**, 831

$Y_{1-x}Gd_xBa_2(Cu_{1-y}M_y)_3O_{7-\delta}$
- substitution effects **162–164**, 965
- upper critical field **162–164**, 965

$Y_{1-x}Gd_xBa_2Cu_3O_{7-\delta}$
- electron spin resonance **162–164**, 1289

$Y_{1-x}(Pr_{0.7}Ca_{0.3})_xBa_2Cu_3O_{7-\delta}$
- substitution effects **162–164**, 61

$Y_{1-x}Pr_xBa_2(Cu_{0.95}Zn_{0.05})_3O_{7-\delta}$
- superconductivity **162–164**, 61

$Y_{1-x}Pr_xBa_2Cu_{2.7}Fe_{0.3}O_{7-\delta}$
- Mössbauer effect **162–164**, 1281

$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
- antiferromagnetism **162–164**, 1281
- magnetic pair breaking **162–164**, 1363
- superconducting-magnetic phase diagram **162–164**, 1281
- superconductivity **162–164**, 963
- upper critical field **162–164**, 1363

$Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$
- magnetic susceptibility **162–164**, 43
- magnetoresistance **162–164**, 371
- superconducting fluctuation **162–164**, 371

$Y_2Ba_4Cu_7O_{15\pm\delta}$
- oxygen stoichiometry **161**, 618
- structure **161**, 618

Y_2BaCuO_5
- neutron diffraction **161**, 594
- structure **161**, 594

$Yb_2Ba_4Cu_7O_{14-\delta}$
- critical current **160**, 352

$Yb_3Ba_6Cu_{10}O_x$
- synthesis **157**, 159

$Yb_4Ba_8Cu_{13}O_x$
- synthesis **157**, 159

$Yba_{2-2x}Sr_{2x}Cu_3O_{6+\delta}$
- factors influencing T_c **159**, 760

$YBa_{2-x}La_xCu_3O_{7-\delta}$
- oxygen content **162–164**, 49

$YBa_2(Cu_{0.97}Fe_{0.03})_3O_{7-\delta}$
- thin film **162–164**, 1297

$YBa_2(Cu_{0.97}Ni_{0.03})_3O_6$
- antiferromagnetic order **162–164**, 1367

$YBa_2(Cu_{0.98}M_{0.02})O_{7+\delta}$
- lower critical field **162–164**, 1627
- upper critical field **162–164**, 1627

$YBa_2(Cu_{1-x-y}Fe_yM_x)_3O_{7-\delta}$
- magnetic susceptibility **162–164**, 1295

$YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$
- cobalt clusters **162–164**, 51
- Raman scattering **162–164**, 1245
- structure **162–164**, 51
- XAS **162–164**, 51

$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
- antiferromagnetic order **162–164**, 1367
- antiferromagnetic order of Cu **162–164**, 185
- flux creep **162–164**, 1183
- hyperfine interaction **162–164**, 1371
- magnetic field distribution **162–164**, 1183
- magnetic relaxation **162–164**, 1183
- Mössbauer effect **162–164**, 37, 45, 987, 989, 1259, 1367, 1371
- NMR **162–164**, 185
- nuclear spin lattice relaxation time **162–164**, 185
- single crystal growth **162–164**, 1259
- specific heat **160**, 575

$YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$
- neutron diffraction **158**, 265

$YBa_2(Cu_{1-x}Fe_x)_3O_{9-\delta}$
- neutron diffraction **159**, 124

$YBa_2(Cu_{1-x}Fe_x)_3O_y$
- electrical resistivity **161**, 475
- magnetic susceptibility **161**, 475

$YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$
- NQR **162–164**, 163
- superconductivity **162–164**, 967

$YBa_2(Cu_{1-x}Mn_x)_3O_{7-\delta}$
- grain growth **159**, 306

$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
- critical current **162–164**, 1605
- effect of twins on critical current **162–164**, 1605
- flux pinning **162–164**, 1601
- intergranular flux pinning **162–164**, 1601
- magnetization **162–164**, 1601
- Meissner effect **162–164**, 494
- Raman scattering **162–164**, 1251
- specific heat **162–164**, 494, 564
- substitution effects **162–164**, 47

$YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$
- electrical resistivity **162–164**, 719
- resistive transition **162–164**, 719
- upper critical field **162–164**, 719

$YBa_2(Cu_{1-x}Sn_x)_3O_{7-\delta}$
- Mössbauer effect **162–164**, 47

$YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$
- Hall effect **162–164**, 1007
- inelastic neutron scattering **162–164**, 462
- phonon density of states **162–164**, 462
- powder neutron diffraction **162–164**, 518
- specific heat **162–164**, 518

$YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$
- EXAFS **157**, 483
- neutron diffraction **157**, 483

$YBa_2Cu_2O_7$
- infrared spectra **159**, 1

$YBa_2Cu_2O_{7-\delta}$
- superconducting energy gap **162–164**, 837

$YBa_2Cu_2O_{8+\delta}$
- critical current **162–164**, 1169

$YBa_2Cu_{3.7}O_{7.5}$
- high pressure synthesis **160**, 449
- phase diagrams **160**, 449

$YBa_2Cu_{3-x}Fe_xO_{7-\delta}$
- inhomogeneous superconductivity **162–164**, 41
- Mössbauer effect **162–164**, 570
- resistivity **162–164**, 41

$YBa_2Cu_{3-x}Fe_xO_{7+\delta}$
- infrared spectra **159**, 317
- Mössbauer measurements **158**, 397
- neutron diffraction **158**, 397

$YBa_2Cu_{3-x}Fe_xO_{7+y}$
- Hall effect **162–164**, 1201

$YBa_2Cu_{3-x}M_xO_{6+\delta}$
- antiferromagnetic order **162–164**, 1267
- neutron diffraction **162–164**, 1267

$YBa_2Cu_{3-x}Ni_xO_{7-\delta}$
- magnetic susceptibility **162–164**, 831

$YBa_2Cu_3O_4$

- oxygen ordering **158**, 381
- oxygen stoichiometry **158**, 381
- resistivity **158**, 381

$YBa_2Cu_3O_{4381}$
- susceptibility **158**, 381

$YBa_2Cu_3O_6$
- effect of halogen vapor (Cl,Br,I) on T_c **162–164**, 79
- inelastic neutron scattering **162–164**, 464
- lattice dynamics **162–164**, 1429
- phonon density of states **162–164**, 464
- phonons **162–164**, 1429
- XPS **161**, 219

$YBa_2Cu_3O_{6.5}$
- Hall effect **162–164**, 1013
- polarized neutron diffraction **162–164**, 1275
- resistivity **162–164**, 1013
- spin density map **162–164**, 1275

$YBa_2Cu_3O_{6.6}$
- magnetic correlations **162–164**, 159
- μ-SR **162–164**, 159

$YBa_2Cu_3O_{6.87}$
- nuclear quadrupole interaction **162–164**, 474
- specific heat **162–164**, 474

$YBa_2Cu_3O_{6.9}$
- anisotropic stress dependence of T_c **162–164**, 739
- local potential distribution **162–164**, 1035
- pressure dependence of T_c **162–164**, 739
- scanning tunneling microscopy **162–164**, 1035
- XPS **161**, 219

$YBa_2Cu_3O_{6.92}$
- T_c pressure dependence **157**, 293

$YBa_2Cu_3O_{6.9}H_x$
- ^{1}H NMR **159**, 849

$YBa_2Cu_3O_{6+2x}$
- phase diagram **160**, 345

$YBa_2Cu_3O_{6+\delta}$
- antiferromagnetisation **160**, 197
- ESR **158**, 424
- hysteresis **161**, 198
- inelastic neutron scattering **162–164**, 1269
- infrared spectroscopy **162–164**, 1113
- magnetic order **162–164**, 1269
- neutron diffraction **160**, 197
- oxygen ordering **160**, 197
- oxygen stoichiometry **161**, 539
- SEM **161**, 198
- structural phase transition **161**, 539
- texture **161**, 198
- thermodynamic properties **161**, 539

$YBa_2Cu_3O_7$
- flux creep **161**, 313
- glassy state **161**, 39
- Hall effect **162–164**, 997
- inelastic neutron scattering **162–164**, 464
- Josephson junctions **160**, 505
- Knight shift **157**, 561
- lattice dynamics **162–164**, 1429
- microstructure **162–164**, 885
- microwave absorption **161**, 39
- NMR **157**, 561
- nonlinear microwave response **159**, 769
- phonon density of states **162–164**, 464
- phonons **162–164**, 1429
- proximity effect **162–164**, 1069
- Raman spectra **159**, 1
- second harmonic generation (microwave) **161**, 39
- single-crystal growth **161**, 313
- small angle neutron scattering (SANS) **159**, 323
- superconducting energy gap **162–164**, 1069
- s-wave pairing **161**, 195
- thin film **158**, 293
- thin films, liquid-etched **161**, 351
- tunnel junctions **162–164**, 1067, 1069
- weak links **161**, 39

$YBa_2Cu_3O_{7-\delta}$
- 2D-angular correlation of positron annihilation (ACAR) **162–164**, 1375
- absence of twinnings **159**, 707
- acoustic resonance **162–164**, 458
- AC susceptibility **161**, 319; **162–164**, 321, 327, 339, 421, 1617, 1641, 1643, 1665
- activation energy **162–164**, 683, 689, 1191
- amorphous thin film **162–164**, 441
- Andreev reflection **161**, 262
- anisotropic conductivity **162–164**, 647
- anisotropic critical current (transport) **162–164**, 653
- anisotropic flux trap **162–164**, 1635
- anisotropic resistivity **162–164**, 1023
- anisotropy, elastic **161**, 345
- annealing effect **162–164**, 903
- anomalous NMR line width **162–164**, 175
- antiferromagnetic correlation length **162–164**, 849
- antiferromagnetic fluctuations **161**, 9
- antiferromagnetic order **162–164**, 157
- antiferromagnetic order of Cu **162–164**, 161
- atomic ordering **162–164**, 1515
- Auger depth profile **162–164**, 637
- Auger electron spectroscopy **162–164**, 1305
- band structure **161**, 607
- BCS theory **158**, 299
- BIS **162–164**, 1323
- Brillouin scattering **162–164**, 1073
- broadening of the resistive transition **162–164**, 669
- bulk modulus **162–164**, 452, 540
- calculation of NQR spectra **162–164**, 261
- characterization **162–164**, 321, 905
- chemical vapor deposition **162–164**, 105
- coatings **162–164**, 139
- coevaporation **162–164**, 107
- coexistence of superconductivity and magnetism **162–164**, 157
- contact resistance **162–164**, 437
- conversion electron Mössbauer spectroscopy **162–164**, 1297
- Coulomb correlation effects **162–164**, 757
- critical current **159**, 131, 496, 513; **160**, 489; **162–164**, 365, 393, 510, 607, 621, 625, 663, 687, 699, 913, 1148, 1169, 1171, 1175, 1187, 1217, 1265, 1535, 1557, 1603, 1621, 1623
- critical current density **159**, 854
- critical current fibers **162–164**, 383
- critical current (magnetic) **162–164**, 131, 331, 333, 357, 689, 751
- critical current (transport) **162–164**, 105, 653
- crystal surface layers **160**, 411
- Cu–O chains **161**, 205
- current–voltage characteristics **162–164**, 1617
- DC Josephson effect **162–164**, 393
- DC SQUID **162–164**, 393
- Debye temperature **162–164**, 1401
- density of states (DOS) **162–164**, 1015, 1357
- diamagnetic shielding **162–164**, 1185
- diffusion coefficient of oxygen **162–164**, 143
- DTA analysis **162–164**, 905
- dynamical critical fields **159**, 816
- effect of electron irradiation **159**, 697
- effect of H_2O **162–164**, 611
- effect of hydrogen **162–164**, 65
- elastic compliance **159**, 313
- elastic constants **161**, 345; **162–164**, 1073
- elastic properties **162–164**, 540
- electrical resistivity **162–164**, 127

- electrical resistivity, anisotropic **161**, 549
- electric field effect **162–164**, 435
- electric field gradient **159**, 689
- electric field gradient calculations **162–164**, 1353
- electro chemistry **162–164**, 1039
- electronic structure **162–164**, 223, 1321
- electron irradiation effect **162–164**, 357
- electron irradiation effect of T_c **162–164**, 747, 749
- electron microscopy **162–164**, 548
- electrophoretic deposition **162–164**, 111
- energy gap **161**, 262
- epitaxial growth **162–164**, 127, 135, 659
- epitaxial thin film **162–164**, 643, 655
- ESR **162–164**, 1583, 1585, 1589, 1597
- etching **160**, 411
- EXAFS spectrum **160**, 524
- far-infrared spectroscopy **162–164**, 1079, 1081
- fast neutron irradiation effect **160**, 189
- Fermi edge **162–164**, 1323
- fibers **162–164**, 383
- filament **162–164**, 558
- FIR reflectance **157**, 551
- fluctuation conductivity **162–164**, 490
- flux creep **162–164**, 231, 663, 683, 689, 699, 701, 1148, 1175, 1181, 1185, 1187, 1191, 1599
- flux flow **162–164**, 669, 1181, 1185
- flux motion **162–164**, 1152
- flux pinning **159**, 816; **160**, 417; **162–164**, 339, 751, 1169, 1181, 1263, 1621
- flux pinning force **162–164**, 675
- Fourier transform interferometry (FT-Raman) **162–164**, 1103
- frequency dependent susceptibility **159**, 281
- Gaussian fluctuations **162–164**, 490
- grain boundaries **162–164**, 558, 1093, 1603
- granular superconductivity **162–164**, 327, 717, 1543
- growth spirals **157**, 189
- Grüneisen parameter **159**, 488
- Hall effect **162–164**, 213, 1009, 1661
- He^+ ion channeling **162–164**, 1009
- high pressure NQR **162–164**, 173
- high resolution electron microscopy (HREM) **162–164**, 560
- high resolution scanning ion microprobe **162–164**, 75
- high resolution transmission electrom microscopy **159**, 527
- hopper growth **162–164**, 897
- HREM **159**, 831
- hysteresis loop of a thin film ring **162–164**, 625
- hysteresis loss **161**, 319
- inelastic neutron scattering **162–164**, 462, 466, 1705
- infrared absorption **162–164**, 841
- infrared spectroscopy **157**, 346; **162–164**, 1085, 1107, 1247
- in situ epitaxial growth **162–164**, 647
- in situ growth **162–164**, 651, 657
- in situ growth condition **162–164**, 703
- internal friction **162–164**, 953
- ion irradiation effect **162–164**, 532
- irradiation effect **161**, 549; **162–164**, 135
- irradiation effect of α-particles **160**, 69
- irradiation effect of the resistive transition **162–164**, 747, 749
- irreversible magnetization measurements **160**, 185
- isochoric equilibrium condition **162–164**, 905
- isotope effect of oxygen **162–164**, 753
- I–V characteristics **162–164**, 1043, 1171
- Josephson effect **162–164**, 1567
- Josephson junction **162–164**, 1063
- Knight shift **162–164**, 179, 195, 853
- Knudsen effusion **161**, 175
- Korringa relation **162–164**, 853
- laser ablation **162–164**, 119, 123, 125, 131
- laser critical field **162–164**, 733
- laser deposition **162–164**, 121
- lattice dynamics **161**, 345
- localization **162–164**, 1021
- localized oxygen p-holes **162–164**, 439
- lower critical field **162–164**, 329
- low resistance contacts **162–164**, 1061
- magnetic correlations **162–164**, 849
- magnetic hyperfine shift **159**, 689
- magnetic hysteresis **162–164**, 335
- magnetic hysteresis (AC) **162–164**, 333
- magnetic moment relaxation **162–164**, 423
- magnetic phase diagram **162–164**, 167
- magnetic-superconducting phase diagrams **162–164**, 157
- magnetic susceptibility **162–164**, 741, 1401, 1637
- magnetization **157**, 425; **162–164**, 175, 335, 337, 423, 443, 470, 675, 689, 697, 733, 735, 751, 933, 1557, 1609, 1621, 1637
- magnetization (DC) **162–164**, 329
- magnetization (high field) **162–164**, 1659
- magnetization (low field) **162–164**, 327
- magnetization relaxation **162–164**, 661, 663, 687, 689, 695, 1152, 1185, 1191, 1263
- magnetorosistance **159**, 131
- magnetostriction **162–164**, 1361
- mechanism of crystallization of amorphous thin film **162–164**, 441
- mechanism of the orthrombic-tetragonal transition **159**, 527
- Meissner effect **162–164**, 325, 331, 337, 717
- microbridge **162–164**, 389, 1043
- microstructure of screen printed thick film **162–164**, 1265
- microwave absorption **159**, 823; **160**, 69, 223; **162–164**, 1047, 1537, 1539, 1541, 1549, 1571, 1577, 1579, 1581, 1583, 1585, 1589, 1591, 1597
- microwave emission **162–164**, 1041, 1567
- microwave induced voltage **162–164**, 1063
- microwave response **162–164**, 1545
- momentum distribution **162–164**, 1335
- morphology **162–164**, 105
- Mössbauer spectroscopy **159**, 137; **161**, 205
- μ-SR **162–164**, 33, 151, 157, 161, 857
- narrow band **162–164**, 1015
- neutron irradiation **162–164**, 1023
- neutron irradiation effect **162–164**, 751
- neutron scattering **162–164**, 849
- NMR **161**, 9; **162–164**, 169, 175, 191, 193, 195, 263, 265, 853
- NMR of ^{17}O **159**, 689
- noise in SQUID **162–164**, 395
- noise of RF-SQUID **162–164**, 397
- noise performance **162–164**, 395
- nonequilibrium hot electron **162–164**, 387
- nonequilibrium optical response **162–164**, 1599
- nonlinear diamagnetization **162–164**, 325
- nonlinear magnetic flux response **158**, 366
- nonlinear microwave response **162–164**, 1597
- NQR **162–164**, 167, 171, 173, 179, 261

- nuclear spin lattice relaxation time **162–164**, 173, 177, 179, 263, 265, 853
- nuclear spin relaxation **162–164**, 169
- optical magnetrometry **162–164**, 1119
- optical spectra of single crystals **162–164**, 1117
- optical spectroscopy **162–164**, 1071, 1229
- optoelectronic response **162–164**, 387
- oxidation activity **157**, 346
- oxidation thermodynamics **162–164**, 439
- oxygen chemistry **162–164**, 281
- oxygen desorption **161**, 175
- oxygen diffusion **162–164**, 55, 143
- oxygen distribution **162–164**, 23
- oxygen kinetics **162–164**, 23
- oxygen ordering **159**, 501; **162–164**, 225, 528, 548, 945
- oxygen stiochiometry **160**, 73
- oxygen stoichiometry **157**, 346; **162–164**, 83, 103, 548, 741, 871, 883, 961, 1057, 1207
- oxygen vacancy ordering **162–164**, 223
- paraconductivity **159**, 461
- patterning **162–164**, 601
- penetration depth **162–164**, 151, 377, 443, 857, 1549, 1563, 1565, 1571, 1645
- phase diagram **162–164**, 883
- phase diagram of the oxygen ordering **162–164**, 871
- phase stability **162–164**, 887
- phonon density of states **162–164**, 462, 466
- photoemission spectroscopy **162–164**, 1385
- photoresponse **162–164**, 1599
- pinning **162–164**, 1609
- pinning energy **159**, 854
- pinning force **161**, 319
- plasma sprayed **162–164**, 139
- point-contact spectroscopy **161**, 262
- Poisson ratio **162–164**, 452
- polarized neutron scattering **162–164**, 1285
- polarons spectroscopy **162–164**, 1107
- positron annihilation **162–164**, 1375
- power dissipation **162–164**, 510
- preparation **162–164**, 119, 121, 123, 125, 129, 137, 141, 599, 603, 607, 609, 615, 621, 623, 631, 637, 655, 657, 659, 699, 705, 713
- preparation of thin film **162–164**, 611
- pressure dependence of T_c **162–164**, 741, 747
- pressure effect of contact resistance **162–164**, 437
- pulsed laser deposition **162–164**, 129
- quenching melt growth **162–164**, 1217
- Raman effect **162–164**, 753
- Raman scattering **162–164**, 1079, 1093, 1095, 1097, 1103, 1237, 1241, 1249, 1255, 1701
- Raman spectra **162–164**, 1057
- Raman spectroscopy **157**, 341, 551
- reflectivity **162–164**, 1229
- remanent magnetization **162–164**, 1635
- residual γ-value **162–164**, 83
- resistive transition **162–164**, 373, 683, 747
- resistive transition broadening **162–164**, 605
- resistivity **162–164**, 1009, 1027
- RF absorption **162–164**, 1571
- RF dissipation **162–164**, 1665
- RF-SQUID **162–164**, 397
- Rutherford back scattering **162–164**, 1009
- scaling of the irreversible curve **162–164**, 697
- scanning tunneling spectroscopy **162–164**, 1129
- self-consistent LMTO band structure calculation **162–164**, 1335
- SEM **159**, 496
- shielding current **162–164**, 552
- shielding effectiveness **162–164**, 1543
- shock compression **162–164**, 937, 1263
- single crystal growth **157**, 189; **162–164**, 895, 897, 909, 1211
- single crystal thin film **162–164**, 615, 833
- soft X-ray absorption spectroscopy **162–164**, 1331
- sound velocity **162–164**, 452, 458, 1073
- specific heat **158**, 299; **162–164**, 83, 103, 470, 482, 484, 486, 490, 500, 1401, 1651
- spin density map **162–164**, 1285
- spin dynamics **162–164**, 191
- spin–lattice relaxation time **161**, 9
- spin-pair excitation **162–164**, 1237
- stability **162–164**, 601
- strain effect on T_c **162–164**, 373
- structural transition **162–164**, 546, 1515
- structure **160**, 189; **162–164**, 536, 540, 941, 945
- structure of new satellite phase **160**, 227
- structure of the epitaxial grown thin film **162–164**, 643
- substitution effect of Cu(I) **162–164**, 969
- substitution effect of Zr for Y **162–164**, 977
- substitution effects **162–164**, 49
- substitution effects due to Ga **161**, 9
- substitution effects due to Nb **161**, 245
- substitution effects due to Ta **161**, 245
- substitution effects due to Zn **161**, 9
- substitution of Bi **162–164**, 71
- substitution of Co **159**, 141
- substitution of I **159**, 137
- substitution of Zn for Cu **162–164**, 1007
- superconducting energy gap **162–164**, 841, 1049, 1051, 1057, 1085, 1133, 1237, 1241
- superstructures **159**, 831
- surface impedance **162–164**, 111
- surface resistance **162–164**, 1537, 1539, 1541, 1549
- surface roughness **162–164**, 705
- susceptibility **159**, 491
- tetragonal epitaxial film **159**, 505
- thermal conductivity **162–164**, 508, 562
- thermal decomposition **161**, 175
- thermal expansion coeffcient **159**, 313
- thermally activated flux creep **162–164**, 687, 701
- thermally activated flux motion **162–164**, 683, 1191
- thermal modulation spectroscopy **162–164**, 1071
- thermodynamical stability criteria **162–164**, 703
- thermodynamics of the phase transition **162–164**, 546
- thermoelectric power **162–164**, 1207
- thick film **162–164**, 1265
- thin film **162–164**, 599, 601, 605, 607, 609, 611, 615, 621, 623, 625, 631, 637, 643, 647, 651, 653, 657, 659, 683, 705, 713, 1021, 1169, 1535, 1549, 1645
- thin film in narrowstrips **162–164**, 1175
- thin film preparation **162–164**, 81
- torque measurement **162–164**, 343
- transient photomodulation spectroscopy **162–164**, 1109
- transmission electron diffraction **160**, 411
- transmission electron microscopy **162–164**, 532
- transport properties **158**, 287

- tunneling characteristics **162–164**, 1049, 1133
- tunneling measurement **162–164**, 837
- tunnel junctions **162–164**, 1051, 1063
- twin boundaries **161**, 345
- twins in **162–164**, 520
- two band model **158**, 258
- ultrasonic attenuation **162–164**, 562
- ultrasound velocity **161**, 345
- unconventional pairing **162–164**, 377
- unit cell cluster calculations **162–164**, 1357
- untwinned single crystal **162–164**, 1211
- untwinned single crystals **161**, 1
- upper critical field **157**, 164; **162–164**, 647, 735, 747, 1023, 1659
- upper critical field H_{c2} **161**, 1
- UPS **162–164**, 1321
- vacancy ordering **159**, 831
- vibration frequency **157**, 341
- wet chemical etching **162–164**, 605
- XAES **162–164**, 1305
- XPS **158**, 281; **158**, 413; **162–164**, 141, 1303, 1305, 1321, 1385
- XPS spectra (calculation) **162–164**, 211
- X-ray spectroscopy **162–164**, 973

$YBa_2Cu_3O_{7-\delta}$/Ag
- electrical resistivity **161**, 91
- EXAFS **161**, 91
- magnetic susceptibility **161**, 91
- structure **161**, 91

$(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$
- magnetization **162–164**, 827
- upper critical field **162–164**, 827

$YBa_2Cu_3O_{7-\delta}$:Hf
- lower critical field **162–164**, 1573
- microwave absorption **162–164**, 1573, 1575

$YBa_2Cu_3O_{7-\delta}$–Ag
- critical current **162–164**, 351, 1179, 1615
- grain boundaries **162–164**, 1179
- proximity effect **162–164**, 1615
- superconductivity **162–164**, 1173, 1179

$YBa_2Cu_3O_{7-\delta}$–Au
- Andreev reflection **162–164**, 1061
- proximity effect **162–164**, 1061

$YBa_2Cu_3O7-\delta H_x$
- Hall concentration **162–164**, 65

$YBa_2Cu_3O_{7-x}$
- proximity effect **158**, 406

$YBa_2Cu_3O_{8+\delta}$
- flux pinning **162–164**, 1169
- T_c pressure dependence **157**, 478
- thin film **162–164**, 1169

$YBa_2Cu_3O_x$
- actual fluorination **162–164**, 889
- Cu–O chains **161**, 219
- Cu–O planes **161**, 219
- electron microscopy **158**, 269
- Fermi edge in XPS spectra **161**, 219
- fine grained **162–164**, 933
- flux creep **159**, 295
- heat treatment in inert gases **161**, 66
- ion-channeling analysis **160**, 480
- microstructures **158**, 269
- miscibility gap **158**, 377
- normal-state resistivity **157**, 320
- orthorhombic–tetragonal transition **157**, 180
- oxygen vacancies **157**, 320
- photoelectron spectroscopy **158**, 276
- preparation **162–164**, 933
- resistive transition **159**, 295
- Rutherford backscattering **160**, 480
- scanning electron microscopy **161**, 66
- structure **161**, 66
- thermoelectric power **157**, 320

$(YBa_2Cu_3O_x)_{0.7}Ag_{0.3}$
- critical current **162–164**, 693

$YBa_2Cu_3O_x$:Hf
- ESR **158**, 385
- microwave absorption **158**, 385
- resistivity **158**, 385

$YBa_2Cu_3O_yH_x$
- antiferromagnetic order **162–164**, 149
- μ-SR **162–164**, 149

$YBa_2Cu_4O_8$
- high pressure structure **159**, 668
- high pressure synthesis **160**, 449
- magnetic susceptibility **162–164**, 1401
- neutron powder diffraction **159**, 668
- phase diagrams **160**, 449
- preparation **160**, 541
- specific heat **162–164**, 1401
- structure **159**, 668; **162–164**, 524

$YBa_2Cu_4O_{8+\delta}$
- NMR of Cu **159**, 681
- NQR of Cu **159**, 681
- Raman scattering **162–164**, 1089

$YBa_{3-x}Cu_3O_{7-\delta}$
- magnetic susceptibility **162–164**, 831

$YBa_3Cu_2O_{7-\delta}$
- magneto optical Faraday effect **159**, 117

$YBa_4Cu_3O_{8.5+\delta}$
- crystal structure **158**, 391
- electrical resistivity **158**, 391

$YBa_4Cu_7O_x$
- grain-boundary phases **157**, 351
- synthesis **157**, 351
- TEM **157**, 351

Y–Ba–Cu–O
- AC susceptibility **162–164**, 1177
- critical current density **161**, 347
- flux creep **162–164**, 1177
- phase diagram of **157**, 334
- pinning force **162–164**, 1177

$Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$
- neutron diffraction **162–164**, 73
- oxygen content **162–164**, 73
- structure **162–164**, 73

$YBaSrCu_3O_x$
- Hall effect **157**, 358

$YCaCrO_4$
- properties **158**, 109

MODERN PROBLEMS IN CONDENSED MATTER SCIENCES

VOLUME 24

The Dielectric Function of Condensed Systems

L.V. Keldysh, D.A. Kirzhnitz and A.A. Maradudin (editors)

December 1989; xv + 543 pages US $169.25/Dfl. 330.00 ISBN 0-444-87366-X

Much progress has been made in the understanding of the general properties of the dielectric function and in the calculation of this quantity for many classes of media. This volume gathers together the considerable information available and presents a detailed overview of the present status of the theory of electromagnetic response functions, whilst simultaneously covering a wide range of problems in its application to condensed matter physics.

The following subjects are covered:

- the dielectric function of the homogeneous electron gas, of crystalline systems, and of inhomogeneous matter;
- electromagnetic fluctuations and molecular forces in condensed matter;
- electrodynamics of superlattices.

Contents: Preface. **1.** Introduction *(L.V. Keldysh).* **2.** General properties of electromagnetic response functions *(D.A. Kirzhnitz).* **3.** The dielectric function of the homogeneous electron gas *(V.D. Gorobchenko, V.N. Kohn and E.G. Maksimov).* **4.** The dielectric function of crystalline systems *(O.V. Dolgov and E.G. Maksimov).* **5.** The dielectric function and collective oscillations in inhomogeneous matter *(Yu.E. Lozovik and A.V. Klyuchnik).* **6.** Electromagnetic fluctuations and molecular (Van der Waals) forces in condensed matter *(Yu. S. Barash and V.L. Ginzburg).* **7.** The electrodynamics of superlattices *(N. Raj and D.R. Tilley).* Author index. Subject index. Cumulative index.

NORTH-HOLLAND
(Elsevier Science Publishers)

P.O. Box 103
1000 AC Amsterdam
The Netherlands

In the USA and Canada:
Elsevier Science Publishing Co. Inc.
P.O. Box 882, Madison Square Station
New York, NY 10159, USA

US $ prices are valid in the USA and Canada. In all other countries the Dutch Guilder price is definitive. All prices are subject to change without prior notice. Customers in the Netherlands, please add 6% BTW. In New York State applicable sales tax should be added.
404/B/382

North-Holland Delta Series

Strongly Coupled Plasma Physics

Proceedings of the XXIV Yamada Conference on Strongly Coupled Plasma Physics, Lake Yamanaka, Japan, August 29 - September 2, 1989

edited by **Setsuo Ichimaru**

1990 xxiv + 708 pages US $128.25/Dfl.250.00 ISBN 0-444-88363-0

Charged particles in dense matter exhibit strong correlations due to the exchange and Coulomb interactions, and thus make a strongly coupled plasma. Examples in laboratory and astrophysical settings include solid and liquid metals, semiconductors, charged particles in lower dimensions such as those trapped in interfacial states of condensed matter or beams, dense multi-ionic systems such as superionic conductors, inertial-confinement- fusion plasmas and dense-stellar interiors. The aim of the conference was to elucidate the various physical processes involved in these dense materials. The subject areas covered include plasma physics, atomic and molecular physics, condensed matter physics and astrophysics.

Contents: Preface. I. Astrophysics. II. Computer Simulations of Quantum and Classical Many-Body Systems. III. Glass and Freezing Transitions. IV. Strong-Coupling Theories and Experiments in Specific Geometries. V. Charged Particles in Lower Dimensions and/or in Magnetic Fields. VI. Quantum Electron Liquids in Strong Coupling. VII. Metallic Systems. VIII. Metal-Insulator Transition. IX. Atomic and Molecular States and Radiation. X. Shock-Compressed Plasmas and Inertial-Confinement- Fusion Plasmas. XI. Dense Multi-Ionic Systems. XII. Strong-Coupling Theories and Experiments in General.

North-Holland

Elsevier Science Publishers
P.O. Box 211, 1000 AE Amsterdam
The Netherlands

In the USA & Canada:
Elsevier Science Publishing Co., Inc.
P.O. Box 882, Madison Square Station
New York, NY 10159, USA

US $ prices are valid only in the USA and Canada. In all other countries, the Dutch Guilder price is definitive. Customers in The Netherlands, please add 6% BTW. In New York State, applicable sales tax should be added. All prices are subject to change without prior notice. 404/B/407

FEBRUARY 1991

ISSN 0921-4534

PHYSICA C
SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 165–171
JAN. 1–NOV. 15, 1990

PHYCE6 MASTER INDEX VOLS. 165–171

NORTH-HOLLAND

PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D are published by North-Holland (Elsevier Science Publishers B.V.), Amsterdam.

PHYSICA C

Editors:
M.B. BRODSKY, Argonne National Laboratory, Argonne, Illinois, USA
G.W. CRABTREE, Argonne National Laboratory, Argonne, Illinois, USA
B.D. DUNLAP, Argonne National Laboratory, Argonne, Illinois, USA
R.P. GRIESSEN, Natuurkundig Laboratorium, Vrije Universiteit, Amsterdam, The Netherlands
S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, Japan
Yu.A. OSIPYAN, Institute of Solid State Physics, USSR Academy of Sciences, Chernogolovka, USSR
H.R. OTT, Laboratorium für Festkörperphysik, ETH, Zürich, Switzerland
S. TANAKA, Superconductivity Research Laboratory, ISTEC, Tokyo, Japan
(*see preliminary pages for full addresses*)

Desk editor:
P.J. HOFF, Elsevier Science Publishers B.V., P.O. Box 103, 1000 AC Amsterdam, The Netherlands, Telephone: (020) 5862 568, Telefax: (020) 5862 704, Telex: 10704 espom nl

---

SUBSCRIPTION DATA. All prices are **inclusive** of postage and handling. The Dutch Guilder price is definitive; the currency equivalent is for guidance only.

PHYSICA A: The subscription price per volume is Dfl. 355.00 ($200). For 1991 10 volumes have been announced at a total price of Dfl. 3550.00 ($1995). PHYSICA A is published semimonthly.
PHYSICA B: The subscription price per volume is Dfl. 355.00 ($200). For 1991 7 volumes have been announced at a total price of Dfl. 2485.00 ($1396). PHYSICA B is published monthly.
PHYSICA C: The subscription price per volume is Dfl. 355.00 ($200). For 1991 13 volumes have been announced at a total price of Dfl. 4615.00 ($2593). PHYSICA C is published semimonthly.
PHYSICA D: The subscription price per volume is Dfl. 355.00 ($200). For 1991 6 volumes have been announced at a total price of Dfl. 2130.00 ($1197). PHYSICA D is published monthly.
PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D: The total price of a combined subscription (31 volumes in all) is Dfl. 10440.00 ($5865).

Subscriptions should be sent to the Publisher, Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, or to any subscription agent.
Journals are sent by surface delivery to all countries, except the following countries where SAL delivery (Surface Airlifted Mail) is ensured: USA, Canada, Japan, Australia, New Zealand. The People's Republic of China, Israel, India, Brazil, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, South Africa. Air mail rates for other countries are available upon request.
Claims for missing issues should be made within three months of their publication. The publishers expect to supply missing issues free only if losses have been sustained in transit and when stocks permit.

Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the Publisher, Elsevier Science Publishers B.V. (North-Holland), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.
Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.
Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center. Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Printed in The Netherlands

PHYSICA C

FEBRUARY 1991

PHYSICA C

SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 165–171
JAN. 1–NOV. 15, 1990

NORTH-HOLLAND

©ELSEVIER SCIENCE PUBLISHERS B.V. (NORTH-HOLLAND) 1991

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of the publisher, Elsevier Science Publishers B.V. (North-Holland), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.

Special regulations for authors - Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or consideration for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S.351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA - This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or integral use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Published semimonthly

Printed in The Netherlands

This volume is printed on acid-free paper

NOTE TO AUTHORS

PHYSICA is published in four sections:

PHYSICA A (*Statistical and theoretical physics*) contains papers on theoretical physics, with emphasis on statistical mechanics. Papers on experimental work on the statistical or collective behaviour of matter in the gaseous and liquid states also belong to this section. Theoretical physics is to be understood as the study of the theory itself and not as the interpretation of specific experimental results.

PHYSICA B (*Condensed matter*) contains papers, both experimental and theoretical, in the realm of the physics of condensed matter. Articles on solid state physics, low temperature physics (e.g. properties of liquid and solid helium) and neutron physics should be submitted to this section.

Theoretical papers should preferably be related to experimental results. For instance "A theory on nuclear spin lattice relaxation in metals" would in general be more suitable for PHYSICA B, while a theoretical discussion on "Screening effects in the electron gas" would presumably belong to PHYSICA A.

The emphasis is on pure physics rather than on technical methods or applications. Discussions of the properties of materials such as metals, insulators, magnetic materials, and ferroelectrics will be welcomed, but in some cases such papers could more appropriately be referred to a journal on chemical physics.

PHYSICA C (*Superconductivity*) serves as a rapid channel for publications on superconductivity and related subjects. This includes theoretical papers on the fundamental issues raised by high-T_c superconductivity, reports on measurements of a wide variety of physical properties of high-T_c superconductors, on new materials and new preparation techniques, on thin-film and device-oriented work and on theoretical results pertinent to such experiments. New results in the traditional areas of superconductivity as well as on novel phenomena (e.g. heavy-electron superconductivity) will also be included.

PHYSICA D (*Nonlinear phenomena*) contains papers and review articles reporting experiments, techniques and ideas which, although they may be derived and explained in the context of a particular field, advance the understanding of nonlinear phenomena in general. Contributions of this type in the recent literature have dealt with: wave motion in physical, chemical and biological systems; chaotic motion in models relevant to turbulence; quantum and statistical mechanics governed by nonlinear field equations; instability, bifurcation, pattern formation and cooperative phenomena.

PHYSICA C serves as an exclusive, rapid channel of the journal PHYSICA for publications on superconductivity and related subjects. PHYSICA C is published semimonthly, to ensure rapid publication, authors are requested to follow closely the instructions given below (especially **submission**).

Publication speed. The latest technology is used in editorial handling, typesetting and printing of the articles, so that publication within **six to ten weeks is guaranteed**. All papers will be refereed. To speed up publication, proofs will be read by the Publisher, unless the author – upon submission of the paper – specifically requests proofs to be sent to him. The above guarantee holds for papers that have been accepted unconditionally and have been proofread by the Publisher.

Nature of publication. As stated above, PHYSICA C aims at very short publication times. Rapid publications should not be confused with short communications, however, and it should be emphasized that PHYSICA C is not to be considered as a letters journal. While for the sake of efficient communication authors are requested to formulate their results in a concise and compact form, there is no length limit on papers. Each paper must be self-contained, properly introduced with references to published work and fully documented with adequate source material. The breathless style of some letters journals, claims to be substantiated in future publications and references to inaccessible work are to be avoided.

Submission. Manuscripts should be sent **simultaneously** to one of the Editors and to the Publisher. Two copies should be sent to the Editor. These copies are used for refereeing so that readability is the only technical requirement and the use of telefax is encouraged. For the complete addresses of the Editors see overleaf. The original copy, with figures suitable for reproduction, should be sent to:

Elsevier Science Publishers B.V.
c/o P.J. Hoff
P.O. Box 103
1000 AC Amsterdam
The Netherlands

Submission of a paper will be taken to imply that it represents original work not previously published, that it is not being considered elsewhere for publication, and that if accepted for publication it will not be published elsewhere in the same form, in any language without the consent of the Publisher.

Manuscripts should be written in English and typed with double spacing, wide margins and on one side of the page only.

The *title* should be concise and specific. When the length of the title exceeds 45 characters, a *running title* should be indicated. The name of the institute where the research was carried out should be stated with each author's name.

An *abstract* of not more than 150 words should be provided in English, summarizing the new information and the author's conclusions.

Keywords. Physica C regularly publishes Subject Indexes. Appropriate index terms are of vital importance, as these will be also used in electronic information retrieval. Authors are requested to select three to five keywords and write those on the title page of their article. Preferably, the selection should be made from the list printed on the page following the publication schedule, but terms not appearing on the list should be added if necessary. The list is being regularly updated, using such added terms. Chemical symbols can be provided, if appropriate, for use in the Materials Index.

References in the text should be numbered (e.g. "Jones and Smith [1] have reported that ...") and listed on a separate sheet stating the author, journal, volume and the year of publication (in brackets) and the number of the first page. Example: [1] S. Jones and P. Smith, Phys. Rev. 190 (1984) 2016.

Formulae should be clearly written. Vectors will be printed in bold-face italics (heavy, slanting type), and should be indicated by a wavy underlining in the manuscript.

Special attention should be paid to characters that can be easily misread, such as i (lower case), I (cap.), l (el), 1 (one), ′ (prime); o (lower case), O (cap.), 0 (zero), ° (degree); u, v (vee), ν (Greek nu), V (cap.); ×, x, X; z, Z; p, P, ρ (Greek rho); etc.

Figures *should be numbered, each figure on a separate sheet.* Captions should be listed on a separate sheet.

The *Publisher* requires a set of good quality drawings and photographs to produce the printed line figures and half-tone plates in the journal. Photographic copies ("glossy prints") of drawings are also acceptable for the line figures if they have been sharply focused and evenly exposed.

Line figures. Drawings and any lettering should be done in Indian ink. Lines should be bold, the frame lines of graphs slightly finer than those of the plotted curves.

The drawings or glossy prints supplied for the line figures should be 1.5–3 times larger than the printed size of the figures and should contain all the required lettering.

Figures are preferably reduced to a single column width (7.6 cm) unless their complexity, large width-to-height ratio, or need to display special detail makes a larger format necessary (max. printed width $\approx$ 20 cm). Inappropriately sized lettering on a figure may prevent its reduction to the size optimum for its information content. The lettering used on a drawing should be chosen so that after reduction, the height of numbers and (capital) letters falls within the range 1.2–2.4 mm. Care should be exercised in choosing the pen width of machine-plotted graphs. Frequently lines in these figures are too fine compared to the area of the figure.

Shaded areas in line figures should be shown by means of cross-hatching (or a matrix of dots) rather than a continuous grey "wash". Cross-hatching, after reduction, of density less than $\sim$25 lines/cm is satisfactory.

Half-tone plates: The photographs supplied for reproduction should be unmounted unless they form part of a composite figure and they should have a somewhat greater contrast than is desired in the printed figure. It is important that the photographs supplied are not already screened (overprinted with the point-matrix used by printers) or moiré patterns will form when they are screened for a second time. When necessary, the top side of a photograph should be marked. A reduction factor should be recommended for a photo when it is not obvious what detail in the photo is of interest.

Proofs and alterations. Proofs will be read by the Publisher unless otherwise requested by the author. In the latter case, please note that alterations in the text cannot be permitted once the paper has been typeset. Authors may be charged for extra corrections resulting from their inattention.

Refereeing. All papers are subjected to refereeing, and in case a paper cannot be accepted in the form it was submitted, the submitting author will be informed about the referee's comments.

Acceptance. Acceptance forms will be sent by the Editor. There is *no* page charge. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information. The master copy and original drawings will be returned to the author(s) in case their paper is not accepted for publication.

Reprints and free copy. Fifty reprints and a copy of the issue will be offered free of charge to authors. After the paper has been accepted for publication, an order form for reprints will be sent to the author(s) together with the copyright transfer form mentioned above. Both should be returned to the Publisher within three days.

Editorial addresses

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
Physica C Editorial Office, Bldg. 223, Rm. S-231, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439, USA
Telephone: (708) 972 3300; Telex: 910 258 3285 USA; Telefax: (708) 972 3308

R.P. GRIESSEN, Aetsveld 32, 3645 XP Vinkeveen, The Netherlands
Telephone: (02972) 3631; Telefax: (02972) 1453

S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, 464-01, Japan
Telephone: (052) 781 5111 extn. 4445; Telex: 4477355 ENUNAG-J; Telefax: (052) 782 2129

Yu.A. OSIPYAN, Institute of Solid State Physics, USSR Academy of Sciences, Chernogolovka, Moscow district 142432, USSR
Telephone: (095) 237 6803; Telefax: (095) 237 9862

H.R. OTT, Laboratorium für Festkörperphysik, ETH-Hönggerberg/HPF, CH-8093 Zürich, Switzerland
Telephone: (01) 377 2311/2318; Telex: 823474 EHPZ CH; Telefax: (01) 371 59 89

S. TANAKA, Superconductivity Research Laboratory (SRL), International Superconductivity Technology Center (ISTEC), 1-10-13 Shinonome, Koto-ku, Tokyo 135, Japan
Telephone: (03) 536 5700; Telefax: (03) 536 5714

Publication and submission schedule for 1991, Volumes 172–184

Volume/ Issue	Date of publication	Dates of receipt	Volume/ Issue	Date of publication	Dates of receipt
172.1,2	1 Dec.'90	2 Oct–15 Oct	177.3,4	1 July	2 May–15 May
3,4	15 Dec.'90	16 Oct–1 Nov	5,6	15 July	16 May–1 June
5,6	1 January '91	2 Nov–15 Nov	178.1–3	1 August	2 June–15 June
173.1,2	15 January	16 Nov–1 Dec	4–6	15 August	16 June–1 July
3,4	1 February	2 Dec–15 Dec	179.1,2	1 Sept	2 July–15 July
5,6	15 February	16 Dec–1 Jan '91	3,4	15 Sept	16 July–1 Aug
174.1–3	1 March	2 Jan–15 Jan	5,6	1 Oct	2 Aug–15 Aug
4–6	15 March	16 Jan–1 Feb	180.1–3	15 Oct	16 Aug–1 Sept
175.1,2	1 April	2 Feb–15 Feb	4–6	1 Nov	2 Sept–15 Sept
3,4	15 April	16 Feb–1 March	181.1,2	15 Nov	16 Sept–1 Oct
5,6	1 May	2 March–15 March	3,4	1 Dec	2 Oct–15 Oct
176.1–3	15 May	16 March–1 April	5,6	15 Dec	16 Oct–1 Nov
4–6	1 June	2 April–15 April	182–184	December, Proc. M^2S-HTSC III*	
177.1,2	15 June	16 April–1 May			

* The Proceedings of the M^2S–HTSC III Conference, to be held in Kanazawa in July 1991, are scheduled to appear as Volumes 182–184 in December 1991.

Instructions to Authors – Special Features

For the sake of rapid publication, Physica C authors are requested to follow a somewhat unusual procedure in submitting manuscripts:

- Three copies of your article should be submitted: two copies to ***one*** of the editors and one, accompanied by the original figures, to the publisher: Elsevier Science Publishers B.V., c/o P.J. Hoff, P.O. Box 103, 1000 AC Amsterdam, The Netherlands
- Telefax is to be used in all communications as far as practicable. The editors may be able to speed up the reviewing process if a copy of your paper reaches them by fax. However, in all cases, two hard copies must follow. Please note that the Publisher cannot work with a fax copy. Small changes or additions can be communicated by fax or telephone (***telefax: 31-20-5862 704; telephone: 31-20-5862 568***).
- All submissions must be accompanied by a covering letter giving affiliation, full address, telephone and fax number of the submitting author. The Publisher must be informed of the identity of the receiving editor.
- Do not send figures with your revised manuscript ***unless*** those figures have been changed. Revised figures should be identified as such.

Contents

Master Index Physica C, Volumes 165–171 (1990)

Note to Authors v
Index of Authors and Papers 1
Analytic Subject Index 33
Materials Index 45

Physica C, Author Index Vols. 165–171 (1990) 1–31
North-Holland

Index of Authors and Papers

Aarnink, W.A.M., see J. Gao **171**, 126
Abd-El-Hamed, M.O., see R. Wördenweber **171**, 1
Abdul-Razzaq, W., see J. Zhao **165**, 135
Abrashev, M.V., see V.G. Hadjiev **171**, 257
Abrikosov, A.A. and L.A. Falkovsky, The normal state electron spectrum of CuO_2 planes in HTSC **168**, 556
Adachi, H., see S. Kohiki **166**, 437
Adachi, H., see S. Adachi **168**, 1; **169**, 377
Adachi, H., see T. Matsushima **169**, 285
Adachi, H., see Y. Ichikawa **171**, 121
Adachi, S., O. Inoue, S. Kawashima, H. Adachi, Y. Ichikawa, K. Setsune and K. Wasa, A new type of crystal structure in the Pb–Pr–Sr–Cu–O system **168**, 1
Adachi, S., H. Adachi, K. Setsune and K. Wasa, X-ray Rietveld study of nonsuperconducting "0212" cuprate; $La_{1.6}Sr_{0.4}CaCu_2O_y$ **169**, 377
Adachi, S., K. Mizuno, K. Setsune and K. Wasa, Synthesis of Tl–Ba–Ca–Cu–O ceramics showing Meissner effect over 125 K **171**, 543
Adelerhof, D.J., see D.H.A. Blank **167**, 423
Adrian, F.J., Semiempirical structural model of the electric field gradients at oxygen nuclei in $YBa_2Cu_3O_7$ **171**, 505
Adrian, H., see C. Tomé-Rosa **171**, 231
Agarwal, S.K., see A.K. Bandyopadhyay **165**, 29
Agarwal, S.K., see P. Kulkarni **166**, 530
Aharoni, E., G. Koren and U.P. Oppenheim, Infrared emission spectroscopy of YO in the laser ablation deposition process of $YBa_2Cu_3O_{7-\delta}$ thin films **171**, 37
Ahn, B.T., V.Y. Lee, R. Beyers, T.M. Gür and R.A. Huggins, Quaternary phase relations near $YBa_2Cu_3O_{6+x}$ at 850°C in reduced oxygen pressures **167**, 529
Ajayakumar, K.S., see M.D. Sastry **170**, 41
Akinaga, H., see T. Mochiku **167**, 560
Akselrud, L.G., see A.L. Kharlanov **169**, 469
Alario-Franco, M.A., see U. Amador **165**, 499
Alcalá, R., see V.M. Orera **168**, 161
Aleksashin, B.A., see Yu.I. Zhdanov **165**, 475
Alexandrov, O.V., M. François, T. Graf and K. Yvon, Anisotropic thermal expansion of $YBa_2Cu_4O_8$ in the temperature range 10–297 K **170**, 56
Allenspach, P., see A. Furrer **168**, 609
Allgeier, C. and J.S. Schilling, Correlation between the magnitude of the superconducting transition temperature and the normal-state magnetic susceptibility in $Bi_2Sr_2CaCu_2O_{8+y}$ and $Tl_2Ba_2CuO_{6+y}$ as a function of oxygen content **168**, 499
Alloul, H., T. Ohno, H. Casalta, J.F. Marucco, P. Mendels, J. Arabski, G. Collin and M. Mehbod, Antiferromagnetism in $YBa_2Cu_3O_{6+x}$: Ga and Zn substitutions I. ^{89}Y NMR determination of the Néel temperature **171**, 419
Alloul, H., see P. Mendels **171**, 429
Almasan, C.C., see N.Y. Ayoub **170**, 211
Al Shamma, F. and J.C. Fuggle, A bibliography for high energy spectroscopy studies of high-T_c superconductors (1987–1989) **169**, 325
Alvanipour, A., see K.M. Stephens **168**, 351
Alvarez, G., K.N.R. Taylor and G.J. Russell, Josephson behaviour of variable thickness bridges in textured $YBa_2Cu_3O_{7-\delta}$ **165**, 258
Alvarez, G., see A. Bailey **167**, 133
Alvarez, G., G.J. Russell and K.N.R. Taylor, Chaotic behaviour of variable thickness bridges fabricated from YBCO **171**, 415
Amador, U., F. Garcia-Alvarado, E. Morán, M.A. Alario-Franco and J. Rodriguez-Carvajal, A structural study of Ni-substituted $Pb_2Sr_2YCu_3O_{8+\delta}$ **165**, 499
Amelinckx, S., see G. Van Tendeloo **167**, 627
Amelinckx, S., see T. Krekels **167**, 677; **169**, 457
Amine, K., see B. Chevalier **167**, 97
Amoretti, G., see E. Buluggiu **171**, 271
Andersson, B.M., B. Sundqvist, J. Niska, B. Loberg and K. Easterling, Electrical transport properties of dense bulk $YBa_2Cu_4O_8$ produced by hot isostatic pressing **170**, 521
Andersson, M., see S.H. Han **169**, 250
Andrianov, V.A., O.L. Anisimova, M.G. Kozin, A.Yu. Pentin, S.I. Semenov, V.S. Shpinel, L.I. Leonyuk, V.V. Moshchalkov and S.V. Red'ko, Emission Mössbauer spectroscopy of $YBa_2(Cu_{0.98}Fe_{0.02})_3(^{57}Co)O_{7-y}$ single crystal **166**, 248
Andrikidis, C., see G.B. Smith **170**, 222
Andrikidis, C., see N. Savvides **171**, 181
Anisimova, O.L., see V.A. Andrianov **166**, 248
Anlage, S.M., see C.B. Eom **171**, 354
Antipov, E.V., see A.L. Kharlanov **169**, 469
Antognazza, L., M.G. Karkut, J.-M. Triscone and Ø. Fischer, Growth and superconducting transition temperatures of Mo/Nb superlattices **167**, 221
Aoki, H., see A. Matsushita **166**, 100
Aoki, H., see T. Hirata **168**, 580
Aoki, S., see Y. Kuwasawa **169**, 39
Aoki, T., see T. Goto **170**, 427
Apperley, M.H., see S.X. Dou **167**, 525
Arabski, J., see H. Alloul **171**, 419
Arabski, J., see P. Mendels **171**, 429
Ares Fang, C.S., Y.D. Yao and C.C. Wu, Photoemission studies of the effects of silver in the electron-doped superconductor $Nd_{2-x}Ce_xCuO_{4-\delta}$ **167**, 89
Arima, T., Y. Tokura, H. Takagi, S. Uchida, R. Beyers and J.B. Torrance, Extended family of new Bi-2222

superconducting cuprates: $Bi_2Sr_2(RE_{1-x}Ce_x)_2Cu_2O_{10+y}$, RE = rare earth **168**, 79
Arima, T., see S. Tajima **168**, 117
Asano, H., see T. Mochiku **167**, 560
Asano, H., see R. Yoshizaki **171**, 315
Asayama, K., see Y. Kitaoka **170**, 189
Atake, T., see Q.-Z. Zhang **169**, 451
Aubel, J., see L.C. Sengupta **165**, 125
Aubel, J.L., see B. Roughani **171**, 77
Aubin, M., see P. Dufour **166**, 431
Awana, V.P.S., see P. Kulkarni **166**, 530
Ayache, C., see E. Bonjour **166**, 451
Ayache, J., see R. Maury **167**, 591
Ayoub, N.Y., J.T. Markert, E.A. Early, C.L. Seaman, L.M. Paulius and M.B. Maple, A comparative compositional study of $Ln_{2-x}M_xCuO_{4-y}$ electron-doped superconductors **165**, 469
Ayoub, N.Y., C.C. Almasan, E.A. Early, J.T. Markert, C.L. Seaman and M.B. Maple, The effect of indium substitution for copper on the superconductivity of the electron-doped system Nd–Ce–Cu–O **170**, 211
Ayyub, P., A.N. Maitra and D.O. Shah, Formation of theoretical-density microhomogeneous $YBa_2Cu_3O_{7-x}$ using a microemulsion-mediated process **168**, 571

Baak, J., C.J. Muller, H.B. Brom, M.J.V. Menken, K. Kadowaki and A.A. Menovsky, The magnetic field dependence of the low temperature specific heat in single crystals of $YBa_2Cu_3O_7$ **168**, 363
Baar, D.J., J.P. Franck, J.P. Harrison, Y. Lacroix and M.K. Yu, Oscillator studies of intragrain and intergrain dissipation in Y–Ba–Cu–O and Bi–Pb–Sr–Ca–Cu–O ceramic superconductors **170**, 233
Bach, H., see R. Kubiak **166**, 523
Baggio Saitovitch, E., R.B. Scorzelli, I. Souza Azevedo, C.A. dos Santos and F.J. Litterst, ^{57}Fe Mössbauer studies on semiconducting and superconducting La–Ba–Cu–O **166**, 518
Bailey, A., G. Alvarez, T. Puzzer, S.L. Town, G.J. Russell and K.N.R. Taylor, Josephson behaviour for high critical density YBCO + Ag thick films on YSZ substrates **167**, 133
Baird, N.C. and J.K. Burdett, The interplay of electrostatic and orbital forces in the control of the structure of the electron-doped superconductors $Nd_{2-x}Ce_xCuO_4$ **168**, 637
Balachandran, U., see P.J. McGinn **165**, 480
Balachandran, U., see P. McGinn **167**, 343
Balanchandran, U., M.E. Biznek, G.W. Tomlins, B.W. Veal and R.B. Poeppel, Synthesis of 80 K superconducting $YBa_2Cu_4O_8$ via a novel route **165**, 335
Balanyi, Sz., see S. Meszáros **167**, 139
Bando, Y., see Y. Ikeda **165**, 189
Bando, Y., see Y. Iye **166**, 62; **167**, 278
Bando, Y., see T. Tamura **169**, 299
Bandyopadhyay, A.K., P. Maruthikumar, G.L. Bhalla, S.K. Agarwal and A.V. Narlikar, Low temperature specific heat of single phase samples of bismuth and thallium based high-T_c cuprates **165**, 29
Banville, M., see P. Dufour **166**, 431
Baran, M., see A. Wiśniewski **170**, 333
Barriquand, F., P. Odier and D. Jérome, ^{17}O NMR on a $YBa_2Cu_3O_{7-\delta}$ single crystal **171**, 348
Barry, J.C., see Z. Iqbal **169**, 396
Bartolome, J., see R. Navarro **167**, 549
Batlogg, B., see R.J. Cava **165**, 419; **167**, 67
Baughman, R.J., see B. Morosin **165**, 115
Bazhenov, A.V., A.A. Maksimov, D.A. Pronin, I.I. Tartakovskii and V.B. Timofeev, Influence of oxygen concentration on the two-magnon light scattering spectra in $YBa_2Cu_3O_{6+x}$ single crystals **169**, 381
Bdikin, I.K., see Yu.A. Ossipyan **165**, 107
Beach, D.B., see R.C. Taylor **169**, 35
Becker, S. and H.J. Dietze, Change in stoichiometry by laser-induced plasma deposition of high-T_c superconducting thin films **167**, 509
Bednarz, G., G. Stroink and M.A. White, A study of the heat capacity of the superconductor $EuBa_2Cu_3O_{7-x}$ **165**, 385
Beduz, C., see O.F. Schilling **170**, 123
Beech, F., see M. Marezio **169**, 401
Behera, S.N. and S. Bhattacharya, Collective modes of a spin density wave superconductor **167**, 112
Bell, J.M., see G.B. Smith **170**, 222
Beňačka, Š., see M. Maheľ **169**, 429
Berghuis, P., P.H. Kes, B. Dam, G.M. Stollman and J. van Bentum, Resistive states in thin films of $Y_2Ba_4Cu_8O_{16-\delta}$ **167**, 348
Bernas, H., see J. Lesueur **167**, 1
Bernasconi, A., A. Schilling, J.D. Guo and H.R. Ott, Specific heat, magnetization and resistivity measurements on $HoBa_2Cu_4O_8$ **166**, 393
Bernasconi, A., see A. Schilling **169**, 237
Berthier, C., see M. Horvatić **166**, 151
Berthier, C., see P. Butaud **166**, 301
Berthier, Y., see M. Horvatić **166**, 151
Berthier, Y., see P. Butaud **166**, 301
Beskrovnyi, A.I., M. Dlouhá, Z. Jirák, S. Vratislav and E. Pollert, Neutron diffraction study of the modulated structure of $Bi_2(Sr, Ca)_3Cu_2O_{8+y}$ **166**, 79
Beskrovnyi, A.I., M. Dlouhá, Z. Jirák and S. Vratislav, Study of the modulated structure of $Bi_2(Sr,Ca)_3Cu_2O_{8+y}$ in the range 8–920 K **171**, 19
Beyers, R., see B.T. Ahn **167**, 529
Beyers, R., see T. Arima **168**, 79
Bhagat, S.M., see G. Shaw **169**, 257
Bhagwat, K.V. and P. Chaddah, Hysteretic loss in hard superconductor samples with non-zero demagnetization factor **166**, 1
Bhalla, G.L., see A.K. Bandyopadhyay **165**, 29
Bharathi, A., see D. Vasumathi **167**, 149
Bhasin, K.B., see F.A. Miranda **168**, 91
Bhattacharya, D., D.K. Pandya, S.C. Kashyap, L.C. Pathak, S. Mishra, D. Sen and K.L. Chopra, Lattice and electronic structure of $YBa_2Cu_2PbO_x$ superconductor **170**, 245
Bhattacharya, S., see S.N. Behera **167**, 112
Bill, H., see W. Sadowski **170**, 103

Biznek, M.E., see U. Balanchandran **165**, 335
Bjørnholm, T., see J.J. Neumeier **166**, 191
Blank, D.H.A., D.J. Adelerhof, J. Flokstra and H. Rogalla, Preparation of YBaCuO thin films on various substrates by laser ablation. Influence of the substrate temperature **167**, 423
Blanton, T., see M. Lelental **167**, 614
Blazey, K.W. and I. Mangelschots, Modulated microwave absorption of $Nd_{2-x}Ce_xCuO_4$ single crystals **170**, 267
Bochenek, E., see R. Fischer **168**, 113
Bocquet, A.E., S. Ogawa, H. Eisaki, H. Takagi, S. Uchida, A. Fujimori and S. Suga, Electronic structure of $Bi_2Sr_2CaCu_2O_8$ by photoemission and Brehmsstrahlung isochromat spectroscopy **169**, 1
Bódi, A.C., J. Csikai, R. Pepelnik, I. Halász, I. Kirschner, Gy. Kovács, T. Porjesz and T. Träger, Non-bulk superconductivity induced by neutron irradiation in multiphase $YBa_2Cu_3O_7$ and $Tl_2Ca_1Ba_2Cu_2O_8$ **165**, 83
Boehnke, U., see J. Horn **170**, 343
Boekholt, M. and G. Güntherodt, Polarization and temperature dependent electronic Raman scattering of superconducting $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **169**, 436
Bogdanovitch, A.M., see Yu.I. Zhdanov **165**, 475
Boháček, P., J. Prachařová, Sv. Civiš, H. Šíchová, F. Fendrych, B. Trunda, L. Dobiášová and V. Valvoda, Composition of phases and phase mixtures of the Bi–Sr–Ca–Cu–O system **171**, 108
Böhm, M.C., A comparative theoretical analysis of superconducting organic charge transfer salts and high-T_c cuprates **169**, 152
Bonjour, E., R. Calemczuk, A.F. Khoder, C. Ayache, V. Pagnon, P. Régnier, L. Chaffron, P. Monod and N. Bontemps, Anisotropic specific heat behavior of textured $YBa_2Cu_3O_7$ under a magnetic field **166**, 451
Bontemps, N., see E. Bonjour **166**, 451
Bonvalot, M., see Y.K. Tao **165**, 13
Boothroyd, A.T., S.M. Doyle, D.McK. Paul, D.S. Misra and R. Osborn, Crystal field excitations in $Nd_{2-x}Ce_xCuO_4$ **165**, 17
Bordet, P., see R.J. Cava **167**, 67
Bordet, P., S.-W. Cheong, Z. Fisk, Th. Fournier, J.L. Hodeau, M. Marezio, A. Santoro and A. Varela, Structural studies of the T*-phases $(La, Tb, Pb)_2CuO_4$, $(La, Tb, Sr)_2CuO_4$: structural transition in $(La, Tb, Pb)_2CuO_4$ **171**, 468
Börner, H., see J. Horn **170**, 343
Borsa, F., see A. Rigamonti **166**, 310
Bortchagovski, E.G., V.Z. Lozovski, S.A. Shilo and I.A. Yurchenko, The method of molecular luminescent markers on solids in the study of superconducting and structural phase transitions **165**, 308
Bosi, S., see S.L. Town **165**, 298
Boterel, F., see V. Caignaert **170**, 139
Bowden, G.J., see S.X. Dou **171**, 293
Bowden, M.E., see J.L. Tallon **171**, 61
Bowley, R.M., see P.J. King **170**, 271
Bozukov, L.N., see V.G. Hadjiev **171**, 257
Brabers, V.A.M., see J.H.P.M. Emmen **165**, 293
Brand, H.R., see M.M. Doria **165**, 457
Brändas, E.J., see L.J. Dunne **169**, 501
Brandt, E.H., see V.V. Nemoshkalenko **170**, 481
Bratsberg, H., see Z.J. Yang **165**, 397
Braun, E., see W. Schnelle **168**, 465
Braun, H.F., see A. Gupta **170**, 95
Braun, M., P. Buszka, T. Motylewski, W. Przydróżny and C. Śliwa, Vibration frequency and height of a magnet levitating over a type-II superconductor **171**, 537
Braunisch, W., see W. Schnelle **168**, 465
Braunstein, G., see M. Lelental **167**, 614
Bravman, J.C., see C.B. Eom **171**, 354
Brewer, J.H., see N. Nishida **168**, 23
Bringley, J.F., see R.C. Taylor **169**, 35
Bringley, J.F., see I.-S. Yang **171**, 31
Broddin, D., see G. Van Tendeloo **167**, 627
Broicher, H., see W. Schnelle **168**, 465
Brom, H.B., see D.M. de Leeuw **166**, 349
Brom, H.B., see J. Baak **168**, 363
Brousse, T., see A. Taffin **170**, 59
Brousse, T., G. Poullain, J.F. Hamet, H. Murray and B. Raveau, Laser ablated bismuth cuprate thin films preparation and effect of oxygen non stoichiometry upon superconductivity **170**, 000
Brown, I.D., Maximum transition temperatures and bond valence sums in copper oxide superconductors. The influence of internal strain **169**, 105
Brown, I.D., see J.D. Jorgensen **171**, 93
Brown, P.J., see H. Maletta **166**, 9
Brown, P.J., see T. Chattopadhyay **170**, 371
Bruggink, W.H.M., see H. Verweij **166**, 372
Brunner, O., see G. Triscone **168**, 40
Brynestad, J., see T.B. Lindemer **167**, 312
Buchal, Ch., see C.L. Jia **167**, 463
Bucher, B., J. Karpinski, E. Kaldis and P. Wachter, Anisotropic behavior in untwinned $YBa_2Cu_4O_8$. Optical, magnetic and transport measurements at high pressure **167**, 324
Buckley, R.G., see N.E. Flower **165**, 161
Buckley, R.G., J.L. Tallon, D.M. Pooke and M.R. Presland, Calcium-substituted superconducting $RBa_2Cu_4O_8$ with $T_c \sim 90$ K prepared at one atmosphere **165**, 391
Buckley, R.G., see J.L. Tallon **171**, 61
Bud'ko, S.L., A.G. Gapotchenko, A.E. Luppov, E.A. Early, M.B. Maple and J.T. Markert, Effect of pressure on critical parameters of electron-doped superconductors $Ln_{2-x}M_xCuO_{4-y}$ (Ln=Nd, Sm, Pr; **M=Ce, Th**) **168**, 530
Bud'ko, S.L., A.G. Gapotchenko and A.E. Luppov, Change of critical parameters of $YBa_2Cu_4O_x$ and $YBa_2Cu_{3.5}O_x$ single crystals under pressure **170**, 259
Budnick, J.I., see M.E. Filipkowski **167**, 35
Bulka, B.R., Superconducting, flux and antiferromagnetic phase in a 2D extended Hubbard model **165**, 449
Bullock, G.L., B.S. Shivaram and D.G. Hinks, Longitudinal ultrasound in the heavy electron superconductor URu_2Si_2 **169**, 497
Buluggiu, E., A. Vera and G. Amoretti, *H*-modulated

microwave absorption and resistive transition in the high-T_c superconductor $YBa_2Cu_3O_7$ **171**, 271
Burdett, J.K., see N.C. Baird **168**, 637
Burger, J.P., see J. Lesueur **167**, 1
Burlachkov, L.I., On the superconductivity type in the Chevrel phase compound $Cu_{1.8}Mo_6S_8$ **166**, 25
Burlachkov, L.I. and L.I. Glazman, Twin boundaries and upper critical field H_{c2} in Y–Ba–Cu–O monocrystal **166**, 75
Burns, G., M.K. Crawford, F.H. Dacol and N. Herron, Raman active phonons in Tl-based high-T_c superconductors **170**, 80
Burns, G., see I.-S. Yang **171**, 31
Burns, S.J., see A. Goyal **168**, 405
Bush, A.A., see I.E. Lipinski **168**, 291
Buszka, P., see M. Braun **171**, 537
Butaud, P., see M. Horvatić **166**, 151
Butaud, P., M. Horvatić, Y. Berthier, P. Segransan, Y. Kitaoka, C. Berthier and H. Katayama-Yoshida, ^{17}O NMR in $YBa_2Cu_3O_{6.65}$. Discrimination between t–J and two-band models: a new approach **166**, 301
Buzdin, A.I. and A.Yu. Simonov, On the possibility of a first-order phase transition to the vortex state in layered superconductors **167**, 388
Buzdin, A.I. and A.Yu. Simonov, Peculiar magnetic properties of anisotropic London superconductors **168**, 421

Caignaert, V., see R.J. Nelmes **166**, 329
Caignaert, V., R. Retoux, C. Michel, M. Hervieu and B. Raveau, Neutron diffraction study of the layered cuprate $Sr_{2-x}Nd_{1+x}Cu_2O_{6-y}$ **167**, 483
Caignaert, V., M. Hervieu, J. Wang, G. Desgardin, B. Raveau, F. Boterel and J.M. Haussonne, $YBa_2Cu_3O_{6.8}$: an oxygen-rich "123"-type phase with tetragonal symmetry **170**, 139
Calandra, C., F. Manghi and T. Minerva, Theoretical interpretation of valence band photoemission spectra in $YBa_2Cu_3O_7$ **165**, 461
Calandra, C., see T. Minerva **170**, 532
Calemczuk, R., see E. Bonjour **166**, 451
Calestani, G., see C. Paracchini **167**, 249
Cao, X.W., see H.H. Wen **167**, 75
Capponi, J.J., see R.J. Cava **167**, 67
Capponi, J.J., see M. Marezio **169**, 401
Carbotte, J.P., see H. Chi **169**, 55
Carel, C., see J.R. Gavarri **166**, 323
Carim, A.H., see R.E. Loehman **170**, 1
Carlson, K.D., see H.H. Wang **166**, 57
Carneiro, C.E., M.J. De Oliveira, S.R.A. Salinas and G.V. Uimin, Hole spectrum in the two-dimensional Hubbard model **166**, 206
Casalta, H., see H. Alloul **171**, 419
Casañ-Pastor, N., see A. Fuertes **170**, 153
Cataudella, V. and P. Minnhagen, Simple estimates for vortex fluctuations in connection with high-T_c superconductors **166**, 442
Catlow, C.R.A., see X. Zhang **168**, 417
Cattani, D., see G. Triscone **168**, 40
Cava, R.J., see S. Jin **165**, 415
Cava, R.J., A.W. Hewat, E.A. Hewat, B. Batlogg, M. Marezio, K.M. Rabe, J.J. Krajewski, W.F. Peck Jr. and L.W. Rupp Jr., Structural anomalies, oxygen ordering, and superconductivity in oxygen deficient $Ba_2YCu_3O_x$ **165**, 419
Cava, R.J., P. Bordet, J.J. Capponi, C. Chaillout, J. Chenavas, T. Fournier, E.A. Hewat, J.L. Hodeau, J.P. Levy, M. Marezio, B. Batlogg and L.W. Rupp Jr., $Pb_3Sr_3Cu_3O_{8+\delta}Cl$: a new layered copper oxychloride **167**, 67
Cava, R.J., see M. Marezio **169**, 401
Ceresara, S., see R. Vaccarone **168**, 63
Chaddah, P., see K.V. Bhagwat **166**, 1
Chaddah, P., see A.K. Grover **170**, 431
Chaffron, L., see E. Bonjour **166**, 451
Chaillout, C., see R.J. Cava **167**, 67
Chaillout, C., J. Chenavas, S.W. Cheong, Z. Fisk, M. Marezio, B. Morosin and J.E. Schirber, Two-phase structural refinement of $La_2CuO_{4.032}$ at 15 K **170**, 87
Chalker, P.R., see S. Myhra **165**, 270
Chan, C.C., see A. Nath **171**, 406
Chancey, C.C., see K.P. Jain **168**, 297
Chandrachood, M.R., D.E. Morris and A.P.B. Sinha, Phase diagram and new phases in the Y–Ba–Cu–O system at high oxygen pressure **171**, 187
Chandran, L. and T.M. Rice, Effect of O-hole superconductivity in a two spin fluid model of the CuO_2 planes **167**, 127
Chang, T.C., see J.W. Chen **165**, 287
Chaplot, S.L., see N. Choudhury **171**, 567
Chattopadhyay, T., see H. Maletta **166**, 9
Chattopadhyay, T., G.J. McIntyre, P.J. Brown and J.B. Forsyth, Anisotropyic spin correlations in CuO above the Néel temperature **170**, 371
Chaudhari, P., see R. Gross **166**, 277; **170**, 315
Chen, C., see X. Su **165**, 8
Chen, C.F., see J.W. Chen **165**, 287
Chen, D.-X., Y. Mei and H.L. Luo, Critical-current density in sintered high-T_c (Bi, Pb)–Sr–Ca–Cu–oxide **167**, 317
Chen, D.-X., A. Sanchez, L.M. Martinez and J.S. Muñoz, AC susceptibility of grains and matrix for high-T_c superconductors **168**, 652
Chen, J.W., C.F. Chen, T.C. Chang and Y.D. Yao, Superconducting and normal state properties of the $Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ system **165**, 287
Chen, L., see B. Zhao **167**, 42
Chen, L.J., see J.M. Liang **165**, 347
Chen, Q., see S.H. Han **169**, 250
Chen, S., see M. Lelental **167**, 614
Chen, W., see P.J. McGinn **165**, 480
Chen, W., see P. McGinn **167**, 343
Chen, W., see S. Sengupta **171**, 174
Chen, Z., see Z. He **165**, 166
Chen, Z., see Q. Xu **168**, 489
Chenavas, J., see R.J. Cava **167**, 67
Chenavas, J., see C. Chaillout **170**, 87
Cheng, T., see Q. Xu **168**, 489
Chen Zhaojia, see Mao Zhiqiang **170**, 35

Cheong, S.-W., see P. Bordet **171**, 468
Cheong, S.W., see C. Chaillout **170**, 87
Chevalier, B., A. Tressaud, B. Lepine, K. Amine, J.M. Dance, L. Lozano, E. Hickey and J. Etourneau, Stabilization of a new superconducting phase by low temperature fluorination of La_2CuO_4 **167**, 97
Chevrel, R., see C. Rossel **165**, 233
Chi, H. and J.P. Carbotte, Slope of specific heat jump in a two-band model **169**, 55
Chiang, C., C.Y. Shei, Y.T. Huang, W.H. Lee and P.T. Wu, Preparation of high purity 110 K phase in the (Bi,Pb)–Sr–Ca–Cu–O superconductor system using a solution method **170**, 383
Chiang, C.K., see Y.T. Huang **169**, 76
Chien, J.C.W., B.M. Gong, Y.S. Yang, J.M. Madsen, W.M. Tiernan and R.B. Hallock, $YBa_2Cu_3O_{7-x}$ prepared by a polymer–metal–complex precursor process: morphology and superconducting transition properties **165**, 279
Chien, J.C.W., see W.M. Tiernan **168**, 189
Chitaree, R., see I.M. Tang **167**, 491
Choo, W.K., see C. Ree **166**, 221
Chopra, K.L., see D. Bhattacharya **170**, 245
Choudhury, N., K.R. Rao and S.L. Chaplot, Phonon dispersion relation and density of states in La_2CuO_4 and La_2NiO_4 **171**, 567
Choudhury, P., see P. Mandal **169**, 43
Chourey, A.G., see R. Pinto **171**, 131
Chrzanowski, J., see J.C. Irwin **166**, 456
Chu, C.W., see Y.K. Tao **165**, 13
Chu, C.W., see Y.Y. Xue **165**, 357
Chu, H.T., see N.-L. Wu **167**, 267
Chu, M.Y., see H.W. Zandbergen **166**, 255
Chumbley, L.S., see M.J. Kramer **166**, 115
Civiš, Sv., see P. Boháček **171**, 108
Claus, H., S. Yang, A.P. Paulikas, J.W. Downey and B.W. Veal, Atomic short-range order in oxygen deficient $YBa_2Cu_3O_{7-\delta}$ **171**, 205
Clayman, B.P., see Q. Song **165**, 328
Clearfield, A., see R.A. Mohan Ram **166**, 125
Cockayne, D.J.H., see G.M. Turner **170**, 473
Collin, G., see H. Alloul **171**, 419
Collin, G., see P. Mendels **171**, 429
Collocott, S.J. and R. Driver, Specific heat of the high-T_c superconductor $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ and related phases Ca_2CuO_3 and $(Ca_{0.86}Sr_{0.14})CuO_2$ from 0.4 to 20 K **167**, 598
Collocott, S.J., see N. Savvides **171**, 181
Continenza, A., see A.J. Freeman **166**, 317
Cooke, J.F., see R.F. Wood **165**, 97
Corti, M., see A. Rigamonti **166**, 310
Cost, J.R., see J.D. Thompson **169**, 265
Couach, M., see M. Horvatić **166**, 151
Crawford, M.K., see G. Burns **170**, 80
Crepeau, R.H., see R. Durny **171**, 401
Crisan, M., Disorder effects and magnetic fluctuations in high-T_c superconductors **171**, 498
Crow, J.E., see Y. Gao **165**, 340
Crow, J.E., see G. Shaw **169**, 257
Csikai, J., see A.C. Bódi **165**, 83
Cuvier, S., see J.T. Masiakowski **166**, 140

Dabrowski, B., see P. Lightfoot **168**, 627
Dabrowski, B., see S. Pei **169**, 179
Dabrowski, B., see J.D. Jorgensen **171**, 93
Dacol, F.H., see G. Burns **170**, 80
Dacol, F.H., see I.-S. Yang **171**, 31
Dalichaouch, Y., see H. Iwasaki **169**, 146
Dam, B., see P. Berghuis **167**, 348
Dance, J.M., see B. Chevalier **167**, 97
Das, A.N., see P. Mandal **169**, 43
Das, A.N., J. Konior and D.K. Ray, Hole–phonon interaction in a strongly correlated Hubbard system **170**, 215
Date, M., see T. Ishii **165**, 139
Davis, R.L., see S.L. Town **165**, 298
Davis, R.L., see J.L. Tallon **171**, 61
Dayal, R., see C. Infante **167**, 640
Dayan, M., Large energy gap solutions of the generalized Eliashberg equation in high temperature superconductors **167**, 228
De Boer, F.R., see J.N. Li **169**, 81
Decamps, B., see H. Stroumbos **167**, 375
De Groot, P.A.J., see R.A. Rose **170**, 51
Dehaudt, Ph., see M.-J. Rey **167**, 162
De Jonge, W.J.M., see J.H.P.M. Emmen **165**, 293; **169**, 418
De Jongh, L.J., see Q. Xu **167**, 271
De Jongh, L.J., see S.I. Mukhin **171**, 42
DeJonghe, L.C., see H.W. Zandbergen **166**, 255
De Kraan, M., see T. Krekels **169**, 457
De Kruijf, W.J.M., see J.H.P.M. Emmen **165**, 293
De la Cruz, F., see E. Rodríguez **165**, 315
De la Mora, P., see J. Schoenes **166**, 145
De Leeuw, D.M., see W.A. Groen **165**, 55, 305
De Leeuw, D.M., see R.A.M. van Woerden **165**, 221; **170**, 112
De Leeuw, D.M., W.A. Groen, L.F. Feiner and E.E. Havinga, Correlation between the superconducting transition temperature and crystal structure of high-T_c cuprate compounds **166**, 133
De Leeuw, D.M., W.A. Groen, J.C. Jol, H.B. Brom and H.W. Zandbergen, Hole doping in $Tl_2Ba_2CuO_{6+\delta}$ (T_c=0–80 K) investigated by ^{205}Tl nuclear magnetic resonance **166**, 349
De Leeuw, D.M., see T. Krekels **169**, 457
Deltour, R., see M. Mehbod **168**, 265
Dennis, K.W., see Y. Xu **169**, 205
De Oliveira, M.J., see C.E. Carneiro **166**, 206
Desgardin, G., see V. Caignaert **170**, 139
Dietrich, M.R., see H.A. Ludwig **167**, 335
Dietze, H.J., see S. Becker **167**, 509
Diko, P., see N. Hudáková **167**, 408
Dina, S., see M. Moska **170**, 491
Dlouhá, M., see A.I. Beskrovnyi **166**, 79; **171**, 19
Dobiášová, L., see P. Boháček **171**, 108
Dömel, R., see W. Schnelle **168**, 465
Dong, S.H., see W.M. Tiernan **168**, 189

Dong Yi, see Mao Zhiqiang **170**, 35
Doria, M.M. and H.R. Brand, Spatial modulation of the order parameter in the T* phase of ceramic superconductors **165**, 457
Dos Santos, C.A., see E. Baggio Saitovitch **166**, 518
Dou, S.X., H.K. Liu, M.H. Apperley, K.H. Song, C.C. Sorrell, K.E. Easterling, J. Niska and S.J. Guo, Improvement of critical current density in the Bi–Pb–Sr–Ca–Cu–O system through hot isostatic pressing **167**, 525
Dou, S.X., H.K. Liu, J. Wang, K.H. Song and G.J. Bowden, Magnetic properties of Bi–Pb–Sr–Ca–Cu–O fabricated by various techniques **171**, 293
Douglass, D.H., Scaling of a magnetic system describable by critical exponents application to superconductors **168**, 282
Douglass, D.H., see V.G. Zarifis **170**, 46
Dousek, F.P., Some aspects of the existence of trivalent copper in $YBa_2Cu_3O_{7-x}$ superconductors and related corrosion phenomena **171**, 156
Downey, J.W., see H. Claus **171**, 205
Doyle, S.M., see A.T. Boothroyd **165**, 17
Driver, R., see S.J. Collocott **167**, 598
Driver, R., see T.E. Freeman **167**, 609
Driver, R., see S.W. Filipczuk **170**, 457
Du, B., see Z. Gao **167**, 49
Dubois, J.P., see H. Stroumbos **167**, 375
Dubon, A., see C. Lacour **167**, 287
Dufour, P., S. Jandl, M. Banville, P. Fournier and M. Aubin, Infrared reflectance of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-u}$ **166**, 431
Duhalde, S., see C. Saragovi **168**, 493
Dulčić, A., see M. Požek **169**, 95
Dulčić, A., see B. Rakvin **170**, 161
Dulcic, A., see R. Durny **171**, 401
Dumoulin, L., see J. Lesueur **167**, 1
Dunlap, B.D., see W. Peng **169**, 23
Dunne, L.J., J.N. Murrell and E.J. Brändas, Off-diagonal long range order from repulsive electronic correlations in the ground state of a two-dimensional localised model of a high-T_c cuprate superconductor **169**, 501
Duraj, R., see K. Łatka **171**, 287
Durán, C., see E. Rodríguez **165**, 315
Durny, R., A. Dulcic, R.H. Crepeau, J.H. Freed and P. Kus, Non-resonant microwave absorption in high-T_c thin films **171**, 401
Dürrler, M., see A. Zibold **171**, 151
Duvigneaud, P.H., see M. Mehbod **168**, 265
Dwir, B., Effect of gap depression on the critical current in HTSC ceramics **168**, 109

Eaiprasertsak, K., see I.M. Tang **167**, 491
Early, E.A., see N.Y. Ayoub **165**, 469; **170**, 211
Early, E.A., see S.L. Bud'ko **168**, 530
Easterling, K., see B.M. Andersson **170**, 521
Easterling, K.E., see S.X. Dou **167**, 525
Eckert, D., see A. Junod **168**, 47
Edwards, P.P., see R.S. Liu **165**, 111
Edwards, P.P., see R. Janes **167**, 520
Egi, T., see J. Takada **170**, 249
Eibl, O., Crystal structure of $(Bi,Pb)_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ high-T_c superconductors **168**, 215
Eibl, O., Special grain boundaries in high-T_c $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 239
Eibl, O., Crystal defects in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ ceramics **168**, 249
Eibl, O., Atomic modulation functions and structure factors for displacively modulated, high-T_c $Bi_2Sr_2CaCu_2O_{8+\delta}$ **169**, 441
Eibschutz, M., see M.E. Lines **166**, 235
Eibschutz, M., see J.M. Tarascon **167**, 20
Einav, M., see U. Yaron **168**, 546
Eisaki, H., see A.E. Bocquet **169**, 1
El Mously, M.K., see C. Infante **167**, 640
Emmen, J.H.P.M., W.J.M. De Kruijf, V.A.M. Brabers and W.J.M. De Jonge, Thermal dilatation of (Bi, Pb)CaSrCuO **165**, 293
Emmen, J.H.P.M., G.M. Stollman and W.J.M. de Jonge, Frequency and field dependence of the irreversibility line in a $YBa_2Cu_3O_{7-\delta}$ film **169**, 418
Endoh, Y., see K. Yamada **165**, 131
Endoh, Y., see K. Takada **166**, 203
Englman, R., B. Halperin and M. Weger, Jahn–Teller (reverse sign) mechanism for superconductive pairing **169**, 314
Enz, C.P. and Z.M. Galasiewicz, On the influence of oxygen anharmonic vibrations on the isotope effect of high T_c superconductors **166**, 49
Enz, C.P., see C. Zhou **170**, 119
Eom, C.B., J.Z. Sun, B.M. Lairson, S.K. Streiffer, A.F. Marshall, K. Yamamoto, S.M. Anlage, J.C. Bravman, T.H. Geballe, S.S. Laderman, R.C. Taber and R.D. Jacowitz, Synthesis and properties of $YBa_2Cu_3O_7$ thin films grown in situ by 90° off-axis single magnetron sputtering **171**, 354
Epstein, A.J., see F. Zuo **167**, 567
Erb, A., see A. Zibold **171**, 151
Erle, A. and G. Güntherodt, Influence of cobalt substitution on the Raman spectrum of $YBa_2Cu_3O_{7-\delta}$ **171**, 216
Eschrig, H., see K.F. Renk **165**, 1
Escudero, R., E. Guarner and F. Morales, Superconducting energy gap of single-crystal $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ by electron tunneling **166**, 15
Escudero, R., see F. Morales **169**, 294
Escudero, R., see O. Navarro **170**, 405
Esquinazi, P., see A. Gupta **170**, 95
Etchegoin, P., see C. Saragovi **168**, 493
Etourneau, J., see B. Chevalier **167**, 97
Evetts, J., see J. MacManus **169**, 193

Faigel, G., see G. Oszlányi **167**, 157
Faigel, G., see A. Jánossy **171**, 457
Fainstein, C., see E. Rodríguez **165**, 315
Fainstein, C., see C. Saragovi **168**, 493
Falkovsky, L.A., see A.A. Abrikosov **168**, 556
Fan, C., see Q. Xu **168**, 489
Fang, J., see H.H. Wen **167**, 75
Fang, M., see Z. He **165**, 166

Farneth, W.E., see F. Zuo **167**, 567
Fastnacht, R.A., see S. Jin **165**, 415
Fastnacht, R.A., see T.H. Tiefel **166**, 408
Fayn, B., see D.E. Morris **168**, 153
Feigel'man, M.V., V.B. Geshkenbein and A.I. Larkin, Pinning and creep in layered superconductors **167**, 177
Feile, R., see U. Weimer **168**, 359
Feiner, L.F., see W.A. Groen **165**, 55
Feiner, L.F., see D.M. de Leeuw **166**, 133
Felner, I., D. Hechel and U. Yaron, Effect of Zn, Ga and Ni substitution on the superconducting properties of the electron doped system: Nd–Ce–Cu–O **165**, 247
Felner, I., see U. Yaron **168**, 546
Fendrych, F., see P. Boháček **171**, 108
Feng Guobin, see Mao Zhiqiang **170**, 35
Fert, A., see S. Senoussi **165**, 364
Fert, A.R., see R. Maury **167**, 591
Fesenko, V.I., see A.D. Sidorenko **166**, 167
Fietz, W.H., see H.A. Ludwig **167**, 335
Fil, D.V., see D.O. Livdan **167**, 538
Filipczuk, S.W., see G.B. Smith **170**, 222
Filipczuk, S.W., R. Driver and G.B. Smith, Aspects of annealing and free surface crystallization of YBCO thin films **170**, 457
Filipkowski, M.E., J.I. Budnick and Z. Tan, Observation of a low temperature magnetic phase transition in nonsuperconducting $La_{2-x}Sr_xCuO_{4+y}$ by macroscopic magnetization and electron spin resonance **167**, 35
Finkel'stein, A.M., V.E. Kataev, E.F. Kukovitskii and G.B. Teitel'baum, Effects of Zn substitution for Cu atoms in lanthanum–strontium superconductors **168**, 370
Fischer, Ø., see L. Antognazza **167**, 221
Fischer, J., see M. Zeh **167**, 6
Fischer, P., see A.W. Hewat **167**, 579
Fischer, R., E. Bochenek and H. Voigt, On the efficiency of a Meissner--Ochsenfeld heat engine **168**, 113
Fisk, Z., see C. Chaillout **170**, 87
Fisk, Z., see P. Bordet **171**, 468
Flambaum, V.V. and O.P. Sushkov, Frequencies of nuclear resonances for copper and electronic wave function of antiferromagnetic La_2CuO_4 **168**, 565
Fleisher, V., E. Lähderanta, R. Laiho and Yu.P. Stepanov, Quantum dimensional effect in powders of the high-T_c superconductor $YBa_2Cu_3O_{7-\delta}$ **170**, 166
Flokstra, J., see D.H.A. Blank **167**, 423
Flower, N.E., M.R. Presland, P. Gilberd and R.G. Buckley, Effects of Pb substitution on the structure of $n=1$ bismuth superconductor BiPbCaSrCuO **165**, 161
Flower, N.E., see J.L. Tallon **171**, 61
Fondere, J.P., see S. Senoussi **165**, 199
Fontcuberta, J., see S. Piñol **165**, 265
Fontcuberta, J., see V.M. Orera **168**, 161
Fontcuberta, J., see A. Fuertes **170**, 153
Forsthuber, M., see G. Hilscher **167**, 472
Forsyth, J.B., see T. Chattopadhyay **170**, 371
Fournier, P., see P. Dufour **166**, 431
Fournier, T., see R.J. Cava **167**, 67
Fournier, Th., see P. Bordet **171**, 468
Francesconi, M.G., see C. Paracchini **167**, 249
Franck, J.P., see D.J. Baar **170**, 233
François, M., see O.V. Alexandrov **170**, 56
François, M., see W. Sadowski **170**, 103
Franse, J.J.M., see J.N. Li **169**, 81
Franse, J.J.M., see K. Kadowaki **170**, 298
Fray, D., see J. MacManus **169**, 193
Freed, J.H., see R. Durny **171**, 401
Freeman, A.J., A. Continenza, S. Massidda and J.C. Grossman, Structural and electronic properties and possible superconductivity in simple cubic Fe **166**, 317
Freeman, P.F., see J.W. Loram **171**, 243
Freeman, T.E., J. Lusk, J.A. Robertson and R. Driver, Pressure studies of the superconducting transition in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **167**, 609
Freyhardt, H.C., see B. Ullmann **170**, 71
Frikkee, E., see H. Verweij **166**, 372
Fröhlingsdorf, J., see U. Weimer **168**, 359
Fruchter, L., see B. Janossy **170**, 22
Fu, W.T., see H.W. Zandbergen **166**, 502
Fu, W.T., see Q. Xu **167**, 271
Fueki, K., Y. Idemoto and H. Ishizuka, Oxygen nonstoichiometry of $Y(Ba_{1-x}Sr_x)_2Cu_3O_{7-\delta}$ superconductor **166**, 261
Fueki, K., see Y. Idemoto **166**, 513; **168**, 167
Fuertes, A., X. Obradors, J.M. Navarro, P. Gomez-Romero, N. Casañ-Pastor, F. Pérez, J. Fontcuberta, C. Miravitlles, J. Rodríguez-Carvajal and B. Martínez, Oxygen excess and superconductivity at 45 K in $La_2CaCu_2O_{6+y}$ **170**, 153
Fuess, H., see G. Miehe **171**, 339
Fuggle, J.C., see F. Al Shamma **169**, 325
Fujikami, J., see R. Yoshizaki **171**, 315
Fujimori, A., see A.E. Bocquet **169**, 1
Fujimoto, H., see S. Gotoh **166**, 215
Fukami, T., see Y. Horie **166**, 87
Fuke, H., see T. Ishii **165**, 139
Fukuda, T., see T. Kajitani **169**, 227; **171**, 491
Fukumoto, Y., see K. Shibutani **167**, 102
Fukunaga, O., see N. Ohashi **166**, 465
Funkenbusch, P.D., see A. Goyal **168**, 405
Furrer, A., P. Allenspach, J. Mesot and U. Staub, The crystalline electric field as a direct probe for the electron doping process in $Nd_{2-x}Ce_xCuO_4$ **168**, 609
Furuno, S., see D. Shindo **165**, 321

Galasiewicz, Z.M., see C.P. Enz **166**, 49
Gallagher, P.K., see S. Jin **165**, 415
Gamayumov, K., see V.I. Simonov **169**, 123
Ganapathi, L., A. Kumar and J. Narayan, Characteristics of high-T_c $La_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ superconductors **167**, 669
Ganapathi, L., A. Kumar and J. Narayan, In situ processing of $LaBa_2Cu_3O_{7-\delta}$ thin films by laser ablation method **168**, 599
Ganguly, P., see C. Infante **167**, 640
Gantmakher, V.F., N.I. Golovko, I.G. Naumenko, A.M. Neminsky and A.V. Petinova, Temperature

dependence of the magnetic field penetration depth in $YBa_2Cu_3O_{7-\delta}$ measured on ultra fine powder **171**, 223
Ganzha, Yu.V., see Yu.A. Ossipyan **171**, 311
Gao, J., W.A.M. Aarnink, G.J. Gerritsma and H. Rogalla, Controlled preparation of all high-T_c SNS-type edge junctions and DC SQUIDs **171**, 126
Gao, L., see Y.Y. Xue **165**, 357
Gao, W., S.-C. Li, D.A. Rudman and J.B. Vander Sande, The effect of Ag on the microstructure and properties of Bi(Pb)–Sr–Ca–Cu oxide/Ag superconducting microcomposites produced by oxidation of metallic precursor alloys **167**, 395
Gao, W. and J.B. Vander Sande, Synthesis of superconducting microcomposite coatings by melt-dipping and oxidation of Bi–Pb–Sr–Ca–Cu–Ag metallic precursor alloys **171**, 69
Gao, Y., J.E. Crow, G.H. Myer, P. Schlottmann, J. Schwegler and N.D. Spencer, Specific heat and magnetic susceptibility of the high-T_c superconductor (Bi, Pb, Sb)$_2Sr_2Ca_2Cu_3O_{10}$ **165**, 340
Gao, Z., Z. Hou, B. Du, D. Zhang, G. Wang, C. Wang and C. Zhu, The resistivity and structural phase transition of $YBa_2Cu_3O_{7-x}$ at high temperatures **167**, 49
Gapotchenko, A.G., see S.L. Bud'ko **168**, 530; **170**, 259
Garcia-Alvarado, F., see U. Amador **165**, 499
Garre, R., see R. Vaccarone **168**, 63
Gartstein, Yu.N., On the superconductivity of two-dimensional bosons with attraction in the mean-field approximation **171**, 87
Gavarri, J.R. and C. Carel, Structural evolution, thermal expansion anomaly and the Grüneisen constants of the superconductor $YBa_2Cu_3O_7$ **166**, 323
Geballe, T.H., see C.B. Eom **171**, 354
Geelen, G.P.J., see W.A. Groen **165**, 305
Geerk, J., see J. Remmel **165**, 212
Gegenheimer, B., see M.R. Koblischka **166**, 36
Geiser, U., see H.H. Wang **166**, 57
Gerdanian, P., see C. Picard **165**, 44; **171**, 321
Gerhäuser, W., see A. Gupta **170**, 95
Gerhaüser, W., see M. Klauda **165**, 251
Gerritsma, G.J., see J. Gao **171**, 126
Gerstenberg, H., see W. Schindler **169**, 117
Geserich, H.P., see A. Zibold **171**, 151
Geshkenbein, V.B., see M.V. Feigel'man **167**, 177
Ghosh, B., see P. Mandal **169**, 43
Giaro, K., W. Gorzkowski and T. Motylewski, A correct description of the interaction between a magnetic moment and its image **168**, 479
Gilberd, P., see N.E. Flower **165**, 161
Gilchrist, J. and M. Konczykowski, AC screening measurement for the characterization of oxide superconductors. I. Application to ceramics **168**, 123
Gilchrist, J., see M. Konczykowski **168**, 131
Ginley, D.S., see B. Morosin **165**, 115
Gippius, A.A., see V. Moshchalkov **165**, 62
Gippius, A.A., see A.L. Kharlanov **169**, 469
Glazman, L.I., see L.I. Burlachkov **166**, 75
Gledel, C., J.-F. Marucco and B. Touzelin, Thermodynamics study of $Y_{1-x}Ca_xBa_2Cu_3O_z$ **165**, 437
Goldstone, J.A., see M.A. Subramanian **166**, 19
Golovko, N.I., see V.F. Gantmakher **171**, 223
Gomez-Romero, P., see A. Fuertes **170**, 153
Gong, B.M., see J.C.W. Chien **165**, 279
Gong, B.M., see W.M. Tiernan **168**, 189
Gong, C.D., see C. Zhou **169**, 245
Goodenough, J.B., see P. Lightfoot **169**, 15, 464
Goodenough, J.B., see A. Manthiram **171**, 135
Goodman, G.L. and L. Soderholm, Molecular-orbital cluster calculations on $MBa_2Cu_3O_7$ for M = Y, Pr, Nd, Ho and Cm **171**, 528
Gopalan, P., see K.S. Nanjundaswamy **166**, 361
Gorzkowski, W., see K. Giaro **168**, 479
Gotaas, J., see J.J. Neumeier **166**, 191
Goto, T. and T. Aoki, Zone melting of suspension spun $Bi_2Sr_2Ca_1Cu_2O_x$ filament **170**, 427
Goto, T., T. Sugishita and K. Kojima, A new fabrication process of $Y_1Ba_2Cu_4O_8$ superconducting filament by solution spinning method under ambient pressure **171**, 441
Gotoh, S., M. Murakami, H. Fujimoto, N. Koshizuka and S. Tanaka, AC susceptibility study of YBaCuO prepared by quench and melt growth process **166**, 215
Gougeon, P., see M. Saint-Paul **166**, 405
Gougeon, P., see R. Nava **167**, 59
Gougeon, P., see R. Moret **168**, 315
Goyal, A., S.J. Burns and P.D. Funkenbusch, Effect of Ag/Ag_2O additions on the resistive behavior of preformed $YBa_2Cu_3O_{7-\delta}$ compacts in the low temperature sintering regime **168**, 405
Graf, T., see G. Triscone **168**, 40
Graf, T., see A. Junod **168**, 47
Graf, T., see O.V. Alexandrov **170**, 56
Grande, S., see H. Schmiedel **171**, 51
Greedan, J.E., see J.S. Xue **166**, 29
Greenblatt, M., see K.V. Ramanujachary **165**, 377
Greenblatt, M., see S. Li **166**, 535
Griessen, R., see E.N. van Eenige **168**, 482
Groen, W.A., D.M. de Leeuw and L.F. Feiner, Hole concentration and T_c in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **165**, 55
Groen, W.A., D.M. De Leeuw and G.P.J. Geelen, Hole concentration and T_c in $Bi_2Sr_2CuO_{6+\delta}$ **165**, 305
Groen, W.A., see D.M. de Leeuw **166**, 133, 349
Groen, W.A., see H.W. Zandbergen **166**, 282; **168**, 426
Gromov, A.M., see Yu.A. Ossipyan **165**, 107; **171**, 311
Gronsky, R., see H.W. Zandbergen **166**, 255
Gross, R., P. Chaudhari, A. Gupta and G. Koren, Persistent supercurrents in composite rings of high-T_c and conventional superconductors **166**, 277
Gross, R., see M. Zeh **167**, 6
Gross, R., see D. Kölle **167**, 79
Gross, R., P. Chaudhari, M. Kawasaki, M. Ketchen and A. Gupta, Noise characteristics of single grain boundary junction DC SQUIDs in $Y_1Ba_2Cu_3O_{7-\delta}$ films **170**, 315
Grossman, J.C., see A.J. Freeman **166**, 317
Groult, D., see T. Rouillon **167**, 107; **171**, 7

Grovenor, C.R.M., see O.F. Schilling **170**, 123
Grovenor, C.R.M., see K.D. Vernon-Parry **170**, 388
Grover, A.K., R. Kumar, P. Chaddah, C.K. Subramanian and V. Sankaranarayanan, A reappraisal of irreversible behaviour in the intermediate state of a type-I superconductor **170**, 431
Gruehn, R., see C. Rüscher **166**, 158
Grushko, Yu.S., see Yu.A. Ossipyan **171**, 311
Guan, W., see D.-M. Zhu **169**, 201
Guarner, E., see R. Escudero **166**, 15
Guilloux-Viry, M., M.G. Karkut, A. Perrin, O. Peña, J. Padiou and M. Sergent, In-situ $YBa_2Cu_3O_{7-x}$ thin films epitaxially grown by single target DC sputtering **166**, 105
Gumber, P.K., see S.P. Tewari **165**, 325; **167**, 307; **168**, 647; **171**, 147, 518
Gunther, C., see A. Taffin **170**, 59
Güntherodt, G., see M. Boekholt **169**, 436
Güntherodt, G., see A. Erle **171**, 216
Guo, J.D., see A. Bernasconi **166**, 393
Guo, S.J., see S.X. Dou **167**, 525
Gupta, A., see R. Gross **166**, 277; **170**, 315
Gupta, A., P. Esquinazi, H.F. Braun, H.-W. Neumüller, G. Ries, W. Schmidt and W. Gerhäuser, Similar shifts of the depinning and irreversibility lines by oxygen irradiation of melt-processed $Bi_2Sr_2CaCu_2O_8$ **170**, 95
Gupta, L.C., see R. Pinto **171**, 131
Gupta, M., see R.P. Gupta **171**, 465
Gupta, R.P. and M. Gupta, Electronic structure investigation of the relationship between oxygen ordering and superconductivity in $YBa_2Cu_3O_{6.5}$ **171**, 465
Gür, T.M., see B.T. Ahn **167**, 529
Gygax, S., see Q. Song **165**, 328

Hadjiev, V., see E. Liarokapis **170**, 419
Hadjiev, V.G., M.N. Iliev, C. Raptis, L. Kalev and B.M. Wanklyn, Polarised Raman scattering from orhtorhombic and tetragonal $GdBa_2Cu_3O_{7-\delta}$ single crystals: new evidence of chains-to-planes charge redistribution **166**, 225
Hadjiev, V.G., M.V. Abrashev, M.N. Iliev and L.N. Bozukov, Raman study of hydrogenated $RBa_2Cu_3O_{7-\delta}$ (R=Y, Gd) **171**, 257
Hadjoudj, S., see S. Senoussi **165**, 199, 364
Hagemann, H., see W. Sadowski **170**, 103
Halász, G., see S. Meszáros **167**, 139
Halász, I., see A.C. Bódi **165**, 83
Hallock, R.B., see J.C.W. Chien **165**, 279
Hallock, R.B., see W.M. Tiernan **168**, 189
Halperin, B., see R. Englman **169**, 314
Hamet, J.F., see T. Brousse **170**, 000
Han, P.D., see J.R. LaGraff **169**, 355
Han, S.H., Z. Hegedüs, M. Andersson, M. Nygren, Y.F. Yan, Q. Chen, Y.N. Wei, Y.S. He and Ö. Rapp, Study of upper critical field $H_{c2}(T)$ in doped Bi–Sr–Ca–Cu–O superconductors with 100 K phase **169**, 250
Hansen, A., see E.L. Hinrichsen **167**, 433
Han Zhiyi, see Mao Zhiqiang **170**, 35
Hariharan, Y., see D. Vasumathi **167**, 149
Harnischmacher, J., see W. Schnelle **168**, 465
Harrison, J.P., see D.J. Baar **170**, 233
Hart, D.L., see R. Ramesh **170**, 325
Hartmann, M., see D. Kölle **167**, 79
Hasegawa, T., see K. Suzuki **166**, 357
Hatta, S., see T. Matsushima **169**, 285
Hatta, S., see Y. Ichikawa **171**, 121
Hatton, P.D., see R.J. Nelmes **166**, 329
Hauet, A., see J. Teillet **170**, 65
Haussonne, J.M., see V. Caignaert **170**, 139
Havinga, E.E., see D.M. de Leeuw **166**, 133
Hayano, U., see Y. Kuwasawa **165**, 173
Hayashi, S., see S. Kohiki **166**, 437
Hayashi, S., see K. Shibutani **167**, 102
Hayn, R., From Mott transition to charge-transfer gap in the Emery model **167**, 359
Hayri, E.A. and J.Z. Larese, $La_{2-x}Ba_xSr_{1-x}Y_xCu_2O_6$ and $M_{1.9}Sr_{1.1}Cu_2O_6$ (M=Pr and Nd); new layered copper-oxides with the $La_2SrCu_2O_6$ structure **170**, 239
He, Y.S., see S.H. Han **169**, 250
He, Z., H. Zhang, J. Xia, S. Wang, M. Fang, Z. Chen, Y. Qian and Q. Zhang, The carrier character in single phase $YBa_2Cu_{3-x}Sn_xO_{7+\delta}$ **165**, 166
Hearne, G.R., P.R. Stoddart and H. Pollak, Pronounced anharmonicity in the classical high-T_c superconductor Nb_3Sn **167**, 415
Hechel, D., see I. Felner **165**, 247
Hegedüs, Z., see S.H. Han **169**, 250
Heimann, J., see E. Talik **165**, 434
Heinemann, K., see B. Ullmann **170**, 71
Heinen, V.O., see F.A. Miranda **168**, 91
Helgesen, G., see Z.J. Yang **165**, 397
Helmholdt, R.B., see H. Verweij **166**, 372
Henry, J.Y., see M. Horvatić **166**, 151
Hentsch, F., N. Winzek, M. Mehring, Hj. Mattausch, A. Simon and R. Kremer, ^{205}Tl nuclear spin lattice relaxation in the one layer ($Tl_2Ba_2CuO_6$), two layer ($Tl_2CaBa_2Cu_2O_8$) and three layer ($Tl_2Ca_2Ba_2CuO_{10}$) high-T_c superconductors **165**, 485
Hentsch, F., see N. Winzek **168**, 327
Hergt, R., see B. Janossy **170**, 22
Herron, N., see G. Burns **170**, 80
Hervieu, M., see T. Rouillon **167**, 107; **171**, 7
Hervieu, M., see V. Caignaert **167**, 483; **170**, 139
Hervieu, M., see C. Martin **168**, 8
Hervieu, M., see A. Taffin **170**, 59
Hervieu, M., see A. Maignan **170**, 350
Hewat, A.W., see R.J. Cava **165**, 419
Hewat, A.W., see M.-J. Rey **167**, 162
Hewat, A.W., P. Fischer, E. Kaldis, J. Karpinski, S. Rusiecki and E. Jilek, High resolution neutron powder diffraction investigation of temperature and pressure effects on the structure of the high-T_c superconductor $Y_2Ba_4Cu_7O_{15}$ **167**, 579
Hewat, E.A., see R.J. Cava **165**, 419; **167**, 67
Hewat, E.A., see M. Marezio **169**, 401

Hickey, E., see B. Chevalier **167**, 97
Hidaka, Y., see K. Takada **166**, 203
Hilscher, G., S. Pöllinger, M. Forsthuber, N. Pillmayr, K. Remschnig, P. Rogl, M. Reissner, W. Steiner and P. Knoll, The effect of Cu/Zn substitution in $Nd_{1.85}Ce_{0.15}CuO_4$ on superconductivity studied by magnetic, transport and specific heat measurements and Raman spectroscopy **167**, 472
Hinks, D.G., see P. Lightfoot **168**, 627
Hinks, D.G., see S. Pei **169**, 179
Hinks, D.G., see F. Morales **169**, 294
Hinks, D.G., see G.L. Bullock **169**, 497
Hinks, D.G., see J.D. Jorgensen **171**, 93
Hinrichsen, E.L., S. Roux and A. Hansen, The conductor–superconductor transition in disordered superconducting materials **167**, 433
Hinton, W.S., see K.M. Stephens **168**, 351
Hirabayshi, M., see T. Kajitani **171**, 491
Hiraga, K., see D. Shindo **165**, 321
Hiraga, K., see T. Kajitani **167**, 212; **169**, 227; **171**, 491
Hiraga, K., see A. Tokiwa **168**, 285
Hiraga, K., see S. Nakajima **170**, 443
Hirata, K., see T. Tamura **169**, 299
Hirata, T., S. Uji and H. Aoki, Depression in strength of the infrared active E_u mode with Ce-doping in $Nd_{2-x}Ce_xCuO_4$ **168**, 580
Hiroi, Z., see Y. Ikeda **165**, 189
Hiroi, Z., see J. Takada **170**, 249
Hirokawa, K., see Y. Koike **171**, 331
Hirsch, J.E., see F. Marsiglio **165**, 71; **171**, 554
Hlubina, R., see M. Mahel **169**, 429
Hodeau, J.L., see R.J. Cava **167**, 67
Hodeau, J.L., see P. Bordet **171**, 468
Hoevers, H.F.C., P.J.M. van Bentum and H. van Kempen, Reply to the Comment by N.A. Tulina **166**, 543
Hofmann, U., see K.F. Renk **165**, 1
Hojou, K., see D. Shindo **165**, 321
Holland, G.F., see H.W. Zandbergen **166**, 255
Homonnay, Z., see A. Nath **171**, 406
Honbo, E., see H. Kaga **168**, 391
Honig, J.M., see K.S. Nanjundaswamy **166**, 361
Hor, P.H., see Y.K. Tao **165**, 13
Hor, P.H., see Y.Y. Xue **165**, 357
Hörhager, S., see M. Reissner **167**, 495
Horie, Y., Y. Terashi, T. Fukami and S. Mase, Effect of magnetic field on the sound velocity discontinuity near T_c in high T_c superconductors **166**, 87
Horie, Y., see B. Zhao **167**, 42
Horie, Y., S. Kuroumaru, B. Zhao, X. Qiu, Y. Zhang, Y. Zhao, P. Xu, L. Li, H. Okubo and S. Mase, Phase transition from solid to liquid phase of vortex lattice in $YBa_2Cu_3O_7$ thin films **170**, 513
Horiuchi, S., K. Shoda, X.-J. Wu, H. Nozaki and M. Tsutsumi, Phase transition in Bi-based superconductive oxides examined by HRTEM **168**, 205
Horiuchi, T., T. Kawai, K. Mitsui, K. Ogura and S. Kawai, Li substitution in the $Bi_2Sr_2Ca_1Cu_2O_8$ superconductor **168**, 309
Horn, J., H.-C. Semmelhack, H. Börner, B. Lippold, U. Boehnke, M. Wurlitzer and M. Krötzsch, Thermogravimetric and structural investigations of $Pr_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ **170**, 343
Horvatić, M., P. Butaud, P. Segransan, Y. Berthier, C. Berthier, J.Y. Henry and M. Couach, Analysis of the $^{63,65}Cu$ NMR data as a function of oxygen concentration in $YBa_2Cu_3O_{7-\delta}$ **166**, 151
Horvatić, M., see P. Butaud **166**, 301
Hoshi, Y., see Y. Iwai **170**, 319
Hoshiya, T., see S. Takamura **170**, 254
Hosoya, S., see T. Kajitani **169**, 227; **171**, 491
Hou, Z., see Z. Gao **167**, 49
Huang, J. and A.W. Sleight, Single crystal structure refinement of a nonsuperconducting compound containing oxidized CuO_2 sheets: $Nd_{1.7}Bi_{0.1}Sr_{0.9}Ca_{0.3}Cu_2O_6$ **169**, 169
Huang, Y.T., see J.M. Liang **165**, 347
Huang, Y.T., C.Y. Shei, W.N. Wang, C.K. Chiang and W.H. Lee, Formation mechanism of 110 K high-T_c superconducting phase in the Ca- and Cu-rich Bi–Pb–Sr–Ca–Cu–O system **169**, 76
Huang, Y.T., see C. Chiang **170**, 383
Huang, Z.J., see Y.Y. Xue **165**, 357
Hubbard, C.R., see T.B. Lindemer **167**, 312
Hudáková, N. and P. Diko, The study of phase transformation in $YBa_2Cu_3O_{7-x}$ by direct observation of the interphase boundary **167**, 408
Huebener, R.P., see M. Zeh **167**, 6
Huebener, R.P., see D. Kölle **167**, 79
Huebener, R.P., Thermoelectric and thermomagnetic effects in the mixed state of high-T_c superconductors **168**, 605
Huggins, R.A., see B.T. Ahn **167**, 529
Hull, G.W., see J.M. Tarascon **167**, 20
Hull, G.W., see K. Remschnig **170**, 284
Hulliger, F., see A. Schilling **168**, 272; **169**, 237
Hulscher, R.S., see H.H. Wang **166**, 57
Hults, W.L., see G.H. Kwei **169**, 217
Hunter, B.A., see S.L. Town **165**, 298
Husain, M., see C. Infante **167**, 640
Huve, M., see A. Maignan **170**, 350
Hwang, D.M., see R. Ramesh **171**, 14

Ichikawa, Y., see S. Adachi **168**, 1
Ichikawa, Y., see T. Matsushima **169**, 285
Ichikawa, Y., M. Kitabatake, S. Kohiki, S. Hatta, H. Adachi, K. Setsune and K. Wasa, Study on sulfur-substituted Y–Ba–Cu–O thin films **171**, 121
Ichinose, A., see T. Maeda **169**, 133
Ichinose, A., see T. Wada **171**, 344
Ichinose, A., T. Wada, Y. Yaegashi, K. Yamaguchi, H. Yamauchi, N. Koshizuka and S. Tanaka, Orthorhombic nonsuperconductor $(Gd, Ce)_4(La, Ba)_4Cu_6O_{17.94}$ **171**, 561
Idemoto, Y., see K. Fueki **166**, 261
Idemoto, Y., K. Fueki and T. Shinbo, T–log P_{O_2} diagram and copper valence of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **166**, 513

Idemoto, Y. and K. Fueki, Oxygen nonstoichiometry and valences of bismuth and copper in $Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_y$ **168**, 167
Ido, T., see S. Tajima **168**, 117
Igbal, Z., see F.J. Owens **166**, 231
Iguchi, I., see Z. Wen **168**, 138
Iijima, K., see T. Tamura **169**, 299
Ikawa, H., see N. Ohashi **166**, 465
Ikeda, Y., Z. Hiroi, H. Ito, S. Shimomura, M. Takano and Y. Bando, Bi, Pb–Sr–Cu–O system including a modulation-free superconductor **165**, 189
Ikeda, Y., see J. Takada **170**, 249
Ikemachi, T., see T. Kawano **165**, 67, 143
Iliev, M., see E. Liarokapis **170**, 419
Iliev, M.N., see V.G. Hadjiev **166**, 225; **171**, 257
Inam, A., see R. Ramesh **170**, 325; **171**, 14
Indenbom, M.V., N.N. Kolesnikov, M.P. Kulakov, I.G. Naumenko, V.I. Nikitenko, A.A. Polyanskii, N.F. Vershinin and V.K. Vlasko-Vlasov, Direct study of the magnetic flux penetration and trapping in HTSC **166**, 486
Infante, C., M.K. El Mously, R. Dayal, M. Husain, S.A. Siddiqi and P. Ganguly, On the localisation of charge carriers and suppression of superconductivity by praseodymium in systems derived from $YBa_2Cu_3O_{7-d}$ **167**, 640
Inokuchi, H., see T. Takahashi **170**, 416
Inoue, O., see S. Adachi **168**, 1
Iqbal, Z., G.H. Kwei, B.L. Ramakrishna and E.W. Ong, Structure and bulk superconductivity of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ **167**, 369
Iqbal, Z., B.L. Ramakrishna and J.C. Barry, Synthesis, microstructure and superconducting properties of Ce-doped Tl–Sr–Ca–Cu–O **169**, 396
Iqbal, Z., see F.J. Owens **171**, 238
Irkhin, V.Yu., see A.A. Romanyukha **171**, 276
Irvine, J.T.S., see C. Namgung **168**, 346
Irwin, J.C., J. Chrzanowski, T. Wei, D.J. Lockwood and A. Wold, Raman scattering from single crystals of cupric oxide **166**, 456
Ishibashi, S., see S. Tajima **168**, 117
Ishida, K., see Y. Kitaoka **170**, 189
Ishida, T. and T. Sakuma, Critical temperature control of $Bi_2Sr_2CuO_x$ by quenching **167**, 258
Ishigaki, T., see R. Yoshizaki **171**, 315
Ishii, T., T. Yamada, K. Sugiyama, H. Fuke and M. Date, The origin of Curie–Weiss susceptibility in $Ba_2YCu_3O_y$ **165**, 139
Ishikawa, N., see R. Yoshizaki **166**, 417
Ishizuka, H., see K. Fueki **166**, 261
Ito, H., see Y. Ikeda **165**, 189
Itoh, M., see R. Liang **170**, 307
Itti, R., see R. Kita **170**, 500
Iwai, Y., Y. Hoshi, H. Saito and M. Takata, Influence of the oxygen partial pressure on the solubility of PbO in the $(Bi, Pb)_2Sr_2CaCu_2O_{8+y}$ superconducting oxides **170**, 319
Iwasaki, H., Y. Dalichaouch, J.T. Markert, G. Nieva, C.L. Seaman and M.B. Maple, On narrowing of the resistive superconducting transition in applied magnetic fields and positive curvature in $H_{c2}(T)$ in the $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ system **169**, 146
Iye, Y., S. Nakamura, T. Tamegai, T. Terashima, K. Yamamoto and Y. Bando, Angular dependent transport studies in the mixed state of $YBa_2Cu_3O_{7-y}$ and $Bi_2Sr_2CaCu_2O_{8+y}$ **166**, 62
Iye, Y., A. Watanabe, S. Nakamura, T. Tamegai, T. Terashima, K. Yamamoto and Y. Bando, Dissipation in the mixed state of conventional and high temperature superconductors **167**, 278
Iye, Y., see N. Nishida **168**, 23
Iye, Y., see T. Tamegai **170**, 15
Iyer, R.M., see A. Sequeira **167**, 291
Iyer, R.M., see M.D. Sastry **170**, 41
Izmailov, A.F. and A.R. Kessel, Partition function of the BCS model in the nonregular phase: exact results **168**, 450
Izumi, F., see T. Mochiku **167**, 560
Izumi, H., see R. Kita **170**, 500

Jacowitz, R.D., see C.B. Eom **171**, 354
Jaggi, N.K., see S.F. Wahid **170**, 395
Jain, K.P., R. Ramakumar and C.C. Chancey, Electron pairing in the negative-U Hubbard narrow energy band model **168**, 297
Jakob, G., see C. Tomé-Rosa **171**, 231
Jandl, S., see P. Dufour **166**, 431
Janes, R., R.S. Liu, P.P. Edwards and J.L. Tallon, The effect of variable microwave power on the low-field absorption in high-T_c superconducting cuprates **167**, 520
Jang, G.-W., see A. Nath **171**, 406
Jánossy, A., see G. Oszlányi **167**, 157
Jánossy, A., A. Rockenbauer and S. Pekker, Gd^{3+} electron paramagnetic resonance in the quasi-two-dimensional antiferromagnet $YBa_2Cu_3O_{6.02}$:Gd **167**, 301
Jánossy, A., A. Rockenbauer, S. Pekker, G. Oszlányi, G. Faigel and L. Korecz, EPR in Gd-doped $YBa_2Cu_3O_{6+y}$ $(0 \leqslant y \leqslant 1)$: local method to determine oxygen ordering **171**, 457
Janossy, B., R. Hergt and L. Fruchter, Contributions of pinning and anisotropy to torque in YBaCuO **170**, 22
Jayaram, B., see R.A. Rose **170**, 51
Jérome, D., see F. Barriquand **171**, 348
Jha, S.S. and A.K. Rajagopal, Critical temperature in high-T_c layered superconductors. Dependence on the number of interacting conducting layers per unit cell **168**, 173
Jha, S.S., On electronic Raman scattering from high-T_c layered superconducting materials **169**, 87
Jia, C.L., B. Kabius, H. Soltner, U. Poppe, K. Urban, J. Schubert and Ch. Buchal, A study of the microstructure of epitaxial heterostructures of $YBa_2Cu_3O_7$ and $PrBa_2Cu_3O_7$ **167**, 463
Jia, C.L., B. Kabius, H. Soltner, U. Poppe and K. Urban, On a new phase with body-centered structure in $YBa_2Cu_3O_7$ thin films **169**, 279
Jilek, E., see A.W. Hewat **167**, 579
Jilek, E., see E.N. van Eenige **168**, 482
Jin, S., H.M. O'Bryan, P.K. Gallagher, T.H. Tiefel, R.J. Cava, R.A. Fastnacht and G.W. Kammlott, Synthesis and

properties of the $YBa_2Cu_4O_8$ superconductor **165**, 415
Jin, S., see T.H. Tiefel **166**, 408
Jin, S., see S.H. Whang **168**, 185
Jirák, Z., see A.I. Beskrovnyi **166**, 79; **171**, 19
Johansen, T.H., see Z.J. Yang **165**, 397
Joiner, W.C.H., see L.C. Sengupta **165**, 125
Joiner, W.C.H., see B. Roughani **171**, 77
Jol, J.C., see D.M. de Leeuw **166**, 349
Jorgensen, J.D., S. Pei, P. Lightfoot, H. Shi, A.P. Paulikas and B.W. Veal, Time-dependent structural phenomena at room temperature in quenched $YBa_2Cu_3O_{6.41}$. Local oxygen ordering and superconductivity **167**, 571
Jorgensen, J.D., see P. Lightfoot **168**, 627; **169**, 15, 464
Jorgensen, J.D., see S. Pei **169**, 179
Jorgensen, J.D., S. Pei, P. Lightfoot, D.G. Hinks, B.W. Veal, B. Dabrowski, A.P. Paulikas, R. Kleb and I.D. Brown, Pressure-induced charge transfer and dT_c/dP in $YBa_2Cu_3O_{7-x}$ **171**, 93
Joubert, J., see M.-J. Rey **167**, 162
Junod, A., see G. Triscone **168**, 40
Junod, A., D. Eckert, T. Graf, E. Kaldis, J. Karpinski, S. Rusiecki, D. Sanchez, G. Triscone and J. Muller, Specific heat of the superconductor $YBa_2Cu_4O_8$ from 1.5 to 330 K **168**, 47

Kabius, B., see C.L. Jia **167**, 463; **169**, 279
Kadam, R.M., see M.D. Sastry **170**, 41
Kadono, R., see N. Nishida **168**, 23
Kadowaki, K., see J. Baak **168**, 363
Kadowaki, K., see J.N. Li **169**, 81
Kadowaki, K., J.N. Li and J.J.M. Franse, Broadening phenomena of the resistive transition in single-crystalline $YBa_2Cu_3O_7$ in magnetic fields **170**, 298
Kaga, H., T. Saikawa and E. Honbo, Asymmetric effects of electron- and hole-dopings into the CuO_2 square lattice in the three-band model **168**, 391
Kaga, H. and T. Saikawa, Effects of electron and hole dopings on the superconducting pairings of quasiparticles in the three-band CuO_2 model **169**, 485
Kajitani, T., see M. Kikuchi **166**, 497
Kajitani, T., K. Hiraga, M. Kikuchi, S. Nakajima, K. Nagase and Y. Syono, Structural changes of 2201-, 2212- and 2223-type Tl-oxide superconductors at temperatures below 630 K **167**, 212
Kajitani, T., K. Hiraga, S. Hosoya, T. Fukuda, K. Oh-Ishi, M. Kikuchi, Y. Syono, S. Tomiyoshi, M. Takahashi and Y. Muto, Electric and structural changes in $Nd_{2-x}Ce_xCuO_{4-y}$ with $x \leqslant 0.2$ **169**, 227
Kajitani, T., K. Hiraga, T. Sakurai, M. Hirabayshi, S. Hosoya, T. Fukuda and K. Oh-Ishi, X-ray and neutron single-crystal diffraction study on $La_{1.92}Sr_{0.08}CuO_{4-y}$ **171**, 491
Kakol, Z., see K.S. Nanjundaswamy **166**, 361
Kakurai, K., see K. Yamada **165**, 131
Kaldis, E., see J. Schoenes **166**, 145
Kaldis, E., see B. Bucher **167**, 324
Kaldis, E., see H.A. Ludwig **167**, 335
Kaldis, E., see A.W. Hewat **167**, 579
Kaldis, E., see A. Junod **168**, 47
Kaldis, E., see E.N. van Eenige **168**, 482
Kalev, L., see V.G. Hadjiev **166**, 225
Kalkur, T.S., see F.A. Miranda **168**, 91
Kamada, T., see S. Kohiki **166**, 437
Kambe, S., T. Matsuoka, M. Kawai, T. Kawai and M. Takahasi, Superconductive property of $Bi_{2-2x}Pb_{2x}Sr_2Ca_{n-1}Cu_nO_y$ **165**, 25
Kamiya, K., see J. Tanaka **169**, 275
Kamiya, K., see T. Takahashi **170**, 416
Kammlott, G.W., see S. Jin **165**, 415
Kammlott, G.W., see T.H. Tiefel **166**, 408
Kao, Y.H., see L.W. Song **169**, 107
Karabashev, G.S., see N.A. Tulina **171**, 103
Karbanov, S., see K. Konstantinov **165**, 170
Karimov, Yu.S. and A.D. Kikin, New relaxation phenomena in high-T_c ceramic superconductors **169**, 50
Karkut, M.G., see M. Guilloux-Viry **166**, 105
Karkut, M.G., see L. Antognazza **167**, 221
Karpinski, J., see J. Schoenes **166**, 145
Karpinski, J., see B. Bucher **167**, 324
Karpinski, J., see H.A. Ludwig **167**, 335
Karpinski, J., see A.W. Hewat **167**, 579
Karpinski, J., see A. Junod **168**, 47
Karpinski, J., see E.N. van Eenige **168**, 482
Kashyap, S.C., see D. Bhattacharya **170**, 245
Kataev, V.E., see A.M. Finkel'stein **168**, 370
Katayama-Yoshida, H., see P. Butaud **166**, 301
Katayama-Yoshida, H., see T. Takahashi **170**, 416
Kato, K., see E. Takayama-Muromachi **165**, 147
Katsnelson, M.I., see A.A. Romanyukha **171**, 276
Katsuyama, S., Y. Ueda and K. Kosuge, Iron configuration and superconducting properties of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ prepared by various thermal treatments **165**, 404
Kawabe, H., see Y. Koike **170**, 130
Kawai, J., see S. Kohiki **166**, 437
Kawai, M., see S. Kambe **165**, 25
Kawai, S., see T. Horiuchi **168**, 309
Kawai, T., see S. Kambe **165**, 25
Kawai, T., see I. Matsubara **167**, 503
Kawai, T., see H. Nobumasa **167**, 515
Kawai, T., see T. Horiuchi **168**, 309
Kawaji, H., see R. Liang **170**, 307
Kawamoto, S., see R. Kita **170**, 500
Kawano, T., F. Munakata, A. Nozaki, T. Ikemachi, H. Yamauchi and S. Tanaka, Superconductivity in the Bi–Ln–Ca–Cu–O systems (Ln = Pr and Nd) **165**, 67
Kawano, T., F. Munakata, T. Ikemachi, A. Nozaki, H. Yamauchi and S. Tanaka, Superconducting properties of $Bi_2(La_xLn_{1-x})_yCa_{3-y}Cu_2O_z$ (Ln = Y, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er and Tm) **165**, 143
Kawasaki, M., see R. Gross **170**, 315
Kawashima, S., see S. Adachi **168**, 1
Kawate, Y., see K. Shibutani **167**, 102
Kedves, F.J., see S. Meszáros **167**, 139
Keller, J., see K.F. Renk **165**, 1
Keller, J., see J. Schoenes **166**, 145

Kes, P.H., see A. Pruijmboom **165**, 179
Kes, P.H., see P. Berghuis **167**, 348
Kes, P.H., see V.M. Vinokur **168**, 29
Kes, P.H., see J.N. Li **169**, 81
Kessel, A.R., see A.F. Izmailov **168**, 450
Ketchen, M., see R. Gross **170**, 315
Kevan, L., see J.T. Masiakowski **166**, 140
Khalil, A.E., Weak links, flux creep and magnetic noise limitations on device applications of high temperature superconductors **169**, 100
Khan, H.R. and R. Kuentzler, Low temperature specific heat and superconductivity related to microstructure and magnetism of orthorhombic and tetragonal phases: $Y_{(1-x)}Ho_xBa_2Cu_3O_{(7-\delta)}$ ($x=0$, 0.5 and 1) **166**, 266
Khan, Y., see R. Kubiak **166**, 523
Kharlanov, A.L., E.V. Antipov, L.M. Kovba, L.G. Akselrud, I.G. Muttik, A.A. Gippius and V.V. Moshchalkov, The new family of complex copper oxides with possible superconducting properties: $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ **169**, 469
Kheifets, A.S. and A.I. Veinger, Low-field microwave absorption and quantum oscillations in type-I superconductors **165**, 491
Khoder, A.F., see E. Bonjour **166**, 451
Kikin, A.D., see Yu.S. Karimov **169**, 50
Kikuchi, M., see D. Shindo **165**, 321
Kikuchi, M., S. Nakajima, Y. Syono, K. Nagase, R. Suzuki, T. Kajitani, N. Kobayashi and Y. Muto, Thermogravimetric studies of the over-doping state of $Tl_2Ba_2CuO_{6-\delta}$ due to charge transfer **166**, 497
Kikuchi, M., see T. Kajitani **167**, 212; **169**, 227
Kikuchi, M., see S. Nakajima **168**, 57; **170**, 443
Kikuchi, M., see A. Tokiwa **168**, 285
Kimball, C.W., see W. Peng **169**, 23
Kimura, H., see J.T. Masiakowski **166**, 140
King, P.J., J.E. Pohl, W.B. Roys and R.M. Bowley, The non-ohmic behaviour of bulk high temperature superconductors **170**, 271
Kini, A.M., see J.E. Schirber **170**, 231
Kinoshita, K., see H. Shibata **170**, 411
Kinoshita, K., H. Shibata and T. Yamada, High-pressure synthesis of superconducting $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ **171**, 523
Kinoshita, M., see I. Matsubara **167**, 503
Kirk, W.P., see R.A. Mohan Ram **166**, 125
Kirschner, I., see A.C. Bódi **165**, 83
Kishio, K., see K. Suzuki **166**, 357
Kita, E., see R. Yoshizaki **166**, 417
Kita, R., S. Kawamoto, K. Ohata, H. Izumi, R. Itti, T. Morishita and S. Tanaka, Formation of Ca-doped YBa_2Cu_4 phase in thin films O_8 **170**, 500
Kitabatake, M., see Y. Ichikawa **171**, 121
Kitaguchi, H., see J. Takada **170**, 249
Kitaoka, Y., see P. Butaud **166**, 301
Kitaoka, Y., S. Ohsugi, K. Ishida and K. Asayama, Antiferromagnetic spin correlation and superconductivity in $La_{2-x}Sr_xCuO_4$: Cu NQR study **170**, 189
Kitazawa, K., see K. Suzuki **166**, 357
Kitazawa, K., see T. Matsushita **170**, 375
Klauda, M., J.P. Ströbel, M. Lippert, G. Saemann-Ischenko, W. Gerhaüser and H.-W. Neumüller, Magnetic properties of $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd, Pr, Sm) in the superconducting and normal-conducting state **165**, 251
Kleb, R., see J.D. Jorgensen **171**, 93
Klemm, R.A., see C.T. Rieck **170**, 195
Knoll, P., see G. Hilscher **167**, 472
Kobayashi, N., see M. Kikuchi **166**, 497
Kobayashi, N., see S. Nakajima **168**, 57; **170**, 443
Kobayashi, N., see A. Tokiwa **168**, 285
Kobayashi, N., see Y. Koike **170**, 130; **171**, 331
Kober, F., see M. Zeh **167**, 6
Kober, F., see D. Kölle **167**, 79
Kobiela, P.S., see R.A. Mohan Ram **166**, 125
Kobiyama, M., see S. Takamura **170**, 254
Koblischka, M.R., N. Moser, B. Gegenheimer and H. Kronmüller, Determination of flux-density gradients in $YBa_2Cu_3O_{7-\delta}$ superconductors using the high-resolution Faraday effect **166**, 36
Kohiki, S., J. Kawai, T. Kamada, S. Hayashi, H. Adachi, K. Setsune and K. Wasa, An effect of reduction on $Nd_{1.85}Ce_{0.15}CuO_4$ thin films **166**, 437
Kohiki, S., see Y. Ichikawa **171**, 121
Koike, Y., M. Masuzawa, T. Noji, H. Sunagawa, H. Kawabe, N. Kobayashi and Y. Saito, Normal and superconducting properties of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ I: Dependence on the Ca concentration **170**, 130
Koike, Y., H. Sunagawa, T. Noji, M. Masuzawa, N. Kobayashi, M. Namiki, K. Hirokawa and Y. Saito, Normal and superconducting properties of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$. II Dependence on the oxygen concentration **171**, 331
Kojima, K., see T. Goto **171**, 441
Kolesnikov, N.N., see M.V. Indenbom **166**, 486
Kölle, D., F. Kober, M. Hartmann, R. Gross, R.P. Huebener, B. Roas, L. Schultz and G. Saemann-Ischenko, Spatially resolved measurements of the resistive transition in epitaxial $YBa_2Cu_3O_7$-films **167**, 79
Konczykowski, M., see J. Gilchrist **168**, 123
Konczykowski, M. and J. Gilchrist, AC screening measurement for the characterization of ceramic superconductors. II. Electron irradiation effect on $YBa_2Cu_3O_7$ **168**, 131
Konior, J., see A.N. Das **170**, 215
Konstantinov, K. and S. Karbanov, Superconductivity in the Bi–Cd–Sr–Ca–Cu oxide system **165**, 170
Kopylov, V.N., A.E. Koshelev, I.F. Schegolev and T.G. Togonidze, The role of surface effects in magnetization of high-T_c superconductors **170**, 291
Kordyuk, A.A., see V.V. Nemoshkalenko **170**, 481
Korecz, L., see A. Jánossy **171**, 457
Koren, G., see R. Gross **166**, 277
Koren, G., see E. Aharoni **171**, 37
Koriyama, S., K. Sakuyama, T. Maeda, H. Yamauchi and S. Tanaka, Superconductivity in Pb-based layered copper oxides, $(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$ **166**, 413
Koriyama, S.-I., see T. Maeda **169**, 133

Kortlandt, J., H.S.J. van der Zant, A.J.G. Schellingerhout and J.E. Mooij, Niobium tunnel junction fabrication using e-gun evaporation and SNAP **171**, 513
Koshelev, A.E., see V.M. Vinokur **168**, 29
Koshelev, A.E., see V.N. Kopylov **170**, 291
Koshizuka, N., see S. Gotoh **166**, 215
Koshizuka, N., see T. Miyatake **167**, 297
Koshizuka, N., see K. Yamaguchi **169**, 289; **170**, 486
Koshizuka, N., see A. Ichinose **171**, 561
Koshta, A.A., see A.A. Romanyukha **171**, 276
Kosmyna, M.B., see A.I. Smirnov **165**, 77
Kosuge, K., see S. Katsuyama **165**, 404
Kosuge, M., see T. Miyatake **167**, 297
Koto, K., see T. Saito **171**, 167
Kovács, Gy., see A.C. Bódi **165**, 83
Kovalev, M.F., see Yu.A. Ossipyan **171**, 311
Kovba, L.M., see A.L. Kharlanov **169**, 469
Kowal, D., see U. Yaron **168**, 546
Koyama, T., N. Takezawa and M. Tachiki, Anomalous temperature dependence of H_{c1} in layered oxide superconductors **168**, 69
Kozin, M.G., see V.A. Andrianov **166**, 248
Kozioł, Z., see A. Wiśniewski **170**, 333
Kraan, M., see R.A.M. van Woerden **170**, 112
Krajewski, J.J., see R.J. Cava **165**, 419
Kramer, M.J., L.S. Chumbley, R.W. McCallum, W.J. Nellis, S. Weir and E.P. Kvam, Deformation induced defects in $ReBa_2Cu_3O_{7-\delta}$ **166**, 115
Krekels, T., T.S. Shi, J. Reyes-Gasga, G. Van Tendeloo, J. Van Landuyt and S. Amelinckx, On the structure responsible for the $2\sqrt{2a_0}\times 2\sqrt{2a_0}$ diffraction pattern in $YBa_2Cu_3O_{7-\delta}$ **167**, 677
Krekels, T., G. van Tendeloo, S. Amelinckx, D.M. de Leeuw and M. de Kraan, Planar defects in $YBa_2Cu_4O_8$ **169**, 457
Kremer, R., see F. Hentsch **165**, 485
Kremer, R., see N. Winzek **168**, 327
Kresin, V.Z. and S.A. Wolf, Multigap structure in the cuprates **169**, 476
Kronmüller, H., see M.R. Koblischka **166**, 36
Kronmüller, H., see H. Theuss **168**, 539
Krötzsch, M., see J. Horn **170**, 343
Kubiak, R., K. Westerholt, G. Pelka, H. Bach and Y. Khan, Pressure dependence of the superconducting transition temperature of Bi- and Tl-based high-T_c superconductors **166**, 523
Kubota, T., see S.S. Oh **171**, 265
Kuentzler, R., see H.R. Khan **166**, 266
Kukovitskii, E.F., see A.M. Finkel'stein **168**, 370
Kulakov, M.P., see M.V. Indenbom **166**, 486
Kulakov, M.P., see N.A. Tulina **171**, 103
Kulakov, V.I., see Yu.A. Ossipyan **165**, 107; **171**, 311
Kulkarni, P., S.K. Kulkarni, A.S. Nigavekar, S.K. Agarwal, V.P.S. Awana and A.V. Narlikar, Superconductivity in Ni substituted $Bi_2Ca_1Sr_2Cu_{2-x}Ni_xO_y$ **166**, 530
Kulkarni, P., S. Mahamuni, S.K. Kulkarni and A.S. Nigavekar, Photoelectron spectroscopic studies of the interface reactions between lead and the high-T_c $Bi_2Sr_2CaCu_2O_8$ superconductor **168**, 104
Kulkarni, S.K., see P. Kulkarni **166**, 530; **168**, 104
Kumar, A., see L. Ganapathi **167**, 669; **168**, 599
Kumar, N., see C.N.R. Rao **165**, 183
Kumar, R., see A.K. Grover **170**, 431
Kuramoto, Y., see H.J. Schmidt **167**, 263
Kuroumaru, S., see Y. Horie **170**, 513
Kus, P., see R. Durny **171**, 401
Kuwasawa, Y., U. Hayano, T. Tosaka, S. Nakano and S. Matuda, Observation of anomalous transition in the upper critical fields of $Nb/Nb_{0.5}Zr_{0.5}$ multilayers **165**, 173
Kuwasawa, Y., T. Yamaguchi, T. Tosaka, S. Aoki and S. Nakano, Anisotropy of critical current in $YBa_2Cu_3O_x$ film and NbZr/Nb multilayer **169**, 39
Kuznetsov, A.A., see A.N. Terentiev **169**, 112
Kvam, E.P., see M.J. Kramer **166**, 115
Kwasnitza, K. and Ch. Widmer, Hysteretic effects in the flux-flow state of granular high-T_c superconductors **171**, 211
Kwei, G.H., see M.A. Subramanian **166**, 19
Kwei, G.H., see Z. Iqbal **167**, 369
Kwei, G.H. and M.A. Subramanian, Structure of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$: neutron powder diffraction study of cation ordering and oxygen stoichiometry **168**, 521
Kwei, G.H., A.C. Larson, W.L. Hults and J.L. Smith, Temperature dependence of the structure of $YBa_2Cu_3O_7$. The role of the axial oxygens **169**, 217
Kwei, G.H., see J.D. Thompson **169**, 265
Kwok, H.S., see J.P. Zheng **168**, 322
Kwok, W.K., see H.H. Wang **166**, 57
Kwor, R., see F.A. Miranda **168**, 91

Lacour, C., F. Laher-Lacour, A. Dubon, M. Lagues and Ph. Moca³er, Freeze drying preparation of YBaCuO. Correlations between electrical and microstructural properties **167**, 287
Lacroix, Y., see D.J. Baar **170**, 233
Laderman, S.S., see C.B. Eom **171**, 354
LaGraff, J.R., P.D. Han and D.A. Payne, Electrical measurements near the orthorhombic–tetragonal phase transformation in single crystal $YBa_2Cu_3O_{7-\delta}$ **169**, 355
Lagues, M., see C. Lacour **167**, 287
Lähderanta, E., see V. Fleisher **170**, 166
Laher-Lacour, F., see C. Lacour **167**, 287
Laiho, R., see V. Fleisher **170**, 166
Lairson, B.M., see C.B. Eom **171**, 354
Lanagan, M., see P. McGinn **167**, 343
Lanagan, M.T., see P.J. McGinn **165**, 480
Lapinskas, S., see V.E. Zubkus **166**, 473
Larese, J.Z., see E.A. Hayri **170**, 239
Larkin, A.I., see M.V. Feigel'man **167**, 177
Laroui, A., see H. Stroumbos **167**, 375
Larsen, N.F., see H.H. Wang **166**, 57
Larson, A.C., see G.H. Kwei **169**, 217
Łatka, K., A. Szytuła, Z. Tomkowicz, A. Zygmunt and R. Duraj, Investigation of the praseodymium role in

superconductivity of $(Eu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ and related compounds **171**, 287
Ledbetter, H. and M. Lei, Madelung potentials and valences in the $Y_1Ba_2Cu_3O_7$ superconductor **166**, 483
Lee, S.-T., see M. Lelental **167**, 614
Lee, V.Y., see B.T. Ahn **167**, 529
Lee, W.H., see Y.T. Huang **169**, 76
Lee, W.H., see C. Chiang **170**, 383
Lees, J.S., see K.D. Vernon-Parry **170**, 388
Lei, M., see H. Ledbetter **166**, 483
Leiderer, P., see U. Weimer **168**, 359
Lelental, M., S. Chen, S.-T. Lee, G. Braunstein and T. Blanton, Microstructure of 110 K superconducting Bi–Sr–Ca–Cu–O thin films grown on (100)MgO by metallo-organic decomposition **167**, 614
Lempitskii, S.V., Properties of an anisotropic system composed of a superconductor and a normal phase **167**, 168
Leonyuk, L.I., see V.A. Andrianov **166**, 248
LePage, Y., see J.M. Tarascon **167**, 20
Lepine, B., see B. Chevalier **167**, 97
Lera, F., see R. Navarro **167**, 549
Lesueur, J., P. Nedellec, H. Bernas, J.P. Burger and L. Dumoulin, Depairing-like variation of T_c in $YBa_2Cu_3O_{7-\delta}$ **167**, 1
Levanyuk, A.P., see I.E. Lipinski **168**, 291
Leventouri, Th., see E. Liarokapis **170**, 419
Levet, J.-C., see R. Moret **168**, 315
Levet, J.C., see M. Saint-Paul **166**, 405
Levet, J.C., see R. Nava **167**, 59
Levy, J.P., see R.J. Cava **167**, 67
Lewicki, A., see K.S. Nanjundaswamy **166**, 361
Li, D.J., J.P. Zhang and L.D. Marks, Superconductors and nonsuperconductors in $Nd_{2-x}Ce_xCuO_4$ **168**, 617
Li, J.N., F.R. de Boer, L.W. Roeland, M.J.V. Menken, K. Kadowaki, A.A. Menovsky, J.J.M. Franse and P.H. Kes, High-field magnetization of single-crystalline $YBa_2Cu_3O_7$ **169**, 81
Li, J.N., see K. Kadowaki **170**, 298
Li, L., see B. Zhao **167**, 42
Li, L., see Y. Horie **170**, 513
Li, S., see K.V. Ramanujachary **165**, 377
Li, S., K.V. Ramanujachary and M. Greenblatt, Structural and electronic properties of $BaB_{1-x}Tl_xO_3$ $(0.0 \leqslant x \leqslant 0.50)$ **166**, 535
Li, S.-C., see W. Gao **167**, 395
Li, X.-G., see Q. Xu **168**, 489
Li, Z.X., see S.H. Whang **168**, 185
Liang, J.M., R.S. Liu, Y.T. Huang, S.F. Wu, P.T. Wu and L.J. Chen, Superconductivity with $T_{c(zero)}$ above 105 K in Tl-containing septenary oxides with $Y_1Ba_2Cu_3O_y$-like structure **165**, 347
Liang, R., Tak. Nakamura, H. Kawaji, M. Itoh and Tet. Nakamura, Superconductivity, magnetism and oxygen nonstoichiometry of $Ba_2Y(Cu_{1-x}M_x)_3O_y$ (M=Zn and Ni) **170**, 307
Liarokapis, E., L.T. Wille, Th. Leventouri, L. Martinez, H. Lu, V. Hadjiev and M. Iliev, A Raman study of the structural properties of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **170**, 419
Lightfoot, P., see J.D. Jorgensen **167**, 571; **171**, 93
Lightfoot, P., D.R. Richards, B. Dabrowski, D.G. Hinks, S. Pei, D.T. Marx, A.W. Mitchell, Y. Zheng and J.D. Jorgensen, Phase separation in $Nd_{2-x}CuO_4$. Evidence for superconductivity at a single composition **168**, 627
Lightfoot, P., S. Pei, J.D. Jorgensen, X.-X. Tang, A. Manthiram and J.B. Goodenough, Interstitial anions in the T* structure **169**, 15
Lightfoot, P., see S. Pei **169**, 179
Lightfoot, P., S. Pei, J.D. Jorgensen, X.-X. Tang, A. Manthiram and J.B. Goodenough, Oxygen-defect structure of non-superconducting $La_{1.85}Sr_{1.15}Cu_2O_{6.25}$. Excess oxygen in the interlayer site **169**, 464
Lin, Y.P., see J.S. Xue **166**, 29
Lindemer, T.B., C.R. Hubbard and J. Brynestad, CO_2 solubility in $YBa_2Cu_3O_{7-x}$ **167**, 312
Lines, M.E. and M. Eibschutz, The ligand coordinations and valencies of the primary iron sites in $YBa_2Cu_{3-x}Fe_xO_y$ **166**, 235
Linker, G., see J. Remmel **165**, 212
Lipinski, I.E., A.V. Zalessky, A.P. Levanyuk, G.S. Mironova, E.M. Smirnovskaya and A.A. Bush, ^{63}Cu and ^{65}Cu NQR lineshape in Bi–Sr–Ca–Cu–O high-T_c superconductors **168**, 291
Lippert, M., see M. Klauda **165**, 251
Lippold, B., see J. Horn **170**, 343
Lippold, B., see H. Schmiedel **171**, 51
Litterst, F.J., see E. Baggio Saitovitch **166**, 518
Liu, C., see B.N. Narahari Achar **167**, 62
Liu, C. and B.N. Narahari Achar, On the magnetic field dependence of the shear wave velocity in the mixed state of a type-II superconductor **168**, 515
Liu, H.K., see S.X. Dou **167**, 525; **171**, 293
Liu, R.S., P.T. Wu, S.F. Wu, W.N. Wang and P.P. Edwards, First example of indium as a practical alternative to thallium in high-T_c superconductors **165**, 111
Liu, R.S., see J.M. Liang **165**, 347
Liu, R.S., see R. Janes **167**, 520
Liu, X., see J.H. Wang **166**, 399
Livdan, D.O., V.P. Seminozhenko, V.L. Sobolev, O.I. Tokar and D.V. Fil, An equivalent of the Eliashberg equations in the Anderson model of high-T_c superconductivity **167**, 538
Loberg, B., see B.M. Andersson **170**, 521
Lockwood, D.J., see J.C. Irwin **166**, 456
Loehman, R.E., A.P. Tomsia, J.A. Pask and A.H. Carim, Wetting and reactions between silver and bulk $YBa_2Cu_3O_{7-x}$ **170**, 1
Logvenov, G.Yu., see Yu.A. Ossipyan **165**, 107
Loram, J.W., K.A. Mirza and P.F. Freeman, The electronic specific heat of $YBa_2(Cu_{1-x}Zn_x)_3O_7$ from 1.6 K to 300 K **171**, 243
Lozano, L., see B. Chevalier **167**, 97
Lozovski, V.Z., see E.G. Bortchagovski **165**, 308
Lu, H., see E. Liarokapis **170**, 419
Lu, J.H., see H.H. Wen **167**, 75

Ludwig, H.A., W.H. Fietz, M.R. Dietrich, H. Wühl, J. Karpinski, E. Kaldis and S. Rusiecki, X-ray investigations of $Y_1Ba_2Cu_4O_8$ under high pressure **167**, 335
Luo, H.L., see D.-X. Chen **167**, 317
Luppov, A.E., see S.L. Bud'ko **168**, 530; **170**, 259
Lusk, J., see J.L. Tallon **167**, 236
Lusk, J., see T.E. Freeman **167**, 609
Luzuriaga, J., see E. Rodríguez **165**, 315
Lynn, J.W., see S. Skanthakumar **170**, 175
Lyubutin, I.S., V.G. Terziev, E.M. Smirnovskaya and A.Ya. Shapiro, Controlled oxygen removal in the high-T_c $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ system and its influence on superconductivity and local structure **169**, 361

Maartense, I., see A.K. Sarkar **168**, 591
MacManus, J., D. Fray and J. Evetts, An electrochemical method for the determination of the chemical diffusion coefficient of oxygen in $Y_1Ba_2Cu_3O_{7-x}$ as a function of vacancy concentration **169**, 193
Madsen, J.M., see J.C.W. Chien **165**, 279
Madsen, J.M., see W.M. Tiernan **168**, 189
Maeda, A., see I. Terasaki **165**, 152
Maeda, T., see S. Koriyama **166**, 413
Maeda, T., K. Sakuyama, S.-I. Koriyama, A. Ichinose, H. Yamauchi and S. Tanaka, New superconducting cuprates $(Pb, Cu)(Eu, Ce)_2(Sr,Eu)_2Cu_2O_z$ **169**, 133
Maeda, T., see K. Yamaguchi **170**, 486
Maekawa, S., see Y. Ohta **166**, 385
Mahamuni, S., see P. Kulkarni **168**, 104
Maheľ, M., R. Hlubina and Š. Beňačka, Microwave study of the critical state in granular $YBa_2Cu_3O_x$ thin films **169**, 429
Maignan, A., see C. Martin **168**, 8
Maignan, A., C. Martin, M. Huve, J. Provost, M. Hervieu, C. Michel and B. Raveau, The "2201" thallium cuprate: T_c's up to 92 K can be achieved by "hydrogen" annealing **170**, 350
Maignan, A., see T. Rouillon **171**, 7
Maitra, A.N., see P. Ayyub **168**, 571
Makarov, E.F., see Yu.A. Ossipyan **171**, 311
Maksimov, A.A., see A.V. Bazhenov **169**, 381
Maletta, H., E. Pörschke, T. Chattopadhyay and P.J. Brown, 2-D and 3-D magnetic ordering of Er in $ErBa_2Cu_3O_x$ $(6 \leqslant_x \leqslant 7)$ **166**, 9
Maletta, H., Effects of oxygen removal in superconducting $ErBa_2Cu_3O_x$ **169**, 371
Mamsurova, L.G., K.S. Pigalskiy, V.P. Sakun, A.I. Shushin and L.G. Scherbakova, First- and second-order phase transitions and oxygen rearrangement over the Cu1–O4 chains in the orthorhombic $YBa_2Cu_3O_{6+x}$ at low temperatures **167**, 11
Mandal, P., A. Poddar, A.N. Das, B. Ghosh and P. Choudhury, Excess conductivity and thermally activated dissipation studies in $Bi_2Sr_2Ca_1Cu_2O_x$ single crystals **169**, 43
Mangelschots, I., see K.W. Blazey **170**, 267
Manghi, F., see C. Calandra **165**, 461
Mannhart, J., see M. Zeh **167**, 6
Manthiram, A., see P. Lightfoot **169**, 15, 464
Manthiram, A., M. Paranthaman and J.B. Goodenough, Properties of the chemically characterized thallium cuprate superconductors **171**, 135
Mao, Z., see Q. Xu **168**, 489
Mao Zhiqiang, Wang Haiqian, Dong Yi, Wang Yu, Han Zhiyi, Feng Guobin, ZhouGuien, Zhang Yuheng and Chen Zhaojia, Superconducting properties of substituted $Bi_{1.6}Pb_{0.4}Sr_2Ca_2(Cu_{3-x}Mo_x)O_y$ **170**, 35
Maple, M.B., see N.Y. Ayoub **165**, 469; **170**, 211
Maple, M.B., see J.J. Neumeier **166**, 191
Maple, M.B., see S.L. Bud'ko **168**, 530
Maple, M.B., see H. Iwasaki **169**, 146
Marathe, A.P., see D.E. Morris **169**, 386
Marezio, M., see R.J. Cava **165**, 419; **167**, 67
Marezio, M., A. Santoro, J.J. Capponi, E.A. Hewat, R.J. Cava and F. Beech, Crystal structure, atomic ordering and charge localization in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ $(x=0, \delta=1.47)$ **169**, 401
Marezio, M., see C. Chaillout **170**, 87
Marezio, M., see P. Bordet **171**, 468
Markelz, A.G., see D.E. Morris **168**, 153
Markert, J.T., see N.Y. Ayoub **165**, 469; **170**, 211
Markert, J.T., see S.L. Bud'ko **168**, 530
Markert, J.T., see H. Iwasaki **169**, 146
Markiewicz, R.S., Van Hove excitons and high-T_c superconductivity. IV. Properties of the excitons **168**, 195
Markiewicz, R.S., Van Hove excitons and high-T_c superconductivity V. Electron–phonon interaction **169**, 63
Markiewicz, R.S., Mott transition in $La_{2-x}Sr_xCuO_4$: beating Luttinger's theorem **170**, 29
Markiewicz, R.S., Flux creep in high-T_c superconductors: melting or thermal depinning? **171**, 479
Marks, L.D., see D.J. Li **168**, 617
Marshall, A.F., see C.B. Eom **171**, 354
Marsiglio, F. and J.E. Hirsch, Superconductivity in oxides: from strong to weak coupling **165**, 71
Marsiglio, F. and J.E. Hirsch, Hole superconductivity in the dilute limit **171**, 554
Martin, C., A. Maignan, J. Provost, C. Michel, M. Hervieu, R. Tournier and B. Raveau, Thallium cuprates: the critical temperature is mainly governed by the oxygen nonstoichiometry **168**, 8
Martin, C., see A. Maignan **170**, 350
Martínez, B., see A. Fuertes **170**, 153
Martinez, L., see E. Liarokapis **170**, 419
Martinez, L.M., see D.-X. Chen **168**, 652
Marucco, J.-F., see C. Gledel **165**, 437
Marucco, J.F. and B. Poumellec, Interpretation of the thermopower measurements of $YBa_2Cu_3O_x$ with $6<x<7$ and 400°C $T<900$°C **165**, 205
Marucco, J.F., see H. Alloul **171**, 419
Marucco, J.F., see P. Mendels **171**, 429
Maruthikumar, P., see A.K. Bandyopadhyay **165**, 29
Marx, D.T., see P. Lightfoot **168**, 627
Mase, S., see Y. Horie **166**, 87; **170**, 513
Mase, S., see B. Zhao **167**, 42
Masiakowski, J.T., M. Puri, S. Cuvier, M. Romanelli, R.N. Schwartz, H. Kimura and L. Kevan, Low field

microwave absorption of a superconducting $Bi_2Sr_2CaCu_2O_x$ crystal **166**, 140
Massidda, S., see A.J. Freeman **166**, 317
Massidda, S., Theoretical calculation of electron–positron momentum density in $YBa_2Cu_3O_{7-\delta}$ **169**, 137
Masuzawa, M., see Y. Koike **170**, 130; **171**, 331
Matsubara, I., H. Tanigawa, T. Ogura, H. Yamashita, M. Kinoshita and T. Kawai, Growth of Li-doped and dopant-free Bi–Sr–Ca–Cu–O superconducting whiskers **167**, 503
Matsumoto, T., see A. Matsushita **166**, 100
Matsumoto, T., see M. Shimoda **171**, 444
Matsuno, T., see T. Matsushita **170**, 375
Matsuoka, T., see S. Kambe **165**, 25
Matsushima, T., Y. Ichikawa, H. Adachi, S. Hatta, K. Setsune and K. Wasa, Magnetization measurements on a layered structure of superconducting Bi–Sr–Ca–Cu–O and Ni-ferrite **169**, 285
Matsushita, A., H. Aoki and T. Matsumoto, Positive magnetoconductance in $YBa_2(Cu_{0.9}Fe_{0.1})_3O_y$ and $YBa_2(Cu_{0.85}Fe_{0.15})_3O_y$ **166**, 100
Matsushita, T. and B. Ni, Broad resistive transition under magnetic field in high-temperature superconductors **166**, 423
Matsushita, T., E.S. Otabe, T. Matsuno, M. Murakami and K. Kitazawa, DC susceptibility of type-II superconductors in field-cooled processes **170**, 375
Matsuyama, H., see T. Takahashi **170**, 416
Mattausch, Hj., see F. Hentsch **165**, 485
Mattausch, Hj., see N. Winzek **168**, 327
Matthews, D.N., G.J. Russell and K.N.R. Taylor, Inhomogeneities in a textured surface of $YBa_2Cu_3O_{7-\delta}$ **165**, 227
Matthews, D.N., G.J. Russell and K.N.R. Taylor, Flux trapping energies in YBCO in the presence of a transport current **171**, 301
Matuda, S., see Y. Kuwasawa **165**, 173
Maul, M., see C. Tomé-Rosa **171**, 231
Maury, R., see S. Senoussi **165**, 364
Maury, R., A.R. Fert, J.P. Redoulès, J. Ayache, J. Sabras and C. Monty, Grain size dependence of hysteresis loops by AC low magnetic field measurements in $YBa_2Cu_3O_{7-x}$ ceramics **167**, 591
Mayer, G., see H. Schmiedel **171**, 51
Maylybaev, A.T., see Yu.A. Ossipyan **171**, 311
Mazaki, H., see J. Takada **170**, 249
McCabe, G.D., see H.H. Wang **166**, 57
McCallum, R.W., see M.J. Kramer **166**, 115
McCallum, R.W., see Y. Xu **169**, 205
McCarron III, E.M., see F. Zuo **167**, 567
McGinn, P., N. Zhu, W. Chen, M. Lanagan and U. Balachandran, Zone melt texturing of $YBa_2Cu_3O_{6+x}$ with silver additions **167**, 343
McGinn, P., see S. Sengupta **171**, 174
McGinn, P.J., W. Chen, N. Zhu, U. Balachandran and M.T. Lanagan, Texture processing of extruded $YBa_2Cu_3O_{6+x}$ wires by zone melting **165**, 480
McIntyre, G.J., see T. Chattopadhyay **170**, 371
McKenzie, D.R., see G.M. Turner **170**, 473
McKinnon, W.R., see J.M. Tarascon **167**, 20
McMahon, M.I., see R.J. Nelmes **166**, 329
Mehbod, M., E. Vanlathem, R. Deltour, P.H. Duvigneaud, P. Wyder, M. Verwerft, G. van Tendeloo and J. van Landuyt, Superconductivity and microstructure in Fe-doped Bi–Sr–Ca–Cu–O compounds **168**, 265
Mehbod, M., see H. Alloul **171**, 419
Mehring, M., see F. Hentsch **165**, 485
Mehring, M., see N. Winzek **168**, 327
Mei, Y., see D.-X. Chen **167**, 317
Meijer, H.C., see R.W. Willekers **168**, 99
Meisner, G.P. and C.A. Taylor, Factors affecting critical currents determined by the transformer method for the $YBa_2Cu_3O_y$ high-T_c superconductors **169**, 303
Mendels, P., see H. Alloul **171**, 419
Mendels, P., H. Alloul, J.F. Marucco, J. Arabski and G. Collin, Antiferromagnetism in $YBa_2Cu_3O_{6+x}$: Ga and Zn substitutions II. Zero field NMR of the Cu magnetic sites **171**, 429
Meng, R.L., see Y.K. Tao **165**, 13
Meng, R.L., see Y.Y. Xue **165**, 357
Menken, M.J.V., see R.W. Willekers **168**, 99
Menken, M.J.V., see J. Baak **168**, 363
Menken, M.J.V., see J.N. Li **169**, 81
Menovsky, A.A., see J. Baak **168**, 363
Menovsky, A.A., see J.N. Li **169**, 81
Mercey, B., see A. Taffin **170**, 59
Meshkov, S.V., S.N. Molotkov, S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic structure of the superconducting compounds $TlBa_2CaCu_2O_7$ and $TlBa_2Ca_2Cu_3O_9$ **166**, 477
Mesot, J., see A. Furrer **168**, 609
Meszáros, S., K. Vad, G. Halász, F.J. Kedves and Sz. Balanyi, Investigation of the coupling mechanism between superconducting grains in high-T_c superconductors **167**, 139
Metcalf, P., see K.S. Nanjundaswamy **166**, 361
Meyer, O., see J. Remmel **165**, 212
Michalev, K.N., see Yu.I. Zhdanov **165**, 475
Michel, C., see T. Rouillon **167**, 107; **171**, 7
Michel, C., see V. Caignaert **167**, 483
Michel, C., see C. Martin **168**, 8
Michel, C., see A. Maignan **170**, 350
Miehe, G., T. Vogt, H. Fuess and M. Wilhelm, Localisation of excess oxygen in the high-T_c 2223-phase $Bi_{1.9}Pb_{0.3}Sr_{2.0}Ca_{1.9}Cu_{3.0}O_{10+\delta}$ by neutron powder diffraction **171**, 339
Minerva, T., see C. Calandra **165**, 461
Minerva, T. and C. Calandra, Hole density and T_c behaviour in $YBa_2Cu_3O_{7-x}$ **170**, 532
Minnhagen, P., see V. Cataudella **166**, 442
Miranda, F.A., K.B. Bhasin, V.O. Heinen, R. Kwor and T.S. Kalkur, Microwave conductivity of superconducting Bi–Sr–Ca–Cu–O thin films in the 26.5 to 40.0 GHz frequency range **168**, 91
Miravitlles, C., see S. Piñol **165**, 265

Miravitlles, C., see A. Fuertes **170**, 153
Mironova, G.S., see I.E. Lipinski **168**, 291
Miroshnichenko, V.A., see A.I. Smirnov **165**, 77
Mirza, K.A., see J.W. Loram **171**, 243
Mishra, S., see D. Bhattacharya **170**, 245
Misra, D.S., see A.T. Boothroyd **165**, 17
Mitchell, A.W., see P. Lightfoot **168**, 627
Mitsui, K., see T. Horiuchi **168**, 309
Miura, S., T. Yoshitake, N. Shohata and T. Satoh, Dependence of structural and superconducting properties of as-grown $Bi_2Sr_2Ca_1Cu_2O_x$ films on low temperature annealing **165**, 241
Miura, Y., see J. Takada **170**, 249
Miyatake, H., see N. Nishida **168**, 23
Miyatake, T., M. Kosuge, N. Koshizuka, H. Takahashi, N. Mori and S. Tanaka, Pressure dependence of superconducting transition temperature in Ca-doped $YBa_2Cu_4O_8$ **167**, 297
Miyatake, T., see K. Yamaguchi **169**, 289
Mizoguchi, K., see T. Mochiku **167**, 560
Mizuno, K., see T. Saito **171**, 167
Mizuno, K., see S. Adachi **171**, 543
Moca³er, Ph., see C. Lacour **167**, 287
Mochiku, T., H. Asano, H. Akinaga, T. Ohshima, K. Takita, F. Izumi, Y. Takeda, M. Takano and K. Mizoguchi, Effect of annealing under high oxygen pressure on the structure and superconductivity of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ **167**, 560
Mohan Ram, R.A., A. Clearfield, P.S. Kobiela and W.P. Kirk, Synthetic studies in the Pb doped $Bi_2(Ca, Sr)_{n+1}Cu_nO_{2n+4+\delta}$ family of superconductors **166**, 125
Molkanov, L.I., see Yu.A. Ossipyan **171**, 311
Molotkov, S.N., see S.V. Meshkov **166**, 477
Monfort, Y., see A. Taffin **170**, 59
Monod, P., see E. Bonjour **166**, 451
Monod, P., see H. Stroumbos **167**, 375
Monty, C., see R. Maury **167**, 591
Moodenbaugh, A.R., see Y. Zhu **167**, 363
Moodenbaugh, A.R., see Y. Xu **169**, 205
Mooij, J.E., see J. Kortlandt **171**, 513
Morales, F., see R. Escudero **166**, 15
Morales, F., R. Escudero, D.G. Hinks and Y. Zheng, Electron tunneling in superconducting $Ba_{0.6}K_{0.4}BiO_3$ **169**, 294
Morán, E., see U. Amador **165**, 499
Moret, R., P. Gougeon, M. Potel, J.-C. Levet and H. Noel, Single-crystal X-ray scattering observation of satellite reflections and diffuse scattering in $Tl_2Ba_2CaCu_2O_8$, $Tl_2Ba_2Ca_2Cu_3O_{10}$ and $TlBa_2Ca_2Cu_3O_9$ **168**, 315
Mori, N., see T. Miyatake **167**, 297
Morishita, T., see R. Kita **170**, 500
Morosin, B., R.J. Baughman, D.S. Ginley, J.E. Schirber and E.L. Venturini, Structure studies on Tl–Ca–Ba–Cu–O high-T_c superconductors: effects of cation disorder and oxygen vacancies **165**, 115
Morosin, B., see C. Chaillout **170**, 87
Morris, D.E., A.G. Markelz, B. Fayn and J.H. Nickel, Conversion of 124 into 123+CuO and 124, 123 and 247 phase regions in the Y–Ba–Cu–O system **168**, 153
Morris, D.E., P.K. Narwankar and A.P.B. Sinha, Ca substituted tetragonal 123 superconductor with T_c above 85 K synthesized in 1–15 atmospheres oxygen overpressure **169**, 7
Morris, D.E., A.P. Marathe and A.P.B. Sinha, Destabilisation of 124 and 247 phases of Y–Ba–Cu–O by Fe substitution at elevated oxygen pressures **169**, 386
Morris, D.E., see M.R. Chandrachood **171**, 187
Morris, D.E., see P.K. Narwankar **171**, 305
Morrobel-Sosa, A., see K.M. Stephens **168**, 351
Moseley, P.T., see S. Myhra **165**, 270
Moser, N., see M.R. Koblischka **166**, 36
Moshchalkov, V., A.A. Gippius, A.A. Zhukov, H.H. Nyan, V.I. Voronkova and V.K. Yanovskii, The relaxation of the monodomain $TmBa_2Cu_3O_x$ single crystal magnetization in the superconducting state **165**, 62
Moshchalkov, V.V., A.A. Zhukov, D.K. Petrov, V.I. Voronkova and V.K. Vanovskii, Temperature dependences of the first critical field and critical current in the untwinned $TmBa_2Cu_3O_x$ superconducting single crystals **166**, 185
Moshchalkov, V.V., see V.A. Andrianov **166**, 248
Moshchalkov, V.V., see A.L. Kharlanov **169**, 469
Moska, M., S. Dina, G. v. Minnigerode and K. Samwer, Electrical and structural properties of epitaxially grown $Y_1Ba_2Cu_3O_{7-x}$ and $Y_2Ba_4Cu_3O_{16-x}$ thin films using the BaF_2 method **170**, 491
Mostoller, M., see R.F. Wood **165**, 97
Motylewski, T., see K. Giaro **168**, 479
Motylewski, T., see M. Braun **171**, 537
Mukhin, S.I., D. Reefman and L.J. de Jongh, Tunneling characteristics of the local-pair superconductor **171**, 42
Muller, C.J., see J. Baak **168**, 363
Müller, H., see M. Zeh **167**, 6
Muller, J., see G. Triscone **168**, 40
Muller, J., see A. Junod **168**, 47
Müller, K.-H., Frequency dependence of AC susceptibility in high-temperature superconductors. Flux creep and critical state at grain boundaries **168**, 585
Müller, K.-H., see G.B. Smith **170**, 222
Müller, K.-H., see N. Savvides **171**, 181
Müller-Vogt, G., see A. Zibold **171**, 151
Munakata, F., see T. Kawano **165**, 67, 143
Muñoz, J.S., see D.-X. Chen **168**, 652
Muradyan, L.A., see V.I. Simonov **169**, 123
Murakami, M., see S. Gotoh **166**, 215
Murakami, M., see T. Matsushita **170**, 375
Murakami, T., see K. Takada **166**, 203
Murray, H., see T. Brousse **170**, 000
Murrell, J.N., see L.J. Dunne **169**, 501
Muto, Y., see M. Kikuchi **166**, 497
Muto, Y., see S. Nakajima **168**, 57
Muto, Y., see T. Kajitani **169**, 227
Muttik, I.G., see A.L. Kharlanov **169**, 469
Myer, G.H., see Y. Gao **165**, 340
Myhra, S., P.R. Chalker, P.T. Moseley and J.C. Riviere, Surface alteration of $LnBa_2Cu_3O_{7-x}$ following exposure to moisture, O_2 and CO_2 **165**, 270

Nagamine, K., see N. Nishida **168**, 23
Nagase, K., see M. Kikuchi **166**, 497
Nagase, K., see T. Kajitani **167**, 212
Nagase, K., see S. Nakajima **170**, 443
Nagoshi, M., see A. Tokiwa **168**, 285; **170**, 437
Nakahashi, T., see I. Terasaki **165**, 152
Nakajima, S., see D. Shindo **165**, 321
Nakajima, S., see M. Kikuchi **166**, 497
Nakajima, S., see T. Kajitani **167**, 212
Nakajima, S., M. Kikuchi, Y. Syono, N. Kobayashi and Y. Muto, Superconductivity of high-T_c $TlBa_2Ca_{1-x}RE_xCu_2O_7$ (RE=Nd, Gd or Y) system **168**, 57
Nakajima, S., M. Kikuchi, Y. Syono, K. Nagase, T. Oku, N. Kobayashi, D. Shindo and K. Hiraga, Improvement in superconductivity of $TlBa_2CaCu_2O_y$ system by introduction of oxygen loss **170**, 443
Nakamura, F., see T. Tamura **169**, 299
Nakamura, S., see Y. Iye **166**, 62; **167**, 278
Nakamura, Tak., see R. Liang **170**, 307
Nakamura, Tet., see R. Liang **170**, 307
Nakano, S., see Y. Kuwasawa **165**, 173; **169**, 39
Namgung, C., J.T.S. Irvine and A.R. West, Absence of critical temperature plateaux in quenched samples of $YBa_2Cu_3O_x$ **168**, 346
Namiki, M., see Y. Koike **171**, 331
Nanjundaswamy, K.S., A. Lewicki, Z. Kakol, P. Gopalan, P. Metcalf, J.M. Honig, C.N.R. Rao and J. Spałek, Magnetic properties of pure, Sr- and Ca-doped $La_2NiO_{4+\delta}$ ceramics: onset of high-T_c superconductivity **166**, 361
Narahara, Y., see T. Tamura **169**, 299
Narahari Achar, B.N. and C. Liu, On the magnetic field dependence of acoustic wave velocity in the mixed state of a high-T_c superconductor **167**, 62
Narahari Achar, B.N., see C. Liu **168**, 515
Narayan, J., see L. Ganapathi **167**, 669; **168**, 599
Narlikar, A.V., see A.K. Bandyopadhyay **165**, 29
Narlikar, A.V., see P. Kulkarni **166**, 530
Narwankar, P.K., see D.E. Morris **169**, 7
Narwankar, P.K., D.E. Morris and A.P.B. Sinha, 124 Superconductor stabilized by hole donor (Ca) along with acceptor (La) substitution **171**, 305
Nath, A., Z. Homonnay, S.D. Tyagi, Y. Wei, G.-W. Jang and C.C. Chan, Rupture of cobalt/iron and oxygen bonds in the chain during thermal treatment of $YBa_2Cu_3(^{57}Co)O_{6.0}$: emission Mössbauer studies **171**, 406
Naumenko, I.G., see M.V. Indenbom **166**, 486
Naumenko, I.G., see V.F. Gantmakher **171**, 223
Nava, R., M. Saint-Paul, H. Noël, J.C. Levet, M. Potel and P. Gougeon, Sound velocity in $YBa_2Cu_3O_{6+x}$ and $GdBa_2Cu_3O_{6+x}$ single crystals **167**, 59
Navarro, J.M., see A. Fuertes **170**, 153
Navarro, O. and R. Escudero, Thermodynamic analysis of $Ba_xK_{1-x}BiO_3$ using the Eliashberg theory **170**, 405
Navarro, R., F. Lera, C. Rillo and J. Bartolome, $YBa_2Cu_3O_{7-\delta}$ low field diamagnetic properties. A multiharmonic analysis **167**, 549
Nazin, S.S., see S.V. Meshkov **166**, 477
Nedellec, P., see J. Lesueur **167**, 1
Nekvasil, V., On the crystal field in $REBa_2Cu_3O_{7-x}$ and Nd_2CuO_4-type superconductors **170**, 469
Nellis, W.J., see M.J. Kramer **166**, 115
Nelmes, R.J., N.B. Wilding, P.D. Hatton, V. Caignaert, B. Raveau, M.I. McMahon and R.O. Piltz, Pressure dependence of the structure of La–Sr–Cu–O **166**, 329
Neminsky, A.M., see V.F. Gantmakher **171**, 223
Nemoshkalenko, V.V., E.H. Brandt, A.A. Kordyuk and B.G. Nikitin, Dynamics of a permanent magnet levitating above a high-T_c superconductor **170**, 481
Neumeier, J.J., T. Bjørnholm, M.B. Maple, J.J. Rhyne and J. Gotaas, Neutron diffraction study of Pr valence and oxygen ordering in the $Y_{1-x}Pr_xBa_2Cu_3O_{7:im\delta}$ system **166**, 191
Neumüller, H.-W., see M. Klauda **165**, 251
Neumüller, H.-W., see A. Gupta **170**, 95
Newman, D.J., see B. Ng **170**, 448
Ng, B. and D.J. Newman, Properties of a local pairing model of high-T_c superconductivity **170**, 448
Ng, K., see G.M. Turner **170**, 473
Nguyen, N., see J. Teillet **170**, 65
Ni, B., see T. Matsushita **166**, 423
Nickel, J.H., see D.E. Morris **168**, 153
Nieva, G., see H. Iwasaki **169**, 146
Nigavekar, A.S., see P. Kulkarni **166**, 530; **168**, 104
Nigmatulin, A.S., see N.A. Tulina **171**, 103
Nikitenko, V.I., see M.V. Indenbom **166**, 486
Nikitin, B.G., see V.V. Nemoshkalenko **170**, 481
Nikolaev, R.K., see N.A. Tulina **171**, 103
Nikolaev, R.K., see Yu.A. Ossipyan **171**, 311
Nishida, N., S. Okuma, H. Miyatake, T. Tamegai, Y. Iye, R. Yoshizaki, K. Nishiyama, K. Nagamine, R. Kadono and J.H. Brewer, Internal magnetic fields at μ^+ sites and the magnetic phase diagram of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_y$ system studied by the μSR method **168**, 23
Nishiyama, K., see N. Nishida **168**, 23
Niska, J., see S.X. Dou **167**, 525
Niska, J., see B.M. Andersson **170**, 521
Nobili, C., G. Ottaviani, M.C. Rossi and M. Sparpaglione, Oxygen disordering in tetragonal $Y_1Ba_2Cu_3O_{6+\epsilon}$ a time dependent study **168**, 549
Nobumasa, H., K. Shimizu and T. Kawai, Correlation between the superconducting transition temperature and the spacing of Cu–O_2 sheets in the copper-oxide superconductors **167**, 515
Noël, H., see M. Saint-Paul **166**, 405
Noël, H., see R. Nava **167**, 59
Noel, H., see R. Moret **168**, 315
Noji, T., see Y. Koike **170**, 130; **171**, 331
Nozaki, A., see T. Kawano **165**, 67, 143
Nozaki, H., see S. Horiuchi **168**, 205
Nyan, H.H., see V. Moshchalkov **165**, 62
Nygren, M., see S.H. Han **169**, 250

Obhi, H.S. and E.K.H. Salje, Effect of the metal-superconductor

phase transition and Co doping on the phonon spectra of $YBa_2Cu_3O_{7-\delta}$ **171**, 547
Obradors, X., see A. Fuertes **170**, 153
O'Bryan, H.M., see S. Jin **165**, 415
Ochiai, Y., see T. Tamura **169**, 299
Oda, K., see J. Takada **170**, 249
Odier, P., see H. Stroumbos **167**, 375
Odier, P., see F. Barriquand **171**, 348
Ogawa, R., see K. Shibutani **167**, 102
Ogawa, S., see A.E. Bocquet **169**, 1
Ogura, K., see T. Horiuchi **168**, 309
Ogura, T., see I. Matsubara **167**, 503
Oh, S.S., T. Kubota and K. Osamura, Annealing temperature dependence of the superconducting properties of Ag-sheathed Bi–Pb–Sr–Ca–Cu–O tapes **171**, 265
Ohashi, N., H. Ikawa, O. Fukunaga and J. Tanaka, Structural features and electrical properties of the $(Ln_{1-x-y}, Ln'_x, Sr_y)_2CuO_{4-\delta}$ T*-phase compounds **166**, 465
Ohata, K., see R. Kita **170**, 500
Oh-Ishi, K., see T. Kajitani **169**, 227; **171**, 491
Ohno, T., see H. Alloul **171**, 419
Ohshima, T., see T. Mochiku **167**, 560
Ohsugi, S., see Y. Kitaoka **170**, 189
Ohta, Y., T. Tohyama and S. Maekawa, Transition temperature in copper-oxide superconductors correlated with energy level of apical oxygen **166**, 385
Okada, C., see T. Tamegai **170**, 15
Okada, H., M. Takano and Y. Takeda, Synthesis of Nd_2CuO_4-type R_2CuO_4 (R = Y, Dy, Ho, Er, Tm) under high pressure **166**, 111
Oku, T., see A. Tokiwa **168**, 285
Oku, T., see S. Nakajima **170**, 443
Okubo, H., see Y. Horie **170**, 513
Okulova, K.A., see Yu.I. Zhdanov **165**, 475
Okuma, S., see N. Nishida **168**, 23
Ong, E.W., see Z. Iqbal **167**, 369
Oppenheim, U.P., see E. Aharoni **171**, 37
Orera, V.M., M.L. Sanjuán, R. Alcalá, J. Fontcuberta and S. Piñol, Raman study of superconducting $Nd_{2-x}Ce_xCuO_{4-y}$ single crystals **168**, 161
Osamura, K., see S.S. Oh **171**, 265
Osborn, R., see A.T. Boothroyd **165**, 17
Ose, W., see K.F. Renk **165**, 1
Osiko, V.V., see V.I. Simonov **169**, 123
Ossipyan, Yu.A., O.V. Zharikov, G.Yu. Logvenov, N.S. Sidorov, V.I. Kulakov, I.M. Shmytko, I.K. Bdikin and A.M. Gromov, Superconductivity and structure of $YBa_2Cu_3O_6$ single crystals treated in halogen vapours **165**, 107
Ossipyan, Yu.A., O.V. Zharikov, A.M. Gromov, V.I. Kulakov, R.K. Nikolaev, N.S. Sidorov, Yu.S. Grushko, Yu.V. Ganzha, M.F. Kovalev, L.I. Molkanov, E.F. Makarov and A.T. Maylybaev, Mössbauer study of ^{129}I in a high-T_c superconductor $YBa_2Cu_3O_6I_x$ **171**, 311
Oszlányi, G., G. Faigel, S. Pekker and A. Jánossy, Orientation distribution of magnetic field oriented $YBa_2Cu_3O_6$ powders **167**, 157
Oszlányi, G., see A. Jánossy **171**, 457
Ota, S.B., see R.A. Rose **170**, 51
Otabe, E.S., see T. Matsushita **170**, 375
Otsu, H., see D. Shindo **165**, 321
Ott, H.R., see A. Bernasconi **166**, 393
Ott, H.R., see A. Schilling **168**, 272; **169**, 237
Ott, K.C., see J.D. Thompson **169**, 265
Ottaviani, G., see C. Nobili **168**, 549
Ould-Dié, M., see C. Picard **171**, 321
Ould-Die, M., see C. Picard **165**, 44
Ovchinnikov, S.G. and I.S. Sandalov, On non-homogeneous states in a two-dimensional Hubbard model **166**, 197
Overmyer, D.L., see J.E. Schirber **170**, 231
Owens, F.J. and Z. Igbal, Non-resonant microwave absorption in the high temperature superconductor $Bi_2Sr_2CaCu_2O_{8+\delta}$ **166**, 231
Owens, F.J., Theory of line shape of nonresonant microwave absorption in granular composites of copper oxide superconductors **171**, 25
Owens, F.J. and Z. Iqbal, Time-dependent low field microwave absorption in the high temperature superconductors **171**, 238

Padiou, J., see M. Guilloux-Viry **166**, 105
Pagnon, V., see E. Bonjour **166**, 451
Pajączkowska, A., see A. Wiśniewski **170**, 333
Pandya, D.K., see D. Bhattacharya **170**, 245
Pang, D.X., see S.H. Whang **168**, 185
Pankert, J., Ultrasonic attenuation in the mixed state of high-T_c superconductors **168**, 335
Papaefthymiou, G.C., see J. Teillet **170**, 65
Paracchini, C., G. Calestani and M.G. Francesconi, Preparation, structural characterization and electrical conductivity of $BiSrY_{1-x}Ce_xCuO_{5+y}$ **167**, 249
Paranthaman, M., see A. Manthiram **171**, 135
Parise, J.B., see M.A. Subramanian **166**, 19
Parodi, F., see R. Vaccarone **168**, 63
Pask, J.A., see R.E. Loehman **170**, 1
Pathak, L.C., see D. Bhattacharya **170**, 245
Paul, D.McK., see A.T. Boothroyd **165**, 17
Paul, D.McK., see S. Piñol **165**, 265
Paulikas, A.P., see J.D. Jorgensen **167**, 571; **171**, 93
Paulikas, A.P., see H. Claus **171**, 205
Paulius, L.M., see N.Y. Ayoub **165**, 469
Payne, D.A., see J.R. LaGraff **169**, 355
Paz-Pujalt, G.R., Solid state reactions in the formation of Bi–Sr–Ca–Cu–oxide superconductor from metallo-organic precursors **166**, 177
Peck Jr., W.F., see R.J. Cava **165**, 419
Pei, S., see J.D. Jorgensen **167**, 571; **171**, 93
Pei, S., see P. Lightfoot **168**, 627; **169**, 15, 464
Pei, S., J.D. Jorgensen, D.G. Hinks, B. Dabrowski, P. Lightfoot and D.R. Richards, Pressure-induced structural changes in $La_{1.85}Sr_{0.15}CuO_4$ **169**, 179
Pękała, M., see A. Wiśniewski **170**, 333
Pekker, S., see G. Oszlányi **167**, 157
Pekker, S., see A. Jánossy **167**, 301; **171**, 457

Pelka, G., see R. Kubiak **166**, 523
Peña, O., see M. Guilloux-Viry **166**, 105
Peng, D., see Q. Xu **168**, 489
Peng, W., C.W. Kimball and B.D. Dunlap, Pseudo-1D magnetic order and fluctuation behavior of 3d-dopants in superconducting $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ **169**, 23
Pentin, A.Yu., see V.A. Andrianov **166**, 248
Pepelnik, R., see A.C. Bódi **165**, 83
Pérez, F., see A. Fuertes **170**, 153
Perrin, A., see M. Guilloux-Viry **166**, 105
Peter, M., see W. Sadowski **170**, 103
Petinova, A.V., see V.F. Gantmakher **171**, 223
Petrou, A., see J.H. Wang **166**, 399
Petrov, D.K., see V.V. Moshchalkov **166**, 185
Phatak, G.M., see M.D. Sastry **170**, 41
Picard, C., P. Gerdanian and M. Ould-Die, Transport properties of $YBa_2Cu_3O_z$ at high temperature **165**, 44
Picard, C., P. Gerdanian and M. Ould-Dié, Coupling between order–disorder phenomena and hole concentrations in $YBa_2Cu_3O_z$ **171**, 321
Piechota, J., see A. Wiśniewski **170**, 333
Pigalskiy, K.S., see L.G. Mamsurova **167**, 11
Pillmayr, N., see G. Hilscher **167**, 472
Piltz, R.O., see R.J. Nelmes **166**, 329
Piñol, S., J. Fontcuberta, C. Miravitlles and D.McK. Paul, Crystal growth and phase diagrams for the Nd_2O_3–CeO_2–CuO system **165**, 265
Piñol, S., see V.M. Orera **168**, 161
Pint, W., see B. Vlcek **167**, 198
Pint, W., The upper critical field of superconductors with a cylinder-symmetrical Fermi surface **168**, 143
Pinto, R., L.C. Gupta, R. Vijayaraghavan, A.G. Chourey and V.S. Shirodkar, Cylindrical magnetron sputtering parameters for the growth of $Y_1Ba_2Cu_3O_{7-x}$ thin films **171**, 131
Plechaty, M.M., see R.C. Taylor **169**, 35
Plewes, J.T., see T.H. Tiefel **166**, 408
Poddar, A., see P. Mandal **169**, 43
Poeppel, R.B., see U. Balanchandran **165**, 335
Pohl, J.E., see P.J. King **170**, 271
Pollak, H., see G.R. Hearne **167**, 415
Pollert, E., see A.I. Beskrovnyi **166**, 79
Pollert, E., A. Tříska and J. Zemek, Charge distribution and electric properties of $YBa_2Cu_3O_{7-x}$ **167**, 657
Pöllinger, S., see G. Hilscher **167**, 472
Polyanskii, A.A., see M.V. Indenbom **166**, 486
Pooke, D.M., see R.G. Buckley **165**, 391
Pooke, D.M., see J.L. Tallon **171**, 61
Poppe, U., see C.L. Jia **167**, 463; **169**, 279
Poppe, U., see U. Weimer **168**, 359
Porjesz, T., see A.C. Bódi **165**, 83
Pörschke, E., see H. Maletta **166**, 9
Postma, H., see R.W. Willekers **168**, 99
Potel, M., see C. Rossel **165**, 233
Potel, M., see M. Saint-Paul **166**, 405
Potel, M., see R. Nava **167**, 59
Potel, M., see R. Moret **168**, 315
Poullain, G., see T. Brousse **170**, 000
Poumellec, B., see J.F. Marucco **165**, 205
Poumellec, B., Percolation of linear clusters in $YBa_2Cu_3O_x$: a tool for explaining the ortho–tetragonal phase transition **166**, 289
Požek, M., A. Dulčić and B. Rakvin, Field-modulated microwave absorption in granular superconductors. First and second harmonic signals **169**, 95
Požek, M., see B. Rakvin **170**, 161
Prachařová, J., see P. Boháček **171**, 108
Presland, M.R., see N.E. Flower **165**, 161
Presland, M.R., see R.G. Buckley **165**, 391
Presland, M.R., see J.L. Tallon **171**, 61
Pronin, D.A., see A.V. Bazhenov **169**, 381
Provost, J., see C. Martin **168**, 8
Provost, J., see A. Maignan **170**, 350
Pruijmboom, A., E. van der Drift and P.H. Kes, Flux-flow resistivity in an artificial pinning structure **165**, 179
Prysłupski, P., see C. Tomé-Rosa **171**, 231
Przydróżny, W., see M. Braun **171**, 537
Przysłupski, P., see A. Wiśniewski **170**, 333
Puri, M., see J.T. Masiakowski **166**, 140
Puźniak, R., see A. Wiśniewski **170**, 333
Puzzer, T., see A. Bailey **167**, 133
Pytel, B., see A. Wiśniewski **170**, 333
Pytel, K., see A. Wiśniewski **170**, 333

Qi, M., see J.H. Wang **166**, 399
Qi, Z.Z., see H.H. Wen **167**, 75
Qian, Y., see Z. He **165**, 166
Qiu, X., see Y. Horie **170**, 513

Rabe, K.M., see R.J. Cava **165**, 419
Radhakrishnan, V., C.K. Subramaniam, V. Sankaranarayanan, G.V. Subba Rao and R. Srinivasan, Logarithmic temperature dependence of the resistivity of $Nd_{2-x}Ce_xCuO_{4-y}$ **167**, 53
Rajagopal, A.K., see S.S. Jha **168**, 173
Rajagopal, H., see A. Sequeira **167**, 291
Rakvin, B., see M. Požek **169**, 95
Rakvin, B., M. Požek and A. Dulčić, Magnetic flux inhomogeneity in ceramic $YBa_2Cu_3O_{7-\delta}$ superconductors studied by EPR **170**, 161
Ramakrishna, B.L., see Z. Iqbal **167**, 369; **169**, 396
Ramakrishnan, T.V., see C.N.R. Rao **165**, 183
Ramakumar, R., see K.P. Jain **168**, 297
Ramanujachary, K.V., S. Li and M. Greenblatt, The relationship of oxygen content, structural phase transition and T_c in $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
Ramanujachary, K.V., see S. Li **166**, 535
Ramesh, R., see J.M. Tarascon **167**, 20
Ramesh, R., see K. Remschnig **170**, 284
Ramesh, R., A. Inam, D.L. Hart and C.T. Rogers, Microstructure studies of *a*-axis oriented $YBa_2Cu_3O_{7-x}$–$PrBa_2Cu_3O_{7-y}$ heterostructures **170**, 325
Ramesh, R., D.M. Hwang, T.S. Ravi, A. Inam, X.D. Wu and

T. Venkatesan, Polytypoidic superlattices in Y–Ba–Cu–O thin films **171**, 14
Rao, C.N.R., T.V. Ramakrishnan and N. Kumar, Systematics in the thermopower behaviour of several series of bismuth and thallium cuprate superconductors. An interpretation of the temperature variation and the sign of the thermopower **165**, 183
Rao, C.N.R., see K.S. Nanjundaswamy **166**, 361
Rao, K.R., see N. Choudhury **171**, 567
Rapp, Ö., see S.H. Han **169**, 250
Raptis, C., see V.G. Hadjiev **166**, 225
Raveau, B., see R.J. Nelmes **166**, 329
Raveau, B., see T. Rouillon **167**, 107; **171**, 7
Raveau, B., see V. Caignaert **167**, 483; **170**, 139
Raveau, B., see C. Martin **168**, 8
Raveau, B., see T. Brousse **170**, 000
Raveau, B., see A. Maignan **170**, 350
Ravi, T.S., see R. Ramesh **171**, 14
Ray, D.K., see A.N. Das **170**, 215
Red'ko, S.V., see V.A. Andrianov **166**, 248
Redoulès, J.P., see R. Maury **167**, 591
Ree, C. and W.K. Choo, Frequency and field dependence of complex magnetic AC susceptibility in sintered Tl–Ba–Ca–Cu–O superconductor **166**, 221
Reedyk, M., see J.S. Xue **166**, 29
Reefman, D., see S.I. Mukhin **171**, 42
Rega, T., see A. Rigamonti **166**, 310
Régnier, P., see E. Bonjour **166**, 451
Reissner, M., see G. Hilscher **167**, 472
Reissner, M., W. Steiner, R. Stroh, S. Hörhager, W. Schmid and W. Wruss, Influence of sintering temperature on the superconducting properties of $YBa_2Cu_3O_{7-x}$ **167**, 495
Remmel, J., J. Geerk, G. Linker, O. Meyer, R. Smithey, B. Strehlau and G.C. Xiong, Superconductivity and structure of ion irradiated LaSrCuO thin films **165**, 212
Remschnig, K., see G. Hilscher **167**, 472
Remschnig, K., J.M. Tarascon, R. Ramesh, G.W. Hull and P. Rogl, Increase of T_c and disappearance of the structural modulation in the system Bi–Sr–Sm–Ce–Cu–O upon Pb substitution **170**, 284
Renk, K.F., H. Eschrig, U. Hofmann, J. Keller, J. Schützmann and W. Ose, Dynamical conductivity of high-T_c superconductors **165**, 1
Retoux, R., see V. Caignaert **167**, 483
Retoux, R., see J. Teillet **170**, 65
Rey, M.-J., Ph. Dehaudt, J. Joubert and A.W. Hewat, A structural distortion in the 123-superconductor isomorph $LaBa_2(Cu_2Nb)O_8$ **167**, 162
Reyes-Gasga, J., see T. Krekels **167**, 677
Rhyne, J.J., see J.J. Neumeier **166**, 191
Ri, H.-C., see M. Zeh **167**, 6
Rice, T.M., see L. Chandran **167**, 127
Richards, D.R., see P. Lightfoot **168**, 627
Richards, D.R., see S. Pei **169**, 179
Ricketts, B.W., see G.B. Smith **170**, 222
Rieck, C.T., K. Scharnberg and R.A. Klemm, Re-entrant superconductivity due to Landau level quantization? **170**, 195
Ries, G., see A. Gupta **170**, 95
Rigamonti, A., M. Corti, T. Rega, J. Ziolo and F. Borsa, ^{63}Cu and ^{139}La NQR relaxation and superconducting transition in $La_{2-x}Sr_xCuO_4$ **166**, 310
Rillo, C., see R. Navarro **167**, 549
Riviere, J.C., see S. Myhra **165**, 270
Roas, B., see D. Kölle **167**, 79
Roas, B., see W. Schindler **169**, 117
Robertson, J.A., see T.E. Freeman **167**, 609
Robinson, D.A., see K.M. Stephens **168**, 351
Robledo, A. and C. Varea, Spin–hole model with magnetic vortex–antivortex pairing mechanism for copper–oxide superconductors **166**, 334
Rockenbauer, A., see A. Jánossy **167**, 301; **171**, 457
Rodríguez, E., C. Durán, J. Luzuriaga, F. de la Cruz and C. Fainstein, Anomalous behaviour of the vortex structure in $Bi_4Ca_2Sr_4Cu_4O_{16+y}$ measured with a vibrating reed at low magnetic fields **165**, 315
Rodríguez-Carvajal, J., see A. Fuertes **170**, 153
Rodriguez-Carvajal, J., see U. Amador **165**, 499
Roeland, L.W., see J.N. Li **169**, 81
Rogalla, H., see D.H.A. Blank **167**, 423
Rogalla, H., see J. Gao **171**, 126
Rogers, C.T., see R. Ramesh **170**, 325
Rogl, P., see G. Hilscher **167**, 472
Rogl, P., see K. Remschnig **170**, 284
Romanelli, M., see J.T. Masiakowski **166**, 140
Romano, L.T., see K.D. Vernon-Parry **170**, 388
Romanyukha, A.A., Yu.N. Shvachko, V.Yu. Irkhin, M.I. Katsnelson, A.A. Koshta and V.V. Ustinov, Effects of disordering on local moments in $YBa_2Cu_3O_{7-\delta}$ and $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **171**, 276
Rose, R.A., S.B. Ota, P.A.J. de Groot and B. Jayaram, Scaling of the vortex pinning force in $Bi_2Sr_2CaCu_2O_{8+y}$ **170**, 51
Rossel, C., E. Sandvold, M. Sergent, R. Chevrel and M. Potel, Magnetic relaxation effects in $PbMo_6S_8$ superconducting single crystals: a comparison with high-T_c superconductors **165**, 233
Rossi, M.C., see C. Nobili **168**, 549
Roughani, B., see L.C. Sengupta **165**, 125
Roughani, B., L.C. Sengupta, J.L. Aubel, S. Sundaram and W.C.H. Joiner, Raman spectra of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ with transition metal dopants of Fe, Co, Ni, and Zn **171**, 77
Rouillon, T., D. Groult, M. Hervieu, C. Michel and B. Raveau, $Pb_2Sr_2LnCeCu_3O_{10+\delta}$, a new member of the layered cuprates family, built up from double fluorite-type layers **167**, 107
Rouillon, T., A. Maignan, M. Hervieu, C. Michel, D. Groult and B. Raveau, A "1212" superconductor involving mixed calcium lead $(Pb_{0.5}Ca_{0.5}O)_\infty$ monolayers: $Pb_{0.5}Ca_{0.5}Sr_2Ca_xY_{1-x}Cu_2O_{7-\delta}$ **171**, 7
Roux, S., see E.L. Hinrichsen **167**, 433
Roys, W.B., see P.J. King **170**, 271
Rudman, D.A., see W. Gao **167**, 395

Rüffer, N., see C. Rüscher **166**, 158
Ruppel, S., see W. Schnelle **168**, 465
Rupp Jr., L.W., see R.J. Cava **165**, 419; **167**, 67
Rüscher, C., N. Rüffer, F.-J. Seiwert and R. Gruehn, Single polaron and bipolaron absorption in Ti_4O_7 above and below the metal–insulator transition **166**, 158
Rusiecki, S., see H.A. Ludwig **167**, 335
Rusiecki, S., see A.W. Hewat **167**, 579
Rusiecki, S., see A. Junod **168**, 47
Rusiecki, S., see E.N. van Eenige **168**, 482
Russell, G.J., see D.N. Matthews **165**, 227; **171**, 301
Russell, G.J., see G. Alvarez **165**, 258; **171**, 415
Russell, G.J., see A. Bailey **167**, 133

Sabatini, R.L., see Y. Xu **169**, 205
Sabras, J., see R. Maury **167**, 591
Sadowski, W., H. Hagemann, M. François, H. Bill, M. Peter, E. Walker and K. Yvon, Growth of single crystals, thermal dependency of lattice parameters and Raman scattering in the $Nd_{2-x}Ce_xCuO_{4-\delta}$ system **170**, 103
Saemann-Ischenko, G., see M. Klauda **165**, 251
Saemann-Ischenko, G., see D. Kölle **167**, 79
Saemann-Ischenko, G., see P. Schmitt **168**, 475
Saemann-Ischenko, G., see W. Schindler **169**, 117
Saikawa, T., see H. Kaga **168**, 391; **169**, 485
Saint-Paul, M., J.L. Tholence, H. Noël, J.C. Levet, M. Potel and P. Gougeon, Sound velocity in $Bi_2Sr_2CaCu_2O_8$ single crystals **166**, 405
Saint-Paul, M., see R. Nava **167**, 59
Saito, H., see Y. Iwai **170**, 319
Saito, T., K. Mizuno, H. Watanabe and K. Koto, Substitution effect of $YBa_2Cu_3O_{7-y}$ by Sn **171**, 167
Saito, Y., see Q.-Z. Zhang **169**, 451
Saito, Y., see Y. Koike **170**, 130; **171**, 331
Sakuma, T., see T. Ishida **167**, 258
Sakun, V.P., see L.G. Mamsurova **167**, 11
Sakurai, T., see T. Kajitani **171**, 491
Sakuyama, K., see S. Koriyama **166**, 413
Sakuyama, K., see T. Maeda **169**, 133
Sakuyama, K., see K. Yamaguchi **170**, 486
Salinas, S.R.A., see C.E. Carneiro **166**, 206
Salje, E.K.H., see H.S. Obhi **171**, 547
Samoilov, A.V., see N.V. Zavaritsky **169**, 174
Samwer, K., see M. Moska **170**, 491
Sanchez, A., see D.-X. Chen **168**, 652
Sanchez, D., see G. Triscone **168**, 40
Sanchez, D., see A. Junod **168**, 47
Sandalov, I.S., see S.G. Ovchinnikov **166**, 197
Sandvold, E., see C. Rossel **165**, 233
Sanjuán, M.L., see V.M. Orera **168**, 161
Sankaranarayanan, V., see V. Radhakrishnan **167**, 53
Sankaranarayanan, V., see A.K. Grover **170**, 431
Santoro, A., see M. Marezio **169**, 401
Santoro, A., see P. Bordet **171**, 468
Saragovi, C., C. Fainstein, P. Etchegoin and S. Duhalde, Iron doping and Mössbauer spectroscopy in Bi–Sr–Ca–Cu ceramic superconductors **168**, 493
Sarkar, A.K. and I. Maartense, Effect of post-sintering quenching parameters on T_c and crystal structure of the $Bi_2Sr_2CaCu_2O_{8+\delta}$ (2212) phase **168**, 591
Sastry, M.D., K.S. Ajayakumar, R.M. Kadam, G.M. Phatak and R.M. Iyer, Low-field microwave absorption in Gd_2CuO_4: similarity and contrast with high-temperature superconducting materials **170**, 41
Sastry, P.V.P.S.S., see A. Sequeira **167**, 291
Sato, H., H. Takagi and S. Uchida, Gap observation by tunneling measurement on superconducting $Ba_{1-x}K_xBiO_3$ thin film. A finite energy gap in $Ba_{1-x}K_xBiO_3$ **169**, 391
Satoh, T., see S. Miura **165**, 241
Savvides, N., Flux creep and transport critical current density in high-T_c superconductors **165**, 371
Savvides, N., S.J. Collocott, C. Andrikidis, K.-H. Müller and E.R. Vance, AC susceptibility, resistivity and specific heat of the cubic superconductor $Ba_{0.6}K_{0.4}BiO_3$ **171**, 181
Sawada, H., see R. Yoshizaki **166**, 417
Schachinger, E., see B. Vlcek **167**, 198
Scharnberg, K., see C.T. Rieck **170**, 195
Schegolev, I.F., see V.N. Kopylov **170**, 291
Schellingerhout, A.J.G., see J. Kortlandt **171**, 513
Scherbakova, L.G., see L.G. Mamsurova **167**, 11
Schilling, A., see A. Bernasconi **166**, 393
Schilling, A., F. Hulliger and H.R. Ott, Measurement of the London penetration depth on $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_7$ polycrystals **168**, 272
Schilling, A., A. Bernasconi, H.R. Ott and F. Hulliger, Specific-heat, resistivity and magnetization study on polycrystalline $YBa_2Cu_4O_8$ **169**, 237
Schilling, J.S., see C. Allgeier **168**, 499
Schilling, O.F., Y. Yang, C.R.M. Grovenor and C. Beduz, Characterization and properties of melt grown Y–Ba–Cu–O samples containing barium titanate inclusions **170**, 123
Schindler, W., B. Roas, G. Saemann-Ischenko, L. Schultz and H. Gerstenberg, Anisotropic enhancement of the critical current density of epitaxial $YBa_2Cu_3O_{7-x}$ films by fast neutron irradiation **169**, 117
Schirber, J.E., see B. Morosin **165**, 115
Schirber, J.E., see C. Chaillout **170**, 87
Schirber, J.E., D.L. Overmyer, J.M. Williams, A.M. Kini and H.H. Wang, Pressure dependence of T_c in the highest T_c organic superconductor κ-(BEDT–TTF)$_2$Cu[N(Cn)$_2$]Br **170**, 231
Schlottmann, P., see Y. Gao **165**, 340
Schmid, W., see M. Reissner **167**, 495
Schmidt, H.J. and Y. Kuramoto, Four-spin interaction as an effective interaction in high-T_c copper oxides **167**, 263
Schmidt, W., see A. Gupta **170**, 95
Schmiedel, H., G. Mayer, S. Grande and B. Lippold, Cu NQR-echo in superconducting $YBa_2Cu_3O_{7-x}$ in a weak external magnetic field **171**, 51
Schmitt, M., see C. Tomé-Rosa **171**, 231
Schmitt, P., L. Schultz and G. Saemann-Ischenko, Electrical properties of $Bi_2Sr_2CaCu_2O_x$ thin films prepared in situ by pulsed laser deposition **168**, 475
Schneider, J., see R. Wördenweber **171**, 1

Schnelle, W., E. Braun, H. Broicher, R. Dömel, S. Ruppel, W. Braunisch, J. Harnischmacher and D. Wohlleben, Fluctuation specific heat and thermal expansion of YBaCuO and DyBaCuO **168**, 465
Schoenes, J., J. Karpinski, E. Kaldis, J. Keller and P. de la Mora, Anisotropy of optical and transport properties in the *a*–*b* plane of the high temperature superconductor $YBa_2Cu_4O_8$ **166**, 145
Schubert, J., see C.L. Jia **167**, 463
Schubert, J., see U. Weimer **168**, 359
Schultz, L., see D. Kölle **167**, 79
Schultz, L., see P. Schmitt **168**, 475
Schultz, L., see W. Schindler **169**, 117
Schützmann, J., see K.F. Renk **165**, 1
Schwartz, R.N., see J.T. Masiakowski **166**, 140
Schwegler, J., see Y. Gao **165**, 340
Scorzelli, R.B., see E. Baggio Saitovitch **166**, 518
Seaman, C.L., see N.Y. Ayoub **165**, 469; **170**, 211
Seaman, C.L., see H. Iwasaki **169**, 146
Seehra, M.S., see J. Zhao **165**, 135
Segransan, P., see M. Horvatić **166**, 151
Segransan, P., see P. Butaud **166**, 301
Seidl, E., see B. Vlcek **167**, 198
Seiwert, F.-J., see C. Rüscher **166**, 158
Seki, K., see T. Takahashi **170**, 416
Semenov, S.I., see V.A. Andrianov **166**, 248
Seminozhenko, V.P., see D.O. Livdan **167**, 538
Semmelhack, H.-C., see J. Horn **170**, 343
Sen, D., see D. Bhattacharya **170**, 245
Sengupta, L.C., B. Roughani, J. Aubel, S. Sundaram and W.C.H. Joiner, Effect of substitutional doping on phonon spectra of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **165**, 125
Sengupta, L.C., see B. Roughani **171**, 77
Sengupta, S., P. McGinn, N. Zhu and W. Chen, Magnetic relaxation and flux pinning in zone melt textured $YBa_2Cu_3O_{6+x}$ **171**, 174
Senoh, K., see T. Tamura **169**, 299
Senoussi, S., S. Hadjoudj, R. Maury and A. Fert, Demagnetizing fields and other shape effects in high-T_c ceramics **165**, 199
Senoussi, S., S. Hadjoudj, R. Maury and A. Fert, Demagnetizing fields and other shape effects in high-T_c ceramics **165**, 364
Sequeira, A., J.V. Yakhmi, R.M. Iyer, H. Rajagopal and P.V.P.S.S. Sastry, Novel structural features of Pb-stabilised Bi-2223 high-T_c phase from neutron-diffraction study **167**, 291
Sergeenkov, S.A., Nonlinear CVC and critical current of the superconductive glass model **167**, 339
Sergeenkov, S.A., On fluctuation-induced diamagnetism of a superconductive glass **171**, 438
Sergent, M., see C. Rossel **165**, 233
Sergent, M., see M. Guilloux-Viry **166**, 105
Serikov, V.V., see Yu.I. Zhdanov **165**, 475
Sermet, T., see M. Zeh **167**, 6
Setsune, K., see S. Kohiki **166**, 437
Setsune, K., see S. Adachi **168**, 1; **169**, 377; **171**, 543
Setsune, K., see T. Matsushima **169**, 285
Setsune, K., see Y. Ichikawa **171**, 121
Shafer, M.W., see R.C. Taylor **169**, 35
Shah, D.O., see P. Ayyub **168**, 571
Shapiro, A.Ya., see I.S. Lyubutin **169**, 361
Shaw, G., S.M. Bhagat, N.D. Spencer, J.E. Crow and S. Tyagi, High temperature superconducting powders. Absence of long time relaxation of magnetization, equation of state for thermoremanent magnetic moment **169**, 257
Shei, C.Y., see Y.T. Huang **169**, 76
Shei, C.Y., see C. Chiang **170**, 383
Shen, J., see X. Su **165**, 8
Sherman, A.V., Energy spectrum of a hole in a two-dimensional antiferromagnet **171**, 395
Shi, D., see M. Xu **168**, 303
Shi, H., see J.D. Jorgensen **167**, 571
Shi, J.Z., see H.H. Wen **167**, 75
Shi, T.S., see T. Krekels **167**, 677
Shi, W.Z., see H.H. Wen **167**, 75
Shibata, H., K. Kinoshita and T. Yamada, Superconductivity and crystallographic properties of $La_{2-x}M_xCuO_{4-\delta}$ (M=Na, K) **170**, 411
Shibata, H., see K. Kinoshita **171**, 523
Shibutani, K., S. Hayashi, Y. Fukumoto, R. Ogawa and Y. Kawate, Bulk synthesis of $Ln_{1-x}Ca_xBa_2Cu_4O_8$ (Ln=Y, Ho) by the oxygen-HIP technique **167**, 102
Shilo, S.A., see E.G. Bortchagovski **165**, 308
Shimada, M., see J. Tanaka **169**, 275
Shimizu, K., see H. Nobumasa **167**, 515
Shimoda, M., Y. Yamada and T. Matsumoto, Photoelectron spectroscopic study of $YBa_2Cu_4O_8$: comparison with $YBa_2Cu_3O_{7-y}$ **171**, 444
Shimomura, S., see Y. Ikeda **165**, 189
Shinbo, T., see Y. Idemoto **166**, 513
Shindo, D., K. Hiraga, S. Nakajima, M. Kikuchi, Y. Syono, K. Hojou, T. Soga, S. Furuno and H. Otsu, Oxygen K-edge fine structure of $Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$ studied by electron energy loss spectroscopy **165**, 321
Shindo, D., see S. Nakajima **170**, 443
Shiraki, K., see B. Zhao **167**, 42
Shirodkar, V.S., see R. Pinto **171**, 131
Shivaram, B.S., see G.L. Bullock **169**, 497
Shmytko, I.M., see Yu.A. Ossipyan **165**, 107
Shoda, K., see S. Horiuchi **168**, 205
Shohata, N., see S. Miura **165**, 241
Shpinel, V.S., see V.A. Andrianov **166**, 248
Shushin, A.I., see L.G. Mamsurova **167**, 11
Shvachko, Yu.N., see A.A. Romanyukha **171**, 276
Shyu, S.-G., see Y. Xu **169**, 205
Šíchová, H., see P. Boháček **171**, 108
Siddiqi, S.A., see C. Infante **167**, 640
Sidorenko, A.D., V.P. Smilga and V.I. Fesenko, μSR and determination of vortex lattice characteristics of anisotropic high-T_c superconductors **166**, 167
Sidorov, N.S., see Yu.A. Ossipyan **165**, 107; **171**, 311
Sidorov, N.S., see N.A. Tulina **171**, 103
Sikorski, A., see G.M. Turner **170**, 473

Simkin, M.V., Plasma waves in a Josephson chain **168**, 279
Simon, A., see F. Hentsch **165**, 485
Simon, A., see N. Winzek **168**, 327
Simonov, A.Yu., see A.I. Buzdin **167**, 388; **168**, 421
Simonov, V.I., L.A. Muradyan, R.A. Tamazyan, V.V. Osiko, V.M. Tatarintsev and K. Gamayumov, Distribution of Sr atoms in single crystals of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ and the superconducting transition temperature **169**, 123
Sinha, A.P.B., see D.E. Morris **169**, 7, 386
Sinha, A.P.B., see M.R. Chandrachood **171**, 187
Sinha, A.P.B., see P.K. Narwankar **171**, 305
Skácel, V., Bi–Sr–Ca–Cu–O thick films prepared by diffusion growth **169**, 413
Skanthakumar, S. and J.W. Lynn, On the crystal and spin structures of Nd_2CuO_4 **170**, 175
Skjeltorp, A.T., see Z.J. Yang **165**, 397
Sleight, A.W., see J. Huang **169**, 169
Śliwa, C., see M. Braun **171**, 537
Smilga, V.P., see A.D. Sidorenko **166**, 167
Smirnov, A.I., V.A. Miroshnichenko and M.B. Kosmyna, Microwave properties of the dielectric La_2CuO_4 **165**, 77
Smirnova, I.S., see S.V. Meshkov **166**, 477
Smirnovskaya, E.M., see I.E. Lipinski **168**, 291
Smirnovskaya, E.M., see I.S. Lyubutin **169**, 361
Smit, A., see H.W. Zandbergen **168**, 426
Smith, G.B., K.-H. Müller, C. Andrikidis, S.W. Filipczuk, J.M. Bell and B.W. Ricketts, Phase slippage in a magnetic field at intra- and intergranular Josephson junctions in high-T_c superconductors **170**, 222
Smith, G.B., see S.W. Filipczuk **170**, 457
Smith, G.B., see G.M. Turner **170**, 473
Smith, J.L., see G.H. Kwei **169**, 217
Smithey, R., see J. Remmel **165**, 212
Smrčková, O., see P. Svoboda **167**, 188
Sobolev, V.L., see D.O. Livdan **167**, 538
Soderholm, L., see G.L. Goodman **171**, 528
Soga, T., see D. Shindo **165**, 321
Soltner, H., see C.L. Jia **167**, 463; **169**, 279
Song, K.H., see S.X. Dou **167**, 525; **171**, 293
Song, L.W. and Y.H. Kao, Critical current density of Ag-doped Y–Ba–Cu–O superconductors in low magnetic fields **169**, 107
Song, Q., B.P. Clayman and S. Gygax, Composition dependence of the far-infrared response of the superconducting alloys $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **165**, 328
Sood, A.K., see D. Vasumathi **167**, 149
Sorrell, C.C., see S.X. Dou **167**, 525
Soulen Jr., R.J. and S.A. Wolf, Magnetic phase diagrams for high transition temperature superconductors **166**, 95
Souza Azevedo, I., see E. Baggio Saitovitch **166**, 518
Spałek, J., see K.S. Nanjundaswamy **166**, 361
Sparpaglione, M., see C. Nobili **168**, 549
Spencer, N.D., see Y. Gao **165**, 340
Spencer, N.D., see G. Shaw **169**, 257
Srikanth, V., see E.C. Subbarao **171**, 449
Srinivasan, R., see V. Radhakrishnan **167**, 53
Stacy, A., see H.W. Zandbergen **166**, 255
Stager, C.V., see J.S. Xue **166**, 29
Staines, M.P., see J.L. Tallon **171**, 61
Staub, U., see A. Furrer **168**, 609
Steeman, R.A., see H. Verweij **166**, 372
Steiner, W., see G. Hilscher **167**, 472
Steiner, W., see M. Reissner **167**, 495
Stepanov, Yu.P., see V. Fleisher **170**, 166
Stephens, K.M., D.A. Robinson, A. Alvanipour, W.S. Hinton and A. Morrobel-Sosa, A triphenyl bismuth-based solution route to Bi:Sr:Ca:Cu:O superconductors **168**, 351
Stoddart, P.R., see G.R. Hearne **167**, 415
Stollman, G.M., see P. Berghuis **167**, 348
Stollman, G.M., see J.H.P.M. Emmen **169**, 418
Strehlau, B., see J. Remmel **165**, 212
Streiffer, S.K., see C.B. Eom **171**, 354
Stritzker, B., see U. Weimer **168**, 359
Ströbel, J.P., see M. Klauda **165**, 251
Stroh, R., see M. Reissner **167**, 495
Stroink, G., see G. Bednarz **165**, 385
Stroumbos, H., A. Laroui, P. Monod, B. Decamps, J.P. Dubois and P. Odier, London penetration depth determination from ultrafine particles of $YBa_2Cu_3O_7$ **167**, 375
Su, X., J. Shen, L. Zhang and C. Chen, A possible model for the nuclear spin–lattice relaxation in superconducting $YBa_2Cu_3O_{7-\delta}$ **165**, 8
Subbarao, E.C. and V. Srikanth, Acoustic emission and phase transitions in $YBa_2Cu_3O_{7-x}$ **171**, 449
Subba Rao, G.V., see V. Radhakrishnan **167**, 53
Subramaniam, C.K., see V. Radhakrishnan **167**, 53
Subramanian, C.K., see A.K. Grover **170**, 431
Subramanian, M.A., G.H. Kwei, J.B. Parise, J.A. Goldstone and R.B. Von Dreele, $TlBa_{1.2}La_{0.8}CuO_5$: a superconductor produced by reduction, rather than oxidation, of the CuO_2 planes **166**, 19
Subramanian, M.A., see G.H. Kwei **168**, 521
Suenaga, M., see Y. Zhu **167**, 363
Suenaga, M., see S.H. Whang **168**, 185
Suenaga, M., see Y. Xu **169**, 205
Suga, S., see A.E. Bocquet **169**, 1
Sugishita, T., see T. Goto **171**, 441
Sugiyama, K., see T. Ishii **165**, 139
Sun, J.Z., see C.B. Eom **171**, 354
Sun, Y.Y., see Y.K. Tao **165**, 13
Sun, Y.Y., see Y.Y. Xue **165**, 357
Sunagawa, H., see Y. Koike **170**, 130; **171**, 331
Sundar, C.S., see D. Vasumathi **167**, 149
Sundaram, S., see L.C. Sengupta **165**, 125
Sundaram, S., see B. Roughani **171**, 77
Sundqvist, B., see B.M. Andersson **170**, 521
Sushkov, O.P., see V.V. Flambaum **168**, 565
Suzuki, K., K. Kishio, T. Hasegawa and K. Kitazawa, Oxygen nonstoichiometry of the $(Nd, Ce)_2CuO_{4-\delta}$ system **166**, 357
Suzuki, N., see K. Yamaguchi **169**, 289
Suzuki, R., see M. Kikuchi **166**, 497
Svoboda, P., P. Vašek, O. Smrčková and D. Sýkorová, Weak

links in Pb-doped BiSrCaCuO ceramic superconductors **167**, 188
Sýkorová, D., see P. Svoboda **167**, 188
Syono, Y., see D. Shindo **165**, 321
Syono, Y., see M. Kikuchi **166**, 497
Syono, Y., see T. Kajitani **167**, 212; **169**, 227
Syono, Y., see S. Nakajima **168**, 57; **170**, 443
Syono, Y., see A. Tokiwa **168**, 285; **170**, 437
Szade, J., see E. Talik **165**, 434
Szytuła, A., see K. Łatka **171**, 287

Taber, R.C., see C.B. Eom **171**, 354
Tachiki, M., see T. Koyama **168**, 69
Tachiki, M., see S. Takahashi **170**, 505
Taffin, A., T. Brousse, B. Mercey, M. Hervieu, C. Gunther and Y. Monfort, Superconducting printed $YBa_2Cu_3O_{7-\delta}$ thick films prepared with an argon/oxygen annealing treatment **170**, 59
Tafto, J., see Y. Zhu **167**, 363
Tajima, S., S. Uchida, S. Ishibashi, T. Ido, H. Takagi, T. Arima and Y. Tokura, Optical phonons in copper oxides with a single CuO_2 plane **168**, 117
Takács, S., Localized more-particle excitations in two- and one-dimensional fermion systems of high-T_c superconductors **165**, 91
Takada, J., H. Kitaguchi, T. Egi, K. Oda, Y. Miura, H. Mazaki, Y. Ikeda, Z. Hiroi, M. Takano and Y. Tomii, Superconductor with $T_c = 117$ K in the Bi–Pb–Sr–Ca–Cu–O system **170**, 249
Takada, K., Y. Watanabe, K. Yamada, Y. Hidaka, T. Murakami and Y. Endoh, On the crystal distortion in tetragonal Nd_2CuO_4 **166**, 203
Takagi, H., see T. Arima **168**, 79
Takagi, H., see S. Tajima **168**, 117
Takagi, H., see A.E. Bocquet **169**, 1
Takagi, H., see H. Sato **169**, 391
Takagi, Y., see Q.-Z. Zhang **169**, 451
Takahashi, H., see T. Miyatake **167**, 297
Takahashi, M., see T. Kajitani **169**, 227
Takahashi, S. and M. Tachiki, Optical conductivity in superconducting layered cuprate oxides **170**, 505
Takahashi, T., H. Matsuyama, H. Katayama-Yoshida, K. Seki, K. Kamiya and H. Inokuchi, Angle-resolved photoemission study of nonsuperconductive $Bi_2Sr_2Ca_{0.4}Y_{0.6}Cu_2O_8$ **170**, 416
Takahasi, M., see S. Kambe **165**, 25
Takamura, S., M. Kobiyama and T. Hoshiya, Hysteresis damping of a moving flux line by alternating current measurement in a high-temperature superconductor **170**, 254
Takano, M., see Y. Ikeda **165**, 189
Takano, M., see H. Okada **166**, 111
Takano, M., see T. Mochiku **167**, 560
Takano, M., see J. Takada **170**, 249
Takata, M., see Y. Iwai **170**, 319
Takata, T., see K. Yamaguchi **169**, 289; **170**, 486
Takayama-Muromachi, E., Y. Uchida and K. Kato, Electron-doped system $(La, Nd, Ce)_2CuO_4$ and preparation of T′-type $(La, Ln)CuO_4$ (Ln = Ce, Y) **165**, 147
Takebayashi, S., see I. Terasaki **165**, 152
Takeda, Y., see H. Okada **166**, 111
Takeda, Y., see T. Mochiku **167**, 560
Takezawa, N., see T. Koyama **168**, 69
Takita, K., see T. Mochiku **167**, 560
Talik, E., J. Szade and J. Heimann, T_c enhancement in Y–Ba–Cu–O by titanium addition **165**, 434
Tallon, J.L., see R.G. Buckley **165**, 391
Tallon, J.L. and J. Lusk, High-pressure studies on the 90 K superconductors $Y_2Ba_4Cu_7O_{15}$ and $(Y/Ca)Ba_2Cu_4O_8$ **167**, 236
Tallon, J.L., see R. Janes **167**, 520
Tallon, J.L., The relationship between bond-valence sums and T_c in cuprate superconductors **168**, 85
Tallon, J.L., D.M. Pooke, M.P. Staines, M.E. Bowden, N.E. Flower, R.G. Buckley, M.R. Presland and R.L. Davis, Giant enhancement of oxygen mobility in high-T_c superconductors by atomic substitution **171**, 61
Tamazyan, R.A., see V.I. Simonov **169**, 123
Tamegai, T., see Y. Iye **166**, 62; **167**, 278
Tamegai, T., see N. Nishida **168**, 23
Tamegai, T., C. Okada and Y. Iye, Carrier density dependence of the transport properties of $La_{2-x}Sr_{1+x}Cu_2O_{6+y}$ **170**, 15
Tamura, T., F. Nakamura, K. Senoh, Y. Ochiai, T. Terashima, K. Iijima, K. Yamamoto, K. Hirata, Y. Bando and Y. Narahara, Anisotropic magnetoresistance of $GdBa_2Cu_3O_y$ film **169**, 299
Tan, Z., see M.E. Filipkowski **167**, 35
Tanaka, J., see N. Ohashi **166**, 465
Tanaka, J., M. Shimada, K. Kamiya and Y. Tanaka, Transition temperatures of cuprate superconductors **169**, 275
Tanaka, K., Y. Yamaguchi and T. Yamabe, Examination of pairing via effective van der Waals interaction in high-temperature superconductivity **166**, 53
Tanaka, S., see T. Kawano **165**, 67, 143
Tanaka, S., see S. Gotoh **166**, 215
Tanaka, S., see S. Koriyama **166**, 413
Tanaka, S., see T. Miyatake **167**, 297
Tanaka, S., see T. Maeda **169**, 133
Tanaka, S., Fermi-liquid approach to the anomalous optical properties in the normal state of oxide superconductors **169**, 271
Tanaka, S., see K. Yamaguchi **169**, 289; **170**, 486
Tanaka, S., see R. Kita **170**, 500
Tanaka, S., see T. Wada **171**, 344
Tanaka, S., see A. Ichinose **171**, 561
Tanaka, Y., see J. Tanaka **169**, 275
Tang, I.M., K. Eaiprasertsak, R. Chitaree and P. Winotai, Liquid nitrogen quenching of lead-doped "2212" bismuth superconductors **167**, 491
Tang, X.-X., see P. Lightfoot **169**, 15, 464
Tanigawa, H., see I. Matsubara **167**, 503
Tanner, D.B., see T. Timusk **169**, 425
Tao, Y.K., M. Bonvalot, Y.Y. Sun, R.L. Meng, P.H. Hor and C.W. Chu, The effect of La substitution in superconducting

and related $(La,Ln,Ce)_2CuO_4$ (Ln = Nd and Gd) compounds **165**, 13
Tao, Y.K., see Y.Y. Xue **165**, 357
Tarascon, J.M., Y. LePage, W.R. McKinnon, R. Ramesh, M. Eibschutz, E. Tselepis, E. Wang and G.W. Hull, New non-superconducting modulation-free $BiPbSr_2MO_y$ phases (M = Co, Mn, Fe) isotypic with the 10 K $Bi_2Sr_2CuO_y$ superconductor **167**, 20
Tarascon, J.M., see K. Remschnig **170**, 284
Tartakovskii, I.I., see A.V. Bazhenov **169**, 381
Tasaki, A., see R. Yoshizaki **166**, 417
Tatarintsev, V.M., see V.I. Simonov **169**, 123
Tatarskii, V.V., see S.V. Meshkov **166**, 477
Taylor, C.A., see G.P. Meisner **169**, 303
Taylor, K.N.R., see D.N. Matthews **165**, 227; **171**, 301
Taylor, K.N.R., see G. Alvarez **165**, 258; **171**, 415
Taylor, K.N.R., see S.L. Town **165**, 298
Taylor, K.N.R., see A. Bailey **167**, 133
Taylor, R.C., M.M. Plechaty, D.B. Beach, J.F. Bringley and M.W. Shafer, A comparison of the oxygen evolution upon acid dissolution of $Ba_{0.6}K_{0.4}BiO_3$, with the copper-based oxides $LaCuO_3$ and $La_{1.85}Sr_{0.15}CuO_4$ **169**, 35
Teillet, J., G.C. Papaefthymiou, A. Hauet, N. Nguyen and R. Retoux, Mössbauer study of $Bi_2Sr_4Fe_3O_{12+\delta}$ isostructural with 2223 superconductor **170**, 65
Teitel'baum, G.B., see A.M. Finkel'stein **168**, 370
Terasaki, I., T. Nakahashi, S. Takebayashi, A. Maeda and K. Uchinokura, The optical study of the doping effect in single-crystal $Bi_2Sr_2(Ca, A)Cu_2O_{8+x}$ (A = Y or Nd) **165**, 152
Terashi, Y., see Y. Horie **166**, 87
Terashima, T., see Y. Iye **166**, 62; **167**, 278
Terashima, T., see T. Tamura **169**, 299
Terentiev, A.N., Disappearance of friction in a levitated $YBa_2Cu_3O_{7-x}$ superconductor in a variable magnetic field **166**, 71
Terentiev, A.N. and A.A. Kuznetsov, Rotation of a levitated $YBa_2Cu_3O_{7-x}$ superconductor due to a low frequency magnetic field **169**, 112
Terpstra, H.J., see R.A.M. van Woerden **170**, 112
Terziev, V.G., see I.S. Lyubutin **169**, 361
Tewari, S.P. and P.K. Gumber, Effect of crystal anisotropy on superconductivity in zinc **165**, 325
Tewari, S.P. and P.K. Gumber, Effect of thermal phonons and two-dimensional acoustic plasmons on superconductivity in $YBa_2Cu_3O_7$ **167**, 307
Tewari, S.P. and P.K. Gumber, Effect of anisotropic phonons and planar acoustic plasmons on superconductivity in lanthanum cuprates **168**, 647
Tewari, S.P. and P.K. Gumber, Effect of plasmons on the critical temperature of lanthanum and yttrium based high temperature superconductors **171**, 147
Tewari, S.P. and P.K. Gumber, Effect of anisotropic phonons on superconductivity **171**, 518
Theuss, H. and H. Kronmüller, The SN phase transition of electron irradiated $YBa_2Cu_3O_{7-\delta}$ polycrystals **168**, 539
Tholence, J.L., see M. Saint-Paul **166**, 405
Thompson, J.D., J.R. Cost, G.H. Kwei and K.C. Ott, Changes in $Ba_{0.6}K_{0.4}BiO_3$ produced by fast neutron irradiation **169**, 265
Thompson, J.E., see H.H. Wang **166**, 57
Tian, S.Y. and Z.X. Zhao, Optical absorption of polarons in high-T_c superconductors **170**, 279
Tiefel, T.H., see S. Jin **165**, 415
Tiefel, T.H., S. Jin, G.W. Kammlott, J.T. Plewes and R.A. Fastnacht, Recovery of high-T_c superconductivity in Y–Ba–Cu–O doped with reacting metals **166**, 408
Tiefel, T.H., see S.H. Whang **168**, 185
Tiernan, W.M., see J.C.W. Chien **165**, 279
Tiernan, W.M., J.M. Madsen, R.B. Hallock, J.C.W. Chien, B.M. Gong, S.H. Dong and Y.S. Yang, Transport properties of Ag–$YBa_2Cu_3O_{7-x}$ fibers prepared by a polymer–metal–complex precursor process **168**, 189
Timofeev, V.B., see A.V. Bazhenov **169**, 381
Timusk, T. and D.B. Tanner, Evidence for strong bound-electron–phonon interaction at 52 meV in $YBa_2Cu_3O_7$ **169**, 425
Togonidze, T.G., see V.N. Kopylov **170**, 291
Tohyama, T., see Y. Ohta **166**, 385
Tokar, O.I., see D.O. Livdan **167**, 538
Tokiwa, A., M. Nagoshi, T. Oku, N. Kobayashi, M. Kikuchi, K. Hiraga and Y. Syono, Synthesis and superconductivity of $PbBaSrY_{1-x}Ca_xCu_3O_7$ **168**, 285
Tokiwa, A., M. Nagoshi and Y. Syono, Proper composition for superconductivity in $Pb(Ba,Sr)_2(Y,Ca)Cu_3O_7$ **170**, 437
Tokura, Y., see T. Arima **168**, 79
Tokura, Y., see S. Tajima **168**, 117
Tomé-Rosa, C., G. Jakob, M. Maul, A. Walkenhorst, M. Schmitt, P. Wagner, P. Prysłupski and H. Adrian, Growth of high quality $YBa_2Cu_3O_7$ films on various substrate materials and influence of Zn-doping on superconductivity **171**, 231
Tomii, Y., see J. Takada **170**, 249
Tomiyoshi, S., see T. Kajitani **169**, 227
Tomkowicz, Z., see K. Łatka **171**, 287
Tomlins, G.W., see U. Balanchandran **165**, 335
Tomsia, A.P., see R.E. Loehman **170**, 1
Tornau, E.E., see V.E. Zubkus **166**, 473
Torrance, J.B., see T. Arima **168**, 79
Tosaka, T., see Y. Kuwasawa **165**, 173; **169**, 39
Tournier, R., see C. Martin **168**, 8
Touzelin, B., see C. Gledel **165**, 437
Town, S.L., B.A. Hunter, S. Bosi, R.L. Davis and K.N.R. Taylor, Characterisation of large single crystals of $YBa_2Cu_3O_{7-\delta}$ using neutron scattering **165**, 298
Town, S.L., see A. Bailey **167**, 133
Träger, T., see A.C. Bódi **165**, 83
Trail, S.S., see I.-S. Yang **171**, 31
Tressaud, A., see B. Chevalier **167**, 97
Triscone, G., T. Graf, A. Junod, D. Sanchez, O. Brunner, D. Cattani and J. Muller, Superconducting and magnetic properties of $Y_1Ba_2Cu_4O_{8\pm\delta}$ **168**, 40
Triscone, G., see A. Junod **168**, 47
Triscone, J.-M., see L. Antognazza **167**, 221

Tříska, A., see E. Pollert **167**, 657
Trunda, B., see P. Boháček **171**, 108
Tselepis, E., see J.M. Tarascon **167**, 20
Tsutsumi, M., see S. Horiuchi **168**, 205
Tulina, N.A., S.V. Zaitsev, M.P. Kulakov, R.K. Nikolaev, N.S. Sidorov, A.S. Nigmatulin and G.S. Karabashev, Investigation of point-contacts of fresh cleavages from $Bi_2Sr_2CaCu_2O_8$ single crystals **171**, 103
Turner, G.M., A. Sikorski, D.R. McKenzie, G.B. Smith, K. Ng and D.J.H. Cockayne, Spatial variations in the stoichiometry of sputtered YBaCuO thin films: theory and experiment **170**, 473
Twerenbold, D., The microwave enhanced bolometer. A cryogenic particle detector with large gain **168**, 381
Tyagi, S., see G. Shaw **169**, 257
Tyagi, S.D., see A. Nath **171**, 406

Uchida, S., see T. Arima **168**, 79
Uchida, S., see S. Tajima **168**, 117
Uchida, S., see A.E. Bocquet **169**, 1
Uchida, S., see H. Sato **169**, 391
Uchida, Y., see E. Takayama-Muromachi **165**, 147
Uchinokura, K., see I. Terasaki **165**, 152
Ueda, Y., see S. Katsuyama **165**, 404
Uimin, G.V., see C.E. Carneiro **166**, 206
Uji, S., see T. Hirata **168**, 580
Ullmann, B., R. Wördenweber, K. Heinemann and H.C. Freyhardt, Aspects of substitution of magnetic ions Fe, Ni and Gd in YBCO-HTSC **170**, 71
Urban, K., see C.L. Jia **167**, 463; **169**, 279
Ustinov, A.V., see M. Zeh **167**, 6
Ustinov, V.V., see A.A. Romanyukha **171**, 276

V. Minnigerode, G., see M. Moska **170**, 491
Vaccarone, R., F. Parodi, R. Garre and S. Ceresara, Temperature and magnetic field dependence of the critical current density of YBCO with fine grains **168**, 63
Vad, K., see S. Meszáros **167**, 139
Valvoda, V., see P. Boháček **171**, 108
Van Bentum, J., see P. Berghuis **167**, 348
Van Bentum, P.J.M., see H.F.C. Hoevers **166**, 543
Van Bruggen, C.F., see R.A.M. van Woerden **170**, 112
Vance, E.R., see N. Savvides **171**, 181
Van der Drift, E., see A. Pruijmboom **165**, 179
Van der Marel, D., Anomalous behaviour of the chemical potential in superconductors with a low density of charge carriers **165**, 35
Vander Sande, J.B., see W. Gao **167**, 395; **171**, 69
Van der Zant, H.S.J., see J. Kortlandt **171**, 513
Van Eenige, E.N., R. Griessen, R.J. Wijngaarden, J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, Superconductivity at 108 K in $YBa_2Cu_4O_8$ at pressures up to 12 GPa **168**, 482
Van Kempen, H., see H.F.C. Hoevers **166**, 543
Van Landuyt, J., see T. Krekels **167**, 677
Van Landuyt, J., see M. Mehbod **168**, 265
Vanlathem, E., see M. Mehbod **168**, 265
Vanovskii, V.K., see V.V. Moshchalkov **166**, 185
Van Ruitenbeek, J.M., see H.W. Zandbergen **166**, 502
Van Ruitenbeek, J.M., see Q. Xu **167**, 271
Van Tendeloo, G., D. Broddin, H.W. Zandbergen and S. Amelinckx, Detwinning mechanism, twinning dislocations and planar defects in $YBa_2Cu_3O_{7-\delta}$ **167**, 627
Van Tendeloo, G., see T. Krekels **167**, 677; **169**, 457
Van Tendeloo, G., see M. Mehbod **168**, 265
Van Tendeloo, G., see H.W. Zandbergen **168**, 426
Van Woerden, R.A.M. and D.M. de Leeuw, Transport properties and hole distribution of $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+\delta}$ **165**, 221
Van Woerden, R.A.M., H.J. Terpstra, C.F. van Bruggen, M. Kraan and D.M. de Leeuw, Normal-state transport properties of the high-T_c superconductor $ErBa_2Cu_4O_8$ **170**, 112
Varea, C., see A. Robledo **166**, 334
Varela, A., see P. Bordet **171**, 468
Vašek, P., see P. Svoboda **167**, 188
Vashon, M.D., see H.H. Wang **166**, 57
Vasumathi, D., C.S. Sundar, A. Bharathi, A.K. Sood and Y. Hariharan, A positron annihilation study of the decomposition of $Y_1Ba_2Cu_3O_{7-x}$ **167**, 149
Veal, B.W., see U. Balanchandran **165**, 335
Veal, B.W., see J.D. Jorgensen **167**, 571; **171**, 93
Veal, B.W., see H. Claus **171**, 205
Veinger, A.I., see A.S. Kheifets **165**, 491
Venkatesan, T., see R. Ramesh **171**, 14
Venturini, E.L., see B. Morosin **165**, 115
Vera, A., see E. Buluggiu **171**, 271
Verkhovskii, S.V., see Yu.I. Zhdanov **165**, 475
Vernon-Parry, K.D., L.T. Romano, J.S. Lees and C.R.M. Grovenor, The degradation process in $Tl_2Ba_2Ca_1Cu_2O_{10+x}$ **170**, 388
Vershinin, N.F., see M.V. Indenbom **166**, 486
Verweij, H., W.H.M. Bruggink, R.A. Steeman, E. Frikkee and R.B. Helmholdt, Oxidation enthalpy of $YBa_2Cu_3O_{6+y}$ in relation with phase behaviour and stoichiometry **166**, 372
Verwerft, M., see M. Mehbod **168**, 265
Vijayaraghavan, R., see R. Pinto **171**, 131
Vinokur, V.M., P.H. Kes and A.E. Koshelev, Flux pinning and creep in very anisotropic high temperature superconductors **168**, 29
Vlasko-Vlasov, V.K., see M.V. Indenbom **166**, 486
Vlcek, B., E. Seidl, H.W. Weber, E. Schachinger and W. Pint, Superconducting alloys with paramagnetic impurities II: magnetization and upper critical fields of $LaAl_2$ with dilute Gd impurities **167**, 198
Vogt, T., see G. Miehe **171**, 339
Voigt, H., see R. Fischer **168**, 113
Voloshin, V.A., On the state of the Pr-ion (and other rare-earth ions) in a high-T_c superconductor under high pressure **168**, 506
Von Dreele, R.B., see M.A. Subramanian **166**, 19
Voronkova, V.I., see V. Moshchalkov **165**, 62
Voronkova, V.I., see V.V. Moshchalkov **166**, 185
Vratislav, S., see A.I. Beskrovnyi **166**, 79; **171**, 19

Wachter, P., see B. Bucher **167**, 324
Wada, T., see K. Yamaguchi **169**, 289
Wada, T., A. Ichinose, H. Yamauchi and S. Tanaka, New families of layered cuprates containing double-MO_2-unit fluorite blocks: $(Ho, Ce)_3Sr_2Cu_3O_{11}$ and $(Ho, Ce)_3Sr_2Cu_2(Cu, M)O_{11}$ (M=Pb, Fe, Al) **171**, 344
Wada, T., see A. Ichinose **171**, 561
Wagner, P., see C. Tomé-Rosa **171**, 231
Wahid, S.F. and N.K. Jaggi, Harmonic generation in $TlBa_2Ca_3Cu_4O_y$ superconductor **170**, 395
Walkenhorst, A., see C. Tomé-Rosa **171**, 231
Walker, E., see W. Sadowski **170**, 103
Wang, C., see Z. Gao **167**, 49
Wang, E., see J.M. Tarascon **167**, 20
Wang, G., see Z. Gao **167**, 49
Wang, H., see Q. Xu **168**, 489
Wang, H.H., K.D. Carlson, U. Geiser, W.K. Kwok, M.D. Vashon, J.E. Thompson, N.F. Larsen, G.D. McCabe, R.S. Hulscher and J.M. Williams, A new ambient-pressure organic superconductor: $(BEDT\text{-}TTF)_2(NH_4)Hg(SCN)_4$ **166**, 57
Wang, H.H., see J.E. Schirber **170**, 231
Wang, J., see V. Caignaert **170**, 139
Wang, J., see S.X. Dou **171**, 293
Wang, J.H., M. Qi, X. Liu and A. Petrou, Evidence for a least vibration model of superconductivity **166**, 399
Wang, S., see Z. He **165**, 166
Wang, W.N., see R.S. Liu **165**, 111
Wang, W.N., see Y.T. Huang **169**, 76
Wang Haiqian, see Mao Zhiqiang **170**, 35
Wang Yu, see Mao Zhiqiang **170**, 35
Wanklyn, B.M., see V.G. Hadjiev **166**, 225
Wasa, K., see S. Kohiki **166**, 437
Wasa, K., see S. Adachi **168**, 1; **169**, 377; **171**, 543
Wasa, K., see T. Matsushima **169**, 285
Wasa, K., see Y. Ichikawa **171**, 121
Watanabe, A., see Y. Iye **167**, 278
Watanabe, H., see T. Saito **171**, 167
Watanabe, Y., see K. Takada **166**, 203
Weber, H.W., see B. Vlcek **167**, 198
Weger, M., see R. Englman **169**, 314
Wei, T., see J.C. Irwin **166**, 456
Wei, Y., see A. Nath **171**, 406
Wei, Y.N., see S.H. Han **169**, 250
Weimer, U., R. Feile, P. Leiderer, U. Poppe, J. Schubert, J. Fröhlingsdorf, B. Stritzker and W. Zander, Investigation of the epitaxy of thin $YBa_2Cu_3O_{7-\delta}$ films **168**, 359
Weir, S., see M.J. Kramer **166**, 115
Welch, D.O., see S.H. Whang **168**, 185
Wen, H.H., J. Fang, J.H. Lu, X.W. Cao, J.Z. Shi, W.Z. Shi, W.G. Yao and Z.Z. Qi, Characteristics of critical current density and weak links in an $YBa_2Cu_3O_{7-\delta}$ superconducting thin film **167**, 75
Wen, Z. and I. Iguchi, Fabrication and physical properties of DC SQUIDs using Bi(Pb)SrCaCuO thin films **168**, 138
Wener, H.-G., see M. Zeh **167**, 6
West, A.R., see C. Namgung **168**, 346
Westerholt, K., see R. Kubiak **166**, 523
Weyl, C., see S. Senoussi **165**, 199
Whang, S.H., Z.X. Li, D.X. Pang, M. Suenaga, D.O. Welch, S. Jin and T.H. Tiefel, Flux pinning effect in Y-123 superconductor containing Si **168**, 185
Wheatley, J., Classical holons **165**, 444
White, M.A., see G. Bednarz **165**, 385
Widmer, Ch., see K. Kwasnitza **171**, 211
Wijngaarden, R.J., see E.N. van Eenige **168**, 482
Wilding, N.B., see R.J. Nelmes **166**, 329
Wilhelm, M., see G. Miehe **171**, 339
Wille, L.T., see E. Liarokapis **170**, 419
Willekers, R.W., H.C. Meijer, H. Postma and M.J.V. Menken, Specific heat of superconducting $YbBa_2Cu_3O_{(7-\delta)}$ between 0.1 and 1 K and in fields up to 0.6 T **168**, 99
Williams, J.M., see H.H. Wang **166**, 57
Williams, J.M., see J.E. Schirber **170**, 231
Winotai, P., see I.M. Tang **167**, 491
Winzek, N., see F. Hentsch **165**, 485
Winzek, N., F. Hentsch, M. Mehring, Hj. Mattausch, R. Kremer and A. Simon, ^{205}Tl Knight and chemical shift in the high-T_c superconductors $Tl_2Ba_2CuO_6$, $Tl_2CaBa_2Cu_2O_8$ and $Tl_2Ca_2Ba_2Cu_3O_{10}$ **168**, 327
Wiśniewski, A., M. Baran, Z. Kozioł, P. Przysłupski, J. Piechota, R. Puźniak, A. Pajączkowska, M. Pękała, B. Pytel and K. Pytel, The influence of fast neutron irradiation on the intra- and intergrain properties of the polycrystalline BiPBSrCaCuO system **170**, 333
Wohlleben, D., see W. Schnelle **168**, 465
Wold, A., see J.C. Irwin **166**, 456
Wolf, S.A., see R.J. Soulen Jr. **166**, 95
Wolf, S.A., see V.Z. Kresin **169**, 476
Wood, R.F., M. Mostoller and J.F. Cooke, A spin polaron model of high-T_c superconductivity **165**, 97
Wördenweber, R., see B. Ullmann **170**, 71
Wördenweber, R., M.O. Abd-El-Hamed and J. Schneider, Mechanism of flux motion in epitaxially grown thin films of $YBa_2Cu_3O_{7-x}$ **171**, 1
Wruss, W., see M. Reissner **167**, 495
Wu, C.C., see C.S. Ares Fang **167**, 89
Wu, M., see J. Zhao **165**, 135
Wu, N.-L. and H.T. Chu, Oxygenation and superconductivity of $Tl_2CaBa_2Cu_2O_{8-x}$ **167**, 267
Wu, P.T., see R.S. Liu **165**, 111
Wu, P.T., see J.M. Liang **165**, 347
Wu, P.T., see C. Chiang **170**, 383
Wu, S.F., see R.S. Liu **165**, 111
Wu, S.F., see J.M. Liang **165**, 347
Wu, X.-J., see S. Horiuchi **168**, 205
Wu, X.D., see R. Ramesh **171**, 14
Wühl, H., see H.A. Ludwig **167**, 335
Wurlitzer, M., see J. Horn **170**, 343
Wyder, P., see M. Mehbod **168**, 265

Xia, J., see Z. He **165**, 166
Xiong, G.C., see J. Remmel **165**, 212
Xu, M. and D. Shi, Calculations of magnetic relaxation in type-

II superconductors based on various critical-state models **168**, 303
Xu, P., see B. Zhao **167**, 42
Xu, P., see Y. Horie **170**, 513
Xu, Q., W.T. Fu, J.M. van Ruitenbeek and L.J. De Jongh, Physical properties of the monolayer compounds $Ba_2Pb_{1-x}Bi_xO_4$ **167**, 271
Xu, Q., T. Cheng, X.-G. Li, L. Yang, C. Fan, H. Wang, Z. Mao, D. Peng, Z. Chen and Y. Zhang, Preparation and phase research of the 110 K high-T_c superconductor $Bi_2Sr_2Ca_2Cu_3O_y$ doped with Sb and Pb **168**, 489
Xu, Y., R.L. Sabatini, A.R. Moodenbaugh, Y. Zhu, S.-G. Shyu, M. Suenaga, K.W. Dennis and R.W. McCallum, Substitutions for Cu in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Co, Al, Cr, Ni and Zn) **169**, 205
Xue, J.S., M. Reedyk, Y.P. Lin, C.V. Stager and J.E. Greedan, Synthesis, characterization and superconducting properties of $Pb_2Sr_2(Y/Ca)Cu_3O_{9-\delta}$ single crystals **166**, 29
Xue, Y.Y., P.H. Hor, R.L. Meng, Y.K. Tao, Y.Y. Sun, Z.J. Huang, L. Gao and C.W. Chu, Structural stability and doping in R_2CuO_4 (R=rare-earth) **165**, 357

Yablonskii, D.A., Mean-field theory of magnetic order in cupric oxide **171**, 454
Yaegashi, Y., see A. Ichinose **171**, 561
Yakhmi, J.V., see A. Sequeira **167**, 291
Yamabe, T., see K. Tanaka **166**, 53
Yamada, K., K. Kakurai and Y. Endoh, The spin structure of Nd_2CuO_4 (Comment on S. Skanthakumar et al., Physica C 160 (1989) 124) **165**, 131
Yamada, K., see K. Takada **166**, 203
Yamada, T., see T. Ishii **165**, 139
Yamada, T., see H. Shibata **170**, 411
Yamada, T., see K. Kinoshita **171**, 523
Yamada, Y., see M. Shimoda **171**, 444
Yamaguchi, K., T. Miyatake, T. Wada, N. Suzuki, T. Takata, N. Koshizuka, H. Yamauchi and S. Tanaka, Microstructures in $(Y_{0.95}Ca_{0.05})Ba_2Cu_4O_8$ prepared by low and high oxygen partial pressure techniques **169**, 289
Yamaguchi, K., T. Takata, K. Sakuyama, T. Maeda, N. Koshizuka, H. Yamauchi and S. Tanaka, HRTEM study of new superconducting lead cuprate $(Pb,Cu)(Eu,Ce)_2(Eu,Sr)_2Cu_2O_z$ **170**, 486
Yamaguchi, K., see A. Ichinose **171**, 561
Yamaguchi, T., see Y. Kuwasawa **169**, 39
Yamaguchi, Y., see K. Tanaka **166**, 53
Yamamoto, K., see Y. Iye **166**, 62; **167**, 278
Yamamoto, K., see T. Tamura **169**, 299
Yamamoto, K., see C.B. Eom **171**, 354
Yamashita, H., see I. Matsubara **167**, 503
Yamauchi, H., see T. Kawano **165**, 67, 143
Yamauchi, H., see S. Koriyama **166**, 413
Yamauchi, H., see T. Maeda **169**, 133
Yamauchi, H., see K. Yamaguchi **169**, 289; **170**, 486
Yamauchi, H., see T. Wada **171**, 344
Yamauchi, H., see A. Ichinose **171**, 561
Yan, Y.F., see S.H. Han **169**, 250
Yang, I.-S., G. Burns, F.H. Dacol, J.F. Bringley and S.S. Trail, Raman measurements of $Y_{1-x}Eu_xBa_2Cu_3O_7$: Comparison with $Y_{1-x}Pr_xBa_2Cu_3O_7$ **171**, 31
Yang, L., see Q. Xu **168**, 489
Yang, S., see H. Claus **171**, 205
Yang, Y., see O.F. Schilling **170**, 123
Yang, Y.S., see J.C.W. Chien **165**, 279
Yang, Y.S., see W.M. Tiernan **168**, 189
Yang, Z.J., T.H. Johansen, H. Bratsberg, G. Helgesen and A.T. Skjeltorp, Investigation of the interaction between a magnet and a type-II superconductor by vibration methods **165**, 397
Yanovskii, V.K., see V. Moshchalkov **165**, 62
Yao, W.G., see H.H. Wen **167**, 75
Yao, Y.D., see J.W. Chen **165**, 287
Yao, Y.D., see C.S. Ares Fang **167**, 89
Yaron, U., see I. Felner **165**, 247
Yaron, U., D. Kowal, I. Felner and M. Einav, Synthesis, structure and properties of the nonsuperconductor $YBa_2Cu_2WO_{9-\delta}$ **168**, 546
Ying, Q.Y., see J.P. Zheng **168**, 322
Yoshitake, T., see S. Miura **165**, 241
Yoshizaki, R., N. Ishikawa, H. Sawada, E. Kita and A. Tasaki, Magnetic susceptibility of normal state and superconductivity of $La_{2-x}Sr_xCuO_4$ **166**, 417
Yoshizaki, R., see N. Nishida **168**, 23
Yoshizaki, R., J. Fujikami, T. Ishigaki and H. Asano, Substitution effect of rare earth (R) for Ca in the $Bi_2Sr_2Ca_{1-x}R_xCu_2O_{8+y}$ system **171**, 315
Yu, M.K., see D.J. Baar **170**, 233
Yurchenko, I.A., see E.G. Bortchagovski **165**, 308
Yurgens, A.A., see N.V. Zavaritsky **169**, 174
Yvon, K., see O.V. Alexandrov **170**, 56
Yvon, K., see W. Sadowski **170**, 103

Zaitsev, S.V., see N.A. Tulina **171**, 103
Zalessky, A.V., see I.E. Lipinski **168**, 291
Zandbergen, H.W., R. Gronsky, M.Y. Chu, L.C. DeJonghe, G.F. Holland and A. Stacy, The structure and properties of [100] 90° rotation twin boundaries in $YBa_2Cu_3O_{7-\delta}$ **166**, 255
Zandbergen, H.W. and W.A. Groen, New superstructures in as-synthesized and in-situ heated $(Bi,Pb)_2Sr_2YCu_2O_{8+\delta}$ **166**, 282
Zandbergen, H.W., see D.M. de Leeuw **166**, 349
Zandbergen, H.W., W.T. Fu and J.M. van Ruitenbeek, The effect of the oxygen content in $Pb_2SrLaCu_2O_{6+\delta}$ and $Pb_2Ba_2YCu_3O_{8+\delta}$ on the structural and superconducting properties **166**, 502
Zandbergen, H.W., see G. Van Tendeloo **167**, 627
Zandbergen, H.W., W.A. Groen, A. Smit and G. van Tendeloo, Structure and properties of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ **168**, 426
Zander, W., see U. Weimer **168**, 359
Zarifis, V.G. and D.H. Douglass, Scaling of the specific heat $C_p(T,H)$ of a single crystal $Y_1Ba_2Cu_3O_{7-\delta}$ near T_c **170**, 46
Zavaritsky, N.V., A.V. Samoilov and A.A. Yurgens, Transport

properties of $Bi_2Sr_2CaCu_2O_x$ single crystals with $T_c = 95$ K **169**, 174
Zeh, M., H.-C. Ri, F. Kober, R.P. Huebener, J. Fischer, R. Gross, H. Müller, T. Sermet, A.V. Ustinov, H.-G. Wener and J. Mannhart, Flux-flow induced Nernst effect in superconducting YBaCuO films **167**, 6
Zemek, J., see E. Pollert **167**, 657
Zhang, D., see Z. Gao **167**, 49
Zhang, H., see Z. He **165**, 166
Zhang, J.P., see D.J. Li **168**, 617
Zhang, L., see X. Su **165**, 8
Zhang, Q., see Z. He **165**, 166
Zhang, Q.-Z., Y. Takagi, T. Atake and Y. Saito, Temperature dependence of transport critical current in superconducting ceramic $HoBa_2Cu_3O_7$ **169**, 451
Zhang, X., C.R.A. Catlow and W. Zhou, The determination of the defect states in undoped superconducting La_2CuO_4 by computer simulation techniques **168**, 417
Zhang, Y., see B. Zhao **167**, 42
Zhang, Y., see Q. Xu **168**, 489
Zhang, Y., see Y. Horie **170**, 513
Zhang Yuheng, see Mao Zhiqiang **170**, 35
Zhao, B., K. Shiraki, Y. Horie, S. Mase, Y. Zhang, Y. Zhao, L. Chen, P. Xu and L. Li, Magnetoresistance above and below T_c in *c*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ **167**, 42
Zhao, B., see Y. Horie **170**, 513
Zhao, J., M. Wu, W. Abdul-Razzaq and M.S. Seehra, Interrelationship between the transition temperatures of the (2223) and (2212) phases of Bi-based superconductors **165**, 135
Zhao, Y., see B. Zhao **167**, 42
Zhao, Y., see Y. Horie **170**, 513
Zhao, Z.X., see S.Y. Tian **170**, 279
Zharikov, O.V., see Yu.A. Ossipyan **165**, 107; **171**, 311
Zhdanov, Yu.I., B.A. Aleksashin, A.M. Bogdanovitch, S.V. Verkhovskii, K.N. Michalev, K.A. Okulova and V.V. Serikov, NQR and spin-lattice relaxation of ^{63}Cu in radiation disordered $YBa_2Cu_3O_{6.95}$ **165**, 475
Zheng, J.P., Q.Y. Ying and H.S. Kwok, Y–Ba–Cu–O thin film infrared detectors **168**, 322
Zheng, Y., see P. Lightfoot **168**, 627
Zheng, Y., see F. Morales **169**, 294
Zhou, C. and C.D. Gong, Will saturated ferromagnetism be destroyed for more than one hole? **169**, 245
Zhou, C. and C.P. Enz, Hardcore bosonization and long range ordering in spin-$\frac{1}{2}$ Heisenberg model **170**, 119
Zhou, W., see X. Zhang **168**, 417
Zhou Guien, see Mao Zhiqiang **170**, 35
Zhu, C., see Z. Gao **167**, 49
Zhu, D.-M. and W. Guan, Transport critical currents of a superconducting $HoBa_2Cu_3O_{7-\delta}$ film **169**, 201
Zhu, N., see P.J. McGinn **165**, 480
Zhu, N., see P. McGinn **167**, 343
Zhu, N., see S. Sengupta **171**, 174
Zhu, Y., A.R. Moodenbaugh, M. Suenaga and J. Tafto, An early stage of oxygen ordering in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ **167**, 363
Zhu, Y., see Y. Xu **169**, 205
Zhukov, A.A., see V. Moshchalkov **165**, 62
Zhukov, A.A., see V.V. Moshchalkov **166**, 185
Zibold, A., M. Dürrler, H.P. Geserich, A. Erb and G. Müller-Vogt, Polarized reflectance spectra of a (001) surface of $YBa_2Cu_3O_7$ before and after detwinning **171**, 151
Ziolo, J., see A. Rigamonti **166**, 310
Zubkus, V.E., S. Lapinskas and E.E. Tornau, New superstructures on the $YBa_2Cu_3O_{7-x}$ phase diagram **166**, 473
Zuo, F., A.J. Epstein, E.M. McCarron III and W.E. Farneth, Nonlinear magnetic response of semiconducting $Y_1Ba_2Cu_3O_{6+x}$ **167**, 567
Zygmunt, A., see K. Łatka **171**, 287

Physica C, Subject Index Vols. 165–171 (1990) 33–43
North-Holland

Analytic Subject Index

2D-ACAR
– of $YBa_2Cu_3O_{7-\delta}$ (theory) **169**, 137

AC-loss
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 71
Acoustic emission
– in $YBa_2Cu_3O_{7-x}$ **171**, 449
Acoustic plasmons
– in $YBa_2Cu_3O_7$ **167**, 307
AC susceptibility
– of $Ba_2Pb_{1-x}Bi_xO_4$ **167**, 271
– of $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ **167**, 317
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 174
– of $LaAl_2$-Gd **167**, 198
– of superconductors (frequency dependence) **168**, 585
– of Tl–Ba–Ca–Cu–O **166**, 221
– of $(Y/Ca)Ba_2Cu_4O_8$ **167**, 236
– of $Y_2Ba_4Cu_7O_{15}$ **167**, 236
– of $YBa_2Cu_3O_{7-\delta}$ **166**, 215; **167**, 549; **168**, 123
– of $YBa_2Cu_3O_{7-\delta}$ (ceramics) **168**, 652
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) **169**, 418
– of $YBa_2Cu_3O_{7-\delta}$ (irradiation effect) **168**, 131
– superconducting ceramics **168**, 585
AC susceptibility of superconductors **166**, 1
– of $Ba_{0.6}K_{0.4}BiO_3$ **171**, 181
– of $(Eu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ **171**, 287
– of $YBa_2Cu_3O_{7-\delta}$ (powder) **171**, 223
AES
– of $YBa_2Cu_4O_8$ **171**, 444
– on $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) **167**, 423
Anderson model **165**, 371; **170**, 448
Andreev reflection
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) **166**, 543
Angle resolved photoemission **165**, 461
Angular resolved photoemission
– of $Bi_2Sr_2Ca_{0.4}Y_{0.6}Cu_2O_{8+\delta}$ **170**, 416
Anharmonicity
– in $GdBa_2Cu_3O_{6+x}$ (single crystals) **167**, 59
– in Nb_3Sn **167**, 415
– in $YBa_2Cu_3O_{6+x}$ (single crystals) **167**, 59
– of oxygen **166**, 49
Anisotropic phonon modes **171**, 518
Anisotropic superconductor **167**, 168, 324, 388
– of $Cu_{1.8}Mo_6S_8$ **166**, 25
Anisotropic superexchange **166**, 334
Anistropy of specific heat in magnetic fields
– of $YBa_2Cu_3O_7$ **166**, 451
Antiferromagnetic order
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **166**, 62
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **168**, 23
– in CuO **171**, 454
– in La_2CuO_4 **165**, 77
– in $Nd_{2-x}Ce_xCuO_4$ **165**, 17
– in Nd_2CuO_4 **165**, 131
– in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ **167**, 301
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **166**, 62
– of CuO **166**, 456
Applications of high-T_c superconductors
– of Bi–Pb–Sr–Ca–Cu–Ag **171**, 69
– of Bi–Pb–Sr–Ca–Cu–O **171**, 293
– of Bi–Pb–Sr–Ca–Cu–O tapes **171**, 265

Band structure
– for CuO_2 plane **165**, 97
– of simple cubic Fe **166**, 317
– of $YBa_2Cu_3O_7$ **165**, 461
– tight binding **168**, 556
BCS model **168**, 450; **171**, 554
– validity in Bi compounds **165**, 340
Bibliography of high energy spectroscopy **169**, 325
Bipolaronic superconductivity
– in $Y_1Ba_2Cu_4O_8$ **167**, 324
BIS
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 1
Bose condensation **171**, 87, 243
Bose condensation of local pairs **170**, 448

Charge-density waves instability **169**, 63
Charge transfer **171**, 93, 216
– in $YBa_2Cu_3O_{6.41}$ **167**, 571
Chemical potential **165**, 35
Chemical reaction with Pt, Pd, Rh, Ru, Re
– of $YBa_2Cu_3O_{7-\delta}$ **166**, 408
Chemical shift
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **168**, 327
– of $Tl_2Ba_2CaCu_2O_8$ **168**, 327
– of $Tl_2Ba_2CuO_6$ **168**, 327
Chevrel phase **165**, 233
Chevrel phase compound
– of $Cu_{1.8}Mo_6S_8$ **166**, 25
CO_2 solubility
– in $YBa_2Cu_3O_{7-x}$ **167**, 312
Coherence length
– in $Ba_{0.6}K_{0.4}BiO_3$ **171**, 181
– in $YBa_2Cu_3O_{7-\delta}$ **167**, 42
– theory **165**, 71
Collective flux pinning **168**, 29
Complex impedance
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) **170**, 254
Composites of Ag
– with $Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ **167**, 395
Correlation between T_c and energy level of apical oxygen **166**, 385
Correlation between T_c and the structure **166**, 133
Coulomb attractive interaction **166**, 53
Coulomb interactions (theory) **167**, 228
Coulometric titration
– of $YBa_2Cu_3O_{6+x}$ **167**, 529
Critical current density
– in $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ **167**, 317
– in $Bi_2Sr_2Ca_1Cu_2O_x$ **167**, 503
– in Bi–Pb–Sr–Ca–Cu–O tapes **171**, 265
– in granular superconductors **168**, 109
– in (granular) $YBa_2Cu_3O_{7-\delta}$ **171**, 211
– in superconductor superlattices **167**, 168
– in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) **166**, 185
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 102
– in $YBa_2Cu_3O_{6+\delta}$ **165**, 480
– in $YBa_2Cu_3O_{6+x}$ **171**, 174
– in $YBa_2Cu_3O_{6+x}$-Ag **167**, 343
– in $YBa_2Cu_3O_7$ **165**, 199; **167**, 79
– in $YBa_2Cu_3O_{7-\delta}$ **167**, 139
– in $YBa_2Cu_3O_{7-\delta}$+Ag (films) **167**, 133
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **167**, 75
– in $YBa_2Cu_3O_{7-x}$ **167**, 495
– in $YBa_2Cu_4O_8$ **165**, 415
– in Y–Ba–Cu–O **171**, 301
– in YBaCuO (freeze dried) **167**, 287

- of Ag doped $YBa_2Cu_3O_{7-\delta}$ **169**, 107
- of Ag–$YBa_2Cu_3O_{7-\delta}$ fibers **168**, 189
- of $Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$ (neutron irradiated) **170**, 333
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ thin films **170**, 545
- of Bi–Pb–Sr–Ca–Cu–O **171**, 293
- of $HoBa_2Cu_3O_{7-\delta}$ **169**, 451
- of Nb/NbZr multilayer **169**, 39
- of QMG $YBa_2Cu_3O_7$ **170**, 123
- of Si doped $YBa_2Cu_3O_{7-\delta}$ **168**, 185
- of $YBa_2Cu_3O_{7-\delta}$ **169**, 303
- of $YBa_2Cu_3O_{7-\delta}$ (ceramics) **168**, 131, 652
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) **169**, 117
- of $YBa_2Cu_3O_{7-\delta}$ (fine grain ceramics) **168**, 63
- of $YBa_2Cu_3O_7$ thin films **171**, 354
- of $YBa_2Cu_3O_x$ (thin film) **169**, 39
- of $YBa_2Cu_4O_{8+\delta}$ **168**, 40
- of $YBa_2Cu_4O_8$ (high density) **170**, 521
- of zone melted $Bi_2Sr_2CaCu_2O_{8+\delta}$ filaments **170**, 427

Critical current density (transport)
- of $HoBa_2Cu_3O_{7-\delta}$ (thin film) **169**, 201

Critical phenomena **167**, 388
Critical state model **166**, 1
Critical state model (Bean) **166**, 215
Critical state modes **168**, 303
Critical temperature of layered superconductors (theory) **168**, 173
Crystal field
- in $Ln_{2-x}Ce_xCuO_{4-\delta}$ **165**, 251
- in $Nd_{2-x}Ce_xCuO_4$ **165**, 17
- in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ **167**, 301
- in $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) **167**, 348
- in $YBa_2Cu_3O_7$ **171**, 505
- of $Nd_{2-x}Ce_xCuO_{7-\delta}$ **168**, 609
- of $Nd_2CuO_{4-\delta}$ **170**, 469

Cu–Cu distance effect on T_c **167**, 515
Cu–O chains **171**, 216, 276, 406, 457
- in $LaBa_2(Cu_2Nb)O_8$ **167**, 162
- in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 297
- in $YBa_2Cu_3O_{6.34}$ **165**, 139
- in $YBa_2Cu_3O_{6+x}$ **167**, 11

Cu–O planes **168**, 556
- band structure **165**, 97
- distance effect on T_c **167**, 515
- in Bi compounds **165**, 55
- in $La_xY_{1-x}Ba_2Cu_3O_7$ **167**, 669
- in $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
- in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 297
- in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ **167**, 363
- in $YBa_2Cu_3O_7$ **171**, 505
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 321
- in $YBa_2Cu_3O_x$ **165**, 419

Current–voltage characteristic **167**, 339
Current–voltage characteristics **171**, 415
Cystral field **165**, 419

DC susceptibility in type II superconductors **170**, 375
Defect structures
- in $REBa_2Cu_3O_{7-\delta}$ **166**, 115
- in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ **167**, 363
- in $YBa_2Cu_4O_8$ **169**, 457
- of La_2CuO_4 (computer simulations) **168**, 417

Degradation
- of $Tl_2Ba_2CaCu_2O_{10+\delta}$ **170**, 388

Density of electron states
- in $YBa_2Cu_3O_{7-x}$ **170**, 532

Depairing
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 1

Dopant site **171**, 406
DTA
- of $Tl_2Ba_2Ca_2Cu_{3\text{-}oxides}$ (single crystal) **167**, 212

Dynamical conductivity
- theory **165**, 1

Dynamics of the levitating magnet **170**, 481; **171**, 537

EELS
- in $Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$ **165**, 321

Effect of annealing on T_c
- in $Bi_2Sr_2CaCu_2O_{8-\delta}$ **168**, 591

Elastic constants
- of $YBa_2Cu_3O_7$ **166**, 323

Electrical resistivity
- of a network **167**, 433
- of $Ba_{0.6}K_{0.4}BiO_3$ **171**, 181
- of $Bi_{4-x}Pb_xSr_4Ca_2Cu_4O_y$ **167**, 491
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **167**, 609
- of $BiSrY_{1-x}Ce_xCuO_{5+y}$ **167**, 249
- of $ErBa_2Cu_4O_8$ **170**, 112
- of $(Eu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ **171**, 287
- of $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ **171**, 523
- of $La_{2-x}Sr_{1+x}Cu_2O_{6+\delta}$ **170**, 15
- of $Nd_{2-x}Ce_xCuO_{4-y}$ **167**, 53
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **170**, 130
- of $Pb_2Sr_2(Y_1,Ca)Cu_3O_{9-\delta}$ (single crystal) **166**, 29
- of $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
- of $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) **167**, 348
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 355
- of $YBa_2Cu_3O_{7-x}$ **167**, 49
- of $YBa_2Cu_3O_7$ (single crystal) **170**, 298
- of $YBa_2Cu_3O_x$ **165**, 44
- on $Nd_{1.85}Ce_{0.15}CuO_4$ **167**, 472

Electrical resistivity of Y–Ba–Cu–O:Sn **171**, 167
Electrical resistivity, spatially resolved
- in $YBa_2Cu_3O_7$ **167**, 79

Electron diffraction
- in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ **167**, 363
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 677
- of $(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$ **166**, 282
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ ($x=0$, $\delta=1.47$) **169**, 401

Electron diffraction structure
- of Bi compounds **165**, 161

Electron-doped superconductor
- $Nd_{2-x}Ce_xCuO_{4-y}$ **167**, 53

Electron-doped superconductors **165**, 147, 357, 469
Electronic properties
- of $YBa_2Cu_3O_{7-x}$ **170**, 532

Electronic structure
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 1
- of $MBa_2Cu_3O_7$ (M=Y, Pr, Nd, Ho and Cm) **171**, 528
- of $TlBa_2Ca_2Cu_3O_9$ **166**, 477
- of $TlBa_2CaCu_2O_7$ **166**, 477
- of $Y_{1-x}Eu_xBa_2Cu_3O_7$ **171**, 31
- of $YBa_2Cu_3O_{6.5}$ **171**, 465
- of $YBa_2Cu_3O_7$ **165**, 461; **166**, 483

Electron irradiation effect
- in $YBa_2Cu_3O_{7-\delta}$ **168**, 539

Electron microscopy
- of Ag-$Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ **167**, 395
- of Bi–Sr–Ca–Cu–O (thin films) **167**, 614
- of $Pb_3Sr_3Cu_3O_{8+\delta}Cl$ **167**, 67
- of $Sr_{2-x}A_xNdCu_2O_{6-y}$ (A=Ca,Ba) **167**, 483
- of $YBa_2Cu_3O_7$ **167**, 375

Electron–phonon coupling **169**, 63
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 223

Electron superconductivity
- in $Tl_{1-x}Pb_xCaSr_2Cu_2O_{6+\delta}$ **165**, 183

Electron tunneling
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **166**, 15

Eliashberg equations **165**, 325
- applied to $YBa_2Cu_3O_7$ **167**, 307
- in $Ba_xK_{1-x}BiO_3$ **170**, 405
- theory **167**, 228

Emery model **167**, 359
Energy gap
- in $YBa_2Cu_3O_{7-\delta}$ **169**, 476
- of $Ba_{1-x}K_xBiO_3$ (thin film) **169**, 391
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **166**, 15
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 436
- theory **165**, 71
- vs Fermi energy **165**, 35

Energy gap (theory) **167**, 228
Enthalphy of oxidation
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 372
Epitaxial growth
– of Mo/Nb multilayers **167**, 221
Epitaxy **171**, 231
EPR
– in $Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$ **167**, 301
ESR
– in $Ba_2Pb_{1-x}Bi_xO_4$ **167**, 271
– in La_2CuO_4 **165**, 77
– in $Y_{0.98}Gd_{0.02}Ba_2Cu_3O_{6.02}$ **167**, 157
– in $YBa_2Cu_3O_{7-\delta}$ (Gd-doped) **171**, 457
– of (BEDT-TTF)$_2$(NH_4)Hg(SCN)$_4$ **166**, 57
– of $Gd_{2-x}Sr_xCuO_{4-\delta}$ **170**, 41
– of $La_{2-x}Sr_xCu_{1-y}Zn_yO_4$ **168**, 370
– of $La_{2-x}Sr_xCuO_{4+y}$ **167**, 35
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **171**, 276
– of $YBa_2Cu_3O_{7-\delta}$ **171**, 276
Ettingshausen effect **168**, 605
Excitonic mechanism **168**, 195
– of high-T_c superconductivity **169**, 63

Faraday effect
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 36
Far-infrared spectra
– of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **165**, 328
Fermi liquid **171**, 243
Fermi liquid approach **169**, 271
Fe (simple cubic) **166**, 317
Fibers
– of Ag–$YBa_2Cu_3O_{7-\delta}$ by polymer–metal complex precursor **168**, 189
Fluctuation effects **170**, 298; **171**, 438
– in ultrasound velocity **166**, 87
– in $YBa_2Cu_3O_{7-\delta}$ **167**, 42
Fluctuation effects of the electrical conductivity
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 43
Fluorination
– of La_2CuO_4 **167**, 97
Flux creep
– in amorphous MoGe **167**, 278
– in anisotropic superconductors **168**, 29
– in $Bi_2Sr_2CaCu_2O_{8+y}$ **167**, 278
– in $Bi_2Sr_2CuCu_2O_{8+\delta}$ (thin film) **166**, 62
– in $TmBa_2Cu_3O_x$ **165**, 62
– in $Y_2Ba_4Cu_8O_{16-\delta}$ (thin films) **167**, 348
– in $YBa_2Cu_3O_{6+x}$ **171**, 174
– in $YBa_2Cu_3O_7$ **171**, 271
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **166**, 62
– in $YBa_2Cu_3O_{7-y}$ **167**, 278
– in $YBa_2Cu_3O_7$ (single crystal) **170**, 298
– in $YBa_2Cu_3O_7$ (thin films) **170**, 513
– in YBaCuO (films) **167**, 6
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) **169**, 418
– theory **167**, 177
Flux creep (theory) **166**, 423
Flux-density gradients
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 36
Flux lattice **165**, 315
– in high T_c superconductors **166**, 167
– in $Tl_2Ba_2CaCu_2O_x$ **166**, 486
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 486; **171**, 1
Flux-line dynamics **165**, 397
Flux line lattice melting
– in $YBa_2Cu_3O_7$ (thin films) **170**, 513
Flux penetration
– in $Tl_2Ba_2CaCu_2O_x$ **166**, 486
– in $YBa_2Cu_3O_{7-\delta}$ **166**, 486
Flux pinning
– in $Bi_4Ca_2Sr_4Cu_4O_{16+y}$ **165**, 315
– in Bi–Pb–Sr–Ca–Cu–O **171**, 293
– in $YBa_2Cu_3O_7$ (thin films) **170**, 513
– in YBaCuO (films) **167**, 6
– of QMG $YBa_2Cu_3O_7$ **170**, 123
– of Si doped $YBa_2Cu_3O_{7-\delta}$ **168**, 185
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) **169**, 418
– theory **167**, 177
Flux pinning in Y–Ba–Cu–O **171**, 301
Flux pinning (theory) **166**, 423
Flux relaxation **171**, 238
Formation mechanism of 110 K phase **169**, 76
Four-spin exchange **167**, 263
Frequency dependence
– of AC-susceptibility **166**, 221

Gas chromatography
– of $Ba_{0.6}K_{0.4}BiO_3$ **169**, 35
– of $La_{1.85}Sr_{0.15}CuO_4$ **169**, 35
– of $LaCuO_3$ **169**, 35
Ginzburg–Landau theory **167**, 388
– anistropy **165**, 251
Glassy state **167**, 339; **171**, 438, 479
Grain alignment (texturing)
– in $YBa_2Cu_3O_{6+\delta}$ **165**, 480
– in $YBa_2Cu_3O_{6+x}$-Ag **167**, 343
– in $YBa_2Cu_3O_{7-\delta}$ **165**, 227, 258
Grain boundaries
– in $YBa_2Cu_3O_{7-x}$ **167**, 591
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 239
– of $HoBa_2Cu_3O_{7-\delta}$ **169**, 451
– of $YBa_2Cu_3O_{7-\delta}$ with Ag/Ag_2O **168**, 405
Grain size effects
– in $YBa_2Cu_3O_{7-x}$ **167**, 591
Granular superconductivity **171**, 25, 211, 301, 438
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 271
– in (Bi,Pb)$_2Sr_2Ca_2Cu_3O_{10}$ **167**, 609
– in $Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ **165**, 287
– in $YBa_2Cu_3O_{7-\delta}$ **165**, 279
– in $YBa_2Cu_3O_{7-x}$ **167**, 495
– of $YBa_2Cu_3O_{7-\delta}$ **168**, 123

Hall coefficient (carrier character) **165**, 166
Hall effect
– in $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+\delta}$ **165**, 221
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **171**, 331
– in $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **165**, 166
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **169**, 441
– of $ErBa_2Cu_4O_8$ **170**, 112
– of $La_{2-x}Sr_{1+x}Cu_2O_{6+\delta}$ **170**, 15
Harmonic analysis
– of AC susceptibility of superconductors **167**, 549
Harmonic generation of magnetization
– in $TlBa_2Ca_3Cu_4O_y$ **170**, 395
Heavy-fermion compounds
– of URu_2Si_2 **169**, 497
Heisenberg model with spin-1/2 **170**, 119
Hetero structures
– of epitaxial $YBa_2CuO_{7-\delta}$ and $PrBa_2Cu_3O_{7-\delta}$ **170**, 325
High field magnetization
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 81
High pressure annealing
– of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ **167**, 560
High pressure effect
– in (Bi,Pb)$_2Sr_2Ca_2Cu_3O_{10}$ **167**, 609
– in $REBa_2Cu_3O_{7-\delta}$ **166**, 115
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 297
– in $Y_1Ba_2Cu_4O_8$ **167**, 335
– in $Y_2Ba_4Cu_7O_{15}$ **167**, 236
– in $YBa_2Cu_3O_{7-x}$ **171**, 93
– in $YBa_4Cu_7O_{15}$ **167**, 579
– of Ca doped $YBa_2Cu_3O_{7+\delta}$ **169**, 7
– of $Ln_{2-x}M_xCuO_{4-\delta}$ (Ln=Nd,Sm,Pr; M=Ce,Th) **168**, 530
– of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ **169**, 386
– of $YBa_2Cu_{3.5}O_7$ (single crystal) **170**, 259
– of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ **169**, 386
– of $YBa_2Cu_4O_8$ **168**, 482; **170**, 259
– on $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ **171**, 523
– on (Y/Ca)$Ba_2Cu_4O_8$ **167**, 236
High pressure effect of T_c
– in $Bi_2Sr_2Ca_2Cu_3O_{10}$ **166**, 523
– in $Bi_2Sr_2CaCu_2O_8$ (single crystal) **166**, 523

- in K-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br **170**, 231
- in $Tl_2Ba_2Ca_2Cu_3O_{10}$ **166**, 523

High temperature X-ray diffraction **165**, 437

Hole concentration
- effect on coupling **165**, 71
- in hydrogen doped $RBa_2Cu_3O_{7-\delta}$ (R=Y, Gd) (single crystal) **171**, 257
- in $Y_{1-x}Ca_xBa_{2-y}La_yCu_4O_8$ **171**, 305
- in $YBa_2Cu_3O_{6.5}$ **171**, 465
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 657
- in $YBa_2Cu_3O_{7-x}$ **171**, 93
- in $YBa_2Cu_4O_8$ **171**, 444

Hole concentration, effect on T_c
- of $Bi_2Sr_2CuO_{6+\delta}$ **165**, 305
- of Bi compounds **165**, 25, 55
- of $Tl_2Ba_2CuO_6$ **165**, 321

Hole superconductivity **171**, 554

Holons **165**, 444; **167**, 538; **171**, 87

Hot isostatic pressing
- of $Bi_{0.58}Pb_{2.8}Sr_{3.0}Ca_{2.1}Cu_{1.1}O_x$ **167**, 525
- of $(BiPb)_2Sr_2Ca_1Cu_2O_x$ **167**, 525
- of $(BiPb)_2Sr_2Ca_2Cu_3O_{10-y}$ **167**, 525
- of $Ho_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 102
- of $Y_{1-x}Ca_xBa_2Cu_4O_8$ **167**, 102

HREM
- in $Tl_2Ba_2CuO_{6+\delta}$ **170**, 350
- in $YBa_2Cu_4O_8$ **169**, 457
- of $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ **168**, 265
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 239
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ **168**, 249
- of $Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$ **168**, 265
- of $(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$ **168**, 215
- of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ **168**, 426
- of Bi–Sr–Ca–Cu–O system **168**, 205
- of $(Gd,Ce)_4(La,Ba)_4Cu_6O_{17.94}$ **171**, 561
- of $(Pb,Cu)(Eu,Ce)_2(Eu,Sr)_2Cu_2O_x$ **170**, 486
- of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ **169**, 396
- of $Tl_2Ba_2CuO_{6+\delta}$ **166**, 349
- of $YBa_2Cu_3O_{6.8}$ **170**, 139
- of $YBa_2Cu_3O_{7-\delta}$ **166**, 255
- of Y–Ba–Cu–O **171**, 14
- on multilayer $YBa_2Cu_3O_7$ **167**, 463
- on $YBa_2Cu_3O_{7-\delta}$ **167**, 627, 677

HREM of heterojunctions
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $PrBa_2Cu_3O_{7-\delta}$ **170**, 325

Hubbard Hamiltonian **165**, 449; **167**, 263; **170**, 215; **171**, 498, 554
- two-dimensional **166**, 197

Hubbard model **168**, 297

Hubbard model (2D) **166**, 206

Hubbard model in two dimensions **169**, 245

Hysteresis
- in $YBa_2Cu_3O_{6+x}$ **167**, 567
- in $YBa_2Cu_3O_{7-x}$ **167**, 591

Infrared conductivity
- of $YBa_2Cu_3O_{7-\delta}$ **165**, 1

Infrared detectors
- fabricated $YBa_2Cu_3O_7$ thin films **168**, 322

Infrared spectroscopy
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **166**, 431
- of Bi compounds **165**, 152
- of $La_{1-x}Pr_xCaBaCu_3O_{7-\delta}$ **167**, 640
- of $Nd_{2-x}Ce_xCuO_4$ **168**, 580
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **167**, 640
- of $YBa_2(Co_xCu_{1-x})_3O_{7-\delta}$ **171**, 547
- of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **165**, 125
- of $YBa_2Cu_3O_{7-\delta}$ **169**, 425; **171**, 37
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 381

Interface between Ag and $YBa_2Cu_3O_{7-\delta}$ **170**, 1

Interlayer pairing **165**, 1, 457

Interstitial position of Fe(Co)
- in $YBa_2Cu_3(^{57}Co)O_{6.0}$ **171**, 406

Ion channeling measurements
- on Bi–Sr–Ca–Cu–O (thin films) **167**, 614

Ionic radius **165**, 143

Irradiation effect
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 1; **168**, 539
- of $YBa_2Cu_3O_{7-\delta}$ (ceramics) **168**, 131
- on LaSrCuO thin films **165**, 212
- on $Tl_2CaBa_2Cu_2O_8$ **165**, 83
- on $YBa_2Cu_3O_{6.95}$ **165**, 475
- on $YBa_2Cu_3O_7$ **165**, 83

Irradiation effect of fast neutrons
- in $Ba_{0.6}K_{0.4}BiO_3$ **169**, 265
- in $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) **169**, 117

Irradiation effect of neutrons
- in $Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$ **170**, 333
- on $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **171**, 276
- on $YBa_2Cu_3O_{7-\delta}$ **171**, 276

Irradiation effect of oxygen
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 95

Irreversibility **165**, 233

Irreversibility line
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 95
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) **169**, 418

Irreversible behavior in intermediate state of type I superconductors **170**, 431

Isomer shift
- of $YBa_2Cu_{3-x}Fe_xO_y$ **166**, 235

Isotope effect **166**, 49

I–V characteristics
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 271
- of $YBa_2Cu_3O_{7-\delta}$ **169**, 50

Jahn–Teller mechanism for high-T_c superconductivity **169**, 314

Josephson effect **165**, 258; **170**, 222; **171**, 415, 513
- in $YBa_2Cu_3O_{7-\delta}$+Ag (films) **167**, 133

Josephson junctions
- weakly coupled **170**, 222

Knight shift
- in $YBa_2Cu_3O_{6.65}$ **166**, 301
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **168**, 327
- of $Tl_2Ba_2CaCu_2O_8$ **168**, 327
- of $Tl_2Ba_2CuO_6$ **168**, 327

Kramer's scaling law of the pinning force
- on $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 81

Kramer's scaling of pinning force
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 51

Laser ablation
- of $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) **167**, 423

Laser deposition
- of $YBa_2Cu_3O_{7-\delta}$ **171**, 37

Laser plasma-deposition
- of $Bi_2Sr_2Ca_1Cu_2O_x$ **167**, 509
- of $Bi_2Sr_2Ca_2Cu_3O_x$ **167**, 509

Lattice dynamics
- anisotropic crystals **165**, 325

Layered superconductors **165**, 457; **167**, 168, 177

Least vibrational model **166**, 399

Levitation of superconducting $YBa_2Cu_3O_{7-\delta}$ in magnetic fields **169**, 112

Localization of holes **166**, 417

Localized excitations **165**, 91

Local-pair superconductivity **171**, 42

Lower critical field H_{c1}
- in layered superconductors **168**, 69, 421
- in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) **166**, 185
- of $Ln_{2-x}Ce_xCuO_{4-\delta}$ **165**, 251
- of $YBa_2Cu_3O_7$ **165**, 199

Luminescent markers **165**, 308

Madelung energy
- in $YBa_2Cu_3O_7$ **166**, 483
- of $Nd_{2-x}Ce_xCuO_4$ **168**, 637

Madelung potential **171**, 444

Magnetic flux distribution
- in $YBa_2Cu_3O_{7-\delta}$ **170**, 166

Magnetic noise of high-T_c superconductors **169**, 100
Magnetic order
– of $ErBa_2Cu_3O_x$ $(6 \leqslant x \leqslant 7)$ **166**, 9
Magnetic orientation
– of $Y_1Ba_2Cu_3O_6$ **167**, 157
Magnetic phase diagram
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **168**, 23
Magnetic phase diagrams **166**, 95
Magnetic phase transition
– in $La_{2-x}Sr_xCuO_{4+y}$ **167**, 35
Magnetic properties of layered superconductors **168**, 421
Magnetic relaxation in type II superconductors **168**, 303
Magnetic scattering
– in $Nd_{2-x}Ce_xCuO_{4-y}$ **167**, 53
Magnetic susceptibility
– of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ **167**, 369
– of $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ **167**, 188
– of $Bi_{2-2x}Pb_{2x}Sr_2Ca_{n-1}Cu_nO_y$ **165**, 25
– of $Bi_2CaSr_2Cu_2O_x$ **165**, 29
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 499
– of $(Bi,Pb,Sb)_2Sr_2Ca_2Cu_3O_{10}$ **165**, 340
– of doped $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **165**, 247
– of $La_{2-x}Sr_xCuO_4$ **166**, 417
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **170**, 130
– of textured $YBa_2Cu_3O_{7-\delta}$ **165**, 227
– of $Tl_2Ba_2CuO_{6+\delta}$ **168**, 499
– of $Tl_2Ca_2Ba_2Cu_3O_x$ **165**, 29
– of $Tl_2CaBa_2Cu_2O_{8-x}$ **167**, 267
– of $YBa_2(Cu_{1-x}Ti_x)_3O_{7-\delta}$ **165**, 434
– of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **165**, 166
– of $YBa_2Cu_3O_{6+\delta}$ **165**, 480
– of $YBa_2Cu_4O_8$ **165**, 415
Magnetic susceptibility, AC
– of (Bi,Pb)CaSrCuO **165**, 293
Magnetic susceptibility in type II superconductors **170**, 375
Magnetism
– in $LaAl_2$-Gd **167**, 198
Magnetism and superconductivity
– in $La_{2-x}Sr_xCuO_{4+y}$ **167**, 35
– of $ErBa_2Cu_3O_x$ $(6 \leqslant x \leqslant 7)$ **166**, 9
Magnetization
– in $TlBa_2Ca_3Cu_4O_x$ **170**, 395
– of $Ba_2Cu_3O_{7-\delta}$ **168**, 272
– of $Bi_2Sr_2CaCu_2O_8/NiFe_2O_4$ (thin films) **169**, 285
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystals) **170**, 291
– of $EuBa_2Cu_3O_{7-\delta}$ **165**, 385
– of Gd-doped $LaAl_2$ **167**, 198
– of $HoBa_2Cu_4O_8$ **166**, 393
– of $La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$ $(0 \leqslant x \leqslant 0.4)$ **166**, 361
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **165**, 469
– of $Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ **165**, 287
– of $YBa_2Cu_3O_{6+x}$ **167**, 567; **171**, 174
– of $YBa_2Cu_3O_7$ **169**, 257
– of $YBa_2Cu_3O_{7-\delta}$ **166**, 71; **168**, 539; **171**, 205
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 81
– of $YBa_2Cu_3O_{7-x}$ **167**, 495
– of $YBa_2Cu_3O_7$ sintered pellets **165**, 364
– of $YBa_2Cu_3O_x$ **165**, 419
– of $YBa_2Cu_4O_8$ **165**, 335, 415; **168**, 272; **169**, 237
Magnetization, high-field
– of $YBa_2Cu_3O_{6.34}$ **165**, 139
Magnetization relaxation
– in $PbMo_6S_8$ **165**, 233
– in $TmBa_2Cu_3O_x$ **165**, 62
Magnetoresistance **171**, 211
– of $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ **167**, 188
– of $GdBa_2Cu_3O_{7-\delta}$ (thin film) **169**, 299
– of $YBa_2(Cu1-xFe_x)O_4$ **166**, 100
– of $YBa_2Cu_3O_{7-\delta}$ **165**, 279; **167**, 42, 139
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) **167**, 75
Mass spectrometry
– of $Ba_{0.6}K_{0.4}BiO_3$, LaCuO63, $La_{1.85}Sr_{0.15}CuO_4$ **169**, 35
Mechanical oscillator measurements
– in $Bi_{0.8}Pb_{0.2}Sr_{0.8}CaCu_{1.4}O_x$ **170**, 233
– in $YBa_2Cu_3O_{7-\delta}$ **170**, 233
Meissner effect
– in $Bi_{2-2x}Pb_{2x}Sr_2Ca_{n-1}Cu_nO_y$ **165**, 25
– in $Bi_2Nd_{0.5}Ca_{2.5}Cu_2O_y$ **165**, 67
– in $Bi_2Pr_{0.5}Ca_{2.5}Cu_2O_y$ **165**, 67
– in $Bi_2Sr_2CaCu_2O_x$ films **165**, 241
– in Bi compounds **165**, 135
– in halogenated $YBa_2Cu_3O_6$ **165**, 107
– in $In_{0.3}Pb_{0.7}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ **165**, 111
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **165**, 469
– in $Pb_{0.5}Ca_{0.5}Sr_2Ca_xY_{1-x}Cu_2O_{7-\delta}$ **171**, 7
– in $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
– in Tl compounds **165**, 115
– in $Y_{1-x}Ca_xBa_{2-y}La_yCu_4O_8$ **171**, 305
– in $YBa_2Cu_3O_7$ **167**, 375
– of $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ **171**, 523
– of Tl–Ba–Ca–Cu–O **171**, 543
Meissner–Ochsenfeld heat engine **168**, 113
Metal–insulator transition
– in $BiSrY_{1-x}Ce_xCuO_{5+y}$ **167**, 249
– of Ti_4O_7 **166**, 158
Metallic ribbons of Ag
– in $Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$ **167**, 395
Metallo-organic deposition
– of Bi–Sr–Ca–Cu–O (thin films) **167**, 614
Microemulsion process
– of $YBa_2Cu_3O_{7-\delta}$ **168**, 571
Microwave absorption
– in $Er_2Ba_4Cu_7O_{15-x}$ **167**, 520
– in La_2CuO_4 **165**, 77
– in Re–Ba–Cu–O (Re=Y, Gd, Eu, Nd, Dy, Sm) **171**, 401
– in $Tl_2Ba_2CeCu_2O_x$ **167**, 520
– in Tl–Pb–Sr–Ca–Cu–O **171**, 238
– in type-I superconductors **165**, 491
– in $YBa_2Cu_3O_7$ **171**, 271
– in $YBa_2Cu_3O_{7-x}$ **167**, 520
– in Y–Ba–Cu–O **171**, 238
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **166**, 231
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (film) **168**, 91
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal **166**, 140
– of $Gd_{2-x}Sr_xCuO_{4-\delta}$ **170**, 41
– of granular superconductors **169**, 95
– of $Nd_{2-x}Ce_xCuO_4$ (single crystal) **170**, 267
– of $YBa_2Cu_3O_7$ (thin film) **169**, 429
Microwave bolometers **168**, 381
Mixed state **165**, 449; **167**, 62, 433
– in anisotropic superconductors **168**, 29
Modulated structures
– in $Bi_{2-x+y}Pb_xSr_{2-y}Cu_{1+y}{}_4O_x$ **165**, 189
– in $Bi_{2-x}Pb_xSr_2(Ln_{1-y}Ce_y)_2Cu_2O_{10+\delta}$ **170**, 284
– in $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) **166**, 79
– in $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) **167**, 20
– in $YBa_2Cu_3O_{7-\delta}$ **167**, 677
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **169**, 441
– of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ **171**, 19
– of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ **168**, 426
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **168**, 617
Morphology
– of $YBa_2Cu_3O_{7-\delta}$ **165**, 279
Mössbauer spectroscopy
– of $Bi_2Sr_4Fe_3O_{12+\delta}$ **170**, 65
– of doped $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **165**, 247
– of $(Eu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ **171**, 287
– of Fe in $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ **168**, 493
– of $GdBa_2Cu_{3-x}Fe_xO_{7+\delta}$ (x=0, 0.15) **169**, 23
– of $YBa_2(Cu_{0.98}Fe_{0.02})_3{}^{57}CoO_{7-\delta}$ (single crystal) **166**, 248
– of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **165**, 404
– of $YBa_2Cu_3(^{57}Co)O_{6.0}$ **171**, 406
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **169**, 361

- of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ (x=0.15, 0.30) **169**, 23
- of $YBa_2Cu_{3-x}Fe_xO_y$ **166**, 235
- of $YBa_2Cu_3O_6I_x$ **171**, 311
- on Nb_3Sn **167**, 415

Mössbauer spectroscopy of Fe
- in $La_{2-x}Ba_xCuO_4$ $(0 \leqslant x \leqslant 0.35)$ **166**, 518

Mott transition
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **170**, 29

Multigap structure
- of $YBa_2Cu_3O_{7-\delta}$ **169**, 476

Multilayers **165**, 173; **171**, 126
- of Mo/Nb **167**, 221
- of $PrBa_2Cu_3O_7$ **167**, 463
- of $YBa_2Cu_3O_7$ **167**, 463

Muon spin rotation **166**, 167
- in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ **168**, 23
- of $ErBa_2Cu_3O_{7-\delta}$ **169**, 371

Negative U model **168**, 297

Nernst effect **168**, 605
- in YBaCuO (films) **167**, 6

Neutron diffraction
- in $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ **167**, 560
- in $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ **167**, 291
- in $LaBa_2(Cu_2Nb)O_8$ **167**, 162
- in Nd_2CuO_4 **165**, 131
- in $Pb_2Sr_2YCu_3O_{8+\delta}$ **165**, 499
- in $Sr_{2-x}Nd_{1+x}Cu_2O_{6-y}$ **167**, 483
- in $YBa_2Cu_3O_{6.41}$ **167**, 571
- in $YBa_2Cu_3O_{7-\delta}$ **165**, 298
- in $YBa_2Cu_3O_x$ **165**, 419
- in $YBa_4Cu_7O_{15}$ **167**, 579
- of $Bi_{1.9}Pb_{0.3}Sr_{2.0}Ca_{1.9}Cu_{3.0}O_{10+\delta}$ **171**, 339
- of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) **166**, 79
- of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ **171**, 19
- of $ErBa_2Cu_3O_{7-\delta}$ **169**, 371
- of $ErBa_2Cu_3O_x$ $(6 \leqslant x \leqslant 7)$ **166**, 9
- of $La_{1.25}Dy_{0.75}CuO_{3.75}F_{0.5}$ **169**, 15
- of $La_{1.25}Dy_{0.75}CuO_{4+\delta}$ **169**, 15
- of $La_{1.92}Sr_{0.08}CuO_{4-y}$ (single crystal) **171**, 491
- of $La_{2-x}Sr_xCuO_4$ **166**, 329
- of $(La,Tb,Sr)_2CuO_4$ **171**, 468
- of $Nd_{2-x}Ce_xCuO_4$ **168**, 627
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **168**, 609
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) **169**, 401
- of $TlBa_{1.2}La_{0.8}CuO_5$ **166**, 19
- of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ **168**, 521
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **166**, 191
- of $YBa_2Cu_3O_{7-\delta}$ **166**, 372; **169**, 217
- of $YBa_2Cu_3O_{7-x}$ **171**, 93

Neutron scattering (inelastic)
- in $Nd_{2-x}Ce_xCuO_4$ **165**, 17
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ under high pressure **169**, 179

Neutron scattering (inelastic) in CuO **170**, 371

NMR
- in $Tl_2Ba_2CuO_6$ **165**, 485
- in $Tl_2Ca_2Ba_2CuO_{10}$ **165**, 485
- in $Tl_2CaBa_2Cu_2O_8$ **165**, 485
- in $YBa_2Cu_3{}^{17}O_{7-\delta}$ (single crystal) **171**, 348
- in $YBa_2Cu_3O_7$ **171**, 505
- of $^{63,65}Cu$ in $YBa_2Cu_3O_{7-\delta}$ $(0 \leqslant \delta \leqslant 0.35)$ (single crystal) **166**, 151
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (line shape) **168**, 291
- of La_2CuO_4 (calculation) **168**, 565
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **168**, 327
- of $Tl_2Ba_2CaCu_2O_8$ **168**, 327
- of $Tl_2Ba_2CuO_6$ **168**, 327
- spin–lattice relaxation **165**, 8

NMR of ^{17}O
- in $YBa_2Cu_3O_{6.65}$ **166**, 301

NMR of ^{205}Tl
- in $Tl_2Ba_2CuO_{6+\delta}$ **166**, 349

Normal-state properties
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **171**, 331
- of $YBa_2(Cu_{1-x}Zn_x)_3O_7$ **171**, 243
- of $YBa_2Cu_3O_{7-x}$ **171**, 51

NQR
- in $YBa_2Cu_3{}^{17}O_{7-\delta}$ (single crystal) **171**, 348
- in $YBa_2Cu_3O_{6.95}$ **165**, 475
- of $La_{2-x}Sr_xCuO_{4-\delta}$ **170**, 189
- of La_2CuO_4 (calculation) **168**, 565
- of $YBa_2Cu_3O_{7-x}$ **171**, 51

NQR of ^{139}La
- in $La_{2-x}Sr_xCuO_4$ **166**, 310

NQR of ^{63}Cu
- in $La_{2-x}Sr_xCuO_4$ **166**, 310

Off diagonal long range order **169**, 501

OI–OII transition
- in $YBa_2Cu_3O_{7-x}$ **171**, 449

Optical absorption
- in $YBa_2Cu_3O_{7-\delta}$ **169**, 425

Optical absorption of polarons **170**, 279

Optical conductivity in layered superconductors **170**, 505

Optical reflectivity **171**, 151
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **166**, 431
- of Bi compounds **165**, 152
- of $YBa_2Cu_4O_8$ **166**, 145

Ordering of Sr atom
- in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **169**, 123

Organic superconductor
- $(BEDT\text{-}TTF)_2(NH_4)Hg(SCN)_4$ **166**, 57

Organic superconductor (theory) **169**, 152

O–T transition
- in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **171**, 331
- in $Y_{1-x}Ca_xBa_2Cu_3O_y$ **165**, 437
- in $Y_1Ba_2Cu_3O_{7-\delta}$ **167**, 149
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 321
- in $YBa_2Cu_3O_{7-x}$ **167**, 49, 408
- in $YBa_2Cu_3O_x$ **166**, 289
- of $Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$ (x=0, 0.5, 1) **166**, 266
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 355

Oxygen content **165**, 166
- in $La_{2-x}Sr_{1+x}Cu_2O_{6+\delta}$ **170**, 15

Oxygen diffusion
- in $YBa_2Cu_3O_{7-\delta}$ **169**, 193

Oxygen ordering
- in $YBa_2Cu_3O_{6.5}$ **171**, 465
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 457
- in $YBa_2Cu_3O_{7-x}$ **171**, 449

Oxygen ordering effects
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 205

Oxygen reduction
- of $Nd_{1.85}Ce_{0.15}CuO_4$ **166**, 437

Oxygen stoichiometry
- effect on Cu valence **165**, 139
- effect on T_c of electron-doped oxides **165**, 147
- effect on thermoelectric power **165**, 205
- in $Bi_{1.9}Pb_{0.3}Sr_{2.0}Ca_{1.9}Cu_{3.0}O_{10+\delta}$ **171**, 339
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 591
- in $Bi_2Sr_2CaCu_2O_x$ films **165**, 241
- in $Bi_2Sr_2CuO_{6+\delta}$ **165**, 305
- in $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ **171**, 19
- in Bi compounds **165**, 135
- in $Nd_{1.85}Ce_{0.15}CuO_4$ **166**, 437
- in $Pb_2Ba_2YCu_3O_{8+\delta}$ **166**, 502
- in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **171**, 331
- in $Pb_2SrLaCu_2O_{6+\delta}$ **166**, 502
- in thallium compounds **168**, 8
- in $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
- in $Tl_2Ba_2CuO_{6-\delta}$ **166**, 497
- in $Tl_2Ba_2CuO_{6+\delta}$ **170**, 350
- in $Tl_2CaBa_2Cu_2O_{8-x}$ **167**, 267
- in $TlBa_2CaCu_2O_x$ **170**, 443
- in Tl–Ba–Ca–Cu–O **171**, 135
- in $Y_{1-x}Ca_xBa_2Cu_3O_y$ **165**, 437
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **170**, 343
- in $Y_1Ba_2Cu_3O_{7-\delta}$ **167**, 149
- in $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ **166**, 261
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ **171**, 276
- in $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **165**, 166
- in $YBa_2Cu_3O_{6+x}$ **167**, 529
- in $YBa_2Cu_3O_{6+x}$ $(0 \leqslant x \leqslant 1)$ **167**, 363

- in $YBa_2Cu_3O_{7-\delta}$ **166**, 372; **167**, 1; **171**, 156, 276
- in $YBa_2Cu_3O_{7-\delta}$ single crystals **171**, 205
- in $YBa_2Cu_3O_x$ **165**, 419
- of $Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_{8+\delta}$ **168**, 167
- of $ErBa_2Cu_3O_{7-\delta}$ **169**, 371
- of $La_{2-x}M_xCuO_{4-\delta}$ (M=Na,K) **170**, 411
- of $Nd_{1.85}Ce0.15CuO_{4-\delta}$ **166**, 513
- of $Nd_2CuO_{4-\delta}$ **166**, 357
- of $(Nd,Ce)_2CuO_{4-\delta}$ **166**, 357
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) **169**, 401
- of $TlBa_{1.2}La_{0.8}CuO_5$ **166**, 19
- of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ **168**, 521
- of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **169**, 361
- of $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Zn, Ni) **170**, 307
- of $YBa_2Cu_3O_{6+\delta}$ **168**, 549
- of $YBa_2Cu_4O_8$ **168**, 153

Pair breaking **171**, 243
Particle detectors **168**, 381
Partition functions of the BCS model **168**, 450
Peltier effect **168**, 605
Penetration depth
- in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) **166**, 185
- in $YBa_2Cu_3O_7$ **167**, 375
- in $YBa_2Cu_3O_{7-\delta}$ (powder) **171**, 223
- of (BEDT-TTF)$_2(NH_4)Hg(SCN)_4$ **166**, 57
- of $Bi_2Sr_2CaCuO_{28+\delta}$ (film) **168**, 91
- of $YBa_2Cu_3O_{7-\delta}$ **168**, 272
- of $YBa_2Cu_4O_8$ **168**, 272

Penetration depth, effective
- in granular superconductor **165**, 364

Peroxides
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 657

Phase decomposition
- of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ **169**, 386
- of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ **169**, 386

Phase diagram **171**, 419
- of Bi compounds **165**, 305
- of Bi–Sr–Ca–Cu–O system **168**, 205
- of Ca_2CuO_3 **168**, 205
- of Ca doped $YBa_2Cu_3O_{7+\delta}$ under high pressure **169**, 7
- of $(Ca,Sr)_3Cu_5O_y$ **168**, 205
- of $LaNd_{1-x}Ce_xCuO_4$ **165**, 13
- of $Nd_{2-x}Ce_xCuO_4$ **165**, 13
- of $NdCeCuO_4$ **165**, 265
- of $Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ **165**, 287
- of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **165**, 404
- of $YBa_2Cu_3O_{6+x}$ **167**, 11, 529
- of $YBa_2Cu_3O_{7-\delta}$ **166**, 473
- of $YBa_2Cu_4O_8$ **168**, 153

Phase slippage **170**, 222
Phase transition
- in $YBa_2Cu_3O_x$ **165**, 44

Phonon-coupling mechanism
- in $YBa_2(Co_xCu_{1-x})_3O_{7-\delta}$ **171**, 547

Phonon mechanism **171**, 518
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **168**, 647

Phonons
- in $(Ca,Sr)CuO_2$ **168**, 117
- in $Sr_2CuO_2Cl_2$ **168**, 117
- in T-, T′- and T*-structures **168**, 117

Phonon spectrum
- of La_2CuO_4 **171**, 567
- of La_2NiO_4 **171**, 567
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) **168**, 161
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Co, Ni, Zn) **171**, 77
- of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ **165**, 328
- of Zn **165**, 325

Pinning energy **165**, 371
Pinning force
- in $Bi_4Ca_2Sr_4Cu_4O_{16+y}$ **165**, 315
- in $YBa_2Cu_3O_{6+x}$ **171**, 174

Pinning force (Pb)
- in $YBa_2Cu_3O_7$ (single crystal) **170**, 22

Planar defects
- in $YBa_2Cu_4O_8$ **169**, 457

Plasma waves **168**, 279
Plasmon mechanism **171**, 147
- in $La_{2-x}Sr_xCuO_{4-\delta}$ **168**, 647

Point-contact **171**, 103
Polarisation optical microscopy
- of $YBa_2Cu_3O_{7-x}$ **167**, 408

Polaron
- in Ti_4O_7 **166**, 158

Polaronic superconductor **165**, 97
Positron annihilation
- in $Y_1Ba_2Cu_3O_{7-\delta}$ **167**, 149
- in $YBa_2Cu_3O_{7-\delta}$ **169**, 137

Preparation
- of Bi–Sr–Ca–Cu–O thick film (by printing) **169**, 413

Proximity effect in layered superconductors **170**, 505
Pseudo gap **171**, 42
- in $YBa_2Cu_3O_{7-\delta}$ **165**, 8

QMG with $BaTiO_3$ **170**, 123
Quantum oscillations **165**, 491
Quench and melt growth
- of $YBa_2Cu_3O_{7-\delta}$ **166**, 215

Quenching effects
- in $Bi_2Sr_2CuO_x$ **167**, 258
- in $Bi_{4-x}Pb_xSr_4Ca_2Cu_4O_y$ **167**, 491
- in $YBa_2Cu_3O_{6.41}$ **167**, 571

Raman scattering
- in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **165**, 125
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 436
- of CuO **166**, 456
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ films **168**, 359
- of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) ($0.7<\delta<0.9$) **166**, 225
- of hydrogen doped $RBa_2Cu_3O_{7-\delta}$ (R=Y, Gd) (single crystal) **171**, 257
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) **168**, 161; **170**, 103
- of Tl–Ba–Ca–Cu–O **166**, 399
- of Tl-compounds **170**, 80
- of $Y_{1-x}Eu_xBa_2Cu_3O_7$ **171**, 31
- of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ ($0\leqslant x\leqslant 0.15$) **170**, 419
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **169**, 381
- theory **165**, 444

Raman scattering (theory) **167**, 112, 263; **169**, 87
Reaction between Ag and $YBa_2Cu_3O_{7-\delta}$ **170**, 1
Recoil-free fraction of Sn
- in Nb_3Sn **167**, 415

Re-entrant superconductivity **170**, 195
Relationship between bond valence sum and T_c **168**, 85
Resistive broadening mechanisms **166**, 442
Resistivity
- in $YBa_2Cu_4O_8$ **166**, 145
- of $BaBi_{1-x}Tl_xO_3$ ($0.0\leqslant x\leqslant 0.5$) **166**, 535
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 43, 174
- of $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **169**, 146
- of $HoBa_2Cu_4O_8$ **166**, 393
- of $YBa_2Cu_4O_8$ **169**, 237
- of $YBa_2Cu_4O_{8+\delta}$ **168**, 40

Resistivity transition in magnetic fields **166**, 423
RHEED
- of Mo/Nb multilayers **167**, 221

Rutherford backscattering
- on multilayer $YBa_2Cu_3O_7$ **167**, 463

RVB model **167**, 538

Scaling relations (theory) **168**, 282
Scanning electron microscopy **171**, 131
- in $YBa_2Cu_3O_7$ **167**, 79

Screening of Ac magnetic field
- in $YBa_2Cu_3O_{7-\delta}$ **168**, 123

Seebeck effect **168**, 605
Semiconducting $YBa_2Cu_3O_{6+x}$ **167**, 567

Shapiro step **165**, 258; **171**, 415
Single-crystal growth **171**, 151
– of $Nd_{2-x}Ce_xCuO_4$ **165**, 265
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **170**, 103
– of $Pb_2Sr_2(Y,Ca)Cu_3O_{9-\delta}$ **166**, 29
– of $PbMo_6S_8$ **165**, 233
– of Tl compounds **165**, 115
– of $YBa_2Cu_3O_{7-\delta}$ **165**, 298
Size effect of high T_c superconductivity
– in $YBa_2Cu_3O_{7-\delta}$ **170**, 161
Solubility limit of impurities
– in $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Fe,Co,Al,Cr,Ni,Zn) **169**, 205
Solubility of PbO
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 319
Specific heat
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **167**, 598
– of $(Bi,Pb,Sb)_2Sr_2Ca_2Cu_3O_{10}$ **165**, 340
– of $Ca_{0.86}Sr_{0.14}CuO_2$ **167**, 598
– of Ca_2CuO_3 **167**, 598
– of $EuBa_2Cu_3O_{7-\delta}$ **165**, 385
– of $HoBa_2Cu_4O_8$ **166**, 393
– of $YBa_2(Cu_{1-x}Zn_x)_3O_7$ **171**, 243
– of $YBa_2Cu_3O_{7-\delta}$ and $DyBa_2Cu_3O_{7-\delta}$ **168**, 465
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **170**, 46
– of $YBa_2Cu_4O_8$ **168**, 47; **169**, 237
– of $YBa_2Cu_4O_{8+\delta}$ **168**, 40
– of $YbBa_2Cu_3O_{7-\delta}$ **168**, 99
Specific heat at T_c **169**, 55
– of Bi compounds **165**, 29
– of $EuBa_2Cu_3O_{7-\delta}$ **165**, 385
– of Tl compounds **165**, 29
– theory **165**, 35
Specific heat, in magnetic fields
– of textured $YBa_2Cu_3O_7$ **166**, 451
Specific heat, linear coefficient
– of $YBa_2Cu_4O_8$ **168**, 47
Specific heat, low-T
– of $Ba_{0.6}K_{0.4}BiO_3$ **171**, 181
– of $Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$ (x=0, 0.5, 1) **166**, 266
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) **168**, 363
Spin density wave and superconductivity (theory) **167**, 112
Spin fluctuations **171**, 498
Spin–hole model **166**, 334
Spin–lattice relaxation time T_1
– in $La_{2-x}Sr_xCuO_4$ **166**, 310
– in $Tl_2Ba_2CuO_6$ **165**, 485
– in $Tl_2Ca_2Ba_2CuO_{10}$ **165**, 485
– in $Tl_2CaBa_2Cu_2O_8$ **165**, 485
– in $YBa_2Cu_3O_{6.65}$ **166**, 301
– in $YBa_2Cu_3O_{6.95}$ **165**, 475
– of $Tl_2Ba_2CuO_{6+\delta}$ **166**, 349
Spinons **167**, 538
Spin polarons **165**, 97
Spin-reorientation transition
– in La_2CuO_4 **165**, 77
Sputtering magnetron **171**, 131
SQUID **171**, 126
– fabricated by thin film $Bi(Pb)SrCaCuO_x$ **168**, 138
– of $YBa_2Cu_3O_{7-\delta}$ (thin films) **170**, 315
SQUID in $YBa_2Cu_3O_{7-\delta}$+Ag (films) **167**, 133
Strong electron–phonon coupling
– in $YBa_2Cu_3O_{7-\delta}$ **169**, 425
Structural phase transition
– in $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) **167**, 20
– in La_2CuO_4 **167**, 97
– in $LaBa_2(Cu_2Nb)O_8$ **167**, 162
– in $(La,Tb,Pb)_2CuO_4$ **171**, 468
– in $Tl_2Ba_2Ca_2Cu_{3-oxides}$ (single crystal) **167**, 212
– in $Tl_2Ba_2CuO_{6\pm\delta}$ **165**, 377
– in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ **165**, 125
– in $YBa_2Cu_3O_{6+x}$ **167**, 11
– in $YBa_2Cu_3O_{7-x}$ **167**, 49, 408
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **169**, 227
Structure
– and T_c **167**, 515
– of $(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$ **167**, 560
– of $BaBi_{1-x}Tl_xO_3$ ($0.0 \leqslant x \leqslant 0.5$) **166**, 535
– of $BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$ **167**, 369
– of $Bi_{1.9}Pb_{0.35}Ca_2Sr_2Cu_3O_{10+\delta}$ **165**, 293
– of $Bi_{1.9}Pb_{0.3}Sr_{2.0}Ca_{1.9}Cu_{3.0}O_{10+\delta}$ **171**, 339
– of $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ **167**, 291
– of $Bi_2CaSr_2Cu_2O_{8+\delta}$ **165**, 293
– of $Bi_2Nd_{0.5}Ca_{2.5}Cu_2O_y$ **165**, 67
– of $Bi_2Sr_2Ca_{1-x}R_xCu_2O_{8+y}$ **171**, 315
– of $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ **168**, 265
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 239; **169**, 441
– of $Bi_2Sr_2RE_{2-x}Ce_xCu_2O_{10+\delta}$ (RE=Y,Nd,Sm,Eu,Gd,Dy,Ho) **168**, 79
– of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) **166**, 79
– of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ **171**, 19
– of $Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$ **168**, 265
– of Bi compounds **165**, 170, 189
– of $(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$ **168**, 215
– of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ **168**, 426
– of $(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$ **166**, 282
– of $BiPbSr_2MO_y$ (M=Co,Mn,Fe) (single crystals) **167**, 20
– of Bi–Pb–Sr–Ca–Cu–Ag **171**, 69
– of Bi–Sr–Ca–Cu–O **171**, 108
– of CuO **171**, 454
– of doped $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **165**, 247
– of $ErBa_2Cu_3O_{7-\delta}$ **169**, 371
– of $ErBa_2Cu_4O_8$ **165**, 391
– of Fe-doped Bi–Sr–Ca–Cu–O **168**, 265
– of $(Gd,Ce)_4(La,Ba)_4Cu_6O_{17.94}$ **171**, 561
– of halogenated $YBa_2Cu_3O_6$ **165**, 107
– of $(Ho,Ce)_3Sr_2Cu_2(Cu,M)O_{11}$ (M=Pb, Fe, Al) **171**, 344
– of $(Ho,Ce)_3Sr_2Cu_3O_{11}$ **171**, 344
– of $La_{1.25}Dy_{0.75}CuO_{3.75}F_{0.5}$ **169**, 15
– of $La_{1.25}Dy_{0.75}CuO_{4+\delta}$ **169**, 15
– of $La_{1.6}Sr_{0.4}CaCu_2O_{6-\delta}$ **169**, 377
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ under high pressure **169**, 179
– of $La_{1.85}Sr_{1.15}Cu_2O_{6.25}$ **169**, 464
– of $La_{1.92}Sr_{0.08}CuO_{4-y}$ **171**, 491
– of $La_{2-x}Ba_xSr_{1-y}Y_yCu_2O_6$ **170**, 239
– of $La_{2-x}M_xCuO_{4-\delta}$ (M=Na,K) **170**, 411
– of $La_{2-x}Sr_xCuO_4$ **166**, 329
– of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) **169**, 123
– of $La_2CaCu_2O_{6+\delta}$ **170**, 153
– of $La_2CuO_{4.032}$ **170**, 87
– of $(La,Tb,Pb)_2CuO_4$ **171**, 468
– of $(La,Tb,Sr)_2CuO_4$ **171**, 468
– of $La_xNd_{1.85-x}Ce_{0.15}CuO_{4-y}$ **165**, 147
– of $La_xY_{1-x}Ba_2Cu_3O_7$ **167**, 669
– of $(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta}$) **166**, 465
– of $Nd_{1.7}Bi_{0.1}Sr_{0.9}Ca_{0.3}Cu_2O_6$ **169**, 169
– of $Nd_{2-x}Ce_xCuO_4$ **168**, 627
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **168**, 617; **169**, 227
– of Nd_2CuO_4 **166**, 203
– of $Nd_2CuO_{4-\delta}$ (single crystal) **170**, 175
– of $Pb_{0.5}Ca_{0.5}Sr_2Ca_xY_{1-x}Cu_2O_{7-\delta}$ **171**, 7
– of $Pb_2Sr_2LnCeCu_3O_{10+\delta}$ **167**, 107
– of $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ **169**, 469
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) **169**, 401
– of $Pb_2Sr_2YCU_{2.2}Ni_{0.8}O_8$ **165**, 499
– of $Pb_3Sr_3Cu_3O_{8+\delta}Cl$ **167**, 67
– of $(Pb,Cu)(Eu,Ce)_2(Sr,Eu)_2Cu_2O_x$ **169**, 133
– of $PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$ **168**, 1
– of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ **169**, 396
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **168**, 315
– of $Tl_2Ba_2CaCu_2O_8$ **168**, 315
– of $Tl_2Ba_2CuO_{6+\delta}$ **166**, 349
– of $TlBa_{1.2}La_{0.8}CuO_5$ **166**, 19
– of $TlBa_2Ca_{1-x}RE_xCu_2O_7$ (RE=Nd,Gd,Y) **168**, 57

- of $TlBa_2Ca_2Cu_3O_9$ (single crystal) **168**, 315
- of Tl–Ba–Ca–Cu–O **171**, 135
- of Tl compounds **165**, 115, 347
- of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ **168**, 521
- of twin boundaries in $YBa_2Cu_3O_{7-\delta}$ **166**, 255
- of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ **169**, 289
- of $Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ **165**, 287
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **166**, 191; **170**, 343
- of $Y_1Ba_2Cu_4O_8$ **167**, 335
- of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ **169**, 386
- of $YBa_2(Cu_{1-x}Ti_x)_3O_{7-\delta}$ **165**, 434
- of $YBa_2Cu_2WO_{9-\delta}$ **168**, 546
- of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ **169**, 361
- of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **165**, 166
- of $YBa_2Cu_3O_{6.8}$ **170**, 139
- of $YBa_2Cu_3O_{7-\delta}$ **169**, 217
- of $YBa_2Cu_3O_7$ (thin film; body-centered) **169**, 279
- of $YBa_2Cu_3O_7$ thin films **171**, 354
- of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ **169**, 386
- of $YBa_2Cu_4O_8$ **165**, 335, 391, 415
- of $YBa_4Cu_7O_{15}$ **167**, 579

Structure at high oxygen pressure **171**, 187

Structure stability **165**, 357

Substitution effects

- in $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$ **167**, 291
- in $Bi_2Sr_2Ca_1Cu_2O_x$ **167**, 503
- in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **168**, 489
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **165**, 55
- in $Bi_2Sr_2CuO_x$ **167**, 258
- in $La_xY_{1-x}Ba_2Cu_3O_7$ **167**, 669
- in $Nd_{2-x}Ce_xCu_{1-y}Ag_yO_{4-\delta}$ **167**, 89
- in Tl–Ba–Ca–Cu–O **171**, 135
- in $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ **166**, 261
- in Y–Ba–Cu–O **171**, 121
- of Ca in $YBa_2Cu_3O_{7+\delta}$ **169**, 7
- of Fe in $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ **168**, 493
- of Fe in $YBa_2Cu_3O_{7-\delta}$ **171**, 276
- of H_{c2} in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ **169**, 146
- of Li in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 309
- of Ni in $Pb_2Sr_2YCu_3O_{8+\delta}$ **165**, 499
- of $PbBaSrY_{1-x}CaCu_3O_7$ **168**, 285
- of Pr in $YBa_2Cu_3O_{7-\delta}$ **168**, 506
- of Sb and Pb **168**, 489
- of Sn in $YBa_2Cu_3O_{7-\delta}$ **171**, 167
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Co, Ni, Zn) **171**, 77
- of $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Zn, Ni) **170**, 307
- of Zn in $La_{2-x}Sr_xCuO_4$ **168**, 370

Substitution effects for Cu

- in $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Fe,Co,Al,Cr,Ni,Zn) **169**, 205

Substitution effects of Ba

- in $Pb_2Sr_2(Y,Ca)Cu_3O_8$ **166**, 413

Substitution effects of Ca

- in $LnBa_2Cu_4O_8$ **165**, 391

Substitution effects of Ca and La

- in Y–Ba–Cu–O **171**, 305

Substitution effects of Cd

- in Bi compounds **165**, 170

Substitution effects of Ce

- in Gd_2CuO_4 **165**, 13
- in $LaGdCuO_4$ **165**, 13
- in $LaNdCuO_4$ **165**, 13
- in Nd_2CuO_4 **165**, 13

Substitution effects of Ce and Th

- in $Nd_2CuO_{4-\delta}$ **165**, 469

Substitution effects of Co

- in $YBa_2Cu_3O_{7-\delta}$ **165**, 125; **171**, 216

Substitution effects of Fe

- in $YBa_2Cu_3O_7$ **166**, 100
- in $YBa_2Cu_3O_y$ **165**, 404

Substitution effects of Fe for Cu

- in $La_{2-x}Ba_xCuO_4$ $(0 \leqslant x \leqslant 0.35)$ **166**, 518
- in $YBa_2Cu_3O_{7-\delta}$ **166**, 431

Substitution effects of Fe, Ni, Gd

- in $YBa_2Cu_3O_{7-\delta}$ **170**, 71

Substitution effects of Fl

- in La_2CuO_4 **167**, 97

Substitution effects of Ga and Zn

- in $YBa_2Cu_3O_{7-\delta}$ **171**, 419, 429

Substitution effects of In

- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **170**, 211
- in $Tl_xPb_{1-x}Ca_{1-y}Y_ySr_2Cu_2O_z$ **165**, 111

Substitution effects of La

- in $Tl_2Ba_2CuO_6$ **165**, 321

Substitution effects of Mo

- in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{3-x}Mo_xO_y$ **170**, 35
- in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **170**, 35

Substitution effects of Ni

- in $Bi_2Sr_2CaCu_{2-x}Ni_xO_y$ $(0 \leqslant x \leqslant 0.2)$ **166**, 530

Substitution effects of Pb

- in $Bi_{2+y}Sr_{2-y}Cu_{1+y/4}O_x$ **165**, 189
- in $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ **165**, 25
- in Bi compounds **165**, 161
- in $YBa_2Cu_3O_{7-\delta}$ **170**, 245

Substitution effects of Pr

- in $LaCaBaCu_3O_{7-\delta}$ **167**, 640
- in $Y_{0.8}Ca_{0.2}Ba_2Cu_3O_{6+d}$ **167**, 640

Substitution effects of rare earth (R)

- in $Bi_2Sr_2Ca_{1-x}R_xCu_2O_{8+y}$ **171**, 315

Substitution effects of rare earths

- in $Bi_2La_yCa_{3-y}Cu_2O_2$ **165**, 143

Substitution effects of Ti

- in $YBa_2Cu_3O_{7-\delta}$ **165**, 434

Substitution effects of Y or Nd

- in $Bi_2Sr_2CaCu_2O_{8+x}$ **165**, 152

Substitution effects of Zn

- in $YBa_2Cu_3O_7$ **171**, 231
- in $YBa_2Cu_3O_{7-\delta}$ **165**, 328

Substitution effects of Zn for Cu

- in $La_{2-x}Sr_xCuO_4$ **166**, 417
- in $Nd_{1.85}Ce_{0.15}CuO_4$ **167**, 472

Substitution effects of Zn, Ga and Ni

- in $Nd_{1.65}Ce0.15CuO_{4-\delta}$ **165**, 247

Substrate effects

- on $Y_1Ba_2Cu_3O_{7-\delta}$ (thin films) **167**, 423

Substrates **171**, 231

Superconducting fluctuations **170**, 298

Superconducting glass model

- in $YBa_2Cu_3O_{7-\delta}$ **169**, 50

Superconducting image force **168**, 479

Superconducting transition temperature (theory) **169**, 275

Superconductivity

- in $La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$ $(0 \leqslant x \leqslant 0.4)$ **166**, 361
- in $(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$ **166**, 413
- in $TlBa_{1.2}La_{0.8}CuO_5$ **166**, 19
- of $(Pb_{0.5}Cu_{0.5})(Eu_{3/4}Ce_{1/4})_2(Sr_{7/8}Eu_{1/8})_2Cu_2O_x$ **169**, 133

Superconductivity in simple cubic Fe (possibility) **166**, 317

Supercurrents in composite ring

- of $YBa_2Cu_3O_7$ **166**, 277

Superlattices

- in Y–Ba–Cu–O **171**, 14

Surface impedance

- of $YBa_2Cu_3O_7$ thin films **171**, 354

Surface phase transition **165**, 308

Synthesis

- of $Bi_2(Ca,Sr)_{n+1}Cu_nO_{2n+4+\delta}$ with Pb $(n=3,4)$ **166**, 125
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ by metallorganic precursors **168**, 351
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ using metallo-organic precursors **166**, 177
- of Bi compounds **165**, 67, 143, 170
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **170**, 383
- of Bi–Pb–Sr–Ca–Cu–Ag **171**, 69
- of Bi–Sr–Ca–Cu–O **171**, 108
- of $ErBa_2Cu_4O_8$ **165**, 391
- of $(Ho,Ce)_3Sr_2Cu_2(Cu,M)O_{11}$ (M=Pb, Fe, Al) **171**, 344
- of $(Ho,Ce)_3Sr_2Cu_3O_{11}$ **171**, 344
- of $La_{2-x}Ba_xSr_{1-y}Y_yCu_2O_6$ **170**, 239
- of $La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$ **171**, 523
- of $Ln_{2-x}Ce_xCuO_{4-\delta}$ **165**, 251
- of Ln_2CuO_4 **165**, 357
- of $Pb_{0.5}Ca_{0.5}Sr_2Ca_xY_{1-x}Cu_2O_{7-\delta}$ **171**, 7

- of $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ **169**, 469
- of $Pb(Ba,Sr)_2(Y,Ca)Cu_3O_{7-\delta}$ **170**, 437
- of $PbBaSrY_{1-x}CaCu_3O_7$ **168**, 285
- of R_2CuO_4 (R=Y,Dy,Ho.Er,Tm) **166**, 111
- of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ **169**, 396
- of Tl–Ba–Ca–Cu–O **171**, 135, 543
- of Tl compounds **165**, 347
- of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ under high pressure **169**, 289
- of $Y_1Ba_2Cu_4O_8$ (filament) **171**, 441
- of $YBa_2Cu_2WO_{9-\delta}$ **168**, 546
- of $YBa_2Cu_{37-\delta}$ (single crystal) **171**, 348
- of $YBa_2Cu_3O_{6+x}$-Ag **167**, 343
- of $YBa_2Cu_3O_{7-\delta}$ **165**, 279; **168**, 346
- of $YBa_2Cu_3O_{7-x}$ **167**, 312
- of $YBa_2Cu_3O_7$ thin films **171**, 354
- of $YBa_2Cu_4O_8$ **165**, 335, 391, 415
- of Y–Ba–Cu–O **171**, 61
- of YBaCuO (freeze dried) **167**, 287

Synthesis at high oxygen pressure
- of Y–Ba–CuO **171**, 187

Synthesis of high density ceramics **168**, 571

Synthesis with T_c=117K
- of $Bi_{2-x+y}Pb_xSr_{2-y}Cu_{1+y}/4O_z$ **170**, 249

T_c and unit-cell parameters
- of $Bi_2Sr_2Ca_{1-x}R_xCu_2O_{8+y}$ **171**, 315

TEM
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **168**, 617
- in $REBa_2Cu_3O_{7-\delta}$ **166**, 115
- of Bi compounds **165**, 189
- of $PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$ **168**, 1

TEM (transmission electron microscopy) study
- of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ **169**, 289

Textured microstructure **171**, 265

Theory of high-T_c superconductivity **169**, 501

Thermal conductivity
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 174

Thermal cycling
- in Bi compounds **165**, 135

Thermal expansion
- of (Bi,Pb)CaSrCuO **165**, 293
- of $YBa_2Cu_3O_7$ **166**, 323
- of $YBa_2Cu_3O_{7-\delta}$ and $DyBa_2Cu_3O_{7-\delta}$ **168**, 465
- of $YBa_2Cu_4O_8$ **170**, 56

Thermal phonons
- in $YBa_2Cu_3O_7$ **167**, 307

Thermodynamical scaling of the specific heat
- of $YBa_2Cu_3O_{7-\delta}$ **170**, 46

Thermodynamic scaling (theory) **168**, 282

Thermoelectric power
- of Bi compounds **165**, 183
- of $ErBa_2Cu_4O_8$ **170**, 112
- of high-T_c superconductors **168**, 605
- of $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+\delta}$ **165**, 221
- of Tl compounds **165**, 183
- of $YBa_2Cu_3O_{7-\delta}$ **171**, 321
- of $YBa_2Cu_3O_x$ **165**, 44, 205

Thin films **165**, 212, 241, 371
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (on MgO, by laser ablation) **170**, 545
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ by pulsed laser deposition **168**, 475
- of epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Y_2Ba_4Cu_8O_{16-\delta}$ **170**, 491
- of $LaBa_2Cu_3O_{7-\delta}$ by laser ablation **168**, 599
- of Re–Ba–Cu–O (Re=Y, Gd, Eu, Nd, Dy, Sm) **171**, 401
- of screen printed $YBa_2Cu_3O_{7-\delta}$ **170**, 59
- of $Y_1Ba_2Cu_3O_{7-x}$ **171**, 131
- of $YBa_2Cu_3O_7$ **171**, 354
- of $YBa_2Cu_3O_{7-\delta}$ **168**, 322; **170**, 473; **171**, 37
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial) **166**, 105; **168**, 359
- of $YBa_2Cu_3O_{7-\delta}$ on YSZ **170**, 457
- of $YBa_2Cu_3O_7$ (epitaxial) **171**, 231
- of Y–Ba–Cu–O **171**, 14, 121
- of $(Y,Ca)Ba_2Cu_4O_{8+\delta}$ (on $SrTiO_3$) **170**, 500

Three band Hubbard model **169**, 485

Three band model **168**, 391

T–J Hamiltonian **171**, 395

T–J model **166**, 206, 301

Torque
- in $YBa_2Cu_3O_7$ (single crystal) **170**, 22

Transformer method (critical currents) **169**, 303

Trivalent copper
- in $YBa_2Cu_3O_{7-\delta}$ **171**, 156

Tunneling **171**, 42, 513
- of $Ba_{0.6}K_{0.4}BiO_3$ **169**, 294
- of $Ba_{1-x}K_xBiO_3$ (thin film) **169**, 391
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) **166**, 543
- theory **165**, 444

Tunneling of voltage–current characteristics **171**, 1

Tunneling spectroscopy
- of $Bi_2Sr_2CaCu_2O_8$ **171**, 103

Twin boundaries **171**, 151
- in $Y_1Ba_2Cu_4O_8$ **167**, 324
- in $YBa_2Cu_3O_{7-\delta}$ **166**, 255; **167**, 627
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **166**, 75
- of $YBa_2Cu_3O_{6.8}$ **170**, 139

Twin boundaries elimination
- in $TmBa_2Cu_3O_x$ **165**, 62

Twinning
- in $YBa_2Cu_4O_8$ **169**, 457

Two band model **166**, 301

Two band model for high-T_c superconductivity **169**, 55

Two-spin fluid model **167**, 127

Type II superconductors **165**, 241; **168**, 29

$T–P_{O_2}$ phase diagram
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **166**, 513

Ultrasound attenuation
- in the mixed state of type II superconductors **168**, 335
- of URu_2Si_2 **169**, 497

Ultrasound velocity
- in $GdBa_2Cu_3O_{6+x}$ (single crystals) **167**, 59
- in $La_{2-x}Sr_xCuO_4$ **166**, 87
- in $Nd_{2-x}Ce_xCuO_4$ **166**, 87
- in $YBa_2Cu_3O_{6+x}$ (single crystals) **167**, 59
- in $YBa_2Cu_3O_{7-\delta}$ **166**, 87
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **166**, 405
- of type II superconductors **168**, 515
- of URu_2Si_2 **169**, 497

Upper critical field H_{c2}
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **166**, 75
- of Bi–Pb–Sr–Ca–Cu–O **169**, 250
- of $Cu_{1.8}Mo_6S_8$ **166**, 25
- of Gd-doped $LaAl_2$ **167**, 198
- of $Ln_{2-x}Ce_xCuO_{4-\delta}$ **165**, 251
- of $Nb/Nb_{0.5}Zr_{0.5}$ multilayers **165**, 173
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ **170**, 130
- of $YBa_2Cu_3O_7$ **165**, 199

Upper critical field H_{c2} (theory) **168**, 143

UPS
- of the interface between Pb and $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 104

Van der Waals interaction **166**, 53

Vortex–antivortex pairing **166**, 334

Vortex fluctuations **166**, 442

Weak coupling **167**, 433

Weak links **171**, 25
- in $Bi_{0.7}Pb0.3SrCaCu_{1.8}O_x$ **167**, 188
- in $Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$ **167**, 317
- in $Nd_{1.85}Ce_{0.15}CuO_4$ **167**, 472
- in $YBa_2Cu_3O_{7-\delta}$ **167**, 139, 549

– in $YBa_2Cu_3O_{7-\delta}$ (thin film) **167**, 75
– in $YBa_2Cu_4O_8$ **165**, 415
Weak–strong coupling cross-over **165**, 71
Weathering **165**, 270
Wetting between Ag and $YBa_2Cu_3O_{7-\delta}$ **170**, 1
Whiskers
– in $Bi_2Sr_2Ca_1Cu_2O_x$ **167**, 503

XAFS
– of $YBa_2Cu_{3-x}Fe_xO_y$ **166**, 235
XPS
– in $Nd_{1.85}Ce_{0.15}CuO_4$ **166**, 437
– of $Bi_2Sr_2Ca_{0.4}Y_{0.6}Cu_2O_{8+\delta}$ **170**, 416
– of $Bi_2Sr_2CaCu_{2-x}Ni_xO_7$ **166**, 530
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) **169**, 1
– of $LnBa_2Cu_3O_{7-\delta}$ **165**, 270
– of $Nd_{2-x}Ce_xCu_{1-y}Ag_yO_{4-\delta}$ **167**, 89
– of the interface between Pb and $Bi_2Sr_2CaCu_2O_{8+\delta}$ **168**, 104
– of $YBa_2Cu_2PbO_x$ **170**, 245
– of $YBa_2Cu_3O_{7-\delta}$ **167**, 657
– of $YBa_2Cu_4O_8$ **171**, 444
– of Y–Ba–Cu–O **171**, 121
X-ray diffuse scattering
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **168**, 315
– of $TlBa_2Ca_2Cu_3O_9$ (single crystal) **168**, 315

Zone melted filaments
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **170**, 427

Physica C, Materials Index Vols. 165–171 (1990) 45–52
North-Holland

Materials Index

$Ag\text{-}Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$
– electron microscopy **167**, 395
$Ag\text{–}YBa_2Cu_3O_{7-\delta}$
– critical current density **168**, 189
– Fibers **168**, 189

$Ba_{0.6}K_{0.4}BiO_3$
– AC susceptibility of superconductors **171**, 181
– coherence length **171**, 181
– electrical resistivity **171**, 181
– gas chromatography **169**, 35
– irradiation effect of fast neutrons **169**, 265
– mass spectrometry **169**, 35
– specific heat, low-T **171**, 181
– tunneling **169**, 294
$(Ba_{0.85}Nd_{0.15})_2NdCu_3O_{6+z}$
– high pressure annealing **167**, 560
– neutron diffraction **167**, 560
– structure **167**, 560
$Ba_{1-x}K_xBiO_3$
– energy gap **169**, 391
– tunneling **169**, 391
$Ba_2Pb_{1-x}Bi_xO_4$
– AC susceptibility **167**, 271
– ESR **167**, 271
$BaBi_{1-x}Tl_xO_3$
– resistivity **166**, 535
– structure **166**, 535
$BaPb_{0.5}Bi_{0.25}Tl_{0.25}O_{3-\delta}$
– magnetic susceptibility **167**, 369
– structure **167**, 369
$Ba_xK_{1-x}BiO_3$
– Eliashberg equations **170**, 405
$Bi_{0.58}Pb_{2.8}Sr_{3.0}Ca_{2.1}Cu_{1.1}O_x$
– hot isostatic pressing **167**, 525
$Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$
– critical current density **170**, 333
– irradiation effect of neutrons **170**, 333
– magnetic susceptibility **167**, 188
– magnetoresistance **167**, 188
– weak links **167**, 188
$Bi_{0.8}Pb_{0.2}Sr_{0.8}CaCu_{1.4}O_x$
– mechanical oscillator measurements **170**, 233
$Bi_{1.4}Pb_{0.6}Sr_2Ca_3Cu_4O_x$
– composites of Ag **167**, 395
– metallic ribbons of Ag **167**, 395
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_{3-x}Mo_xO_y$
– substitution effects of Mo **170**, 35
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$
– substitution effects of Mo **170**, 35
$Bi_{1.8}Pb_{0.2}Sr_2Cu_3O_y$
– AC susceptibility **167**, 317
– critical current density **167**, 317
– weak links **167**, 317
$Bi_{1.9}Pb_{0.35}Ca_2Sr_2Cu_3O_{10+\delta}$
– structure **165**, 293
$Bi_{1.9}Pb_{0.3}Sr_{2.0}Ca_{1.9}Cu_{3.0}O_{10+\delta}$
– neutron diffraction **171**, 339
– oxygen stoichiometry **171**, 339
– structure **171**, 339
$Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_{8+\delta}$
– oxygen stoichiometry **168**, 167
$Bi_{2-2x}Pb_{2x}Sr_2Ca_{n-1}Cu_nO_y$
– magnetic susceptibility **165**, 25
– Meissner effect **165**, 25
$Bi_{2-x+y}Pb_xSr_{2-y}Cu_{1+y}/4O_x$
– modulated structures **165**, 189
$Bi_{2-x+y}Pb_xSr_{2-y}Cu_{1+y}/4O_z$
– synthesis with $T_c = 117$K **170**, 249
$Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_{10}$
– neutron diffraction **167**, 291
– structure **167**, 291
– substitution effects **167**, 291
$Bi_{2-x}Pb_xSr_2(Ln_{1-y}Ce_y)_2Cu_2O_{10+\delta}$
– modulated structures **170**, 284
$Bi_{2+y}Sr_{2-y}Cu_{1+y}/4O_x$
– substitution effects of Pb **165**, 189
$Bi_2CaSr_2Cu_2O_{8+\delta}$
– structure **165**, 293
$Bi_2CaSr_2Cu_2O_x$
– magnetic susceptibility **165**, 29
$Bi_2(Ca,Sr)_{n+1}Cu_nO_{2n+4+\delta}$
– synthesis **166**, 125
$Bi_2La_yCa_{3-y}Cu_2O_2$
– substitution effects of rare earths **165**, 143
$Bi_2Nd_{0.5}Ca_{2.5}Cu_2O_y$
– Meissner effect **165**, 67
– structure **165**, 67
$Bi_2Pr_{0.5}Ca_{2.5}Cu_2O_y$
– Meissner effect **165**, 67
$Bi_2Sr_2Ca_{0.4}Y_{0.6}Cu_2O_{8+\delta}$
– angular resolved photoemission **170**, 416
– XPS **170**, 416
$Bi_2Sr_2Ca_{1-x}R_xCu_2O_{8+y}$
– structure **171**, 315
– substitution effects of rare earth (R) **171**, 315
– T_c and unit-cell parameters **171**, 315
$Bi_2Sr_2Ca_1Cu_2O_x$
– critical current density **167**, 503
– laser plasma-deposition **167**, 509
– substitution effects **167**, 503
– whiskers **167**, 503
$Bi_2Sr_2Ca_2Cu_3O_{10}$
– high pressure effect of T_c **166**, 523
$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$
– substitution effects **168**, 489
$Bi_2Sr_2Ca_2Cu_3O_x$
– laser plasma-deposition **167**, 509
$Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$
– HREM **168**, 265
– Mössbauer spectroscopy **168**, 493
– structure **168**, 265
– substitution effects **168**, 493
$Bi_2Sr_2CaCu_{2-x}Ni_xO_7$
– XPS **166**, 530
$Bi_2Sr_2CaCu_{2-x}Ni_xO_y$
– substitution effects of Ni **166**, 530
$Bi_2Sr_2CaCu_2O_8$
– high pressure effect of T_c **166**, 523
– tunneling spectroscopy **171**, 103
$Bi_2Sr_2CaCu_2O_8/NiFe_2O_4$
– magnetization **169**, 285
$Bi_2Sr_2CaCu_2O_{8-\delta}$
– Effect of annealing on T_c **168**, 591
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– AC susceptibility **169**, 174
– antiferromagnetic order **166**, 62
– BIS **169**, 1
– complex impedance **170**, 254
– critical current density **170**, 545, 427
– electronic structure **169**, 1
– electron tunneling **166**, 15
– energy gap **166**, 15; **169**, 436
– fluctuation effects of the electrical conductivity **169**, 43
– grain boundaries **168**, 239
– granular superconductivity **170**, 271
– Hall effect **169**, 441
– HREM **168**, 239
– irradiation effect of oxygen **170**, 95
– irreversibility line **170**, 95

- I–V characteristics **170**, 271
- Kramer's scaling of pinning force **170**, 51
- magnetic susceptibility **168**, 499
- magnetization **170**, 291
- microwave absorption **166**, 140, 231; **168**, 91
- modulated structures **169**, 441
- NMR **168**, 291
- oxygen stoichiometry **168**, 591
- Raman scattering **169**, 436
- resistivity **169**, 43, 174
- solubility of PbO **170**, 319
- structure **168**, 239; **169**, 441
- substitution effects **165**, 55; **168**, 309
- synthesis **166**, 177; **168**, 351
- thermal conductivity **169**, 174
- thin films **168**, 475; **170**, 545ep
- ultrasound velocity **166**, 405
- UPS **168**, 104
- XPS **168**, 104; **169**, 1
- zone melted filaments **170**, 427

$Bi_2Sr_2CaCu_2O_{8+x}$
- substitution effects of Y or Nd **165**, 152

$Bi_2Sr_2CaCu_2O_{8+y}$
- flux creep **167**, 278

$Bi_2Sr_2CaCu_2O_x$
- Meissner effect **165**, 241
- oxygen stoichiometry **165**, 241

$Bi_2Sr_2CaCuO_{28+\delta}$
- penetration depth **168**, 91

$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$
- HREM **168**, 249

$Bi_2Sr_2Ca_{n-1}Cu_nO_y$
- substitution effects of Pb **165**, 25

$Bi_2Sr_2CuCu_2O_{8+\delta}$
- flux creep **166**, 62

$Bi_2Sr_2CuO_{6+\delta}$
- hole concentration, effect on T_c **165**, 305
- oxygen stoichiometry **165**, 305

$Bi_2Sr_2CuO_x$
- quenching effects **167**, 258
- substitution effects **167**, 258

$Bi_2Sr_2RE_{2-x}Ce_xCu_2O_{10+\delta}$
- structure **168**, 79

$Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$
- antiferromagnetic order **168**, 23
- magnetic phase diagram **168**, 23
- muon spin rotation **168**, 23

$Bi_2Sr_4Fe_3O_{12+\delta}$
- Mössbauer spectroscopy **170**, 65

$Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$
- modulated structures **166**, 79; **171**, 19
- neutron diffraction **166**, 79; **171**, 19
- oxygen stoichiometry **171**, 19
- structure **166**, 79; **171**, 19

$Bi_{4-x}Pb_xSr_4Ca_2Cu_4O_y$
- electrical resistivity **167**, 491
- quenching effects **167**, 491

$Bi_4Ca_2Sr_4Cu_4O_{16+y}$
- flux pinning **165**, 315
- pinning force **165**, 315

$Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$
- HREM **168**, 265
- structure **168**, 265

$(BiPb)_2Sr_2Ca_1Cu_2O_x$
- hot isostatic pressing **167**, 525

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$
- electrical resistivity **167**, 609
- granular superconductivity **167**, 609
- high pressure effect **167**, 609
- specific heat **167**, 598

$(BiPb)_2Sr_2Ca_2Cu_3O_{10-y}$
- hot isostatic pressing **167**, 525

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$
- synthesis **170**, 383

$(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$
- HREM **168**, 215
- structure **168**, 215

$(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$
- HREM **168**, 426
- modulated structures **168**, 426
- structure **168**, 426

$(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$
- electron diffraction **166**, 282
- structure **166**, 282

(Bi,Pb)CaSrCuO
- magnetic susceptibility, AC **165**, 293
- thermal expansion **165**, 293

$(Bi,Pb,Sb)_2Sr_2Ca_2Cu_3O_{10}$
- magnetic susceptibility **165**, 340
- specific heat **165**, 340

$BiPbSr_2MO_y$
- modulated structures **167**, 20
- structural phase transition **167**, 20
- structure **167**, 20

Bi–Pb–Sr–Ca–Cu–Ag
- applications of high-T_c superconductors **171**, 69
- structure **171**, 69
- synthesis **171**, 69

Bi–Pb–Sr–Ca–Cu–O
- applications of high T_c superconductors **171**, 265, 293
- critical current density **171**, 265, 293
- flux pinning **171**, 293
- upper critical field H_{c2} **169**, 250

$Bi(Pb)SrCaCuO_x$
- SQUID **168**, 138

Bi–Sr–Ca–Cu–O
- electron microscopy **167**, 614
- HREM **168**, 205
- ion channeling measurements **167**, 614
- metallo-organic deposition **167**, 614
- phase diagram **168**, 205
- preparation **169**, 413
- structure **168**, 265; **171**, 108
- synthesis **171**, 108

$BiSrY_{1-x}Ce_xCuO_{5+y}$
- electrical resistivity **167**, 249
- metal–insulator transition **167**, 249

$Ca_{0.86}Sr_{0.14}CuO_2$
- specific heat **167**, 598

Ca_2CuO_3
- phase diagram **168**, 205
- specific heat **167**, 598

$(Ca,Sr)_3Cu_5O_y$
- phase diagram **168**, 205

$(Ca,Sr)CuO_2$
- phonons **168**, 117

$Cu_{1.8}Mo_6S_8$
- anisotropic superconductor **166**, 25
- Chevrel phase compound **166**, 25
- upper critical field H_{c2} **166**, 25

CuO_2
- band structure **165**, 97

$Er_2Ba_4Cu_7O_{15-x}$
- microwave absorption **167**, 520

$ErBa_2Cu_3O_{7-\delta}$
- muon spin rotation **169**, 371
- neutron diffraction **169**, 371
- oxygen stoichiometry **169**, 371
- structure **169**, 371

$ErBa_2Cu_3O_x$
- magnetic order **166**, 9
- magnetism and superconductivity **166**, 9
- neutron diffraction **166**, 9

$ErBa_2Cu_4O_8$
- electrical resistivity **170**, 112
- Hall effect **170**, 112
- structure **165**, 391
- synthesis **165**, 391
- thermoelectric power **170**, 112

$(Eu_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$
- AC susceptibility of superconductors **171**, 287
- electrical resistivity **171**, 287
- Mössbauer spectroscopy **171**, 287

$EuBa_2Cu_3O_{7-\delta}$
- magnetization **165**, 385
- specific heat **165**, 385
- specific heat, at T_c **165**, 385

Fermi
- energy gap **165**, 35

$Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
- resistivity **169**, 146

$Gd_{2-x}Sr_xCuO_{4-\delta}$

- ESR **170**, 41
- microwave absorption **170**, 41

Gd_2CuO_4
- substitution effects of Ce **165**, 13

$GdBa_2Cu_{3-x}Fe_xO_{7+\delta}$
- Mössbauer spectroscopy **169**, 23

$GdBa_2Cu_3O_{6+x}$
- anharmonicity **167**, 59
- ultrasound velocity **167**, 59

$GdBa_2Cu_3O_{7-\delta}$
- magnetoresistance **169**, 299
- Raman scattering **166**, 225

$(Gd,Ce)_4(La,Ba)_4Cu_6O_{17.94}$
- HREM **171**, 561
- structure **171**, 561

(granular) $YBa_2Cu_3O_{7-\delta}$
- critical current density **171**, 211

$Ho_{1-x}Ca_xBa_2Cu_4O_8$
- hot isostatic pressing **167**, 102

$HoBa_2Cu_3O_{7-\delta}$
- critical current density **169**, 451
- critical current density (transport) **169**, 201
- grain boundaries **169**, 451

$HoBa_2Cu_4O_8$
- magnetization **166**, 393
- resistivity **166**, 393
- specific heat **166**, 393

$(Ho,Ce)_3Sr_2Cu_2(Cu,M)O_{11}$
- structure **171**, 344
- synthesis **171**, 344

$(Ho,Ce)_3Sr_2Cu_3O_{11}$
- structure **171**, 344
- synthesis **171**, 344

$In_{0.3}Pb_{0.7}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$
- Meissner effect **165**, 111

K-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
- high pressure effect of T_c **170**, 231

$La_{1.25}Dy_{0.75}CuO_{3.75}F_{0.5}$
- neutron diffraction **169**, 15
- structure **169**, 15

$La_{1.25}Dy_{0.75}CuO_{4+\delta}$
- neutron diffraction **169**, 15
- structure **169**, 15

$La_{1.6}Sr_{0.4}CaCu_2O_{6-\delta}$
- structure **169**, 377

$La_{1.85}Sr_{0.15}CuO_4$
- gas chromatography **169**, 35

$La_{1.85}Sr_{0.15}CuO_{4-\delta}$
- neutron scattering (inelastic) **169**, 179
- structure **169**, 179

$La_{1.85}Sr_{1.15}Cu_2O_{6.25}$
- structure **169**, 464

$La_{1.92}Sr_{0.08}CuO_{4-y}$
- neutron diffraction **171**, 491
- structure **171**, 491

$La_{1-x}Pr_xCaBaCu_3O_{7-\delta}$
- infrared spectroscopy **167**, 640

$La_{2-x}Ba_xCuO_4$
- Mössbauer spectroscopy of Fe **166**, 518
- substitution effects of Fe for Cu **166**, 518

$La_{2-x}Ba_xSr_{1-y}Y_yCu_2O_6$
- structure **170**, 239
- synthesis **170**, 239

$La_{2-x}Ca_{1+x}Cu_2O_{6-x/2+\delta}$
- electrical resistivity **171**, 523
- high pressure effect **171**, 523
- Meissner effect **171**, 523
- synthesis **171**, 523

$La_{2-x}M_xCuO_{4-\delta}$
- oxygen stoichiometry **170**, 411
- structure **170**, 411

$La_{2-x}Sr_{1+x}Cu_2O_{6+\delta}$
- electrical resistivity **170**, 15
- Hall effect **170**, 15
- oxygen content **170**, 15

$La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$
- magnetization **166**, 361
- superconductivity **166**, 361

$La_{2-x}Sr_xCu_{1-y}Zn_yO_4$
- ESR **168**, 370

$La_{2-x}Sr_xCuO_4$
- magnetic susceptibility **166**, 417
- neutron diffraction **166**, 329
- NQR of ^{139}La **166**, 310
- NQR of ^{63}Cu **166**, 310
- spin–lattice relaxation time T_1 **166**, 310
- structure **166**, 329
- substitution effects **168**, 370
- substitution effects of Zn for Cu **166**, 417
- ultrasound velocity **166**, 87

$La_{2-x}Sr_xCuO_{4-\delta}$
- Mott transition **170**, 29
- NQR **170**, 189
- ordering of Sr atom **169**, 123
- phonon mechanism **168**, 647
- plasmon mechanism **168**, 647
- structure **169**, 123

$La_{2-x}Sr_xCuO_{4+y}$
- ESR **167**, 35
- magnetic phase transition **167**, 35
- magnetism and superconductivity **167**, 35

$La_2CaCu_2O_{6+\delta}$
- structure **170**, 153

La_2CuO_4
- antiferromagnetic order **165**, 77
- defect structures **168**, 417
- ESR **165**, 77
- fluorination **167**, 97
- microwave absorption **165**, 77
- NMR **168**, 565
- NQR **168**, 565
- phonon spectrum **171**, 567
- spin-reorientation transition **165**, 77
- structural phase transition **167**, 97
- substitution effects of Fl **167**, 97

$La_2CuO_{4.032}$
- structure **170**, 87

La_2NiO_4
- phonon spectrum **171**, 567

$LaAl_2$
- magnetization **167**, 198
- upper critical field H_{c2} **167**, 198

$LaAl_2$-Gd
- AC susceptibility **167**, 198
- magnetism **167**, 198

$LaBa_2(Cu_2Nb)O_8$
- Cu–O chains **167**, 162
- neutron diffraction **167**, 162
- structural phase transition **167**, 162

$LaBa_2Cu_3O_{7-\delta}$
- thin films **168**, 599

$LaCaBaCu_3O_{7-\delta}$
- substitution effects of Pr **167**, 640

$LaCuO_3$
- gas chromatography **169**, 35

$LaGdCuO_4$
- substitution effects of Ce **165**, 13

$LaNd_{1-x}Ce_xCuO_4$
- phase diagram **165**, 13

$LaNdCuO_4$
- substitution effects of Ce **165**, 13

LaSrCuO
- irradiation effect **165**, 212

$(La,Tb,Pb)_2CuO_4$
- structural phase transition **171**, 468
- structure **171**, 468

$(La,Tb,Sr)_2CuO_4$
- neutron diffraction **171**, 468
- structure **171**, 468

$La_xNd_{1.85-x}Ce_{0.15}CuO_{4-y}$
- structure **165**, 147

$La_xY_{1-x}Ba_2Cu_3O_7$
- Cu–O planes **167**, 669
- structure **167**, 669
- substitution effects **167**, 669

$(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta})$
- structure **166**, 465

$Ln_{2-x}Ce_xCuO_{4-\delta}$
- crystal field **165**, 251
- lower critical field H_{c1} **165**, 251
- synthesis **165**, 251
- upper critical field H_{c2} **165**, 251

$Ln_{2-x}M_xCuO_{4-\delta}$
- high pressure effect **168**, 530

Ln_2CuO_4
- synthesis **165**, 357
$LnBa_2Cu_4O_8$
- substitution effects of Ca **165**, 391

$MBa_2Cu_3O_7$
- electronic structure **171**, 528
Mo/Nb
- epitaxial growth **167**, 221
- multilayers **167**, 221
- RHEED **167**, 221
MoGe
- flux creep **167**, 278

$Nb/Nb_{0.5}Zr_{0.5}$
- upper critical H_{c2} **165**, 173
Nb/NbZr
- critical current density **169**, 39
Nb_3Sn
- anharmonicity **167**, 415
- Mössbauer spectroscopy **167**, 415
- recoil-free fraction of Sn **167**, 415
$Nd_{1.65}Ce0.15CuO_{4-\delta}$
- substitution effects of Zn, Ga and Ni **165**, 247
$Nd_{1.7}Bi_{0.1}Sr_{0.9}Ca_{0.3}Cu_2O_6$
- structure **169**, 169
$Nd_{1.85}Ce_{0.15}CuO_4$
- electrical resistivity **167**, 472
- oxygen reduction **166**, 437
- oxygen stoichiometry **166**, 437
- substitution effects of Zn for Cu **167**, 472
- weak links **167**, 472
- XPS **166**, 437
$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
- magnetic susceptibility **165**, 247
- Mössbauer spectroscopy **165**, 247
- oxygen stoichiometry **166**, 357, 513
- structure **165**, 247
- T–P_{O_2} phase diagram **166**, 513
$Nd_{2-x}Ce_xCu_{1-y}Ag_yO_{4-\delta}$
- substitution effects **167**, 89
- XPS **167**, 89
$Nd_{2-x}Ce_xCuO_4$
- antiferromagnetic order **165**, 17
- cystral field **165**, 17
- infrared spectroscopy **168**, 580
- Madelung energy **168**, 637
- microwave absorption **170**, 267
- neutron diffraction **168**, 627
- neutron scattering (inelastic) **165**, 17
- phase diagram **165**, 13
- single-crystal growth **165**, 265
- structure **168**, 627
- ultrasound velocity **166**, 87
$Nd_{2-x}Ce_xCuO_{4-\delta}$
- magnetization **165**, 469
- Meissner effect **165**, 469
- modulated structures **168**, 617
- neutron diffraction **168**, 609
- phonon spectrum **168**, 161
- Raman scattering **168**, 161; **170**, 103
- single-crystal growth **170**, 103
- structural phase transition **169**, 227
- structure **168**, 617; **169**, 227
- substitution effects of In **170**, 211
- TEM **168**, 617
$Nd_{2-x}Ce_xCuO_{4-y}$
- electrical resistivity **167**, 53
- electron-doped superconductor **167**, 53
- magnetic scattering **167**, 53
$Nd_{2-x}Ce_xCuO_{7-\delta}$
- crystal field **168**, 609
Nd_2CuO_4
- antiferromagnetic order **165**, 131
- neutron diffraction **165**, 131
- structure **166**, 203
- substitution effects of Ce **165**, 13
$Nd_2CuO_{4-\delta}$
- crystal field **170**, 469
- oxygen stoichiometry **166**, 357
- structure **170**, 175
- substitution effects of Ce and Th **165**, 469
$Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7+\delta}$
- Hall effect **165**, 221
- thermoelectric power **165**, 221
$(Nd,Ce)_2CuO_{4-\delta}$
- oxygen stoichiometry **166**, 357
$NdCeCuO_4$
- phase diagram **165**, 265

$Pb_{0.5}Ca_{0.5}Sr_2Ca_xY_{1-x}Cu_2O_{7-\delta}$
- Meissner effect **171**, 7
- structure **171**, 7
- synthesis **171**, 7
$(Pb_{0.5}Cu_{0.5})(Eu_{3/4}Ce_{1/4})_2(Sr_{7/8}Eu_{1/8})_2Cu_2O_x$
- superconductivity **169**, 133
$(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$
- superconductivity **166**, 413
$Pb_2Ba_2YCu_3O_{8+\delta}$
- oxygen stoichiometry **166**, 502
$Pb_2Sr_2LnCeCu_3O_{10+\delta}$
- structure **167**, 107
$Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$
- structure **169**, 469
- synthesis **169**, 469
$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$
- electrical resistivity **170**, 130
- electron diffraction **169**, 401
- Hall effect **171**, 331
- magnetic susceptibility **170**, 130
- neutron diffraction **169**, 401
- normal-state properties **171**, 331
- O–T transition **171**, 331
- oxygen stoichiometry **169**, 401; **171**, 331
- structure **169**, 401
- upper critical field H_{c2} **170**, 130
$Pb_2Sr_2(Y_1,Ca)Cu_3O_{9-\delta}$
- electrical resistivity **166**, 29
- single-crystal growth **166**, 29
$Pb_2Sr_2(Y,Ca)Cu_3O_8$
- substitution effects of Ba **166**, 413
$Pb_2Sr_2YCU_{2.2}Ni_{0.8}O_8$
- structure **165**, 499
$Pb_2Sr_2YCu_3O_{8+\delta}$
- neutron diffraction **165**, 499
- substitution effects **165**, 499
$Pb_2SrLaCu_2O_{6+\delta}$
- oxygen stoichiometry **166**, 502
$Pb_3Sr_3Cu_3O_{8+\delta}Cl$
- electron microscopy **167**, 67
- structure **167**, 67
$Pb(Ba,Sr)_2(Y,Ca)Cu_3O_{7-\delta}$
- synthesis **170**, 437
$PbBaSrY_{1-x}CaCu_3O_7$
- substitution effects **168**, 285
- synthesis **168**, 285
$(Pb,Cu)(Eu,Ce)_2(Eu,Sr)_2Cu_2O_x$
- HREM **170**, 486
$(Pb,Cu)(Eu,Ce)_2(Sr,Eu)_2Cu_2O_x$
- structure **169**, 133
$PbMo_6S_8$
- magnetization relaxation **165**, 233
- single-crystal growth **165**, 233
$PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$
- structure **168**, 1
- TEM **168**, 1
$PrBa_2Cu_3O_7$
- multilayers **167**, 463

R_2CuO_4
- synthesis **166**, 111
$RBa_2Cu_3O_{7-\delta}$
- hole concentration **171**, 257
- Raman scattering **171**, 257
$REBa_2Cu_3O_{7-\delta}$
- defect structures **166**, 115
- high pressure effect **166**, 115
- TEM **166**, 115
Re–Ba–Cu–O
- microwave absorption **171**, 401
- thin films **171**, 401

$Sr_{2-x}A_xNdCu_2O_{6-y}$
- electron microscopy **167**, 483
$Sr_{2-x}Nd_{1+x}Cu_2O_{6-y}$
- neutron diffraction **167**, 483
$Sr_2CuO_2Cl_2$
- phonons **168**, 117

Ti_4O_7
- metal–insulator transition **166**, 158
- polaron **166**, 158

$Tl_{1-x}Ce_xSr_2CaCu_2O_7$
- HREM **169**, 396
- structure **169**, 396
- synthesis **169**, 396

$Tl_{1-x}Pb_xCaSr_2Cu_2O_{6+\delta}$
- electron superconductivity **165**, 183

$Tl_2Ba_2Ca_2Cu_3O_{10}$
- chemical shift **168**, 327
- high pressure effect of T_c **166**, 523
- Knight shift **168**, 327
- NMR **168**, 327
- structure **168**, 315
- X-ray diffuse scattering **168**, 315

$Tl_2Ba_2Ca_2Cu_3$-oxides
- DTA **167**, 212
- structural phase transition **167**, 212

$Tl_2Ba_2CaCu_2O_{10+\delta}$
- degradation **170**, 388

$Tl_2Ba_2CaCu_2O_8$
- chemical shift **168**, 327
- Knight shift **168**, 327
- NMR **168**, 327
- structure **168**, 315

$Tl_2Ba_2CaCu_2O_x$
- flux lattice **166**, 486
- flux penetration **166**, 486

$Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$
- EELS **165**, 321

$Tl_2Ba_2CeCu_2O_x$
- microwave absorption **167**, 520

$Tl_2Ba_2CuO_6$
- chemical shift **168**, 327
- hole concentration, effect on T_c **165**, 321
- Knight shift **168**, 327
- NMR **165**, 485; **168**, 327
- spin–lattice relaxation time T_1 **165**, 485
- substitution effects of La **165**, 321

$Tl_2Ba_2CuO_{6\pm\delta}$
- Cu–O planes **165**, 377
- electrical resistivity **165**, 377
- Meissner effect **165**, 377
- oxygen stoichiometry **165**, 377
- structural phase transition **165**, 377

$Tl_2Ba_2CuO_{6-\delta}$
- oxygen stoichiometry **166**, 497

$Tl_2Ba_2CuO_{6+\delta}$
- HREM **166**, 349; **170**, 350
- magnetic susceptibility **168**, 499
- NMR of ^{205}Tl **166**, 349
- oxygen stoichiometry **170**, 350
- spin–lattice relaxation time T_1 **166**, 349
- structure **166**, 349

$Tl_2Ca_2Ba_2Cu_3O_x$
- magnetic susceptibility **165**, 29

$Tl_2Ca_2Ba_2CuO_{10}$
- NMR **165**, 485
- spin–lattice relaxation time T_1 **165**, 485

$Tl_2CaBa_2Cu_2O_8$
- irradiation effect **165**, 83
- NMR **165**, 485
- spin–lattice relaxation time T_1 **165**, 485

$Tl_2CaBa_2Cu_2O_{8-x}$
- magnetic susceptibility **167**, 267
- oxygen stoichiometry **167**, 267

$TlBa_{1.2}La_{0.8}CuO_5$
- neutron diffraction **166**, 19
- oxygen stoichiometry **166**, 19
- structure **166**, 19
- superconductivity **166**, 19

$TlBa_2Ca_{1-x}RE_xCu_2O_7$
- structure **168**, 57

$TlBa_2Ca_2Cu_3O_9$
- electronic structure **166**, 477
- structure **168**, 315
- X-ray diffuse scattering **168**, 315

$TlBa_2Ca_3Cu_4O_x$
- magnetization **170**, 395

$TlBa_2Ca_3Cu_4O_y$
- harmonic generation of magnetization **170**, 395

$TlBa_2CaCu_2O_7$
- electronic structure **166**, 477

$TlBa_2CaCu_2O_x$
- oxygen stoichiometry **170**, 443

Tl–Ba–Ca–Cu–O
- AC susceptibility **166**, 221
- Meissner effect **171**, 543
- oxygen stoichiometry **171**, 135
- Raman scattering **166**, 399
- structure **171**, 135
- substitution effects **171**, 135
- synthesis **171**, 135, 543

Tl–Pb–Sr–Ca–Cu–O
- microwave absorption **171**, 238

$Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$
- neutron diffraction **168**, 521
- oxygen stoichiometry **168**, 521
- structure **168**, 521

$Tl_xPb_{1-x}Ca_{1-y}Y_ySr_2Cu_2O_z$
- substitution effects of In **165**, 111

$TmBa_2Cu_3O_{7-\delta}$
- critical current density **166**, 185
- lower critical field H_{c1} **166**, 185
- penetration depth **166**, 185

$TmBa_2Cu_3O_x$
- flux creep **165**, 62
- magnetization relaxation **165**, 62
- twin boundaries elimination **165**, 62

Type-I
- microwave absorption **165**, 491

URu_2Si_2
- heavy-fermion compounds **169**, 497
- ultrasound attenuation **169**, 497
- ultrasound velocity **169**, 497

$(Y/Ca)Ba_2Cu_4O_8$
- AC susceptibility **167**, 236
- high pressure effect **167**, 236

$Y_{0.8}Ca_{0.2}Ba_2Cu_3O_{6+d}$
- substitution effects of Pr **167**, 640

$Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$
- structure **169**, 289
- synthesis **169**, 289
- TEM (transmission electron microscopy) study **169**, 289

$Y_{0.98}Gd_{0.02}Ba_2Cu_3O_{6.02}$
- ESR **167**, 157

$Y_{1-x}Ca_xBa_{2-y}La_yCu_4O_8$
- hole concentration **171**, 305
- Meissner effect **171**, 305

$Y_{1-x}Ca_xBa_2Cu_3O_y$
- O–T transition **165**, 437
- oxygen stoichiometry **165**, 437

$Y_{1-x}Ca_xBa_2Cu_4O_8$
- critical current density **167**, 102
- Cu–O chains **167**, 297
- Cu–O planes **167**, 297
- high pressure effect **167**, 297
- hot isostatic pressing **167**, 102

$Y_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$
- granular superconductivity **165**, 287
- magnetization **165**, 287
- phase diagram **165**, 287
- structure **165**, 287

$Y_{1-x}Eu_xBa_2Cu_3O_7$
- electronic structure **171**, 31
- Raman scattering **171**, 31

$Y_{1-x}Gd_xBa_2Cu_3O_{6.02}$
- antiferromagnetic order **167**, 301
- crystal field **167**, 301
- EPR **167**, 301

$Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$
- O–T transition **166**, 266
- specific heat, low-T **166**, 266

$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
- infrared spectroscopy **167**, 640
- neutron diffraction **166**, 191
- oxygen stoichiometry **170**, 343
- structure **166**, 191; **170**, 343

$Y_1Ba_2Cu_3O_6$
- magnetic orientation **167**, 157

$Y_1Ba_2Cu_3O_{7-\delta}$
- AES **167**, 423
- laser ablation **167**, 423

- O–T transition **167**, 149
- oxygen stoichiometry **167**, 149
- positron annihilation **167**, 149
- substrate effects **167**, 423

$Y_1Ba_2Cu_3O_{7-x}$
- thin films **171**, 131

$Y_1Ba_2Cu_4O_8$
- bipolaronic superconductivity **167**, 324
- high pressure effect **167**, 335
- structure **167**, 335
- synthesis **171**, 441
- twin boundaries **167**, 324

$Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$
- high pressure effect **169**, 386
- phase decomposition **169**, 386
- structure **169**, 386

$Y_2Ba_4Cu_7O_{15}$
- AC susceptibility **167**, 236
- high pressure effect **167**, 236

$Y_2Ba_4Cu_8O_{16-\delta}$
- crystal field **167**, 348
- electrical resistivity **167**, 348
- flux creep **167**, 348

$YBa_{2-x}Sr_xCu_3O_{7-\delta}$
- oxygen stoichiometry **166**, 261
- substitution effects **166**, 261

$YBa_2(Co_xCu_{1-x})_3O_{7-\delta}$
- infrared spectroscopy **171**, 547
- phonon-coupling mechanism **171**, 547

$YBa_2(Cu_{0.98}Fe_{0.02})_3{}^{57}CoO_{7-\delta}$
- Mössbauer spectroscopy **166**, 248

$YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$
- infrared spectroscopy **165**, 125
- Raman scattering **165**, 125
- structural phase transition **165**, 125

$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
- ESR **171**, 276
- infrared spectroscopy **166**, 431
- irradiation effect of neutrons **171**, 276
- optical reflectivity **166**, 431
- oxygen stoichiometry **171**, 276

$YBa_2(Cu_{1-x}Fe_x)_3O_y$
- Mössbauer spectroscopy **165**, 404
- phase diagram **165**, 404

$YBa_2(Cu1-xFe_x)O_4$
- magnetoresistance **166**, 100

$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
- phonon spectrum **171**, 77
- substitution effects **171**, 77

$YBa_2(Cu_{1-x}Ti_x)_3O_{7-\delta}$
- magnetic susceptibility **165**, 434
- structure **165**, 434

$YBa_2(Cu_{1-x}Zn_x)_3O_7$
- normal state properties **171**, 243
- specific heat **171**, 243

$YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$
- far-infrared spectra **165**, 328
- phonon spectrum **165**, 328

$YBa_2Cu_2PbO_x$
- XPS **170**, 245

$YBa_2Cu_2WO_{9-\delta}$
- structure **168**, 546
- synthesis **168**, 546

$YBa_2Cu_{3.5}O_7$
- high pressure effect **170**, 259

$YBa_2Cu_3{}^{17}O_{7-\delta}$
- NMR **171**, 348
- NQR **171**, 348

$YBa_2Cu_3(^{57}Co)O_{6.0}$
- interstitial position of Fe(Co) **171**, 406
- Mössbauer spectroscopy **171**, 406

$YBa_2Cu_{37-\delta}$
- synthesis **171**, 348

$YBa_2Cu_{3-x}Fe_xO_{7-\delta}$
- Mössbauer spectroscopy **169**, 361
- oxygen stoichiometry **169**, 361
- Raman scattering **170**, 419
- structure **169**, 361

$YBa_2Cu_{3-x}Fe_xO_{7+\delta}$
- Mössbauer spectroscopy **169**, 23

$YBa_2Cu_{3-x}Fe_xO_y$
- isomer shift **166**, 235
- Mössbauer spectroscopy **166**, 235
- XAFS **166**, 235

$YBa_2Cu_{3-x}M_xO_{7-\delta}$
- oxygen stoichiometry **170**, 307
- solubility limit of impurities **169**, 205
- substitution effects **170**, 307
- substitution effects for Cu **169**, 205

$YBa_2Cu_{3-x}Sn_xO_{7-\delta}$
- Hall effect **165**, 166
- magnetic susceptibility **165**, 166
- oxygen stoichiometry **165**, 166
- structure **165**, 166

$YBa_2Cu_3O_6$
- Meissner effect **165**, 107
- structure **165**, 107

$YBa_2Cu_3O_{6.34}$
- Cu–O chains **165**, 139
- magnetization, high-field **165**, 139

$YBa_2Cu_3O_{6.41}$
- charge transfer **167**, 571
- neutron diffraction **167**, 571
- quenching effects **167**, 571

$YBa_2Cu_3O_{6.5}$
- electronic structure **171**, 465
- hole concentration **171**, 465
- oxygen ordering **171**, 465

$YBa_2Cu_3O_{6.65}$
- Knight shift **166**, 301
- NMR of ^{17}O **166**, 301
- spin–lattice relaxation time T_1 **166**, 301

$YBa_2Cu_3O_{6.8}$
- HREM **170**, 139
- structure **170**, 139
- twin boundaries **170**, 139

$YBa_2Cu_3O_{6.95}$
- irradiation effect **165**, 475
- NQR **165**, 475
- spin–lattice relaxation time T_1 **165**, 475

$YBa_2Cu_3O_{6+\delta}$
- critical current density **165**, 480
- grain alignment **165**, 480
- magnetic susceptibility **165**, 480
- oxygen stoichiometry **168**, 549

$YBa_2Cu_3O_{6+x}$
- anharmonicity **167**, 59
- Coulometric titration **167**, 529
- critical current density **171**, 174
- Cu–O chains **167**, 11
- Cu–O planes **167**, 363
- defect structures **167**, 363
- electron diffraction **167**, 363
- flux creep **171**, 174
- hysteresis **167**, 567
- magnetization **167**, 567; **171**, 174
- oxygen stoichiometry **167**, 363, 529
- phase diagram **167**, 11, 529
- pinning force **171**, 174
- structural phase transition **167**, 11
- ultrasound velocity **167**, 59

$YBa_2Cu_3O_{6+x}$-Ag
- critical current density **167**, 343
- grain alignment (texturing) **167**, 343
- synthesis **167**, 343

$YBa_2Cu_3O_6I_x$
- Mössbauer spectroscopy **171**, 311

$YBa_2Cu_3O_7$
- acoustic plasmons **167**, 307
- anistropy of specific heat in magnetic fields **166**, 451
- band structure **165**, 461
- critical current density **165**, 199; **167**, 79; **170**, 123; **171**, 354
- crystal field **171**, 505
- Cu–O planes **171**, 505
- elastic constants **166**, 323
- electrical resistivity **170**, 298
- electrical resistivity, spatially resolved **167**, 79
- electronic structure **165**, 461; **166**, 483
- electron microscopy **167**, 375
- Eliashberg equations **167**, 307
- flux creep **170**, 298, 513; **171**, 271
- flux line lattice melting **170**, 513
- flux pinning **170**, 123, 513
- HREM **167**, 463
- infrared detectors **168**, 322
- irradiation effect **165**, 83
- lower critical field H_{c1} **165**, 199

- Madelung energy **166**, 483
- magnetization **165**, 364; **169**, 257
- Meissner effect **167**, 375
- microwave absorption **169**, 429; **171**, 271
- multilayers **167**, 463
- NMR **171**, 505
- penetration depth **167**, 375
- pinning force (Pb) **170**, 22
- Rutherford backscattering **167**, 463
- scanning electron microscopy **167**, 79
- specific heat, in magnetic fields **166**, 451
- structure **169**, 279; **171**, 354
- substitution effects of Fe **166**, 100
- substitution effects of Zn **171**, 231
- supercurrents in composite ring **166**, 277
- surface impedance **171**, 354
- synthesis **171**, 354
- thermal expansion **166**, 323
- thermal phonons **167**, 307
- thin films **171**, 231, 354
- torque **170**, 22
- upper critical H_{c2} **165**, 199

$YBa_2Cu_3O_{7-\delta}$
- 2D-ACAR **169**, 137
- AC loss **166**, 71
- AC susceptibility **166**, 215; **167**, 549; **168**, 123, 131, 652; **169**, 418
- AC susceptibility of superconductors **171**, 223
- Andreev reflection **166**, 543
- antiferromagnetic order **166**, 62
- chemical reaction with Pt, Pd, Rh, Ru, Re **166**, 408
- coherence length **167**, 42
- critical current density **167**, 75, 139; **168**, 63, 131, 185, 652; **169**, 107, 117, 303
- Cu–O planes **171**, 321
- depairing **167**, 1
- electrical resistivity **169**, 355
- electron diffraction **167**, 677
- electron irradiation effect **168**, 539
- electron–phonon coupling **171**, 223
- energy gap **169**, 476
- enthalphy of oxidation **166**, 372
- ESR **171**, 276, 457
- Faraday effect **166**, 36
- fluctuation effects **167**, 42
- flux creep **166**, 62; **169**, 418
- flux-density gradients **166**, 36
- flux lattice **166**, 486; **171**, 1
- flux penetration **166**, 486
- flux pinning **168**, 185; **169**, 418
- grain alignment **165**, 227, 258
- grain boundaries **168**, 405
- granular superconductivity **165**, 279; **168**, 123
- high field magnetization **169**, 81
- hole concentration **167**, 657
- HREM **166**, 255; **167**, 627, 677
- HREM of heterojunctions **170**, 325
- infrared conductivity **165**, 1
- infrared spectroscopy **169**, 381, 425; **171**, 37
- irradiation effect **167**, 1; **168**, 131, 539
- irradiation effect of fast neutrons **169**, 117
- irradiation effect of neutrons **171**, 276
- irreversibility line **169**, 418
- *I–V* characteristics **169**, 50
- Kramer's scaling law of the pinning force **169**, 81
- laser deposition **171**, 37
- magnetic flux distribution **170**, 166
- magnetic susceptibility **165**, 227
- magnetization **166**, 71; **168**, 539; **169**, 81; **171**, 205
- magnetoresistance **165**, 279; **167**, 42, 75, 139
- mechanical oscillator measurements **170**, 233
- Microemulsion process **168**, 571
- modulated structures **167**, 677
- morphology **165**, 279
- multigap structure **169**, 476
- neutron diffraction **165**, 298; **166**, 372; **169**, 217
- NMR **166**, 151
- optical absorption **169**, 425
- O–T transition **169**, 355; **171**, 321
- oxygen diffusion **169**, 193
- oxygen ordering **171**, 457
- oxygen ordering effects **171**, 205
- oxygen stoichiometry **166**, 372; **167**, 1; **171**, 156, 205, 276
- penetration depth **171**, 223
- peroxides **167**, 657
- phase diagram **166**, 473
- positron annihilation **169**, 137
- pseudogap **165**, 8
- quench and melt growth **166**, 215
- Raman scattering **168**, 359; **169**, 381
- screening of Ac magnetic field **168**, 123
- single-crystal growth **165**, 298
- size effect of high T_c superconductivity **170**, 161
- specific heat **168**, 465; **170**, 46
- specific heat, low-T **168**, 363
- SQUID **170**, 315
- strong electron–phonon coupling **169**, 425
- structure **166**, 255; **169**, 217
- substitution effects **168**, 506; **171**, 167; **171**, 276
- substitution effects of Co **165**, 125; **171**, 216
- substitution effects of Fe for Cu **166**, 431
- substitution effects of Fe, Ni, Gd **170**, 71
- substitution effects of Ga and Zn **171**, 419, 429
- substitution effects of Pb **170**, 245
- substitution effects of Ti **165**, 434
- substitution effects of Zn **165**, 328
- superconducting glass model **169**, 50
- synthesis **165**, 279; **168**, 346
- thermal expansion **168**, 465
- thermodynamical scaling of the specific heat **170**, 46
- thermoelectric power **171**, 321
- thin films **166**, 105; **168**, 322, 359; **170**, 59, 457, 473, 491; **171**, 37
- trivalent copper **171**, 156
- tunneling **166**, 543
- twin boundaries **166**, 75, 255; **167**, 627
- ultrasound velocity **166**, 87
- upper critical field H_{c2} **166**, 75
- weak links **167**, 75, 139, 549
- XPS **167**, 657

$YBa_2Cu_3O_{7-\delta+}Ag$
- critical current density **167**, 133
- Josephson effect **167**, 133

$YBa_2Cu_3O_{7-x}$
- acoustic emission **171**, 449
- CO_2 solubility **167**, 312
- critical current density **167**, 495
- density of electron states **170**, 532
- electrical resistivity **167**, 49
- electronic properties **170**, 532
- grain boundaries **167**, 591
- grain size effects **167**, 591
- granular superconductivity **167**, 495
- high pressure effect **171**, 93
- hole concentration **171**, 93
- hysteresis **167**, 591
- magnetization **167**, 495
- microwave absorption **167**, 520
- neutron diffraction **171**, 93
- normal-state properties **171**, 51
- NQR **171**, 51
- OI–OII transition **171**, 449
- O–T transition **167**, 49, 408
- oxygen ordering **171**, 449
- polarisation optical microscopy **167**, 408
- structural phase transition **167**, 49, 408
- synthesis **167**, 312

$YBa_2Cu_3O_{7-y}$

– flux creep **167**, 278
$YBa_2Cu_3O_{7+\delta}$
– high pressure effect **169**, 7
– phase diagram **169**, 7
– substitution effects **169**, 7
$YBa_2Cu_3O_x$
– critical current density **169**, 39
– Cu–O planes **165**, 419
– electrical resistivity **165**, 44
– magnetization **165**, 419
– neutron diffraction **165**, 419
– O–T transition **166**, 289
– oxygen stoichiometry **165**, 419
– phase transition **165**, 44
– thermoelectric power **165**, 44, 205
$YBa_2Cu_3O_y$
– substitution effects of Fe **165**, 404
$YBa_2Cu_{4-x}Fe_xO_{7-\delta}$
– high pressure effect **169**, 386
– phase decomposition **169**, 386
– structure **169**, 386
$YBa_2Cu_4O_8$
– AES **171**, 444
– critical current density **165**, 415; **170**, 521
– defect structures **169**, 457
– high pressure effect **168**, 482; **170**, 259
– hole concentration **171**, 444
– HREM **169**, 457
– magnetic susceptibility **165**, 415
– magnetization **165**, 335, 415; **168**, 272; **169**, 237
– optical reflectivity **166**, 145
– oxygen stoichiometry **168**, 153
– penetration depth **168**, 272
– phase diagram **168**, 153
– planar defects **169**, 457
– resistivity **166**, 145; **169**, 237
– specific heat **168**, 47; **169**, 237
– specific heat, linear coefficient **168**, 47
– structure **165**, 335, 391, 415
– synthesis **165**, 335, 391, 415
– thermal expansion **170**, 56
– twinning **169**, 457
– weak links **165**, 415
– XPS **171**, 444
$YBa_2Cu_4O_{8+\delta}$
– critical current density **168**, 40
– Resistivity **168**, 40
– specific heat **168**, 40
$YBa_2CuO_{7-\delta}$
– hetero structures **170**, 325
$YBa_4Cu_7O_{15}$
– high pressure effect **167**, 579
– neutron diffraction **167**, 579
– structure **167**, 579
Y–Ba–Cu–O
– critical current density **167**, 287; **171**, 301
– flux creep **167**, 6
– flux pinning **167**, 6
– HREM **171**, 14
– microwave absorption **171**, 238
– Nernst effect **167**, 6
– substitution effects **171**, 121
– substitution effects of Ca and La **171**, 305
– superlattices **171**, 14
– synthesis **167**, 287; **171**, 61
– synthesis at high oxygen pressure **171**, 187
– thin films **171**, 14, 121
– XPS **171**, 121
$YbBa_2Cu_3O_{7-\delta}$
– specific heat **168**, 99
$(Y,Ca)Ba_2Cu_4O_{8+\delta}$
– thin films **170**, 500

LES HOUCHES SUMMER SCHOOL

Vol. 50
Oceanographic and Geophysical Tomography
edited by **Y. DESAUBIES, A. TARANTOLA *and* J. ZINN-JUSTIN**
1990 xxvi + 464 pages
US $111.50/Dfl.195.00
ISBN 0-444-88779-2

Vol. 49
Strings, Fields and Critical Phenomena
edited by **E. BREZIN *and* J. ZINN-JUSTIN**
1990 xxx + 640 pages
US $131.50/Dfl.230.00
ISBN 0-444-88440-8

Vol. 48
Liquids at Interfaces
edited by **J. CHARVOLIN, J.-F. JOANNY *and* J. ZINN-JUSTIN**
1990 xxxvi + 644 pages
US $200.00/Dfl.350.00
ISBN 0-444-88450-5

Vol. 46
Chance and Matter
edited by **J. SOULETIE, J. VANNIMENUS *and* R. STORA**
1987 xxxvi + 720 pages
US $217.25/Dfl.380.00
ISBN 0-444-87072-5

Vol. 45
Signal Processing
edited by **J.L. LACOUME, T.S. DURRANI *and* R. STORA**
1987 912 pages (in 2 parts)
Part I: xl + 398 pages
US $128.50/Dfl.225.00
ISBN 0-444-87058-X
Parts II and III: xl + 460 pages
US $142.75/Dfl.250.00
ISBN 0-444-87059-8
Set: US $248.50/Dfl.435.00
ISBN 0-444-87027-X

Vol. 44
Architecture of Fundamental Interactions at Short Distances
edited by **P. RAMOND *and* R. STORA**
Part I: 1987 xxxiv + 418 pages
US $128.50/Dfl.225.00
ISBN 0-444-87053-9
Part II: 1987 xxxiv + 642 pages
US $182.75/Dfl.320.00
ISBN 0-444-87054-7
Set: US $285.75/Dfl.500.00
ISBN 0-444-87026-1

Vol. 43
Critical Phenomena, Random Systems, Gauge Theories
edited by **K. OSTERWALDER *and* R. STORA**
1986 1240 pages (in 2 parts)
Part I: US $217.25/Dfl.380.00
ISBN 0-444-87006-7
Part II: US $257.25/Dfl.450.00
ISBN 0-444-87007-5
Set: US $426.25/Dfl.746.00
ISBN 0-444-86980-8

Vol. 42
Cellular and Molecular Aspects of Developmental Biology
edited by **M. FOUGEREAU *and* R. STORA**
1986 xxx + 312 pages
US $105.75/Dfl.185.00
ISBN 0-444-86981-6

Vol. 41
Birth and Infancy of Stars
edited by **R. LUCAS, A. OMONT *and* R. STORA**
1985 xlii + 824 pages
US $260.00/Dfl.455.00
ISBN 0-444-86917-4

Vol. 40
Relativity, Groups and Topology II
edited by **B. DeWITT *and* R. STORA**
1984 xxxvi + 1324 pages
US $234.25/Dfl.410.00
ISBN 0-444-86858-5
1984. 1st repr. 1986 paperback (3 parts)
Part 1: xxxvi + 380 pages
US $34.00/Dfl.80.00
ISBN 0-444-87019-9
Part 2: xvi + 406 pages
US $34.00/Dfl.80.00
ISBN 0-444-87021-0
Part 3: xvi + 538 pages
US $37.00/Dfl.90.00
ISBN 0-444-87020-2
Paperback Set: US $98.00/Dfl.220.00
ISBN 0-444-87017-2

Vol. 39
Recent Advances in Field Theory and Statistical Mechanics
edited by **J.-B. ZUBER *and* R. STORA**
1984 xxx + 872 pages
US $294.25/Dfl.515.00
ISBN 0-444-86675-2

Vol. 38
New Trends in Atomic Physics
edited by **G. GRYNBERG *and* R. STORA**
Vol. I: 1984 xxxviii + 564 pages
US $231.50/Dfl.405.00
ISBN 0-444-86908-5
Vol. II: 1984 xxvi + 686 pages
US $271.50/Dfl.475.00
ISBN 0-444-86909-3
Set: US $445.75/Dfl.780.00
ISBN 0-444-86823-2

A subscription scheme offering 15% discount off the list price per volume is available.

Vol. 37
Gauge Theories in High Energy Physics
edited by **M.K. GAILLARD *and* R. STORA**
Part I: 1983 xxxiv + 644 pages
US $242.75/Dfl.425.00
ISBN 0-444-86722-8
Part II: 1983 xxxiv + 466 pages
US $182.75/Dfl.320.00
ISBN 0-444-86723-6
Set: US $382.75/Dfl.670.00
ISBN 0-444-86543-8

Vol. 36
Chaotic Behaviour of Deterministic Systems
edited by **G. IOOSS, R.H.G. HELLEMAN *and* R. STORA**
1983 xxxii + 710 pages
US $237.25/Dfl.415.00
ISBN 0-444-86542-X

Vol. 35
Physics of Defects
edited by **R. BALIAN, M. KLÉMAN *and* J.-P. POIRIER**
1981 xxxii + 858 pages
US $277.25/Dfl.485.00
ISBN 0-444-86225-0

Vol. 34
Laser-Plasma Interaction
edited by **R. BALIAN *and* J.C. ADAM**
1982 xxvi + 808 pages
US $265.75/Dfl.465.00
ISBN 0-444-86215-3

Vol. 33
Membranes and Intercellular Communication
edited by **R. BALIAN, M. CHABRE *and* P.F. DEVAUX**
1981 xxxii + 658 pages
US $200.00/Dfl.350.00
ISBN 0-444-85469-X

Vol. 32
Physical Cosmology
edited by **R. BALIAN, J. AUDOUZE *and* D.N. SCHRAMM**
1980 xxxiv + 686 pages
US $200.00/Dfl.350.00
ISBN 0-444-85433-9

Vol. 30
Nuclear Physics with Heavy Ions and Mesons
edited by **R. BALIAN, M. RHO *and* G.RIPKA**
Vol. I: 1978 xxx + 432 pages
US $154.25/Dfl.270.00
ISBN 0-444-85122-4
Vol. II: 1978 xxx + 586 pages
US $188.50/Dfl.330.00
ISBN 0-444-85231-X
Set: US $285.75/Dfl.500.00

North-Holland

(Elsevier Science Publishers)
P.O. Box 211,
1000 AE Amsterdam,
The Netherlands

In the USA & Canada:
Elsevier Science Publishing Co. Inc.
P.O. Box 882, Madison Square Station,
New York, NY 10159, U.S.A.

US $ prices are valid in the USA and Canada. In all other countries, the Dutch Guilder (Dfl.) price is definitive. Customers in the Netherlands please add 6% BTW. In New York State, applicable sales tax should be added. All prices are subject to change without prior notice.
404/b/165c

LATEST VOLUMES IN THE ENRICO FERMI SERIES

Proceedings of the International School of Physics

Volume 108

Photoemission and Absorption Spectroscopy of Solids and Interfaces with Synchrotron Radiation

M. Campagna and R . Rosei *(editors)*

1990 500 pages
US $143.00/Dfl.250.00
Subscr. Price:
US $121.50/Dfl.212.50
ISBN 0-444-88470-X

Presenting a timely overview of the present status of synchrotron radiation resarch, this volume includes the background fundamental theoretical aspects of the electronic structure of condensed matter and of condensed-matter interaction with photons.

Volume 107

The Chemical Physics of Atomic and Molecular Clusters

G. Scoles *(editor)*

1990 xviii + 818 pages
US $223.00/Dfl.390.00
Subscr. Price:
US $189.50/Dfl.331.50
ISBN 0-444-88331-2

This volume is concerned with the chemical physics of atomic and molecular clusters of medium and large size which are defined as clusters too large to yield rotationally resolved spectra. In practice this means from trimers and tetramers up.

Contents: I: Theory. II: Spectroscopy and Photodissociation. III: Mass Spectroscopy Scattering and Chemical Properties.

Volume 106

Current Trends in the Physics of Materials

G.F. Chiarotti, F. Fumi and M. Tosi *(editors)*

1990 900 pages
US $251.50/Dfl.440.00
Subscr. Price:
US $213.75/Dfl.374.00
ISBN 0-444-88333-9

Reviewing main areas of current interest in the study of the physical properties of materials, from basic concepts and analytical laboratory techniques to developments in technical applications, this volume is directed to solid-state physicists and chemists, materials scientists and materials and device engineers.

Contents: 1. Structure and Microstructure. 2. Magnetic and Superconducting Materials. 3. Semiconducting Materials and Devices. 4. Surfaces. 5. Low-dimensional Materials, Polymers and Liquid Crystals.

Volume 105

Confrontation between Theories and Observations in Cosmology:
Present Status and Future Programmes

J. Audouze and F. Melchiorri *(editors)*

1990 xiv + 456 pages
US $208.50/Dfl.365.00
Subscr. Price:
US $177.00/Dfl.310.25
ISBN 0-444-87112-8

The latest developments in particle physics are inextricably linked to modern cosmology. This volume emphasizes the complex interconnection between cosmology and particle physics, on both the theoretical and experimental sides. Unifying theories in high energy physics and inflationary models of the universe are therefore treated side by side. The large scale structure of the universe is analysed by confronting recent observations with theoretical models. The IRAS infrared surveys, the measurements in the cosmic background radiation and the consequences of these for our understanding of the universe are extensively dealt with.

Subscribers to the Enrico Fermi Series receive a 15% discount off the list price per Volume.

NORTH-HOLLAND
(Elsevier Science Publishers)

P.O. Box 211
1000 AE Amsterdam
The Netherlands

In the USA and Canada:
ELSEVIER SCIENCE PUBLISHING CO., Inc.,
P.O. Box 882, Madison Square Station
New York, NY 10159, U.S.A.

US $ prices are valid only in the USA and Canada. In all other countries, the Dutch Guilder (Dfl.) price is definitive. Customers in The Netherlands, please add 6% BTW. In New York State, applicable sales tax should be added. All prices are subject to change without prior notice.

404/b/387a


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0